

Gas Analysis												
Component	mol%	MW	btu/scf	lbs (leak-atm)	lb (leak-flare)	lbs (leak 24hr)	lbs (bd-atm)	lbs (bd-flare)	lbs (event 24hr)	DRE	RQ	Reportable?
carbon dioxide	0.5800	44.0	0.0	292.0	0.0	292.0	0.0	0.0	292.0	0.00		
helium		4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00		
hydrogen		2.0	273.8	0.0	0.0	0.0	0.0	0.0	0.0	0.99		
hydrogen sulfide	0.0010	34.1	586.8	0.4	0.0	0.4	0.0	0.0	0.4	0.98	100	No
nitrogen	1.2320	28.0	0.0	394.9	0.0	394.9	0.0	0.0	394.9	0.00		
oxygen		32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.00		
methane	73.4740	16.0	909.4	13485.8	0.0	13485.8	0.0	0.0	13485.8	0.99		
ethane	12.5000	30.1	1618.7	4300.3	0.0	4300.3	0.0	0.0	4300.3	0.99		
propane	6.5550	44.1	2314.9	3307.0	0.0	3307.0	0.0	0.0	3307.0	0.99		propane
propylene		42.1	2181.0	0.0	0.0	0.0	0.0	0.0	0.0	0.99		No
l-butane	0.9020	58.1	3000.4	599.8	0.0	599.8	0.0	0.0	599.8	0.98		butanes
n-butane	2.2530	58.1	3010.8	1498.2	0.0	1498.2	0.0	0.0	1498.2	0.98		
l-pentane	0.5180	72.2	3699.0	427.6	0.0	427.6	0.0	0.0	427.6	0.98		pentanes
n-pentane	0.5770	72.2	3706.9	476.3	0.0	476.3	0.0	0.0	476.3	0.98		
hexanes +	1.4010	86.2	4403.8	1381.3	0.0	1381.3	0.0	0.0	1381.3	0.98	5000	No
Total VOC	12.2060			7690.2	0.0	7690.2	0.0	0.0	7690.2			Total VOC
Total Stream	100.0			26163.6	0.0	26163.6	0.0	0.0	26163.6			
Should equal 100	99.993											
				Factors Leak to Flare		Factors Blowdown to Flare		BD to Flare	Leak to Flare			
				flared mmbtu 0.000		flared mmbtu 0.000		0.00	0.0000	NO _x	5000	No
				flared btu/scf 0.000		flared btu/scf 0.000		0.00	0.0	CO		No
								0.00	0.0	SO ₂	500	No

Source:

EMISSIONS EVENT RECORD																																																																																																	
!! REPORTABLE EMISSIONS EVENT !!				Date	12/23/2024																																																																																												
				Time	1:15 PM																																																																																												
				Duration (hrs)	0.2500																																																																																												
County		Latitude	31.218899	Longitude	-103.817281																																																																																												
Location	Sand Dunes South																																																																																																
Cause																																																																																																	
Corrective Action																																																																																																	
<table border="1"><thead><tr><th colspan="2">Release Inputs</th></tr></thead><tbody><tr><td>Release Type</td><td>PSV</td></tr><tr><td>PSV Flowrate (scfm)</td><td>29400.00</td></tr><tr><td>Hole Length (in)</td><td></td></tr><tr><td>Hole Width (in)</td><td></td></tr><tr><td>Hole Diameter (in)</td><td></td></tr><tr><td>Pressure (psi <i>gauge</i>)</td><td>11004</td></tr><tr><td>Flared</td><td>No</td></tr><tr><td>Cg</td><td>#VALUE!</td></tr><tr><th colspan="2">Blowdown Inputs</th></tr><tr><td>Pipe Length (ft)</td><td></td></tr><tr><td>Diameter (in)</td><td></td></tr><tr><td>Pressure (psi)</td><td></td></tr><tr><td>Flared</td><td></td></tr><tr><td>Is blowdown Part of release</td><td></td></tr><tr><th colspan="2">Atmospheric Input</th></tr><tr><td>Pressure (psi <i>atm.</i>)</td><td>14.7</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">LEAK RELEASE TOTAL</th></tr></thead><tbody><tr><td>441.00</td><td>Mscf</td></tr><tr><td>7690.21</td><td>lbs VOC</td></tr><tr><td>0.39</td><td>lbs H2S</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">BLOWDOWN RELEASE TOTAL</th></tr></thead><tbody><tr><td>0.00</td><td>Mscf</td></tr><tr><td>0.00</td><td>lbs VOC</td></tr><tr><td>0.00</td><td>lbs NOx</td></tr><tr><td>0.00</td><td>lbs H2S</td></tr><tr><td>0.00</td><td>lbs CO</td></tr><tr><td>0.00</td><td>lbs SO2</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">EVENT TOTAL (LEAK & BLOWDOWN)</th></tr></thead><tbody><tr><td>441.00</td><td>Mscf</td></tr><tr><td>7690.21</td><td>lbs VOC</td></tr><tr><td>0.39</td><td>lbs H2S</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">LEAK RELEASE 24 HOUR</th></tr></thead><tbody><tr><td>441.00</td><td>Mscf</td></tr><tr><td>7690.21</td><td>lbs VOC</td></tr><tr><td>0.39</td><td>lbs H2S</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">EVENT 24 HOUR (Leak & Blowdown)</th></tr></thead><tbody><tr><td>441.00</td><td>Mscf</td></tr><tr><td>7690.21</td><td>lbs VOC</td></tr><tr><td>0.00</td><td>lbs NOx</td></tr><tr><td>0.39</td><td>lbs H2S</td></tr><tr><td>0.00</td><td>lbs CO</td></tr><tr><td>0.00</td><td>lbs SO2</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">LEAK RELEASE 1 HOUR</th></tr></thead><tbody><tr><td>441.00</td><td>Mscf</td></tr><tr><td>26163.61</td><td>lbs gas</td></tr></tbody></table>						Release Inputs		Release Type	PSV	PSV Flowrate (scfm)	29400.00	Hole Length (in)		Hole Width (in)		Hole Diameter (in)		Pressure (psi <i>gauge</i>)	11004	Flared	No	Cg	#VALUE!	Blowdown Inputs		Pipe Length (ft)		Diameter (in)		Pressure (psi)		Flared		Is blowdown Part of release		Atmospheric Input		Pressure (psi <i>atm.</i>)	14.7	LEAK RELEASE TOTAL		441.00	Mscf	7690.21	lbs VOC	0.39	lbs H2S	BLOWDOWN RELEASE TOTAL		0.00	Mscf	0.00	lbs VOC	0.00	lbs NOx	0.00	lbs H2S	0.00	lbs CO	0.00	lbs SO2	EVENT TOTAL (LEAK & BLOWDOWN)		441.00	Mscf	7690.21	lbs VOC	0.39	lbs H2S	LEAK RELEASE 24 HOUR		441.00	Mscf	7690.21	lbs VOC	0.39	lbs H2S	EVENT 24 HOUR (Leak & Blowdown)		441.00	Mscf	7690.21	lbs VOC	0.00	lbs NOx	0.39	lbs H2S	0.00	lbs CO	0.00	lbs SO2	LEAK RELEASE 1 HOUR		441.00	Mscf	26163.61	lbs gas
Release Inputs																																																																																																	
Release Type	PSV																																																																																																
PSV Flowrate (scfm)	29400.00																																																																																																
Hole Length (in)																																																																																																	
Hole Width (in)																																																																																																	
Hole Diameter (in)																																																																																																	
Pressure (psi <i>gauge</i>)	11004																																																																																																
Flared	No																																																																																																
Cg	#VALUE!																																																																																																
Blowdown Inputs																																																																																																	
Pipe Length (ft)																																																																																																	
Diameter (in)																																																																																																	
Pressure (psi)																																																																																																	
Flared																																																																																																	
Is blowdown Part of release																																																																																																	
Atmospheric Input																																																																																																	
Pressure (psi <i>atm.</i>)	14.7																																																																																																
LEAK RELEASE TOTAL																																																																																																	
441.00	Mscf																																																																																																
7690.21	lbs VOC																																																																																																
0.39	lbs H2S																																																																																																
BLOWDOWN RELEASE TOTAL																																																																																																	
0.00	Mscf																																																																																																
0.00	lbs VOC																																																																																																
0.00	lbs NOx																																																																																																
0.00	lbs H2S																																																																																																
0.00	lbs CO																																																																																																
0.00	lbs SO2																																																																																																
EVENT TOTAL (LEAK & BLOWDOWN)																																																																																																	
441.00	Mscf																																																																																																
7690.21	lbs VOC																																																																																																
0.39	lbs H2S																																																																																																
LEAK RELEASE 24 HOUR																																																																																																	
441.00	Mscf																																																																																																
7690.21	lbs VOC																																																																																																
0.39	lbs H2S																																																																																																
EVENT 24 HOUR (Leak & Blowdown)																																																																																																	
441.00	Mscf																																																																																																
7690.21	lbs VOC																																																																																																
0.00	lbs NOx																																																																																																
0.39	lbs H2S																																																																																																
0.00	lbs CO																																																																																																
0.00	lbs SO2																																																																																																
LEAK RELEASE 1 HOUR																																																																																																	
441.00	Mscf																																																																																																
26163.61	lbs gas																																																																																																

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 415084

DEFINITIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 415084
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

<p>For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:</p> <ul style="list-style-type: none">• this application's operator, hereinafter "this operator";• venting and/or flaring, hereinafter "vent or flare";• any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";• the statements in (and/or attached to) this, hereinafter "the statements in this";• and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 415084

QUESTIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 415084
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Unavailable.
Incident Facility	[fAPP2122928745] Enterprise Carlsbad GS

Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Gas Compressor Station
Additional details for Equipment Involved. Please specify	Relief valve prematurely relieved for approx 15 minutes.

Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	73
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	2
Carbon Dioxide (CO2) percentage, if greater than one percent	1
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 415084

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 415084
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	12/23/2024
Time vent or flare was discovered or commenced	01:15 PM
Time vent or flare was terminated	01:30 PM
Cumulative hours during this event	0

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Cause: Equipment Failure Valve Natural Gas Vented Released: 441 Mcf Recovered: 0 Mcf Lost: 441 Mcf.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	relief valve specifications, calculation
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	False
Please explain reason for why this event was beyond this operator's control	equipment relieved prior to set point of valve, line pressures are continuously monitored.
Steps taken to limit the duration and magnitude of vent or flare	control center closely monitored discharge pressure from station
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	relief valve was inspected and reset by 3rd party valve company.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 415084

ACKNOWLEDGMENTS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 415084
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
<input checked="" type="checkbox"/>	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
<input checked="" type="checkbox"/>	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
<input checked="" type="checkbox"/>	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 415084

CONDITIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 415084
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
dfeather@eprod.com	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/26/2024