



1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by April 15, 2025.

January 6, 2025

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Fourth Quarter 2024 – SVE System Update

Hare #14M
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NRM2028852747

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Fourth Quarter 2024 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Hare #14M natural gas production well (Site), located in Unit D of Section 10, Township 29 North, Range 10 West, San Juan County, New Mexico (Figure 1). The SVE system was put into operation on June 6, 2023, to remediate subsurface soil impacts resulting from approximately 36 barrels (bbls) of natural gas condensate released from an aboveground storage tank. This report summarizes Site activities performed in October, November, and December of 2024.

SVE SYSTEM SPECIFICATIONS

The SVE system at the Site consists of a 3-phase, 6 horsepower Atlantic Blower AB-802 regenerative blower capable of producing 399 cubic feet per minute (cfm) flow and 125 inches of water column (IWC) vacuum. The system is powered by a permanent power drop and is intended to run 24 hours per day. Seven SVE wells were previously in operation through June 4, 2024, and are shown on Figures 2 and 3. SVE wells SVE01, SVE07, and SVE09 are screened within “shallow zone” soil at depths up to 25 feet below ground surface (bgs). SVE wells SVE02, SVE03, SVE06, and SVE08 are screened within “deep zone” soil at depths up to 40 feet bgs.

FOURTH QUARTER 2024 ACTIVITIES

The SVE system began operation on June 6, 2023. Based on the New Mexico Oil Conservation Division (NMOCD) Conditions of Approval (COAs), dated November 7, 2022, field data measurements were collected bi-weekly from the system during the fourth quarter of 2024 and included the following parameters: total system flow, flow rates from each SVE well, photoionization detector (PID) measurements of volatile organic compounds (VOCs) from each SVE well and the total system influent, and oxygen/carbon dioxide measurements via hand-held analyzers from each SVE well. Field notes taken during operations and maintenance (O&M) visits are presented in Appendix A.

During fourth quarter 2024, additional SVE wells were taken offline due to low PID readings. As of October 14, 2024, the SVE system is focused on vapor extraction on wells SVE01 and SVE08,

in order to maximize mass removal from the impacted soil zones. Between September 19 and December 17, 2024, the SVE system operated for 2,135.0 hours for a runtime efficiency of 100 percent (%). Appendix B presents photographs of the runtime meter for calculating the fourth quarter 2024 runtime efficiency. Table 1 presents the SVE system operational hours and calculated percentage runtime.

Based on the November 2022 COAs, vapor samples are required to be collected quarterly following the first year of operation. To comply with the aforementioned COAs, a vapor sample was collected on November 19, 2024. The vapor sample was collected from a sample port located between the SVE piping manifold and the SVE blower using a high vacuum air sampler. Prior to collection, the sample was field screened with a PID for organic vapor monitoring (OVM). The samples were collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing (Eurofins) in Albuquerque, New Mexico for analysis of total volatile petroleum hydrocarbons (TVPH – also known as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, VOCs following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processors Association (GPA) Method 2261. A summary of field measurements and analytical data collected at the Site are presented in Tables 2 and 3, respectively. The full laboratory analytical report is attached as Appendix C. Oxygen and carbon dioxide levels over time are presented at Graphs 1 and 2, respectively. Vapor samples will continue to be collected quarterly for the remainder of system operation.

Vapor sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 4). Based on these estimates, 4,388 pounds (2.19 tons) of TVPH have been removed by the system through November 19, 2024. No phase-separated hydrocarbons were recovered from the SVE wells during the O&M and sampling period described above.

DISCUSSION AND RECOMMENDATIONS

A decrease in overall system PID readings and associated mass removal rates has been observed since system startup, as is anticipated. As discussed in the *Third Quarter 2024 – SVE System Update*, adjustments were made in the fourth quarter of 2024 to attempt to focus vacuum extraction on extraction well SVE01 and SVE08, the locations with the highest PID readings; however, following adjustments, mass removal rates only increased slightly. Mass removal will continue to be monitored in the first quarter of 2025 and if an overall decrease continues to be observed, confirmation soil sampling will be conducted in accordance with the scope provided in the *Site Characterization Report and Remediation Work Plan*, dated December 23, 2021, and submitted on behalf of Hilcorp by WSP USA, Inc., to determine whether BTEX and TPH concentrations in soil are below the NMOCD Table I Closure Criteria.

Bi-weekly O&M visits and quarterly sampling events will continue to be performed by Ensolum and/or Hilcorp personnel to verify the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report.


We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,

Ensolum, LLC



Stuart Hyde, LG (licensed in WA & TX)
Senior Managing Geologist
(970) 903-1607
shyde@ensolum.com




Daniel R. Moir, PG (licensed in WY & TX)
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Attachments:

Figure 1	Site Location Map
Figure 2	SVE System Shallow Zone Wells
Figure 3	SVE System Deep Zone Wells
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Field Measurements
Table 3	Soil Vapor Extraction System Air Analytical Results
Table 4	Soil Vapor Extraction System Mass Removal and Emissions
Graph 1	Oxygen vs Time
Graph 2	Carbon Dioxide vs Time
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



Figures



Site Location Map

Hare #14M

Hilcorp Energy Company

36.746210, -107.878120

San Juan County, New Mexico

FIGURE

1





SVE System Shallow Zone Wells

Hare #14M
Hilcorp Energy Company
36.746210, -107.878120
San Juan County, New Mexico

FIGURE
2



SVE System Deep Zone Wells

Hare #14M
Hilcorp Energy Company
36.746210, -107.878120
San Juan County, New Mexico

FIGURE
3



Tables & Graphs



TABLE 1
SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS
Hare #14M
Hilcorp Energy Company
San Juan County, New Mexico

Date	Total Operational Hours	Delta Hours	Days	Quarterly Percent Runtime	Cumulative Percent Runtime
9/29/2023	3,056	--	--	--	--
12/20/2023	4,774	1,718.7	82.0	87%	87%
3/21/2024	6,965	2,190.8	92.0	99%	94%
6/26/2024	9,297	2,331.6	97.0	100%	96%
9/19/2024	11,332	2,035.2	85.0	100%	97%
12/17/2024	13,467	2,135.0	89.0	100%	97%



TABLE 2
SOIL VAPOR EXTRACTION SYSTEM FIELD MEASUREMENTS
 Hare #14M
 Hilcorp Energy Company
 San Juan County, New Mexico

SVE Well ID	Date	PID (ppm)	Differential Pressure (IWC)	Flow Rate (acfm)	Flow Rate (scfm) ⁽¹⁾⁽²⁾⁽³⁾	Vacuum (IWC)	Vacuum (psi)	Oxygen (%)	Carbon Dioxide (%)
Influent, All Wells	6/6/2023	1,769	--	--	--	--	--	--	--
	6/7/2023	1,367	--	--	70	78	2.82	--	--
	6/13/2023	1,023	--	--	35	44	1.59	--	--
	6/23/2023	675	--	--	40	40	1.44	--	--
	6/29/2023	781	--	--	40	40	1.44	--	--
	7/13/2023	745	--	--	42	37	1.34	--	--
	7/27/2023	414	--	--	45	36	1.30	--	--
	8/9/2023	403	--	--	48	34	1.23	--	--
	8/24/2023	610	--	--	46	37	1.34	--	--
	9/8/2023	444	--	--	48	36	1.30	--	--
	9/21/2023	398	--	--	46	36	1.30	--	--
	10/31/2023	140	3.3	159	115	33	1.19	--	--
	11/2/2023	--	6.6	225	156	46	1.66	--	--
	12/11/2023	126	6.3	219	152	47	1.70	--	--
	12/20/2023	103	6.23	218	151	49	1.77	--	--
	1/10/2024	85	6.4	221	153	48	1.73	--	--
	1/24/2024	68	6.4	221	152	51	1.84	--	--
	1/30/2024	161	6.7	226	155	51	1.84	20.9	0.08
	2/14/2024	109	5.7	209	139	62	2.24	--	--
	2/22/2024	150	5.6	207	138	61	2.20	--	--
	3/6/2024	71	5.6	207	139	58	2.09	--	--
	3/21/2024	100	5.8	211	142	57	2.06	--	--
	4/8/2024	151	5.7	209	141	58	2.09	--	--
	4/17/2024	101	5.8	211	143	56	2.02	--	--
	5/14/2024	65	5.9	212	146	51	1.84	--	--
	5/23/2024	43	6.1	216	148	51	1.84	--	--
	6/4/2024	107	4.7	190	124	69	2.49	--	--
	6/26/2024	98	4.8	192	125	68	2.45	--	--
	7/10/2024	89	5.0	195	128	68	2.45	--	--
	7/26/2024	86	4.9	194	127	68	2.45	--	--
	8/8/2024	81	4.8	192	125	68	2.45	--	--
	8/21/2024	60	4.9	194	127	67	2.42	--	--
	9/6/2024	54	4.8	192	124	71	2.56	--	--
	9/19/2024	69	4.9	194	125	71	2.56	--	--
	10/14/2024	71	3.0	151	88	105	3.79	--	--
	10/29/2024	119	3.0	151	90	100	3.61	--	--
	11/6/2024	108	3.0	151	89	104	3.75	--	--
	11/19/2024	54	2.8	146	85	106	3.83	--	--
	12/3/2024	113	2.8	146	85	107	3.86	--	--
	12/17/2024	110	2.8	146	85	106	3.83	--	--
SVE01	6/6/2023	1,620	--	--	--	--	--	--	--
	6/7/2023	1,983	--	--	10	61.9	2.23	20.9	2.28
	6/13/2023	1,520	--	--	5.0	29.3	1.06	22.9	0.48
	6/23/2023	1,245	--	--	5.7	23.9	0.86	23.2	0.26
	6/29/2023	1,441	--	--	5.7	24.2	0.87	23.2	0.24
	7/13/2023	1,585	--	--	6.0	--	--	22.9	0.26
	7/27/2023	1,292	--	--	6.4	20.8	0.75	22.5	0.24
	8/9/2023	923	--	--	6.9	18.8	0.68	22.8	0.18
	8/24/2023	982	--	--	6.6	21.2	0.77	22.1	0.12
	9/8/2023	763	--	--	6.9	--	--	22.0	0.14
	9/21/2023	435	--	--	6.6	20.7	0.75	21.4	0.08
	10/31/2023	8.5	--	--	--	--	--	20.9	0.04
	11/2/2023	--	0.20	39	27.2	46	1.66	20.9	0.04
	12/11/2023	397	0.13	32	21.9	47	1.70	20.9	0.04
	12/20/2023	412	0.09	26	18.1	49	1.77	20.9	0.02
	1/10/2024	251	0.15	34	23.4	48	1.73	20.9	0.01
	1/24/2024	318	0.15	34	24.4	33	1.19	20.9	0.01
	1/30/2024	90	0.14	33	23.6	33	1.18	20.9	0.04
	2/14/2024	397	0.06	21	15.0	44	1.59	20.9	0.04
	2/22/2024	508	0.08	25	17.3	44	1.58	20.9	0.04
	3/6/2024	401	--	--	--	42	1.50	20.9	0.02
	3/21/2024	483	0.06	21	15.1	42	1.51	20.9	0.04
	4/8/2024	538	0.07	23	16.4	40	1.46	20.9	0.05
	4/17/2024	399	0.06	21	15.2	39	1.41	20.9	0.05
	5/14/2024	174	0.24	43	30.9	33	1.20	20.9	0.03
	5/23/2024	152	0.25	44	31.6	32	1.17	20.6	0.03
	6/4/2024	210	0.54	64	43.9	52	1.89	20.9	0.05
	6/26/2024	119	0.48	61	41.2	54	1.95	20.9	0.04
	7/10/2024	248	0.52	63	43.3	51	1.83	20.9	0.04
	7/26/2024	181	0.57	66	45.4	50	1.81	20.9	0.05
	8/8/2024	169	0.55	65	44.5	51	1.83	20.9	0.05
	8/21/2024	157	0.57	66	45.2	52	1.87	20.9	0.05



TABLE 2
SOIL VAPOR EXTRACTION SYSTEM FIELD MEASUREMENTS
 Hare #14M
 Hilcorp Energy Company
 San Juan County, New Mexico

SVE Well ID	Date	PID (ppm)	Differential Pressure (IWC)	Flow Rate (acfm)	Flow Rate (scfm) ⁽¹⁾⁽²⁾⁽³⁾	Vacuum (IWC)	Vacuum (psi)	Oxygen (%)	Carbon Dioxide (%)
SVE01	9/6/2024	151	0.57	66	44.7	56	2.03	20.9	0.05
	9/19/2024	152	0.55	65	44.1	55	1.97	20.9	0.06
	10/14/2024	113	1.26	98	61.0	85	3.05	20.9	0.05
	10/29/2024	105	1.33	101	63.1	83	2.98	20.9	0.03
	11/6/2024	112	--	--	--	84	3.04	20.9	0.04
	11/19/2024	79	1.42	104	64.6	86	3.09	20.9	0.02
	12/3/2024	85	1.47	106	65.6	86	3.11	20.9	0.02
SVE02	12/17/2024	84	1.44	105	65.0	86	3.10	20.9	0.02
	6/6/2023	738	--	--	--	--	--	--	--
	6/7/2023	195	--	--	10	63.3	2.28	23.2	0.04
	6/13/2023	281	--	--	5.0	30.2	1.09	23.3	0.04
	6/23/2023	98.0	--	--	5.7	24.7	0.89	23.4	0.06
	6/29/2023	120	--	--	5.7	24.7	0.89	23.4	0.00
	7/13/2023	109	--	--	6.0	--	--	23.3	0.00
	7/27/2023	265	--	--	6.4	21.2	0.77	22.6	0.02
	8/9/2023	368	--	--	6.9	19.7	0.71	22.9	0.04
	8/24/2023	248	--	--	6.6	21.8	0.79	22.2	0.02
	9/8/2023	89.6	--	--	6.9	--	--	22.2	0.02
	9/21/2023	135	--	--	6.6	21.1	0.76	21.7	0.04
	10/31/2023	18	--	--	--	--	--	20.9	0.03
	11/2/2023	--	0.20	39.1	27.2	46	1.66	20.9	0.00
	12/11/2023	54	0.01	8.7	6.1	47	1.70	20.9	0.00
	12/20/2023	11.1	0.01	8.7	6.0	49	1.77	20.9	0.00
	1/10/2024	8.7	0.02	12.4	8.6	48	1.73	20.9	0.01
	1/24/2024	13	0.01	8.7	6.3	34	1.23	20.9	0.01
	1/30/2024	44	0.04	17.5	12.6	33	1.20	20.9	0.06
	2/14/2024	19.3	0.00	0.0	0.0	45	1.64	20.9	0.00
	2/22/2024	20.1	0.03	15.1	10.6	44	1.57	20.9	0.00
	3/6/2024	23.8	--	--	--	43	1.55	20.9	0.00
	3/21/2024	13.4	0.02	12.4	8.7	42	1.51	20.9	0.00
	4/8/2024	27.5	0.01	8.7	6.2	41	1.47	20.9	0.00
	4/17/2024	22.0	0.01	8.7	6.2	40	1.45	20.9	0.00
	5/14/2024	11.2	0.04	17.5	12.6	35	1.25	20.9	0.01
	5/23/2024	11.5	0.03	15.1	10.9	34	1.23	20.9	0.02
	6/4/2024	Well Taken Offline							
SVE03	6/6/2023	1,030	--	--	--	--	--	--	--
	6/7/2023	130	--	--	10	61.8	2.23	23.2	0.00
	6/13/2023	35.0	--	--	5.0	30.4	1.10	23.4	0.00
	6/23/2023	15.0	--	--	5.7	25.6	0.92	23.2	0.04
	6/29/2023	29.0	--	--	5.7	25.1	0.91	22.8	0.00
	7/13/2023	56.5	--	--	6.0	--	--	23.3	0.00
	7/27/2023	59.5	--	--	6.4	20.0	0.72	22.5	0.02
	8/9/2023	171	--	--	6.9	17.8	0.64	23.0	0.04
	8/24/2023	108	--	--	6.6	21.2	0.77	21.9	0.18
	9/8/2023	65.2	--	--	6.9	--	--	22.3	0.11
	9/21/2023	64.0	--	--	6.6	19.5	0.70	21.4	0.02
	10/31/2023	7.9	--	--	--	--	--	20.9	0.05
	11/2/2023	--	0.20	39	27.2	46	1.66	20.9	0.01
	12/20/2023	16.3	0.76	76	52.9	47	1.70	20.9	0.01
	12/20/2023	16.3	0.76	76	52.6	49	1.77	20.9	0.01
	1/10/2024	8.1	0.83	80	55.2	48	1.73	20.9	0.01
	1/24/2024	11.7	0.77	77	55.9	29	1.05	20.9	0.01
	1/30/2024	36	0.81	79	56.9	32	1.15	20.9	0.02
	2/14/2024	27.8	0.31	49	36.0	23	0.84	20.9	0.01
	2/22/2024	24.9	0.32	49	36.7	22	0.80	20.9	0.00
	3/6/2024	17.6	--	--	--	21	0.77	20.9	0.00
	3/21/2024	18.5	0.31	49	36.2	22	0.78	20.9	0.00
	4/8/2024	38.2	0.32	49	36.9	20	0.73	20.9	0.02
	4/17/2024	32.5	0.29	47	35.2	19	0.70	20.9	0.02
	5/14/2024	29.3	0.29	47	35.4	17	0.61	20.9	0.02
	5/23/2024	22.3	0.26	45	33.6	16	0.59	20.9	0.02
	6/4/2024	Well Taken Offline							
SVE06	6/6/2023	967	--	--	--	--	--	--	--
	6/7/2023	1,120	--	--	10	62.3	2.25	21.4	2.81
	6/13/2023	814	--	--	5.0	30.8	1.11	22.9	0.56
	6/23/2023	15.0	--	--	5.7	26.3	0.95	23.2	0.06
	6/29/2023	23.0	--	--	5.7	25.4	0.92	23.0	0.00
	7/13/2023	14.2	--	--	6.0	--	--	23.3	0.00
	7/27/2023	174	--	--	6.4	20.8	0.75	22.5	0.04
	8/9/2023	227	--	--	6.9	19.5	0.70	23.0	0.10
	8/24/2023	216	--	--	6.6	21.5	0.78	22.2	0.04
	9/8/2023	178	--	--	6.9	--	--	22.3	0.06



TABLE 2
SOIL VAPOR EXTRACTION SYSTEM FIELD MEASUREMENTS

Hare #14M
Hilcorp Energy Company
San Juan County, New Mexico

SVE Well ID	Date	PID (ppm)	Differential Pressure (IWC)	Flow Rate (acfm)	Flow Rate (scfm) ⁽¹⁾⁽²⁾⁽³⁾	Vacuum (IWC)	Vacuum (psi)	Oxygen (%)	Carbon Dioxide (%)
SVE06	9/21/2023	180	--	--	6.6	21.7	0.78	21.7	0.00
	10/31/2023	32.8	--	--	--	--	--	20.9	0.05
	11/2/2023	--	0.20	39.1	27.2	46	1.66	20.9	0.00
	12/11/2023	55.1	0.01	8.7	6.1	47	1.70	20.9	0.00
	12/20/2023	11.3	0.01	8.7	6.0	49	1.77	20.9	0.01
	1/10/2024	28.3	0.01	8.7	6.1	48	1.73	20.9	0.01
	1/24/2024	54.5	0.02	12.4	8.9	34	1.23	20.9	0.04
	1/30/2024	143	0.04	17.5	12.6	33	1.20	20.9	0.16
	2/14/2024	53.0	0.00	0.0	0.0	43	1.54	20.9	0.00
	2/22/2024	53.5	0.04	17.5	12.3	43	1.56	20.9	0.00
	3/6/2024	22.4	--	--	--	43	1.53	20.9	0.06
	3/21/2024	53.1	0.04	17.5	12.3	42	1.52	20.9	0.06
	4/8/2024	97.1	0.00	0.0	0.0	40	1.45	20.9	0.00
	4/17/2024	39.4	0.00	0.0	0.0	40	1.43	20.9	0.01
	5/14/2024	23.8	0.05	19.5	14.1	34	1.23	20.9	0.01
	5/23/2024	31.7	0.06	21.4	15.4	34	1.21	20.4	0.01
	6/4/2024	28.6	0.00	0.0	0.0	52	1.87	20.9	0.00
	6/26/2024	Well Taken Offline							
	7/10/2024	28.2	0.04	17.5	12.0	51.6	1.86	20.9	0.01
	7/26/2024	31.3	0.02	12.4	8.5	51.8	1.87	20.9	0.02
	8/8/2024	35.1	0.02	12.4	8.9	32.2	1.16	20.9	0.05
	8/21/2024	40.7	0.02	12.4	8.9	35.6	1.28	20.9	0.01
	9/6/2024	43.1	0.0	8.7	6.2	36.7	1.32	20.9	0.01
	9/19/2024	49.8	0.0	12.4	8.8	36.5	1.32	20.9	0.03
	10/14/2024	Well Taken Offline							
SVE07	6/6/2023	617	--	--	--	--	--	--	--
	6/7/2023	967	--	--	10	61.7	2.23	21.1	2.12
	6/13/2023	786	--	--	5.0	30.2	1.09	22.8	0.52
	6/23/2023	575	--	--	5.7	24.9	0.90	22.9	0.24
	6/29/2023	649	--	--	5.7	24.6	0.89	22.8	0.28
	7/13/2023	605	--	--	6.0	--	--	23.2	0.20
	7/27/2023	582	--	--	6.4	19.9	0.72	22.4	0.24
	8/9/2023	420	--	--	6.9	19.3	0.70	22.8	0.24
	8/24/2023	195	--	--	6.6	20.8	0.75	22.1	0.04
	9/8/2023	439	--	--	6.9	--	--	22.3	0.04
	9/21/2023	335	--	--	6.6	21.5	0.78	21.2	0.12
	10/31/2023	148	--	--	--	--	--	20.9	0.08
	11/2/2023	--	0.20	39	27.2	46	1.66	20.9	0.04
	12/11/2023	156	0.35	52	35.9	47	1.70	20.9	0.04
	12/20/2023	149	0.38	54	37.2	49	1.77	20.9	0.03
	1/10/2024	88.0	0.41	56	38.8	48	1.73	20.9	0.02
	1/24/2024	88.5	0.41	56	40.3	34	1.21	20.9	0.02
	1/30/2024	108	0.34	51	36.7	34	1.22	20.9	0.04
	2/14/2024	29.3	0.85	81	56.5	44	1.57	20.9	0.00
	2/22/2024	77.6	0.87	82	57.4	42	1.52	20.9	0.01
	3/6/2024	30.0	--	--	--	41	1.48	20.9	0.00
	3/21/2024	34.8	0.88	82	58.0	40	1.45	20.9	0.01
	4/8/2024	82.5	0.96	86	60.8	39	1.40	20.9	0.02
	4/17/2024	56.5	0.96	86	61.0	38	1.37	20.9	0.02
	5/14/2024	53.6	0.79	78	56.0	33	1.19	20.9	0.03
	5/23/2024	33.4	0.78	77	55.8	32	1.17	20.4	0.03
	6/4/2024	51.6	1.64	112	76.8	51	1.85	20.9	0.04
	6/26/2024	61.3	1.32	100	68.8	52	1.88	20.9	0.04
	7/10/2024	46.7	1.60	111	77.3	45	1.61	20.9	0.05
	7/26/2024	57.7	1.58	110	75.8	49	1.78	20.9	0.03
	8/8/2024	31.5	1.38	103	70.8	50	1.79	20.9	0.04
	8/21/2024	21.6	1.52	108	74.1	51	1.82	20.9	0.02
	9/6/2024	24.6	1.51	107	73.2	54	1.94	20.9	0.02
	9/19/2024	36.6	1.32	100	68.8	52	1.88	20.9	0.05
	10/14/2024	Well Taken Offline							
SVE08	6/6/2023	1,065	--	--	--	--	--	--	--
	6/7/2023	1,168	--	--	10	61.8	2.23	22.2	1.04
	6/13/2023	102	--	--	5.0	28.6	1.03	23.2	0.00
	6/23/2023	55.0	--	--	5.7	25.4	0.92	23.0	0.06
	6/29/2023	68.0	--	--	5.7	25.7	0.93	22.9	0.00
	7/13/2023	58.5	--	--	6.0	--	--	23.3	0.00
	7/27/2023	44.5	--	--	6.4	20.5	0.74	22.5	0.04
	8/9/2023	144	--	--	6.9	19.0	0.69	23.0	0.04
	8/24/2023	112	--	--	6.6	21.6	0.78	22.1	0.06
	9/8/2023	75.7	--	--	6.9	--	--	22.4	0.02
	9/21/2023	91.0	--	--	6.6	20.1	0.73	21.7	0.04
	10/31/2023	10.9	--	--	--	--	--	20.9	0.03



TABLE 2
SOIL VAPOR EXTRACTION SYSTEM FIELD MEASUREMENTS

Hare #14M
Hilcorp Energy Company
San Juan County, New Mexico

SVE Well ID	Date	PID (ppm)	Differential Pressure (IWC)	Flow Rate (acfm)	Flow Rate (scfm) ⁽¹⁾⁽²⁾⁽³⁾	Vacuum (IWC)	Vacuum (psi)	Oxygen (%)	Carbon Dioxide (%)
SVE08	11/2/2023	--	0.20	39.1	27.2	46	1.66	20.9	0.21
	12/11/2023	479	0.76	76.2	52.9	47	1.70	20.9	0.21
	12/20/2023	11.3	0.02	12.4	8.5	49	1.77	20.9	0.00
	1/10/2024	10.3	0.02	12.4	8.6	48	1.73	20.9	0.00
	1/24/2024	9	0.01	8.7	6.3	33	1.19	20.9	0.00
	1/30/2024	37	0.01	8.7	6.3	32	1.15	20.9	0.00
	2/14/2024	51.5	0.00	0.0	0.0	42	1.50	20.9	0.02
	2/22/2024	64.2	0.00	0.0	0.0	41	1.48	20.9	0.02
	3/6/2024	16.0	--	--	--	41	1.46	20.9	0.00
	3/21/2024	112.6	0.00	0.0	0.0	41	1.47	20.9	0.06
	4/8/2024	93.6	0.03	15.1	10.8	38	1.35	20.9	0.05
	4/17/2024	145.8	0.02	12.4	8.8	39	1.39	20.9	0.08
	5/14/2024	135.0	0.02	12.4	8.9	33	1.20	20.9	0.08
	5/23/2024	184.8	0.02	12.4	8.9	32	1.17	20.7	0.14
	6/4/2024	57.3	0.00	0	0.0	40	1.45	20.9	0.00
	6/26/2024	Well Taken Offline							
	7/10/2024	58.1	0.01	8.7	6.3	36.1	1.30	20.9	0.02
	7/26/2024	53.8	0.02	12.4	9.3	16.7	0.6	20.9	0.03
	8/8/2024	94.2	0.01	8.7	6.6	13.7	0.5	20.9	0.04
	8/21/2024	60.1	0.01	8.7	6.6	12.7	0.5	20.9	0.05
	9/6/2024	49.7	0.00	0.0	0.0	12.6	0.5	20.9	0.05
	9/19/2024	56.4	0.01	8.7	6.7	11.5	0.4	20.9	0.06
	10/14/2024	78.7	0.18	37.1	23.1	84.3	3.0	20.9	0.07
	10/29/2024	167.8	0.17	36.0	22.3	85.7	3.1	20.9	0.02
	11/6/2024	93.8	--	--	--	85.5	3.1	20.9	0.03
	11/19/2024	71.7	0.18	37.1	22.7	89.8	3.2	20.9	0.04
	12/3/2024	111.6	0.19	38.1	23.2	91.5	3.3	20.8	0.03
	12/17/2024	117.2	0.18	37.1	22.6	90.8	3.3	20.9	0.03
SVE09	6/6/2023	1,518	--	--	--	--	--	--	--
	6/7/2023	545	--	--	10	60.3	2.18	22.6	0.78
	6/13/2023	242	--	--	5.0	27.2	0.98	22.9	0.52
	6/23/2023	165	--	--	5.7	24.1	0.87	22.9	0.08
	6/29/2023	425	--	--	5.7	23.8	0.86	22.6	0.30
	7/13/2023	42.5	--	--	6.0	--	--	23.3	0.00
	7/27/2023	277	--	--	6.4	19.3	0.70	22.4	0.18
	8/9/2023	226	--	--	6.9	18.2	0.66	23.0	0.12
	8/24/2023	250	--	--	6.6	20.9	0.75	22.1	0.10
	9/8/2023	41.0	--	--	6.9	--	--	22.4	0.02
	9/21/2023	62.0	--	--	6.6	19.2	0.69	21.7	0.04
	10/31/2023	22.6	--	--	--	--	--	20.9	0.04
	11/2/2023	--	0.20	39	27.2	46	1.66	20.9	0.05
	12/11/2023	139	0.76	76	52.9	47	1.70	20.9	0.05
	12/20/2023	99.3	0.38	54	37.2	49	1.77	20.9	0.00
	1/10/2024	34.6	0.19	38	26.4	48	1.73	20.9	0.01
	1/24/2024	34	0.36	52	38.0	31	1.13	20.9	0.01
	1/30/2024	232	0.29	47	34.0	32	1.17	20.9	0.06
	2/14/2024	51.5	0.32	49	37.2	17	0.63	20.9	0.00
	2/22/2024	47	0.31	49	36.6	17	0.62	20.9	0.01
	3/6/2024	18.0	--	--	--	16	0.56	20.9	0.00
	3/21/2024	36.1	0.32	49	37.4	15	0.54	20.9	0.01
	4/8/2024	65.1	0.32	49	37.0	19	0.69	20.9	0.02
	4/17/2024	36.7	0.31	49	36.9	14	0.50	20.9	0.01
	5/14/2024	25.5	0.31	49	37.1	12	0.43	20.9	0.01
	5/23/2024	16.3	0.31	49	37.1	12	0.42	20.7	0.01
	6/4/2024	Well Taken Offline							

Notes:

(1): flow rates in scfm estimated based on total flow for total system rotometer field measurements collected between 6/6/2023 and 9/21/2023

(2): flow rates in scfm after 9/21/2023 are calculated based on total system pitot tube differential pressure measurements

(3): flow rates in scfm after 9/21/2023 based on an assumed temperature of 70F

IWC: inches of water column

PID: photoionization detector

ppm: parts per million

acfm: actual cubic feet per minute

scfm: standard cubic feet per minute

%: percent

--: not measured

TABLE 3
SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS
Hare #14M
Hilcorp Energy Company
San Juan County, New Mexico

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
6/6/2023	1,769	84	480	25	270	31,000	15.34	3.53
6/7/2023	1,367	43	280	17	200	14,000	21.26	1.14
6/13/2023	1,023	27	220	14	160	11,000	21.47	0.63
6/23/2023	675	2.7	41	3.9	50	3,400	21.59	0.38
6/29/2023	781	8.8	150	13	160	5,000	21.63	0.31
7/13/2023	745	<5.0	120	11	140	4,500	21.64	0.28
7/27/2023	414	<5.0	62	5.7	73	2,700	21.70	0.22
8/9/2023	403	<5.0	55	5.5	69	2,600	21.73	0.23
8/24/2023	610	<5.0	53	7.5	99	2,700	21.66	0.24
9/8/2023	444	<5.0	37	5.6	74	2,100	21.72	0.20
9/21/2023	398	<5.0	39	6.6	96	2,300	21.75	0.18
12/11/2023	126	0.28	9.6	2.2	31	720	21.64	0.12
1/10/2024	83	<0.25	10.0	1.4	19	560	20.04	0.07
3/6/2024	71	<5.0	<5.0	<5.0	<7.5	<250	22.19	0.12
5/14/2024	65	<0.50	1.8	0.75	14	290	21.73	0.05
7/26/2024	86	<0.50	1.6	0.69	17	470	19.23	0.12
9/6/2024	54	<0.50	2.3	<0.50	8.4	490	21.90	0.11
11/19/2024	54	2.3	26	2.1	24	480	21.98	0.11

Notes:

GRO: gasoline range organics

µg/L: microgram per liter

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

‰: percent

<: result less than the stated laboratory reporting limit (RL)




TABLE 4
SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS
Hare #14M
Hilcorp Energy Company
San Juan County, New Mexico


Flow and Laboratory Analysis						
Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
6/6/2023	1,769	84	480	25	270	31,000
6/7/2023	1,367	43	280	17	200	14,000
6/13/2023	1,023	27	220	14	160	11,000
6/23/2023	675	2.7	41	3.9	50	3,400
6/29/2023	781	8.8	150	13	160	5,000
7/13/2023	745	5.0	120	11	140	4,500
7/27/2023	414	5.0	62	5.7	73	2,700
8/9/2023	403	5.0	55	5.5	69	2,600
8/24/2023	610	5.0	53	7.5	99	2,700
9/8/2023	444	5.0	37	5.6	74	2,100
9/21/2023	398	5.0	39	6.6	96	2,300
12/11/2023	126	0.28	9.6	2.2	31	720
1/10/2024	85	0.25	10.0	1.4	19	560
3/6/2024	71	5.0	5.0	5.0	5.0	250
5/14/2024	65	0.50	1.8	0.75	14	290
7/26/2024	86	0.50	1.6	0.69	17	470
9/6/2024	54	0.50	2.3	0.50	8.4	490
11/19/2024	54	2.3	26	2.1	24	95
Average	509	11	89	7	84	4,676

Vapor Extraction Summary								
Date	Flow Rate (scfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
6/6/2023	--							
6/7/2023	70	117,180	117,180	0.017	0.099	0.0055	0.062	5.9
6/13/2023	35	412,440	295,260	0.0069	0.049	0.0030	0.035	2.5
6/23/2023	40	987,720	575,280	0.0021	0.018	0.0013	0.015	1.0
6/29/2023	40	1,336,440	348,720	0.00086	0.014	0.0013	0.016	0.63
7/13/2023	42	2,187,948	851,508	0.0011	0.021	0.0018	0.023	0.73
7/27/2023	45	3,087,588	899,640	0.00081	0.015	0.0014	0.017	0.59
8/9/2023	48	3,992,484	904,896	0.00087	0.010	0.0010	0.012	0.46
8/24/2023	46	4,912,116	919,632	0.00088	0.0095	0.0011	0.015	0.47
9/8/2023	48	5,817,012	904,896	0.00088	0.0079	0.0012	0.015	0.42
9/21/2023	46	6,685,032	868,020	0.00088	0.0067	0.0011	0.015	0.39
12/11/2023	152	22,137,048	15,452,016	0.00098	0.0090	0.0016	0.024	0.56
1/10/2024	153	28,765,008	6,627,960	0.00015	0.0056	0.0010	0.014	0.37
3/6/2024	142	40,224,408	11,459,400	0.00145	0.0041	0.0018	0.007	0.22
5/14/2024	146	54,558,396	14,333,988	0.00148	0.0018	0.0015	0.005	0.15
7/26/2024	127	67,928,448	13,370,052	0.00026	0.0009	0.0004	0.008	0.19
9/6/2024	124	75,380,352	7,451,904	0.00023	0.0009	0.0003	0.006	0.23
11/19/2024	85	84,447,132	9,066,780	0.00055	0.0055	0.0005	0.006	0.11
Average				0.0022	0.016	0.0015	0.017	0.9

Mass Recovery								
Date	Total Operational Hours	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
6/6/2023	292							
6/7/2023	319	28	0.464	2.78	0.153	1.7	164	0.082
6/13/2023	460	141	0.966	6.90	0.43	5.0	345	0.173
6/23/2023	700	240	0.499	4.39	0.301	3.53	242	0.121
6/29/2023	845	145	0.125	2.08	0.184	2.28	91	0.046
7/13/2023	1,183	338	0.36	7.0	0.622	7.77	246	0.123
7/27/2023	1,516	333	0.27	4.9	0.45	5.8	195	0.098
8/9/2023	1,830	314	0.27	3.2	0.31	3.9	145	0.072
8/24/2023	2,191	361	0.317	3.4	0.41	5.3	168	0.084
9/8/2023	2,549	358	0.315	2.8	0.41	5.4	151	0.076
9/21/2023	2,864	315	0.276	2.1	0.34	4.7	122	0.061
12/11/2023	4,558	1,694	1.656	15.2	2.76	39.8	947	0.474
1/10/2024	5,280	722	0.109	4.0	0.74	10.3	264	0.132
3/6/2024	6,625	1,345	1.948	5.6	2.37	8.9	301	0.150
5/14/2024	8,261	1,636	2.423	3.0	2.53	8.4	238	0.119
7/26/2024	10,016	1,755	0.448	1.5	0.64	13.9	340	0.170
9/6/2024	11,018	1,002	0.235	0.9	0.28	6.0	226	0.113
11/19/2024	12,795	1,778	0.973	9.8	0.90	11.3	203	0.102
Total Mass Recovery to Date			11.7	80	13.8	144	4,388	2.19

Notes:
cf: cubic feet
scfm: standard cubic feet per minute
µg/L: micrograms per liter
lb/hr: pounds per hour
--: not sampled
PID: photoionization detector
ppm: parts per million
TVPH: total volatile petroleum hydrocarbons
gray: laboratory reporting limit used for calculating emissions







APPENDIX A

Field Notes

HARE 14M SVE SYSTEM
O&M FORMDATE: 10-14
TIME ONSITE: _____O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>11929.7</u>	<u>1321</u>
Inlet Vacuum (IWC)	<u>10.5</u>	
Differential Pressure	<u>3.0</u>	
Inlet PID	<u>20.5</u>	
Exhaust PID	<u>21.3</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		

SVE SYSTEM SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes:	Sample Bi-Monthly (every oth. Sample Bi-Monthly (every other month) for TVPH (8015), BTEX (8260), Fixed Gas (CO2 AND O2)
OPERATING WELLS	

Change in Well
Operation:WELLHEAD MEASUREMENTS
SHALLOW ZONE WELLS


WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE01	<u>84.5</u>	<u>1.26</u>	<u>113.0</u>	<u>20.9</u>	<u>320</u>
SVE07					
SVE09					

DEEP ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE02					
SVE03					
SVE06					
SVE08	<u>84.3</u>	<u>0.18</u>	<u>78.7</u>	<u>20.9</u>	<u>660</u>

COMMENTS/OTHER MAINTENANCE:

Closed all valves except 1 & 8
scfm 45



HARE 14M SVE SYSTEM
O&M FORM

DATE: 10-29
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M		
SVE ALARMS: KO TANK HIGH LEVEL		
SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>12292.7</u>	<u>1550</u>
Inlet Vacuum (IWC)	<u>10.0</u>	
Differential Pressure	<u>3.0</u>	
Inlet PID	<u>119.1</u>	
Exhaust PID	<u>168.1</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		

SVE SYSTEM SAMPLING	
SAMPLE ID:	SAMPLE TIME:
Analytes:	Sample Bi-Monthly (every other month) for TVPH (8015), BTEX (8260), Fixed Gas (CO2 AND O2)
OPERATING WELLS	

Change in Well Operation:	
---------------------------	--

WELLHEAD MEASUREMENTS SHALLOW ZONE WELLS					
WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%) ^{ppm}
SVE01	<u>82.5</u>	<u>1.33</u>	<u>104.7</u>	<u>20.9</u>	<u>320</u>
SVE07					
SVE09					

DEEP ZONE WELLS					
WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE02					
SVE03					
SVE06					
SVE08	<u>85.7</u>	<u>0.17</u>	<u>167.8</u>	<u>20.9</u>	<u>220</u>

COMMENTS/OTHER MAINTENANCE:

scfm 45



U M

HARE 14M SVE SYSTEM
O&M FORM

DATE: 11-6
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____
KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>12485.5</u>	<u>1525</u>
Inlet Vacuum (IWC)	<u>10.4</u>	
Differential Pressure	<u>3.0</u>	
Inlet PID	<u>107.8</u>	
Exhaust PID	<u>141.3</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		

SVE SYSTEM SAMPLING

SAMPLE ID: _____	SAMPLE TIME: _____
Analytes: _____	Sample Bi-Monthly (every oth. Sample Bi-Monthly (every other month) for TVPH (8015), BTEX (8260), Fixed Gas (CO2 AND O2)
OPERATING WELLS	

Change in Well Operation: _____

WELLHEAD MEASUREMENTS
SHALLOW ZONE WELLS


WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE01	<u>84.2</u>		<u>111.7</u>	<u>20.9</u>	<u>440</u>
SVE07					
SVE09					

DEEP ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE02					
SVE03					
SVE06					
SVE08	<u>85.5</u>		<u>93.8</u>	<u>20.9</u>	<u>260</u>

COMMENTS/OTHER MAINTENANCE:

scfm 50

HARE 14M SVE SYSTEM
O&M FORMDATE: 11-19
TIME ONSITE: _____O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>12795.3</u>	<u>1242</u>
Inlet Vacuum (IWC)	<u>106</u>	
Differential Pressure	<u>2.8</u>	
Inlet PID	<u>54.3</u>	
Exhaust PID	<u>106.9</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		

SVE SYSTEM SAMPLING

SAMPLE ID: <u>SVE-1</u>	SAMPLE TIME: <u>1230</u>
Analytes: Sample Bi-Monthly (every oth. Sample Bi-Monthly (every other month) for TVPH (8015), BTEX (8260), Fixed Gas (CO2 AND O2)	
OPERATING WELLS	

Change in Well
Operation:WELLHEAD MEASUREMENTS
SHALLOW ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%) ^{ppm}
SVE01	<u>85.6</u>	<u>1.42</u>	<u>79.3</u>	<u>20.9</u>	<u>220</u>
SVE07					
SVE09					

DEEP ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE02					
SVE03					
SVE06					
SVE08	<u>89.8</u>	<u>10.18</u>	<u>71.7</u>	<u>20.9</u>	<u>380</u>

COMMENTS/OTHER MAINTENANCE:

SCfm 45

HARE 14M SVE SYSTEM
O&M FORMDATE: 12-3
TIME ONSITE: _____O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>13131.0</u>	<u>1159</u>
Inlet Vacuum (IWC)	<u>107</u>	
Differential Pressure	<u>2.8</u>	
Inlet PID	<u>112.6</u>	
Exhaust PID	<u>97.4</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		

SVE SYSTEM SAMPLING

SAMPLE ID:

SAMPLE TIME:

Analytes: Sample Bi-Monthly (every oth. Sample Bi-Monthly (every other month) for TVPH (8015), BTEX (8260), Fixed Gas (CO2 AND O2)

OPERATING WELLS

Change in Well
Operation:WELLHEAD MEASUREMENTS
SHALLOW ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE01	<u>86.2</u>	<u>1.47</u>	<u>84.7</u>	<u>20.9</u>	<u>220</u>
SVE07					
SVE09					

DEEP ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE02					
SVE03					
SVE06					
SVE08	<u>91.5</u>	<u>0.19</u>	<u>111.6</u>	<u>20.8</u>	<u>280</u>

COMMENTS/OTHER MAINTENANCE:

scfm 40

UNIVERSAL®

HARE 14M SVE SYSTEM
O&M FORMDATE: 12-17
TIME ONSITE: _____O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>13466.8</u>	<u>1113</u>
Inlet Vacuum (IWC)	<u>10.6</u>	
Differential Pressure	<u>2.8</u>	
Inlet PID	<u>410.2</u>	
Exhaust PID	<u>96.3</u>	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		

SVE SYSTEM SAMPLING

SAMPLE ID: _____

SAMPLE TIME: _____

Analytes: Sample Bi-Monthly (every oth. Sample Bi-Monthly (every other month) for TVPH (8015), BTEX (8260), Fixed Gas (CO2 AND O2)

OPERATING WELLS

Change in Well
Operation: _____WELLHEAD MEASUREMENTS
SHALLOW ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE01	<u>85.8</u>	<u>1.99</u>	<u>83.5</u>	<u>20.9</u>	<u>240</u>
SVE07					
SVE09					

DEEP ZONE WELLS

WELL ID	VACUUM (IWC)	DIFF PRESSURE (IWC)	PID HEADSPACE (PPM)	OXYGEN (%)	CARBON DIOXIDE (%)
SVE02					
SVE03					
SVE06					
SVE08	<u>90.8</u>	<u>0.18</u>	<u>117.2</u>	<u>20.9</u>	<u>300</u>

COMMENTS/OTHER MAINTENANCE:



APPENDIX B

Project Photographs

PROJECT PHOTOGRAPHS
Hare #14M
San Juan County, New Mexico
Hilcorp Energy Company

Photograph 1 Runtime meter taken on September 19, 2024 at 11:56 AM Hours = 11,331.8	DIRECTION351 deg(T)36.74624°N107.87774°WACCURACY 4 mDATUM WGS84  2024-09-1911:56:16-06:00
Photograph 2 Runtime meter taken on December 17, 2024 at 11:13 AM Hours = 13,466.8	DIRECTION336 deg(T)36.74620°N107.87781°WACCURACY 5 mDATUM WGS84  2024-12-1711:13:55-07:00



APPENDIX C

Laboratory Analytical Reports



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700

Farmington, New Mexico 87499

Generated 12/4/2024 12:38:25 PM Revision 1

JOB DESCRIPTION

Hare 14M

JOB NUMBER

885-15704-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Authorized for release by
Michelle Garcia, Project Manager
michelle.garcia@et.eurofinsus.com
(505)345-3975

Generated
12/4/2024 12:38:25 PM
Revision 1

Client: Hilcorp Energy
Project/Site: Hare 14M

Laboratory Job ID: 885-15704-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Subcontract Data	17
Chain of Custody	24
Receipt Checklists	25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Definitions/Glossary

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Hilcorp Energy
Project: Hare 14M

Job ID: 885-15704-1

Job ID: 885-15704-1

Eurofins Albuquerque

Job Narrative
885-15704-1

REVISION

The report being provided is a revision of the original report sent on 12/2/2024. The report (revision 1) is being revised due to The GRO Dilution factor has been updated..

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 11/21/2024 6:35 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 10.9°C.

Subcontract Work

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Client Sample ID: SVE-1

Lab Sample ID: 885-15704-1

Date Collected: 11/19/24 12:30

Matrix: Air

Date Received: 11/21/24 06:35

Sample Container: Tedlar Bag 1L

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	480		25	ug/L			11/22/24 17:27	5
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		52 - 172				11/22/24 17:27	5

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L			11/22/24 17:27	5
1,1,1-Trichloroethane	ND		0.50	ug/L			11/22/24 17:27	5
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L			11/22/24 17:27	5
1,1,2-Trichloroethane	ND		0.50	ug/L			11/22/24 17:27	5
1,1-Dichloroethane	ND		0.50	ug/L			11/22/24 17:27	5
1,1-Dichloroethene	ND		0.50	ug/L			11/22/24 17:27	5
1,1-Dichloropropene	ND		0.50	ug/L			11/22/24 17:27	5
1,2,3-Trichlorobenzene	ND		0.50	ug/L			11/22/24 17:27	5
1,2,3-Trichloropropane	ND		1.0	ug/L			11/22/24 17:27	5
1,2,4-Trichlorobenzene	ND		0.50	ug/L			11/22/24 17:27	5
1,2,4-Trimethylbenzene	1.6		0.50	ug/L			11/22/24 17:27	5
1,2-Dibromo-3-Chloropropane	ND		1.0	ug/L			11/22/24 17:27	5
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			11/22/24 17:27	5
1,2-Dichlorobenzene	ND		0.50	ug/L			11/22/24 17:27	5
1,2-Dichloroethane (EDC)	ND		0.50	ug/L			11/22/24 17:27	5
1,2-Dichloropropane	ND		0.50	ug/L			11/22/24 17:27	5
1,3,5-Trimethylbenzene	1.8		0.50	ug/L			11/22/24 17:27	5
1,3-Dichlorobenzene	ND		0.50	ug/L			11/22/24 17:27	5
1,3-Dichloropropane	ND		0.50	ug/L			11/22/24 17:27	5
1,4-Dichlorobenzene	ND		0.50	ug/L			11/22/24 17:27	5
1-Methylnaphthalene	ND		2.0	ug/L			11/22/24 17:27	5
2,2-Dichloropropane	ND		1.0	ug/L			11/22/24 17:27	5
2-Butanone	ND		5.0	ug/L			11/22/24 17:27	5
2-Chlorotoluene	ND		0.50	ug/L			11/22/24 17:27	5
2-Hexanone	ND		5.0	ug/L			11/22/24 17:27	5
2-Methylnaphthalene	ND		2.0	ug/L			11/22/24 17:27	5
4-Chlorotoluene	ND		0.50	ug/L			11/22/24 17:27	5
4-Isopropyltoluene	ND		0.50	ug/L			11/22/24 17:27	5
4-Methyl-2-pentanone	ND		5.0	ug/L			11/22/24 17:27	5
Acetone	ND		5.0	ug/L			11/22/24 17:27	5
Benzene	2.3		0.50	ug/L			11/22/24 17:27	5
Bromobenzene	ND		0.50	ug/L			11/22/24 17:27	5
Bromodichloromethane	ND		0.50	ug/L			11/22/24 17:27	5
Dibromochloromethane	ND		0.50	ug/L			11/22/24 17:27	5
Bromoform	ND		0.50	ug/L			11/22/24 17:27	5
Bromomethane	ND		1.5	ug/L			11/22/24 17:27	5
Carbon disulfide	ND		5.0	ug/L			11/22/24 17:27	5
Carbon tetrachloride	ND		0.50	ug/L			11/22/24 17:27	5
Chlorobenzene	ND		0.50	ug/L			11/22/24 17:27	5
Chloroethane	ND		1.0	ug/L			11/22/24 17:27	5
Chloroform	ND		0.50	ug/L			11/22/24 17:27	5

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Client Sample ID: SVE-1

Lab Sample ID: 885-15704-1

Date Collected: 11/19/24 12:30

Matrix: Air

Date Received: 11/21/24 06:35

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	ND		1.5	ug/L			11/22/24 17:27	5
cis-1,2-Dichloroethene	ND		0.50	ug/L			11/22/24 17:27	5
cis-1,3-Dichloropropene	ND		0.50	ug/L			11/22/24 17:27	5
Dibromomethane	ND		0.50	ug/L			11/22/24 17:27	5
Dichlorodifluoromethane	ND		0.50	ug/L			11/22/24 17:27	5
Ethylbenzene	2.1		0.50	ug/L			11/22/24 17:27	5
Hexachlorobutadiene	ND		0.50	ug/L			11/22/24 17:27	5
Isopropylbenzene	ND		0.50	ug/L			11/22/24 17:27	5
Methyl-tert-butyl Ether (MTBE)	ND		0.50	ug/L			11/22/24 17:27	5
Methylene Chloride	ND		1.5	ug/L			11/22/24 17:27	5
n-Butylbenzene	ND		1.5	ug/L			11/22/24 17:27	5
N-Propylbenzene	ND		0.50	ug/L			11/22/24 17:27	5
Naphthalene	ND		1.0	ug/L			11/22/24 17:27	5
sec-Butylbenzene	ND		0.50	ug/L			11/22/24 17:27	5
Styrene	ND		0.50	ug/L			11/22/24 17:27	5
tert-Butylbenzene	ND		0.50	ug/L			11/22/24 17:27	5
Tetrachloroethene (PCE)	ND		0.50	ug/L			11/22/24 17:27	5
Toluene	26		0.50	ug/L			11/22/24 17:27	5
trans-1,2-Dichloroethene	ND		0.50	ug/L			11/22/24 17:27	5
trans-1,3-Dichloropropene	ND		0.50	ug/L			11/22/24 17:27	5
Trichloroethene (TCE)	ND		0.50	ug/L			11/22/24 17:27	5
Trichlorofluoromethane	ND		0.50	ug/L			11/22/24 17:27	5
Vinyl chloride	ND		0.50	ug/L			11/22/24 17:27	5
Xylenes, Total	24		0.75	ug/L			11/22/24 17:27	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 130		11/22/24 17:27	5
Toluene-d8 (Surr)	106		70 - 130		11/22/24 17:27	5
4-Bromofluorobenzene (Surr)	101		70 - 130		11/22/24 17:27	5
Dibromofluoromethane (Surr)	103		70 - 130		11/22/24 17:27	5

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Method: 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-16598/4

Matrix: Air

Analysis Batch: 16598

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	ug/L			11/22/24 14:38	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		52 - 172				11/22/24 14:38	1

Lab Sample ID: LCS 885-16598/3

Matrix: Air

Analysis Batch: 16598

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	4250	4260		ug/L		100	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	87		52 - 172				

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-16467/1006

Matrix: Air

Analysis Batch: 16467

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			11/22/24 14:38	1
1,1,1-Trichloroethane	ND		0.10	ug/L			11/22/24 14:38	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			11/22/24 14:38	1
1,1,2-Trichloroethane	ND		0.10	ug/L			11/22/24 14:38	1
1,1-Dichloroethane	ND		0.10	ug/L			11/22/24 14:38	1
1,1-Dichloroethene	ND		0.10	ug/L			11/22/24 14:38	1
1,1-Dichloropropene	ND		0.10	ug/L			11/22/24 14:38	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			11/22/24 14:38	1
1,2,3-Trichloropropane	ND		0.20	ug/L			11/22/24 14:38	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			11/22/24 14:38	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			11/22/24 14:38	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			11/22/24 14:38	1
1,2-Dichlorobenzene	ND		0.10	ug/L			11/22/24 14:38	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			11/22/24 14:38	1
1,2-Dichloropropane	ND		0.10	ug/L			11/22/24 14:38	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
1,3-Dichlorobenzene	ND		0.10	ug/L			11/22/24 14:38	1
1,3-Dichloropropane	ND		0.10	ug/L			11/22/24 14:38	1
1,4-Dichlorobenzene	ND		0.10	ug/L			11/22/24 14:38	1
1-Methylnaphthalene	ND		0.40	ug/L			11/22/24 14:38	1
2,2-Dichloropropane	ND		0.20	ug/L			11/22/24 14:38	1
2-Butanone	ND		1.0	ug/L			11/22/24 14:38	1
2-Chlorotoluene	ND		0.10	ug/L			11/22/24 14:38	1
2-Hexanone	ND		1.0	ug/L			11/22/24 14:38	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16467/1006				Client Sample ID: Method Blank				
Matrix: Air				Prep Type: Total/NA				
Analysis Batch: 16467								
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	ND		0.40	ug/L			11/22/24 14:38	1
4-Chlorotoluene	ND		0.10	ug/L			11/22/24 14:38	1
4-Isopropyltoluene	ND		0.10	ug/L			11/22/24 14:38	1
4-Methyl-2-pentanone	ND		1.0	ug/L			11/22/24 14:38	1
Acetone	ND		1.0	ug/L			11/22/24 14:38	1
Benzene	ND		0.10	ug/L			11/22/24 14:38	1
Bromobenzene	ND		0.10	ug/L			11/22/24 14:38	1
Bromodichloromethane	ND		0.10	ug/L			11/22/24 14:38	1
Dibromochloromethane	ND		0.10	ug/L			11/22/24 14:38	1
Bromoform	ND		0.10	ug/L			11/22/24 14:38	1
Bromomethane	ND		0.30	ug/L			11/22/24 14:38	1
Carbon disulfide	ND		1.0	ug/L			11/22/24 14:38	1
Carbon tetrachloride	ND		0.10	ug/L			11/22/24 14:38	1
Chlorobenzene	ND		0.10	ug/L			11/22/24 14:38	1
Chloroethane	ND		0.20	ug/L			11/22/24 14:38	1
Chloroform	ND		0.10	ug/L			11/22/24 14:38	1
Chloromethane	ND		0.30	ug/L			11/22/24 14:38	1
cis-1,2-Dichloroethene	ND		0.10	ug/L			11/22/24 14:38	1
cis-1,3-Dichloropropene	ND		0.10	ug/L			11/22/24 14:38	1
Dibromomethane	ND		0.10	ug/L			11/22/24 14:38	1
Dichlorodifluoromethane	ND		0.10	ug/L			11/22/24 14:38	1
Ethylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
Hexachlorobutadiene	ND		0.10	ug/L			11/22/24 14:38	1
Isopropylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			11/22/24 14:38	1
Methylene Chloride	ND		0.30	ug/L			11/22/24 14:38	1
n-Butylbenzene	ND		0.30	ug/L			11/22/24 14:38	1
N-Propylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
Naphthalene	ND		0.20	ug/L			11/22/24 14:38	1
sec-Butylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
Styrene	ND		0.10	ug/L			11/22/24 14:38	1
tert-Butylbenzene	ND		0.10	ug/L			11/22/24 14:38	1
Tetrachloroethene (PCE)	ND		0.10	ug/L			11/22/24 14:38	1
Toluene	ND		0.10	ug/L			11/22/24 14:38	1
trans-1,2-Dichloroethene	ND		0.10	ug/L			11/22/24 14:38	1
trans-1,3-Dichloropropene	ND		0.10	ug/L			11/22/24 14:38	1
Trichloroethene (TCE)	ND		0.10	ug/L			11/22/24 14:38	1
Trichlorofluoromethane	ND		0.10	ug/L			11/22/24 14:38	1
Vinyl chloride	ND		0.10	ug/L			11/22/24 14:38	1
Xylenes, Total	ND		0.15	ug/L			11/22/24 14:38	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 130				11/22/24 14:38	1
Toluene-d8 (Surr)	93		70 - 130				11/22/24 14:38	1
4-Bromofluorobenzene (Surr)	91		70 - 130				11/22/24 14:38	1
Dibromofluoromethane (Surr)	108		70 - 130				11/22/24 14:38	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16467/6

Matrix: Air

Analysis Batch: 16467

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			11/22/24 14:38	1
1,1,1-Trichloroethane	ND		1.0	ug/L			11/22/24 14:38	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			11/22/24 14:38	1
1,1,2-Trichloroethane	ND		1.0	ug/L			11/22/24 14:38	1
1,1-Dichloroethane	ND		1.0	ug/L			11/22/24 14:38	1
1,1-Dichloroethene	ND		1.0	ug/L			11/22/24 14:38	1
1,1-Dichloropropene	ND		1.0	ug/L			11/22/24 14:38	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			11/22/24 14:38	1
1,2,3-Trichloropropane	ND		2.0	ug/L			11/22/24 14:38	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			11/22/24 14:38	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			11/22/24 14:38	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			11/22/24 14:38	1
1,2-Dichlorobenzene	ND		1.0	ug/L			11/22/24 14:38	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			11/22/24 14:38	1
1,2-Dichloropropane	ND		1.0	ug/L			11/22/24 14:38	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
1,3-Dichlorobenzene	ND		1.0	ug/L			11/22/24 14:38	1
1,3-Dichloropropane	ND		1.0	ug/L			11/22/24 14:38	1
1,4-Dichlorobenzene	ND		1.0	ug/L			11/22/24 14:38	1
1-Methylnaphthalene	ND		4.0	ug/L			11/22/24 14:38	1
2,2-Dichloropropane	ND		2.0	ug/L			11/22/24 14:38	1
2-Butanone	ND		10	ug/L			11/22/24 14:38	1
2-Chlorotoluene	ND		1.0	ug/L			11/22/24 14:38	1
2-Hexanone	ND		10	ug/L			11/22/24 14:38	1
2-Methylnaphthalene	ND		4.0	ug/L			11/22/24 14:38	1
4-Chlorotoluene	ND		1.0	ug/L			11/22/24 14:38	1
4-Isopropyltoluene	ND		1.0	ug/L			11/22/24 14:38	1
4-Methyl-2-pentanone	ND		10	ug/L			11/22/24 14:38	1
Acetone	ND		10	ug/L			11/22/24 14:38	1
Benzene	ND		1.0	ug/L			11/22/24 14:38	1
Bromobenzene	ND		1.0	ug/L			11/22/24 14:38	1
Bromodichloromethane	ND		1.0	ug/L			11/22/24 14:38	1
Dibromochloromethane	ND		1.0	ug/L			11/22/24 14:38	1
Bromoform	ND		1.0	ug/L			11/22/24 14:38	1
Bromomethane	ND		3.0	ug/L			11/22/24 14:38	1
Carbon disulfide	ND		10	ug/L			11/22/24 14:38	1
Carbon tetrachloride	ND		1.0	ug/L			11/22/24 14:38	1
Chlorobenzene	ND		1.0	ug/L			11/22/24 14:38	1
Chloroethane	ND		2.0	ug/L			11/22/24 14:38	1
Chloroform	ND		1.0	ug/L			11/22/24 14:38	1
Chloromethane	ND		3.0	ug/L			11/22/24 14:38	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			11/22/24 14:38	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			11/22/24 14:38	1
Dibromomethane	ND		1.0	ug/L			11/22/24 14:38	1
Dichlorodifluoromethane	ND		1.0	ug/L			11/22/24 14:38	1
Ethylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
Hexachlorobutadiene	ND		1.0	ug/L			11/22/24 14:38	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16467/6
Matrix: Air
Analysis Batch: 16467

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			11/22/24 14:38	1
Methylene Chloride	ND		3.0	ug/L			11/22/24 14:38	1
n-Butylbenzene	ND		3.0	ug/L			11/22/24 14:38	1
N-Propylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
Naphthalene	ND		2.0	ug/L			11/22/24 14:38	1
sec-Butylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
Styrene	ND		1.0	ug/L			11/22/24 14:38	1
tert-Butylbenzene	ND		1.0	ug/L			11/22/24 14:38	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			11/22/24 14:38	1
Toluene	ND		1.0	ug/L			11/22/24 14:38	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			11/22/24 14:38	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			11/22/24 14:38	1
Trichloroethene (TCE)	ND		1.0	ug/L			11/22/24 14:38	1
Trichlorofluoromethane	ND		1.0	ug/L			11/22/24 14:38	1
Vinyl chloride	ND		1.0	ug/L			11/22/24 14:38	1
Xylenes, Total	ND		1.5	ug/L			11/22/24 14:38	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 130		11/22/24 14:38	1
Toluene-d8 (Surr)	93		70 - 130		11/22/24 14:38	1
4-Bromofluorobenzene (Surr)	91		70 - 130		11/22/24 14:38	1
Dibromofluoromethane (Surr)	108		70 - 130		11/22/24 14:38	1

Lab Sample ID: LCS 885-16467/4
Matrix: Air
Analysis Batch: 16467

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.1	20.0		ug/L		99	70 - 130
Benzene	20.1	22.3		ug/L		111	70 - 130
Chlorobenzene	20.1	19.6		ug/L		98	70 - 130
Toluene	20.2	19.6		ug/L		97	70 - 130
Trichloroethene (TCE)	20.2	20.1		ug/L		100	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	113		70 - 130
Toluene-d8 (Surr)	94		70 - 130
4-Bromofluorobenzene (Surr)	94		70 - 130
Dibromofluoromethane (Surr)	107		70 - 130

QC Association Summary

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

GC/MS VOA

Analysis Batch: 16467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-15704-1	SVE-1	Total/NA	Air	8260B	
MB 885-16467/1006	Method Blank	Total/NA	Air	8260B	
MB 885-16467/6	Method Blank	Total/NA	Air	8260B	
LCS 885-16467/4	Lab Control Sample	Total/NA	Air	8260B	

Analysis Batch: 16598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-15704-1	SVE-1	Total/NA	Air	8015M/D	
MB 885-16598/4	Method Blank	Total/NA	Air	8015M/D	
LCS 885-16598/3	Lab Control Sample	Total/NA	Air	8015M/D	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Lab Chronicle

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Client Sample ID: SVE-1
Date Collected: 11/19/24 12:30
Date Received: 11/21/24 06:35

Lab Sample ID: 885-15704-1
Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015M/D		5	16598	CM	EET ALB	11/22/24 17:27
Total/NA	Analysis	8260B		5	16467	CM	EET ALB	11/22/24 17:27

Laboratory References:
= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total
Oregon	NELAP	NM100001	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hare 14M

Job ID: 885-15704-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Eurofins Albuquerque



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

December 02, 2024

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B24111781 Quote ID: B15626

Project Name: Hare 15, 88501698

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 11/22/2024 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B24111781-001	(885-15704-1) SVE-1	11/19/24 12:30	11/22/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Hare 15, 88501698
Lab ID: B24111781-001
Client Sample ID: (885-15704-1) SVE-1

Report Date: 12/02/24
Collection Date: 11/19/24 12:30
Date Received: 11/22/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.98	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Nitrogen	77.91	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Carbon Dioxide	0.11	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Hexanes plus	<0.01	Mol %		0.01		GPA 2261-13	11/25/22 10:55 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
Hexanes plus	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
GPM Total	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj
GPM Pentanes plus	< 0.001	gpm		0.001		GPA 2261-13	11/25/22 10:55 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND		1		GPA 2261-13	11/25/22 10:55 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND		1		GPA 2261-13	11/25/22 10:55 / jrj
Pseudo-critical Pressure, psia	546		1		GPA 2261-13	11/25/22 10:55 / jrj
Pseudo-critical Temperature, deg R	239		1		GPA 2261-13	11/25/22 10:55 / jrj
Specific Gravity @ 60/60F	0.998		0.001		D3588-81	11/25/22 10:55 / jrj
Air, %	100.45		0.01		GPA 2261-13	11/25/22 10:55 / jrj

- The analysis was not corrected for air.

COMMENTS

-					-	11/25/22 10:55 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis						

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)

Trust our People. Trust our Data.
www.energylab.comBillings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B24111781

Report Date: 12/02/24

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-13									Batch: R433029	
Lab ID: B24111782-001ADUP	12 Sample Duplicate				Run: GCNGA-B_241125A				11/25/24 12:33	
Oxygen		21.9	Mol %	0.01				0.1	20	
Nitrogen		77.8	Mol %	0.01				0	20	
Carbon Dioxide		0.29	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.03	Mol %	0.01				0.0	20	
Lab ID: LCS112524									11/25/24 14:10	
	11 Laboratory Control Sample				Run: GCNGA-B_241125A					
Oxygen		0.65	Mol %	0.01	130	70	130			
Nitrogen		5.80	Mol %	0.01	97	70	130			
Carbon Dioxide		0.99	Mol %	0.01	100	70	130			
Methane		75.0	Mol %	0.01	100	70	130			
Ethane		5.97	Mol %	0.01	99	70	130			
Propane		5.01	Mol %	0.01	101	70	130			
Isobutane		1.84	Mol %	0.01	92	70	130			
n-Butane		1.97	Mol %	0.01	98	70	130			
Isopentane		1.04	Mol %	0.01	104	70	130			
n-Pentane		0.99	Mol %	0.01	99	70	130			
Hexanes plus		0.79	Mol %	0.01	99	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Hall Environmental

B24111781

Login completed by: Kylie L. Pflock

Date Received: 11/22/2024

Reviewed by: Icadreau

Received by: CMJ

Reviewed Date: 11/24/2024

Carrier name: FedEx NDA

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on all shipping container(s)/cooler(s)?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on all sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes ☒	No ☐	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes ☐	No ☒	Not Applicable ☐
Container/Temp Blank temperature:	11.3°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

Contact and Corrective Action Comments:

None



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Laboratory Certifications and Accreditations

Current certificates are available at www.energylab.com website:

	Agency	Number
Billings, MT  	Alaska	17-023
	California	3087
	Colorado	MT00005
	Department of Defense (DoD)/ISO17025	ADE-2588
	Florida (Primary NELAP)	E87668
	Idaho	MT00005
	Louisiana	05079
	Montana	CERT0044
	Nebraska	NE-OS-13-04
	Nevada	NV-C24-00250
	North Dakota	R-007
	National Radon Proficiency	109383-RMP
	Oregon	4184
	South Dakota	ARSD 74:04:07
	Texas	TX-C24-00302
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00170
	Washington	C1039
Casper, WY 	Alaska	20-006
	California	3021
	Colorado	WY00002
	Florida (Primary NELAP)	E87641
	Idaho	WY00002
	Louisiana	05083
	Montana	CERT0002
	Nebraska	NE-OS-08-04
	Nevada	NV-C24-00245
	North Dakota	R-125
	Oregon	WY200001
	South Dakota	WY00002
	Texas	T104704181-23-21
	US EPA Region VIII	WY00002
	USNRC License	49-26846-01
	Washington	C1012
Gillette, WY	US EPA Region VIII	WY00006
Helena, MT	Colorado	MT00945
	Montana	CERT0079
	Nevada	NV-C24-00119
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00090

Environment Testing



Chain of Custody Record

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque, NM 87109
Phone: 505-345-3975 Fax: 505-345-4107

Client Information (Sub Contract Lab)		Sample: N/A		Lab PM: Garcia, Michelle		Carrier Tracking No(s): N/A		COC No: 885-2903.1		Page: Page 1 of 1		Job #: 885-15704-1		Preservation Codes:									
Client Contact		Shipping/Receiving		Company: Energy Laboratories, Inc.		Address: 1120 South 27th Street, City: Billings State, Zip: MT, 59101 Phone: 406-252-6325(Tel) Email: N/A Project #: 88501698 SSOW#: N/A		Sample Date		Sample Time		Sample Type (C=comp, G=grab, W=water, S=solid, O=wastewater, BT=tissue, A=air)		Field Filtered Sample (Yes or No)		SUB (Fixed Gases)/ Fixed Gases		Total Number of Containers		Special Instructions/Note:			
Due Date Requested: 1/22/2024		TAT Requested (days): N/A		Analysis Requested		Accreditations Required (See note): NELAP - Oregon; State - New Mexico		Analysis Requested		Other: N/A		See Attached Instructions		1		X		1		824/11/781			
Sample Identification - Client ID (Lab ID)		SVE-1 (885-15704-1)		11/19/24		12:30		Mountain		G		Air		X		1		See Attached Instructions		824/11/781			
Possible Hazard Identification		Unconfirmed		Deliverable Requested: I, II, III, IV, Other (specify)		Primary Deliverable Rank: 2		Special Instructions/QC Requirements:		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		Return To Client		Disposal By Lab		Archive For		Months					
Empty Kit Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:		Received by:		Date/Time:		Company:		Relinquished by:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:		Received by:		Date/Time:		Company:		Relinquished by:		Date/Time:		Company:	
Custody Seal No.:		Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:		Custody Seal No.:	
Ver: 10/10/2024																							

ICOC No:
885-2903

Containers

Count
1

Container Type
Tedlar Bag 1L

Preservative
None

Subcontract Method Instructions

Sample IDs	Method	Method Description	Method Comments
1	SUBCONTRACT	SUB (Fixed Gases)/ Fixed Gases	Fixed Gases

1

2

3

4

5

6

7

8

9

10

11

12

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-15704-1

Login Number: 15704

List Number: 1

Creator: Proctor, Nancy

List Source: Eurofins Albuquerque

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 419397

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 419397
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvez	SVE reviewed - 1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by April 15, 2025.	1/16/2025