



1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by April 15, 2025.

January 6, 2025

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Fourth Quarter 2024 – SVE System Update

Lambe 2C
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NVF1836050592

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Fourth Quarter 2024 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Lambe 2C natural gas production well (Site), located in Unit H, Section 20, Township 31 North, and Range 10 West in San Juan County (Figure 1). Specifically, this report summarizes Site activities performed in October, November, and December of 2024 to the New Mexico Oil Conservation Division (NMOCD).

SVE SYSTEM SPECIFICATIONS

The current SVE system was installed at the Site in September 2021, with operation beginning on September 24, 2021. The SVE system is configured so vacuum is applied to well MW01 (shown on Figure 2). SVE well MW01 is screened across the impacted soil interval from approximately 20 feet to 35 feet below ground surface (bgs). The SVE system consists of a 1-horsepower Atlantic Blower model AB-202/1 regenerative blower capable of producing 50 standard cubic feet per minute (scfm) flow and 30 inches of water column (IWC) vacuum. The layout of the SVE system and piping is shown on Figure 2.

FOURTH QUARTER 2024 ACTIVITIES

During the fourth quarter of 2024, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to verify the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. During the fourth quarter of 2024, SVE well MW01 was operated in order to induce flow in the impacted soil zone. Between September 18 and December 18, 2024, the SVE system operated for 2,179.6 hours for a runtime efficiency of 99.8 percent (%). Appendix B presents photographs of the runtime meter for calculating the fourth quarter runtime efficiency. Table 1 presents the SVE system operational hours and calculated percentage runtime.

A fourth quarter 2024 vapor sample was collected on November 26, 2024, from a sample port located between the SVE piping manifold and the SVE blower, using a high vacuum air sampler. Prior to

collection, the vapor sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing in Albuquerque, New Mexico for analysis of total volatile petroleum hydrocarbons (TVPH – also known as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processors Association (GPA) Method 2261. Table 2 presents a summary of analytical data collected during this sampling event and historical sampling events, with the full laboratory analytical report included in Appendix C.

Vapor sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, 537 pounds of TVPH have been removed by the system to date.

RECOMMENDATIONS

Based on the remediation timeline presented in the *Update Report and Updated Remediation Workplan*, prepared by WSP USA, Inc., dated September 30, 2021, soil sampling activities were performed on September 22 and 23, 2023 using a sonic drill rig. Soil sampling activities and analytical results were initially summarized in the Ensolum report titled *Closure Request with Variance* and submitted to the NMOCD on November 22, 2023. A revised *Closure Request with Variance* was submitted to the NMOCD on June 13, 2024. Additional drilling and confirmation sampling work was conducted on December 9, 2024, and results will be submitted in a separate report. The SVE system will continue to operate while Hilcorp and the NMOCD work towards closure of the Site.


Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to verify the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,
Ensolum, LLC



Stuart Hyde, LG (licensed in WA & TX)
Senior Managing Geologist
(970) 903-1607
shyde@ensolum.com



Daniel R. Moir, PG (licensed in WY & TX)
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Hilcorp Energy Company
Fourth Quarter 2024 – SVE System Update
Lambe 2C




Attachments:

Figure 1	Site Location
Figure 2	As Built Diagram
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Emissions Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



Figures



AS BUILT DIAGRAM

HILCORP ENERGY COMPANY
LAMBE 2C

SENE SEC 20 T31N R10W, San Juan County, New Mexico
36.885855° N, 107.899525° W

PROJECT NUMBER: 07A1988008

FIGURE

2



Tables



TABLE 1
SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS
Lambe 2C
Hilcorp Energy Company
San Juan County, New Mexico

Date	Total Operational Hours	Delta Hours	Days	Percent Runtime
9/18/2024	16,630.5	--	--	--
12/18/2024	18,810.1	2,179.6	91.0	99.8%



TABLE 2 SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS Lambe 2C Hilcorp Energy Company San Juan County, New Mexico								
Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
9/25/2019 ⁽¹⁾	782	6.1	42	<5.0	56	--	--	--
10/14/2019 ⁽¹⁾	431	7.3	26	2.6	36	3,600	--	--
9/17/2021 ⁽²⁾	78	<0.10	<0.10	<0.10	1.1	660	--	--
9/24/2021	97	<0.20	0.9	<0.20	4.3	880	--	--
12/2/2021	92	<0.20	2.3	0.6	6.5	300	22.10	0.288
3/15/2022	42	<0.1	<0.10	<0.10	0.5	41	22.10	0.249
6/16/2022	25	<0.10	0.51	0.14	1.4	110	21.57	0.28
9/28/2022 ⁽³⁾	122	<0.10	<0.10	<0.10	<0.15	43	21.47	0.41
12/12/2022 ⁽³⁾	16.9	0.72	8.2	0.51	6.5	170	21.68	0.30
3/9/2023	20.8	0.21	4.1	0.47	<0.10	140	21.64	0.26
6/22/2023	48.3	0.37	4.1	0.29	5.4	120	21.10	0.30
8/23/2023	38.6	0.21	3.1	0.30	4.7	75	21.30	0.53
11/27/2023	23.8	<0.10	1.6	0.16	2.5	51	21.50	0.34
3/5/2024	40.6	0.69	9.9	0.91	11	130	22.31	0.24
6/13/2024	30.1	0.35	4.2	0.34	4.4	57	21.67	0.25
9/18/2024	18.6	2.4	1.1	18	25	61	21.82	0.35
11/26/2024	2.1	<0.10	0.12	<0.10	0.18	7.4	21.45	0.05

Notes:

(1): sample collected during a Venturi event

(2): sample collected during pilot testing of the SVE system

(3): PID measurement collected during operation and maintenance visits on 9/21/2022 and 12/10/2022

GRO: gasoline range organics

µg/L: microgram per liter

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

%: percent

--: not sampled

<: gray indicates result less than the stated laboratory reporting limit (RL)



TABLE 3
SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS
 Lambe 2C
 Hilcorp Energy Company
 San Juan County, New Mexico

Laboratory Analysis

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
9/24/2021	97	0.20	0.94	0.20	4.3	880
12/2/2021	92	0.20	2.3	0.59	6.5	300
3/15/2022	42	0.10	0.10	0.10	0.48	41
6/16/2022	25	0.10	0.51	0.14	1.4	110
9/28/2022 ⁽¹⁾	122	0.10	0.10	0.10	0.35	43
12/12/2022 ⁽²⁾	16.9	0.72	8.2	0.51	6.5	170
3/9/2023	20.8	0.21	4.1	0.47	0.10	140
6/22/2023	48.3	0.37	4.1	0.29	5.4	120
8/23/2023	38.6	0.21	3.1	0.30	4.7	75
11/27/2023	23.8	0.10	1.6	0.16	2.5	51
3/5/2024	40.6	0.69	9.9	0.91	11.0	130
6/13/2024	30.1	0.35	4.2	0.34	4.4	57
9/18/2024	18.6	2.4	1.1	18	25	61
11/26/2024	2.1	0.10	0.12	0.10	0.18	7
Average	44	0.42	2.9	1.6	5.2	156

Vapor Extraction Summary

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
9/24/2021	51	4,590	4,590	0.000038	0.00018	0.000038	0.00082	0.17
12/2/2021	40	3,811,470	3,806,880	0.000030	0.00024	0.000059	0.00081	0.088
3/15/2022	40	9,329,550	5,518,080	0.000022	0.00018	0.000052	0.00052	0.026
6/16/2022	42	14,899,002	5,569,452	0.000016	0.000048	0.000019	0.00015	0.012
9/28/2022 ⁽¹⁾	44	20,888,106	5,989,104	0.000016	0.000050	0.000020	0.00013	0.013
12/10/2022 ⁽²⁾	44	25,438,938	4,550,832	0.000067	0.00068	0.000050	0.00055	0.018
3/9/2023	43	30,543,984	5,105,046	0.000075	0.00099	0.000079	0.00053	0.025
6/22/2023	44	37,073,496	6,529,512	0.000048	0.00067	0.000063	0.00045	0.021
8/23/2023	46	40,215,535	3,142,039	0.000050	0.00062	0.000051	0.00087	0.017
11/27/2023	47	46,701,986	6,486,451	0.000027	0.00041	0.000040	0.00063	0.011
3/5/2024	45	53,835,926	7,133,940	0.000066	0.00097	0.000090	0.0011	0.015
6/13/2024	45	59,394,416	5,558,490	0.000088	0.0012	0.00011	0.0013	0.016
9/18/2024	46	65,784,424	6,390,007	0.00024	0.00046	0.0016	0.0025	0.010
11/26/2024	50	70,750,354	4,965,930	0.00023	0.00011	0.0017	0.0024	0.006
Average				0.000072	0.00049	0.00028	0.00091	0.032

Mass Recovery

Date	Total Operational Hours ⁽³⁾	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
9/24/2021	1.5	1.5	0.000057	0.00027	0.000057	0.0012	0.25	0.00013
12/2/2021	1,588	1,586	0.047	0.38	0.094	1.3	140	0.070
3/15/2022	3,887	2,299	0.052	0.41	0.12	1.2	59	0.029
6/16/2022	6,097	2,210	0.035	0.11	0.042	0.33	26	0.013
9/21/2022 ⁽¹⁾	8,366	2,269	0.037	0.11	0.045	0.29	29	0.014
12/10/2022 ⁽²⁾	10,089	1,724	0.12	1.2	0.087	0.94	30	0.015
3/9/2023	12,068	1,979	0.15	2.0	0.16	1.1	49	0.025
6/22/2023	14,541	2,473	0.12	1.7	0.15	1.1	53	0.026
8/23/2023	15,680	1,138	0.057	0.71	0.058	1.0	19	0.010
11/27/2023	17,980	2,300	0.063	0.95	0.093	1.5	25	0.013
3/5/2024	20,622	2,642	0.18	2.6	0.24	3.0	40	0.020
6/13/2024	22,681	2,059	0.18	2.4	0.22	2.7	32	0.016
9/18/2024	24,996	2,315	0.55	1.1	3.7	5.9	24	0.012
11/26/2024	26,651	1,655	0.39	0.2	2.8	3.9	11	0.005
Total Mass Recovery to Date			2.0	14	7.8	24	537	0.27

Notes:

(1): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 9/21/2022

(2): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 12/10/2022

(3): total operational hours are a summation of runtime hours collected from several blower runtime meters

cf: cubic feet

cfm: cubic feet per minute

µg/L: micrograms per liter

lb/hr: pounds per hour

--: not sampled

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

gray: laboratory reporting limit used for calculating emissions



APPENDIX A

Field Notes



LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 10-15
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____
KO TANK HIGH LEVEL _____

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	17278.28	1405
Inlet Vacuum (IWC)	16	
K/O Tank Vacuum (IWC)	16	
Inlet Flow Rotameter (scfm)	46	
Inlet PID	23.3	
Exhaust PID	0.9	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2) SAMPLE TIME: _____
OPERATING WELLS _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		25.6	

COMMENTS/OTHER MAINTENANCE:



LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 10-30
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	17638.25	1404
Inlet Vacuum (IWC)	1.6	
K/O Tank Vacuum (IWC)	1.8	
Inlet Flow Rotameter (scfm)	4.8	
Inlet PID	29.6	
Exhaust PID	1.0	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)	2.5	
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		25.1	

COMMENTS/OTHER MAINTENANCE:



LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 11-12
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: _____ KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	17951.44	1424
Inlet Vacuum (IWC)	16	
K/O Tank Vacuum (IWC)	16	
Inlet Flow Rotameter (scfm)	46	
Inlet PID	38.2	
Exhaust PID	1.2	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)	7	
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes:	TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		29.9	

COMMENTS/OTHER MAINTENANCE:

LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 11/26/24
TIME ONSITE: 1245

O&M PERSONNEL: Aaron L
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	8285.80	1249
Inlet Vacuum (IWC)	19	
K/O Tank Vacuum (IWC)	19	
Inlet Flow Rotameter (scfm)	50	
Inlet PID	2.1	
Exhaust PID	1.9	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: 2C SVE01
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
SAMPLE TIME: 1305

OPERATING WELLS

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		1.4	

COMMENTS/OTHER MAINTENANCE:

LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 12-5
TIME ONSITE:

O&M PERSONNEL: B Sinclair
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	18500.92	1201
Inlet Vacuum (IWC)	17	
K/O Tank Vacuum (IWC)	17	
Inlet Flow Rotameter (scfm)	47	
Inlet PID	42.7	
Exhaust PID	1.3	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes:	TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		33.7	

COMMENTS/OTHER MAINTENANCE:

LAMBE 2C SVE SYSTEM
BIWEEKLY O&M FORM

DATE: 12-18
TIME ONSITE:

O&M PERSONNEL: B Sinclair
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	18810.14	1319
Inlet Vacuum (IWC)	17	
K/O Tank Vacuum (IWC)	17	
Inlet Flow Rotameter (scfm)	4.3	
Inlet PID	106.8	
Exhaust PID	4.8	
K/O Tank Liquid Level		
K/O Liquid Drained (gallons)		
Clean/Dry Air Filter (check)		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01		70.8	

COMMENTS/OTHER MAINTENANCE:



APPENDIX B

Project Photographs

PROJECT PHOTOGRAPHS
Lambe 2C
San Juan County, New Mexico
Hilcorp Energy Company

Photograph 1 Runtime meter taken on September 18, 2024 at 2:15 PM Hours = 16,630.49	
Photograph 2 Runtime meter taken on December 18, 2024 at 1:19 PM Hours = 18810.14	



APPENDIX C

Laboratory Analytical Reports



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700
Farmington, New Mexico 87499

Generated 12/6/2024 11:04:05 AM

JOB DESCRIPTION

Hilcorp O&M SV2

JOB NUMBER

885-16011-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
12/6/2024 11:04:05 AM

Authorized for release by
Michelle Garcia, Project Manager
michelle.garcia@et.eurofinsus.com
(505)345-3975

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Laboratory Job ID: 885-16011-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	12
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Subcontract Data	22
Chain of Custody	31
Receipt Checklists	32

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Definitions/Glossary

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Hilcorp Energy
Project: Hilcorp O&M SV2

Job ID: 885-16011-1

Job ID: 885-16011-1Eurofins Albuquerque

Job Narrative
885-16011-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/27/2024 7:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 11.7°C.

Subcontract Work

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: Scott 4M SVE01

Lab Sample ID: 885-16011-1

Date Collected: 11/26/24 10:20

Matrix: Air

Date Received: 11/27/24 07:00

Sample Container: Tedlar Bag 1L

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	9.9		5.0	ug/L			12/04/24 15:56	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		52 - 172				12/04/24 15:56	1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			12/04/24 15:56	1
1,1,1-Trichloroethane	ND		0.10	ug/L			12/04/24 15:56	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			12/04/24 15:56	1
1,1,2-Trichloroethane	ND		0.10	ug/L			12/04/24 15:56	1
1,1-Dichloroethane	ND		0.10	ug/L			12/04/24 15:56	1
1,1-Dichloroethene	ND		0.10	ug/L			12/04/24 15:56	1
1,1-Dichloropropene	ND		0.10	ug/L			12/04/24 15:56	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			12/04/24 15:56	1
1,2,3-Trichloropropane	ND		0.20	ug/L			12/04/24 15:56	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			12/04/24 15:56	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			12/04/24 15:56	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			12/04/24 15:56	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			12/04/24 15:56	1
1,2-Dichlorobenzene	ND		0.10	ug/L			12/04/24 15:56	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			12/04/24 15:56	1
1,2-Dichloropropane	ND		0.10	ug/L			12/04/24 15:56	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			12/04/24 15:56	1
1,3-Dichlorobenzene	ND		0.10	ug/L			12/04/24 15:56	1
1,3-Dichloropropane	ND		0.10	ug/L			12/04/24 15:56	1
1,4-Dichlorobenzene	ND		0.10	ug/L			12/04/24 15:56	1
1-Methylnaphthalene	ND		0.40	ug/L			12/04/24 15:56	1
2,2-Dichloropropane	ND		0.20	ug/L			12/04/24 15:56	1
2-Butanone	ND		1.0	ug/L			12/04/24 15:56	1
2-Chlorotoluene	ND		0.10	ug/L			12/04/24 15:56	1
2-Hexanone	ND		1.0	ug/L			12/04/24 15:56	1
2-Methylnaphthalene	ND		0.40	ug/L			12/04/24 15:56	1
4-Chlorotoluene	ND		0.10	ug/L			12/04/24 15:56	1
4-Isopropyltoluene	ND		0.10	ug/L			12/04/24 15:56	1
4-Methyl-2-pentanone	ND		1.0	ug/L			12/04/24 15:56	1
Acetone	ND		1.0	ug/L			12/04/24 15:56	1
Benzene	ND		0.10	ug/L			12/04/24 15:56	1
Bromobenzene	ND		0.10	ug/L			12/04/24 15:56	1
Bromodichloromethane	ND		0.10	ug/L			12/04/24 15:56	1
Dibromochloromethane	ND		0.10	ug/L			12/04/24 15:56	1
Bromoform	ND		0.10	ug/L			12/04/24 15:56	1
Bromomethane	ND		0.30	ug/L			12/04/24 15:56	1
Carbon disulfide	ND		1.0	ug/L			12/04/24 15:56	1
Carbon tetrachloride	ND		0.10	ug/L			12/04/24 15:56	1
Chlorobenzene	ND		0.10	ug/L			12/04/24 15:56	1
Chloroethane	ND		0.20	ug/L			12/04/24 15:56	1
Chloroform	ND		0.10	ug/L			12/04/24 15:56	1

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: Scott 4M SVE01
Date Collected: 11/26/24 10:20
Date Received: 11/27/24 07:00
Sample Container: Tedlar Bag 1L

Lab Sample ID: 885-16011-1
Matrix: Air

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloromethane	ND		0.30	ug/L			12/04/24 15:56	1	
cis-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 15:56	1	
cis-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 15:56	1	
Dibromomethane	ND		0.10	ug/L			12/04/24 15:56	1	
Dichlorodifluoromethane	ND		0.10	ug/L			12/04/24 15:56	1	
Ethylbenzene	ND		0.10	ug/L			12/04/24 15:56	1	
Hexachlorobutadiene	ND		0.10	ug/L			12/04/24 15:56	1	
Isopropylbenzene	ND		0.10	ug/L			12/04/24 15:56	1	
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			12/04/24 15:56	1	
Methylene Chloride	ND		0.30	ug/L			12/04/24 15:56	1	
n-Butylbenzene	ND		0.30	ug/L			12/04/24 15:56	1	
N-Propylbenzene	ND		0.10	ug/L			12/04/24 15:56	1	
Naphthalene	ND		0.20	ug/L			12/04/24 15:56	1	
sec-Butylbenzene	ND		0.10	ug/L			12/04/24 15:56	1	
Styrene	ND		0.10	ug/L			12/04/24 15:56	1	
tert-Butylbenzene	ND		0.10	ug/L			12/04/24 15:56	1	
Tetrachloroethene (PCE)	ND		0.10	ug/L			12/04/24 15:56	1	
Toluene	0.11		0.10	ug/L			12/04/24 15:56	1	
trans-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 15:56	1	
trans-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 15:56	1	
Trichloroethene (TCE)	ND		0.10	ug/L			12/04/24 15:56	1	
Trichlorofluoromethane	ND		0.10	ug/L			12/04/24 15:56	1	
Vinyl chloride	ND		0.10	ug/L			12/04/24 15:56	1	
Xylenes, Total	0.38		0.15	ug/L			12/04/24 15:56	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	101		70 - 130				12/04/24 15:56	1	
Toluene-d8 (Surr)	108		70 - 130				12/04/24 15:56	1	
4-Bromofluorobenzene (Surr)	103		70 - 130				12/04/24 15:56	1	
Dibromofluoromethane (Surr)	107		70 - 130				12/04/24 15:56	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: #41 A SVE01

Lab Sample ID: 885-16011-2

Date Collected: 11/26/24 11:45

Matrix: Air

Date Received: 11/27/24 07:00

Sample Container: Tedlar Bag 1L

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	7.9		5.0	ug/L			12/04/24 16:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		52 - 172				12/04/24 16:52	1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			12/04/24 16:52	1
1,1,1-Trichloroethane	ND		0.10	ug/L			12/04/24 16:52	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			12/04/24 16:52	1
1,1,2-Trichloroethane	ND		0.10	ug/L			12/04/24 16:52	1
1,1-Dichloroethane	ND		0.10	ug/L			12/04/24 16:52	1
1,1-Dichloroethene	ND		0.10	ug/L			12/04/24 16:52	1
1,1-Dichloropropene	ND		0.10	ug/L			12/04/24 16:52	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			12/04/24 16:52	1
1,2,3-Trichloropropane	ND		0.20	ug/L			12/04/24 16:52	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			12/04/24 16:52	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			12/04/24 16:52	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			12/04/24 16:52	1
1,2-Dichlorobenzene	ND		0.10	ug/L			12/04/24 16:52	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			12/04/24 16:52	1
1,2-Dichloropropane	ND		0.10	ug/L			12/04/24 16:52	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
1,3-Dichlorobenzene	ND		0.10	ug/L			12/04/24 16:52	1
1,3-Dichloropropane	ND		0.10	ug/L			12/04/24 16:52	1
1,4-Dichlorobenzene	ND		0.10	ug/L			12/04/24 16:52	1
1-Methylnaphthalene	ND		0.40	ug/L			12/04/24 16:52	1
2,2-Dichloropropane	ND		0.20	ug/L			12/04/24 16:52	1
2-Butanone	ND		1.0	ug/L			12/04/24 16:52	1
2-Chlorotoluene	ND		0.10	ug/L			12/04/24 16:52	1
2-Hexanone	ND		1.0	ug/L			12/04/24 16:52	1
2-Methylnaphthalene	ND		0.40	ug/L			12/04/24 16:52	1
4-Chlorotoluene	ND		0.10	ug/L			12/04/24 16:52	1
4-Isopropyltoluene	ND		0.10	ug/L			12/04/24 16:52	1
4-Methyl-2-pentanone	ND		1.0	ug/L			12/04/24 16:52	1
Acetone	ND		1.0	ug/L			12/04/24 16:52	1
Benzene	ND		0.10	ug/L			12/04/24 16:52	1
Bromobenzene	ND		0.10	ug/L			12/04/24 16:52	1
Bromodichloromethane	ND		0.10	ug/L			12/04/24 16:52	1
Dibromochloromethane	ND		0.10	ug/L			12/04/24 16:52	1
Bromoform	ND		0.10	ug/L			12/04/24 16:52	1
Bromomethane	ND		0.30	ug/L			12/04/24 16:52	1
Carbon disulfide	ND		1.0	ug/L			12/04/24 16:52	1
Carbon tetrachloride	ND		0.10	ug/L			12/04/24 16:52	1
Chlorobenzene	ND		0.10	ug/L			12/04/24 16:52	1
Chloroethane	ND		0.20	ug/L			12/04/24 16:52	1
Chloroform	ND		0.10	ug/L			12/04/24 16:52	1

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: #41 A SVE01

Lab Sample ID: 885-16011-2

Date Collected: 11/26/24 11:45

Matrix: Air

Date Received: 11/27/24 07:00

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	ND		0.30	ug/L			12/04/24 16:52	1
cis-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 16:52	1
cis-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 16:52	1
Dibromomethane	ND		0.10	ug/L			12/04/24 16:52	1
Dichlorodifluoromethane	ND		0.10	ug/L			12/04/24 16:52	1
Ethylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
Hexachlorobutadiene	ND		0.10	ug/L			12/04/24 16:52	1
Isopropylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			12/04/24 16:52	1
Methylene Chloride	ND		0.30	ug/L			12/04/24 16:52	1
n-Butylbenzene	ND		0.30	ug/L			12/04/24 16:52	1
N-Propylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
Naphthalene	ND		0.20	ug/L			12/04/24 16:52	1
sec-Butylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
Styrene	ND		0.10	ug/L			12/04/24 16:52	1
tert-Butylbenzene	ND		0.10	ug/L			12/04/24 16:52	1
Tetrachloroethene (PCE)	ND		0.10	ug/L			12/04/24 16:52	1
Toluene	0.14		0.10	ug/L			12/04/24 16:52	1
trans-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 16:52	1
trans-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 16:52	1
Trichloroethene (TCE)	ND		0.10	ug/L			12/04/24 16:52	1
Trichlorofluoromethane	ND		0.10	ug/L			12/04/24 16:52	1
Vinyl chloride	ND		0.10	ug/L			12/04/24 16:52	1
Xylenes, Total	0.15		0.15	ug/L			12/04/24 16:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 130		12/04/24 16:52	1
Toluene-d8 (Surr)	111		70 - 130		12/04/24 16:52	1
4-Bromofluorobenzene (Surr)	103		70 - 130		12/04/24 16:52	1
Dibromofluoromethane (Surr)	108		70 - 130		12/04/24 16:52	1

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: 2C SVE01

Lab Sample ID: 885-16011-3

Date Collected: 11/26/24 13:05

Matrix: Air

Date Received: 11/27/24 07:00

Sample Container: Tedlar Bag 1L

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	7.4		5.0	ug/L			12/04/24 15:27	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		52 - 172				12/04/24 15:27	1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			12/04/24 15:27	1
1,1,1-Trichloroethane	ND		0.10	ug/L			12/04/24 15:27	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			12/04/24 15:27	1
1,1,2-Trichloroethane	ND		0.10	ug/L			12/04/24 15:27	1
1,1-Dichloroethane	ND		0.10	ug/L			12/04/24 15:27	1
1,1-Dichloroethene	ND		0.10	ug/L			12/04/24 15:27	1
1,1-Dichloropropene	ND		0.10	ug/L			12/04/24 15:27	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			12/04/24 15:27	1
1,2,3-Trichloropropane	ND		0.20	ug/L			12/04/24 15:27	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			12/04/24 15:27	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			12/04/24 15:27	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			12/04/24 15:27	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			12/04/24 15:27	1
1,2-Dichlorobenzene	ND		0.10	ug/L			12/04/24 15:27	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			12/04/24 15:27	1
1,2-Dichloropropane	ND		0.10	ug/L			12/04/24 15:27	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			12/04/24 15:27	1
1,3-Dichlorobenzene	ND		0.10	ug/L			12/04/24 15:27	1
1,3-Dichloropropane	ND		0.10	ug/L			12/04/24 15:27	1
1,4-Dichlorobenzene	ND		0.10	ug/L			12/04/24 15:27	1
1-Methylnaphthalene	ND		0.40	ug/L			12/04/24 15:27	1
2,2-Dichloropropane	ND		0.20	ug/L			12/04/24 15:27	1
2-Butanone	ND		1.0	ug/L			12/04/24 15:27	1
2-Chlorotoluene	ND		0.10	ug/L			12/04/24 15:27	1
2-Hexanone	ND		1.0	ug/L			12/04/24 15:27	1
2-Methylnaphthalene	ND		0.40	ug/L			12/04/24 15:27	1
4-Chlorotoluene	ND		0.10	ug/L			12/04/24 15:27	1
4-Isopropyltoluene	ND		0.10	ug/L			12/04/24 15:27	1
4-Methyl-2-pentanone	ND		1.0	ug/L			12/04/24 15:27	1
Acetone	ND		1.0	ug/L			12/04/24 15:27	1
Benzene	ND		0.10	ug/L			12/04/24 15:27	1
Bromobenzene	ND		0.10	ug/L			12/04/24 15:27	1
Bromodichloromethane	ND		0.10	ug/L			12/04/24 15:27	1
Dibromochloromethane	ND		0.10	ug/L			12/04/24 15:27	1
Bromoform	ND		0.10	ug/L			12/04/24 15:27	1
Bromomethane	ND		0.30	ug/L			12/04/24 15:27	1
Carbon disulfide	ND		1.0	ug/L			12/04/24 15:27	1
Carbon tetrachloride	ND		0.10	ug/L			12/04/24 15:27	1
Chlorobenzene	ND		0.10	ug/L			12/04/24 15:27	1
Chloroethane	ND		0.20	ug/L			12/04/24 15:27	1
Chloroform	ND		0.10	ug/L			12/04/24 15:27	1

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: 2C SVE01
Date Collected: 11/26/24 13:05
Date Received: 11/27/24 07:00
Sample Container: Tedlar Bag 1L

Lab Sample ID: 885-16011-3
Matrix: Air

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloromethane	ND		0.30	ug/L			12/04/24 15:27	1	
cis-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 15:27	1	
cis-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 15:27	1	
Dibromomethane	ND		0.10	ug/L			12/04/24 15:27	1	
Dichlorodifluoromethane	ND		0.10	ug/L			12/04/24 15:27	1	
Ethylbenzene	ND		0.10	ug/L			12/04/24 15:27	1	
Hexachlorobutadiene	ND		0.10	ug/L			12/04/24 15:27	1	
Isopropylbenzene	ND		0.10	ug/L			12/04/24 15:27	1	
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			12/04/24 15:27	1	
Methylene Chloride	ND		0.30	ug/L			12/04/24 15:27	1	
n-Butylbenzene	ND		0.30	ug/L			12/04/24 15:27	1	
N-Propylbenzene	ND		0.10	ug/L			12/04/24 15:27	1	
Naphthalene	ND		0.20	ug/L			12/04/24 15:27	1	
sec-Butylbenzene	ND		0.10	ug/L			12/04/24 15:27	1	
Styrene	ND		0.10	ug/L			12/04/24 15:27	1	
tert-Butylbenzene	ND		0.10	ug/L			12/04/24 15:27	1	
Tetrachloroethene (PCE)	ND		0.10	ug/L			12/04/24 15:27	1	
Toluene	0.12		0.10	ug/L			12/04/24 15:27	1	
trans-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 15:27	1	
trans-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 15:27	1	
Trichloroethene (TCE)	ND		0.10	ug/L			12/04/24 15:27	1	
Trichlorofluoromethane	ND		0.10	ug/L			12/04/24 15:27	1	
Vinyl chloride	ND		0.10	ug/L			12/04/24 15:27	1	
Xylenes, Total	0.18		0.15	ug/L			12/04/24 15:27	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	105		70 - 130				12/04/24 15:27	1	
Toluene-d8 (Surr)	109		70 - 130				12/04/24 15:27	1	
4-Bromofluorobenzene (Surr)	102		70 - 130				12/04/24 15:27	1	
Dibromofluoromethane (Surr)	109		70 - 130				12/04/24 15:27	1	

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Method: 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-16996/5

Matrix: Air

Analysis Batch: 16996

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	ug/L			12/04/24 14:03	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		52 - 172				12/04/24 14:03	1

Lab Sample ID: LCS 885-16996/4

Matrix: Air

Analysis Batch: 16996

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	500	495		ug/L		99	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	92		52 - 172				

Lab Sample ID: 885-16011-1 DU

Matrix: Air

Analysis Batch: 16996

Client Sample ID: Scott 4M SVE01

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	9.9		10.7		ug/L		7	20
Surrogate	DU %Recovery	DU Qualifier	Limits					
4-Bromofluorobenzene (Surr)	90		52 - 172					

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-16998/4

Matrix: Air

Analysis Batch: 16998

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			12/04/24 14:03	1
1,1,1-Trichloroethane	ND		0.10	ug/L			12/04/24 14:03	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			12/04/24 14:03	1
1,1,2-Trichloroethane	ND		0.10	ug/L			12/04/24 14:03	1
1,1-Dichloroethane	ND		0.10	ug/L			12/04/24 14:03	1
1,1-Dichloroethene	ND		0.10	ug/L			12/04/24 14:03	1
1,1-Dichloropropene	ND		0.10	ug/L			12/04/24 14:03	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			12/04/24 14:03	1
1,2,3-Trichloropropane	ND		0.20	ug/L			12/04/24 14:03	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			12/04/24 14:03	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			12/04/24 14:03	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			12/04/24 14:03	1
1,2-Dichlorobenzene	ND		0.10	ug/L			12/04/24 14:03	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16998/4

Matrix: Air

Analysis Batch: 16998

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			12/04/24 14:03	1
1,2-Dichloropropane	ND		0.10	ug/L			12/04/24 14:03	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
1,3-Dichlorobenzene	ND		0.10	ug/L			12/04/24 14:03	1
1,3-Dichloropropane	ND		0.10	ug/L			12/04/24 14:03	1
1,4-Dichlorobenzene	ND		0.10	ug/L			12/04/24 14:03	1
1-Methylnaphthalene	ND		0.40	ug/L			12/04/24 14:03	1
2,2-Dichloropropane	ND		0.20	ug/L			12/04/24 14:03	1
2-Butanone	ND		1.0	ug/L			12/04/24 14:03	1
2-Chlorotoluene	ND		0.10	ug/L			12/04/24 14:03	1
2-Hexanone	ND		1.0	ug/L			12/04/24 14:03	1
2-Methylnaphthalene	ND		0.40	ug/L			12/04/24 14:03	1
4-Chlorotoluene	ND		0.10	ug/L			12/04/24 14:03	1
4-Isopropyltoluene	ND		0.10	ug/L			12/04/24 14:03	1
4-Methyl-2-pentanone	ND		1.0	ug/L			12/04/24 14:03	1
Acetone	ND		1.0	ug/L			12/04/24 14:03	1
Benzene	ND		0.10	ug/L			12/04/24 14:03	1
Bromobenzene	ND		0.10	ug/L			12/04/24 14:03	1
Bromodichloromethane	ND		0.10	ug/L			12/04/24 14:03	1
Dibromochloromethane	ND		0.10	ug/L			12/04/24 14:03	1
Bromoform	ND		0.10	ug/L			12/04/24 14:03	1
Bromomethane	ND		0.30	ug/L			12/04/24 14:03	1
Carbon disulfide	ND		1.0	ug/L			12/04/24 14:03	1
Carbon tetrachloride	ND		0.10	ug/L			12/04/24 14:03	1
Chlorobenzene	ND		0.10	ug/L			12/04/24 14:03	1
Chloroethane	ND		0.20	ug/L			12/04/24 14:03	1
Chloroform	ND		0.10	ug/L			12/04/24 14:03	1
Chloromethane	ND		0.30	ug/L			12/04/24 14:03	1
cis-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 14:03	1
cis-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 14:03	1
Dibromomethane	ND		0.10	ug/L			12/04/24 14:03	1
Dichlorodifluoromethane	ND		0.10	ug/L			12/04/24 14:03	1
Ethylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
Hexachlorobutadiene	ND		0.10	ug/L			12/04/24 14:03	1
Isopropylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			12/04/24 14:03	1
Methylene Chloride	ND		0.30	ug/L			12/04/24 14:03	1
n-Butylbenzene	ND		0.30	ug/L			12/04/24 14:03	1
N-Propylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
Naphthalene	ND		0.20	ug/L			12/04/24 14:03	1
sec-Butylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
Styrene	ND		0.10	ug/L			12/04/24 14:03	1
tert-Butylbenzene	ND		0.10	ug/L			12/04/24 14:03	1
Tetrachloroethene (PCE)	ND		0.10	ug/L			12/04/24 14:03	1
Toluene	ND		0.10	ug/L			12/04/24 14:03	1
trans-1,2-Dichloroethene	ND		0.10	ug/L			12/04/24 14:03	1
trans-1,3-Dichloropropene	ND		0.10	ug/L			12/04/24 14:03	1
Trichloroethene (TCE)	ND		0.10	ug/L			12/04/24 14:03	1
Trichlorofluoromethane	ND		0.10	ug/L			12/04/24 14:03	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16998/4

Matrix: Air

Analysis Batch: 16998

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	ND		0.10	ug/L			12/04/24 14:03	1
Xylenes, Total	ND		0.15	ug/L			12/04/24 14:03	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		70 - 130				12/04/24 14:03	1
Toluene-d8 (Surr)	110		70 - 130				12/04/24 14:03	1
4-Bromofluorobenzene (Surr)	101		70 - 130				12/04/24 14:03	1
Dibromofluoromethane (Surr)	105		70 - 130				12/04/24 14:03	1

Lab Sample ID: LCS 885-16998/3

Matrix: Air

Analysis Batch: 16998

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.1	20.2		ug/L		100	70 - 130
Benzene	20.1	21.6		ug/L		108	70 - 130
Chlorobenzene	20.1	21.0		ug/L		105	70 - 130
Toluene	20.2	20.7		ug/L		103	70 - 130
Trichloroethene (TCE)	20.2	19.4		ug/L		96	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	104		70 - 130				
Toluene-d8 (Surr)	108		70 - 130				
4-Bromofluorobenzene (Surr)	97		70 - 130				
Dibromofluoromethane (Surr)	109		70 - 130				

Lab Sample ID: 885-16011-1 DU

Matrix: Air

Analysis Batch: 16998

Client Sample ID: Scott 4M SVE01

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	ND		ND		ug/L		NC	20
1,1,1-Trichloroethane	ND		ND		ug/L		NC	20
1,1,2,2-Tetrachloroethane	ND		ND		ug/L		NC	20
1,1,2-Trichloroethane	ND		ND		ug/L		NC	20
1,1-Dichloroethane	ND		ND		ug/L		NC	20
1,1-Dichloroethene	ND		ND		ug/L		NC	20
1,1-Dichloropropene	ND		ND		ug/L		NC	20
1,2,3-Trichlorobenzene	ND		ND		ug/L		NC	20
1,2,3-Trichloropropane	ND		ND		ug/L		NC	20
1,2,4-Trichlorobenzene	ND		ND		ug/L		NC	20
1,2,4-Trimethylbenzene	ND		ND		ug/L		NC	20
1,2-Dibromo-3-Chloropropane	ND		ND		ug/L		NC	20
1,2-Dibromoethane (EDB)	ND		ND		ug/L		NC	20
1,2-Dichlorobenzene	ND		ND		ug/L		NC	20
1,2-Dichloroethane (EDC)	ND		ND		ug/L		NC	20
1,2-Dichloropropane	ND		ND		ug/L		NC	20
1,3,5-Trimethylbenzene	ND		ND		ug/L		NC	20

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 885-16011-1 DU

Client Sample ID: Scott 4M SVE01

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 16998

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
1,3-Dichlorobenzene	ND		ND		ug/L		NC	20
1,3-Dichloropropane	ND		ND		ug/L		NC	20
1,4-Dichlorobenzene	ND		ND		ug/L		NC	20
1-Methylnaphthalene	ND		ND		ug/L		NC	20
2,2-Dichloropropane	ND		ND		ug/L		NC	20
2-Butanone	ND		ND		ug/L		NC	20
2-Chlorotoluene	ND		ND		ug/L		NC	20
2-Hexanone	ND		ND		ug/L		NC	20
2-Methylnaphthalene	ND		ND		ug/L		NC	20
4-Chlorotoluene	ND		ND		ug/L		NC	20
4-Isopropyltoluene	ND		ND		ug/L		NC	20
4-Methyl-2-pentanone	ND		ND		ug/L		NC	20
Acetone	ND		ND		ug/L		NC	20
Benzene	ND		ND		ug/L		NC	20
Bromobenzene	ND		ND		ug/L		NC	20
Bromodichloromethane	ND		ND		ug/L		NC	20
Dibromochloromethane	ND		ND		ug/L		NC	20
Bromoform	ND		ND		ug/L		NC	20
Bromomethane	ND		ND		ug/L		NC	20
Carbon disulfide	ND		ND		ug/L		NC	20
Carbon tetrachloride	ND		ND		ug/L		NC	20
Chlorobenzene	ND		ND		ug/L		NC	20
Chloroethane	ND		ND		ug/L		NC	20
Chloroform	ND		ND		ug/L		NC	20
Chloromethane	ND		ND		ug/L		NC	20
cis-1,2-Dichloroethene	ND		ND		ug/L		NC	20
cis-1,3-Dichloropropene	ND		ND		ug/L		NC	20
Dibromomethane	ND		ND		ug/L		NC	20
Dichlorodifluoromethane	ND		ND		ug/L		NC	20
Ethylbenzene	ND		ND		ug/L		NC	20
Hexachlorobutadiene	ND		ND		ug/L		NC	20
Isopropylbenzene	ND		ND		ug/L		NC	20
Methyl-tert-butyl Ether (MTBE)	ND		ND		ug/L		NC	20
Methylene Chloride	ND		ND		ug/L		NC	20
n-Butylbenzene	ND		ND		ug/L		NC	20
N-Propylbenzene	ND		ND		ug/L		NC	20
Naphthalene	ND		ND		ug/L		NC	20
sec-Butylbenzene	ND		ND		ug/L		NC	20
Styrene	ND		ND		ug/L		NC	20
tert-Butylbenzene	ND		ND		ug/L		NC	20
Tetrachloroethene (PCE)	ND		ND		ug/L		NC	20
Toluene	0.11		0.105		ug/L		0.2	20
trans-1,2-Dichloroethene	ND		ND		ug/L		NC	20
trans-1,3-Dichloropropene	ND		ND		ug/L		NC	20
Trichloroethene (TCE)	ND		ND		ug/L		NC	20
Trichlorofluoromethane	ND		ND		ug/L		NC	20
Vinyl chloride	ND		ND		ug/L		NC	20
Xylenes, Total	0.38		0.380		ug/L		0	20

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 885-16011-1 DU
Matrix: Air
Analysis Batch: 16998

Client Sample ID: Scott 4M SVE01
Prep Type: Total/NA

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
Toluene-d8 (Surr)	110		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	108		70 - 130

QC Association Summary

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

GC/MS VOA

Analysis Batch: 16996

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-16011-1	Scott 4M SVE01	Total/NA	Air	8015M/D	
885-16011-2	#41 A SVE01	Total/NA	Air	8015M/D	
885-16011-3	2C SVE01	Total/NA	Air	8015M/D	
MB 885-16996/5	Method Blank	Total/NA	Air	8015M/D	
LCS 885-16996/4	Lab Control Sample	Total/NA	Air	8015M/D	
885-16011-1 DU	Scott 4M SVE01	Total/NA	Air	8015M/D	

Analysis Batch: 16998

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-16011-1	Scott 4M SVE01	Total/NA	Air	8260B	
885-16011-2	#41 A SVE01	Total/NA	Air	8260B	
885-16011-3	2C SVE01	Total/NA	Air	8260B	
MB 885-16998/4	Method Blank	Total/NA	Air	8260B	
LCS 885-16998/3	Lab Control Sample	Total/NA	Air	8260B	
885-16011-1 DU	Scott 4M SVE01	Total/NA	Air	8260B	

Lab Chronicle

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Client Sample ID: Scott 4M SVE01
Date Collected: 11/26/24 10:20
Date Received: 11/27/24 07:00

Lab Sample ID: 885-16011-1
Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015M/D		1	16996	RA	EET ALB	12/04/24 15:56
Total/NA	Analysis	8260B		1	16998	RA	EET ALB	12/04/24 15:56

Client Sample ID: #41 A SVE01
Date Collected: 11/26/24 11:45
Date Received: 11/27/24 07:00

Lab Sample ID: 885-16011-2
Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015M/D		1	16996	RA	EET ALB	12/04/24 16:52
Total/NA	Analysis	8260B		1	16998	RA	EET ALB	12/04/24 16:52

Client Sample ID: 2C SVE01
Date Collected: 11/26/24 13:05
Date Received: 11/27/24 07:00

Lab Sample ID: 885-16011-3
Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015M/D		1	16996	RA	EET ALB	12/04/24 15:27
Total/NA	Analysis	8260B		1	16998	RA	EET ALB	12/04/24 15:27

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total
Oregon	NELAP	NM100001	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hilcorp O&M SV2

Job ID: 885-16011-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

December 05, 2024

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B24120141 Quote ID: B15626

Project Name: 88501698, Hilcorp O&M SV2

Energy Laboratories Inc Billings MT received the following 3 samples for Hall Environmental on 12/3/2024 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B24120141-001	Scott 4M SVE01 (885-16011-1)	11/26/24 10:20	12/03/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60
B24120141-002	#41 A SVE01 (885-16011-2)	11/26/24 11:45	12/03/24	Air	Same As Above
B24120141-003	2C SVE01 (885-16011-3)	11/26/24 13:05	12/03/24	Air	Same As Above

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT
Prepared by Billings, MT Branch

Client: Hall Environmental
Project: 88501698, Hilcorp O&M SV2
Lab ID: B24120141-001
Client Sample ID: Scott 4M SVE01 (885-16011-1)

Report Date: 12/05/24
Collection Date: 11/26/24 10:20
Date Received: 12/03/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.45	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Nitrogen	78.50	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Carbon Dioxide	0.05	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Hexanes plus	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 09:56 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
Hexanes plus	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
GPM Total	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
GPM Pentanes plus	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 09:56 / jrj
CALCULATED PROPERTIES							
Gross BTU per cu ft @ Std Cond. (HHV)	ND			1		GPA 2261-13	12/04/24 09:56 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND			1		GPA 2261-13	12/04/24 09:56 / jrj
Pseudo-critical Pressure, psia	544			1		GPA 2261-13	12/04/24 09:56 / jrj
Pseudo-critical Temperature, deg R	239			1		GPA 2261-13	12/04/24 09:56 / jrj
Specific Gravity @ 60/60F	0.997			0.001		D3588-81	12/04/24 09:56 / jrj
Air, %	98.02			0.01		GPA 2261-13	12/04/24 09:56 / jrj
- The analysis was not corrected for air.							
COMMENTS							
-							12/04/24 09:56 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.							
- GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.							
- To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.							
- Standard conditions: 60 F & 14.73 psi on a dry basis							

Report Definitions: RL - Analyte Reporting Limit MCL - Maximum Contaminant Level
QCL - Quality Control Limit ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: 88501698, Hilcorp O&M SV2
Lab ID: B24120141-002
Client Sample ID: #41 A SVE01 (885-16011-2)

Report Date: 12/05/24
Collection Date: 11/26/24 11:45
Date Received: 12/03/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.07	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Nitrogen	78.70	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Carbon Dioxide	0.22	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Hexanes plus	0.01	Mol %		0.01		GPA 2261-13	12/04/24 10:45 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
Hexanes plus	0.004	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
GPM Total	0.004	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj
GPM Pentanes plus	0.004	gpm		0.001		GPA 2261-13	12/04/24 10:45 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND		1		GPA 2261-13	12/04/24 10:45 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND		1		GPA 2261-13	12/04/24 10:45 / jrj
Pseudo-critical Pressure, psia	544		1		GPA 2261-13	12/04/24 10:45 / jrj
Pseudo-critical Temperature, deg R	239		1		GPA 2261-13	12/04/24 10:45 / jrj

Specific Gravity @ 60/60F	0.998		0.001		D3588-81	12/04/24 10:45 / jrj
Air, %	96.26		0.01		GPA 2261-13	12/04/24 10:45 / jrj

- The analysis was not corrected for air.

COMMENTS

-					-	12/04/24 10:45 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis						

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT
Prepared by Billings, MT Branch

Client: Hall Environmental
Project: 88501698, Hilcorp O&M SV2
Lab ID: B24120141-003
Client Sample ID: 2C SVE01 (885-16011-3)

Report Date: 12/05/24
Collection Date: 11/26/24 13:05
Date Received: 12/03/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.29	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Nitrogen	78.46	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Carbon Dioxide	0.24	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Hexanes plus	0.01	Mol %		0.01		GPA 2261-13	12/04/24 11:34 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
Hexanes plus	0.004	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
GPM Total	0.004	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
GPM Pentanes plus	0.004	gpm		0.001		GPA 2261-13	12/04/24 11:34 / jrj
CALCULATED PROPERTIES							
Gross BTU per cu ft @ Std Cond. (HHV)	ND			1		GPA 2261-13	12/04/24 11:34 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND			1		GPA 2261-13	12/04/24 11:34 / jrj
Pseudo-critical Pressure, psia	545			1		GPA 2261-13	12/04/24 11:34 / jrj
Pseudo-critical Temperature, deg R	239			1		GPA 2261-13	12/04/24 11:34 / jrj
Specific Gravity @ 60/60F	0.998			0.001		D3588-81	12/04/24 11:34 / jrj
Air, %	97.28			0.01		GPA 2261-13	12/04/24 11:34 / jrj
- The analysis was not corrected for air.							
COMMENTS							
-							12/04/24 11:34 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.							
- GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.							
- To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.							
- Standard conditions: 60 F & 14.73 psi on a dry basis							

Report Definitions: RL - Analyte Reporting Limit MCL - Maximum Contaminant Level
QCL - Quality Control Limit ND - Not detected at the Reporting Limit (RL)

Trust our People. Trust our Data.
www.energylab.comBillings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B24120141

Report Date: 12/05/24

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-13									Batch: R433466	
Lab ID: B24120141-003ADUP	12	Sample Duplicate				Run: GCNGA-B_241204A			12/04/24 12:23	
Oxygen		21.5	Mol %	0.01				1.0	20	
Nitrogen		78.3	Mol %	0.01				0.3	20	
Carbon Dioxide		0.23	Mol %	0.01				4.3	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.01	Mol %	0.01				0.0	20	
Lab ID: LCS120424	11	Laboratory Control Sample				Run: GCNGA-B_241204A			12/04/24 02:04	
Oxygen		0.62	Mol %	0.01	124	70	130			
Nitrogen		6.28	Mol %	0.01	105	70	130			
Carbon Dioxide		0.98	Mol %	0.01	99	70	130			
Methane		74.5	Mol %	0.01	100	70	130			
Ethane		6.03	Mol %	0.01	100	70	130			
Propane		5.05	Mol %	0.01	102	70	130			
Isobutane		1.62	Mol %	0.01	81	70	130			
n-Butane		1.99	Mol %	0.01	99	70	130			
Isopentane		1.08	Mol %	0.01	108	70	130			
n-Pentane		1.01	Mol %	0.01	101	70	130			
Hexanes plus		0.80	Mol %	0.01	100	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Hall Environmental

B24120141

Login completed by: Crystal M. Jones

Date Received: 12/3/2024

Reviewed by: lleprowse

Received by: KLP

Reviewed Date: 12/4/2024

Carrier name: FedEx NDA

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on all shipping container(s)/cooler(s)?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on all sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes ☒	No ☐	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes ☐	No ☒	Not Applicable ☐
Container/Temp Blank temperature:	12.1°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

Contact and Corrective Action Comments:

None



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Laboratory Certifications and Accreditations

Current certificates are available at www.energylab.com website:

	Agency	Number
Billings, MT  	Alaska	17-023
	California	3087
	Colorado	MT00005
	Department of Defense (DoD)/ISO17025	ADE-2588
	Florida (Primary NELAP)	E87668
	Idaho	MT00005
	Louisiana	05079
	Montana	CERT0044
	Nebraska	NE-OS-13-04
	Nevada	NV-C24-00250
	North Dakota	R-007
	National Radon Proficiency	109383-RMP
	Oregon	4184
	South Dakota	ARSD 74:04:07
	Texas	TX-C24-00302
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00170
	Washington	C1039
Casper, WY 	Alaska	20-006
	California	3021
	Colorado	WY00002
	Florida (Primary NELAP)	E87641
	Idaho	WY00002
	Louisiana	05083
	Montana	CERT0002
	Nebraska	NE-OS-08-04
	Nevada	NV-C24-00245
	North Dakota	R-125
	Oregon	WY200001
	South Dakota	WY00002
	Texas	T104704181-23-21
	US EPA Region VIII	WY00002
	USNRC License	49-26846-01
	Washington	C1012
Gillette, WY	US EPA Region VIII	WY00006
Helena, MT	Colorado	MT00945
	Montana	CERT0079
	Nevada	NV-C24-00119
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00090

Eurofins Albuquerque

1901 Hawkins NE
Albuquerque, NM 87109
Phone: 505-345-3975 Fax: 505-345-4107

Chain of Custody Record



Environment Testing

[illegible]

Ver: 10/10/2024

ICOC No:
885-2969

Containers

<u>Count</u>	<u>Container Type</u>	<u>Preservative</u>
3	Tedlar Bag 1L	None

Subcontract Method Instructions

Sample IDs	Method	Method Description	Method Comments
1, 2, 3	SUBCONTRACT	SUB (Fixed Gases/ Fixed Gases	Fixed Gases

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-16011-1

Login Number: 16011

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 419411

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 419411
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvez	SVE reviewed - 1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by April 15, 2025.	1/16/2025