

CLOSURE REPORT (FINAL)

**NORTH MONUMENT GRAYBURG
SAN ANDRES UNIT (NMGSAU) #603**

NMOCD 1RP# 1019

EPI REF: 240014

NMSLO ROE #1519

UL-C (NE¼ OF THE NW¼) OF SECTION 20 T19S R37E

~2 MILES NORTH-NORTHWEST OF MONUMENT

LEA COUNTY, NEW MEXICO

LATITUDE: N 32° 39' 04.30"

LONGITUDE: W 103° 16' 33.43"

JULY 2007

PREPARED BY:

**ENVIRONMENTAL PLUS, INC.
2100 AVENUE O
EUNICE, NEW MEXICO 88231**

PREPARED FOR:



STANDARD OF CARE

Closure Report (Final)


North Monument Grayburg San Andres Unit #603

NMOCD 1RP # 1019

(NMSLO ROE #1519; EPI Ref. #240014)

The information provided in this report was collected consistent with the New Mexico Oil Conservation Division (NMOCD) *Guidelines for Remediation of Leaks, Spills and Releases* (August 13, 1993), the NMOCD *Unlined Surface Impoundment Closure Guidelines* (February, 1993) and Environmental Plus, Inc. (EPI) *Standard Operating Procedures and Quality Assurance/Quality Control Plan*. The conclusions are based on field observations and laboratory analytical reports as presented in the report. Recommendations follow NMOCD guidance and represent the professional opinions of EPI staff. These opinions were derived using currently accepted geologic, hydrogeologic and engineering practices at this time and location. The report was prepared or reviewed by a certified or registered professional with a background in engineering, environmental and/or natural sciences.

This report was prepared by:




Jason Stegemoller
Environmental Scientist

7-9-07

Date

This report was reviewed by:



David P. Duncan
Civil Engineer

7-09-07

Date

Table of Contents

1.0	Project Synopsis	iv
2.0	Site and Release Information	1
3.0	NMOCD Site Ranking	2
4.0	Excavation Soil Information	3
5.0	Sampling Information	4
6.0	Analytical Results	5
7.0	Discussion	6
8.0	Conclusion and Recommendations	7

FIGURES

Figure 1: Area Map
Figure 2: Site Location Map
Figure 3: Site Map
Figure 4: Initial Excavation and Sample Location Map
Figure 5: Soil Boring Location Map
Figure 6: Excavation Location Map
Figure 7: South Excavation Final Sample Location Map
Figure 8: North Excavation Final Sample Location Map
Figure 9: Injection Well Excavation Final Sample Location Map

TABLES

Table 1: Well Data
Table 2: Summary of Excavation Soil Sample Analytical Results
Table 3: Summary of Soil Boring Analytical Results
Table 4: Summary of South Excavation Soil Sample Analytical Results
Table 5: Summary of North Excavation Soil Sample Analytical Results
Table 6: Summary of Injection Well Excavation Soil Sample Analytical Results

APPENDICES

Appendix I: Laboratory Analytical Reports and Chain-of-Custody Forms
Appendix II: Project Photographs
Appendix III: Soil Boring Logs
Appendix IV: Copy of Initial NMOCD C-141 Form and Final NMOCD C-141 Form

1.0 PROJECT SYNOPSIS

Site Specific:

- ◆ **Company Name:** Apache Corporation
- ◆ **Facility Name:** North Monument Grayburg San Andres Unit (NMGSAU) #603
- ◆ **Project Reference:** NMOCD 1RP # 1019; NMSLO ROE #1519; EPI # 240014
- ◆ **Company Contacts:** Guinn Burks
- ◆ **Site Location:** WGS84 N32° 39' 04.30"; W103° 16' 33.43"
- ◆ **Legal Description:** Unit Letter-C, (NE¼ of the NW¼), Section 20, T19S, R37E
- ◆ **General Description:** Approximately 2-miles north-northwest of Monument, New Mexico
- ◆ **Elevation:** 3,680-ft amsl
- ◆ **Land Ownership:** State of New Mexico, agriculturally leased by Jimmie T. Cooper
- ◆ **EPI Personnel:** Project Consultant – Jason Stegemoller

Release Specific:

- ◆ **Product Released:** Injection Water
- ◆ **Volume Released:** 85 barrels **Volume Recovered:** 60 barrels
- ◆ **Time of Occurrence:** July 16, 2006 a.m. **Time of Discovery:** July 16, 2006 @ 08:45 hrs
- ◆ **Release Source:** Plug blew out on injection line
- ◆ **Initial Surface Area Affected:** ~ 42,800 - square feet

Remediation Specific:

- ◆ **Final Vertical extent of contamination:** 10-feet bgs at maximum depth
- ◆ **Depth to Ground Water:** Approximately 50-ft bgs (based on an average depth of wells nearest the release site)
- ◆ **Water wells within 1,000-ft:** None
- ◆ **Private domestic water sources within 200-ft:** None
- ◆ **Surface water bodies within 1,000-ft:** None at the point of release; however an ephemeral pond resides approximately 75-feet south of the southernmost point of the flowpath.
- ◆ **NMOCD Site Ranking Index:** 20 points
- ◆ **Remedial goals for Soil:** TPH – 100 mg/Kg; BTEX – 50 mg/Kg; Benzene – 10 mg/Kg; Chloride and sulfate residuals may not be capable of impacting groundwater above NMWQCC groundwater standards of 250 mg/L and 600 mg/L, respectively.
- ◆ **RCRA Waste Classification:** Exempt
- ◆ **Remediation Option Selected:** a)Excavation of soil impacted by injection water; b) laboratory analyses of soil samples collected from excavation sidewall and floor; c) transport excavated, impacted soil to Sundance Services/C and C Landfarm; d) backfill excavation with clean soil obtained from an off site source.
- ◆ **Disposal Facility:** Sundance Services, Eunice, Lea County, New Mexico (~1,350-yd³) and C and C Landfarm near Monument, Lea County, New Mexico (~6,250-yd³)
- ◆ **Volume disposed:** ~7,600-yd³ (~1,350-yd³ during initial response and 6,250-yd³ during remediation activities)
- ◆ **Project Completion Date:** 14 June 2007

2.0 **SITE AND RELEASE INFORMATION**

- 2.1 ***Describe the land use and pertinent geographic features within 1,000 feet of the site.***
Land surrounding the area is rangeland in native grasses utilized for livestock grazing along with oilfield operations.
- 2.2 ***Identify and describe the source or suspected source(s) of the release.***
Plug on injection line blew out.
- 2.3 ***What is the volume of the release? (if known):*** approximately 85 barrels of injection water
- 2.4 ***What is the volume recovered? (if any):*** approximately 60 barrels
- 2.5 ***When did the release occur? (if known):*** July 16, 2006
- 2.6 ***Geological Description***
The United States Geological Survey (USGS) Ground-Water Report 6, "*Geology and Ground-water Conditions in Southern Lea County, New Mexico*," A. Nicholson and A. Clebsch, 1961, describes the near surface geology of southern Lea County as "an intergrade of the Quaternary Alluvium (QA) sediments, i.e., fine to medium sand, with the mostly eroded Cenozoic Ogallala (CO) formation. Typically, the QA and CO formations in the area are capped by a thick interbed of caliche and generally overlain by sandy soil."

The release site is located in the Laguna Valley physiographic subdivision, described by Nicholson & Clebsch as an area that "is a vast sand dune area, stable or semi-stable over most of the area, but which drifts locally. The surface is very irregular and has no drainage features except at the edges of several playas."
- 2.7 ***Ecological Description***
The area is typical of the Upper Chihuahuan Desert Biome consisting primarily of sandy soil covered with short semi-arid grasses, interspersed with Honey Mesquite and forbs. Mammals represented include Orrd's and Merriam's Kangaroo Rats, Deer Mouse, White Throated Wood Rat, Cottontail Rabbit, Black Tailed Jackrabbit, Mule Deer, Bobcat, Red Fox and Coyote. Reptiles, amphibians and birds are numerous and typical of the area. A survey of Listed, Threatened or Endangered species was not conducted.
- 2.8 ***Area Groundwater***
The unconfined groundwater aquifer at this site is projected to be ~50 feet (ft) bgs based on water depth data obtained from the New Mexico State Engineers Office and the United States Geological Survey data base (reference *Table 1*).
- 2.9 ***Area Water Wells***
No water wells exist within a 1,000-foot radius of the site (reference *Table 1* and *Figure 2*).
- 2.10 ***Area Surface Water Features***
No surface water features within a 1,000-foot radius of the point of release (reference *Figure 2*). However, an ephemeral pond resides approximately 75-feet south of the southernmost portion of the flowpath (reference *Figure 3*).

3.0 NMOCD SITE RANKING

Contaminant delineation and remedial work done at this site indicate chemical parameters of the soil and physical parameters of the groundwater were characterized consistent with the characterization and remediation/abatement goals and objectives set forth in the following New Mexico Oil Conservation Division (NMOCD) publications:

- ◆ Guidelines for Remediation of Leaks, Spills and Releases (August 13, 1993)
- ◆ Unlined Surface Impoundment Closure Guidelines (February, 1993)
- ◆ Pit and Below-Grade Tank Guidelines (November, 2004)

Acceptable thresholds for contaminants/constituents of concern (CoC) were determined based on the NMOCD Ranking Criteria as follows:

- ◆ *Depth to Groundwater (i.e., distance from the lower most acceptable concentration to ground-water);*
- ◆ *Wellhead Protection Area (i.e., distance from fresh water supply wells);*
- ◆ *Distance to Surface Water Body (i.e., horizontal distance to all down gradient surface water bodies).*

Based on the proximity of the site to protectable area water wells, surface water bodies, and depth to groundwater from the lower most contamination, the NMOCD ranking score for the site is twenty (20) points with the soil remedial goals highlighted in the Site Ranking table presented below:

1. GROUNDWATER	2. WELLHEAD PROTECTION AREA	3. DISTANCE TO SURFACE WATER	
Depth to GW <50 feet: 20 points	If <1,000' from water source, or <200' from private domestic water source: 20 points If >1,000' from water source, or >200' from private domestic water source: 0 points	<200 horizontal feet: 20 points	
Depth to GW 50 to 99 feet: 10 points		200-1,000 horizontal feet: 10 points	
Depth to GW >100 feet: 0 points		>1,000 horizontal feet: 0 points	
Site Rank (1+2+3) = 20 + 0 + 0 = 20 points			
Total Site Ranking Score and Acceptable Remedial Goal Concentrations			
Parameter	20 or >	10	0
Benzene ¹	10 ppm	10 ppm	10 ppm
BTEX ¹	50 ppm	50 ppm	50 ppm
TPH	100 ppm	1,000 ppm	5,000 ppm

¹ A field soil vapor headspace measurement of 100 ppm can be substituted in lieu of laboratory analyses for benzene and BTEX.

**4.0 EXCAVATED SOIL INFORMATION**

4.1 Was soil excavated for off-site treatment or disposal? ☒ Yes ☐ No

Date excavated: July 25 through August 3, 2006 and April 11 through May 18, 2007

Total volume removed: Approximately 7,600-cubic yards

4.2 Indicated soil treatment type:

☒	<i>Disposal</i>
☒	<i>Land Treatment</i>
☐	<i>Composting/Biopiling</i>
☐	<i>Other ()</i>

Name and location of treatment/disposal facility:

Disposal – Sundance Services, Eunice, New Mexico (~1,350-cubic yards)

Treatment – C and C Landfarm, Monument, New Mexico (~6,250-cubic yards)

5.0 **SAMPLING INFORMATION**

5.1 ***Briefly describe the field screening methods used to distinguish contaminated from uncontaminated soil.***

Organic Vapor Concentrations – A portion of each soil sample was placed in a polyethylene bag and allowed sufficient time and temperature for organic vapors to volatilize. The detector portion of a Photoionization Detector equipped with a 10.6 electron volt lamp was placed in the bag to analyze organic vapor concentration.

Chloride Concentrations – A La Motte Chloride Test Kit (titration method) was utilized for field chloride concentration analyses.

5.2 ***Briefly describe the soil analytical sampling and handling procedures used.***

Soil samples collected from the excavation were collected utilizing hand and/or mechanical excavation equipment to gather the sample from at least 6-inches below/within the surface of the excavation. Prior to the collection of each sample, the sampling instrument was decontaminated with an Alconox solution.

Upon collection of each soil sample, a portion was immediately placed in a laboratory provided container, labeled and set on ice for transport to an independent laboratory for quantification of total petroleum hydrocarbons (TPH), benzene, toluene, ethylbenzene and total xylenes (BTEX), chloride and sulfate concentrations.

5.3 ***Discuss sample locations and provide rationale for their locations.***

Soil samples were collected on July 25, 26 and 31 and August 1 and 2, 2006 from twenty-six (26) locations within the excavation area utilizing a backhoe. Soil samples were collected at a depth of 1-ft bgs. Soil sample locations were chosen to provide the best representative example of soil within the excavation floor and sidewalls (reference *Figure 4*).

Soil samples were collected on November 29, 2006 from a series of four (4) soil borings (i.e., SB-1, SB-2, SB-3 and SB-4). Soil borings were advanced within the excavation floor, the pooling area west of the Lanexco pad and the center of the ephemeral pond area (reference *Figure 5*). Soil boring placement was chosen to allow collection of soil samples to delineate vertical extents of impacted soil.

Soil samples were collected during excavation activities from multiple locations in the three main excavations (i.e., north, south and injection well excavations). Soil sample locations were chosen to provide the best representative example of soil within the excavation floor and sidewalls (reference *Figures 7, 8 and 9 for locations; Tables 4, 5 and 6 for analytical dates and results; Appendix I for laboratory analyses*). Due to low hydrocarbon concentrations in previous soil sample analyses, excavation soil samples were submitted for chloride and sulfate analyses.

6.0 ANALYTICAL RESULTS**6.1 Describe the vertical and horizontal extent and magnitude of soil contamination.**

Laboratory analyses of initial excavation soil samples indicated BTEX constituent concentrations were non-detectable (ND) at or above laboratory analytical method detection limits (MDL). TPH was reported as ND at or above laboratory analytical MDL, with the exception of the soil sample collected from BH-21 (6"). Analytical results of BH-21 (6") indicated TPH concentrations were 71 mg/Kg, below the NMOCD remedial threshold of 100 mg/Kg. Reported chloride concentrations ranged from 126 to 2,110 mg/Kg. Sulfate concentrations ranged from 17.6 to 2,380 mg/Kg (reference *Table 2, Figure 4 and Appendix I*).

Laboratory analyses of soil samples collected during soil boring advancement indicated TPH and BTEX constituent concentrations were ND at or above laboratory MDL. Chloride concentrations were below the 250 mg/Kg remedial goal in all sampling intervals, with the exception of sample SB-1 (5') (i.e., 464 mg/Kg). Sulfate concentrations ranged from ND to 148 mg/Kg, below the 600 mg/Kg remedial goal (reference *Table 3, Figure 5 and Appendix I and III*).

Laboratory analyses of final excavation soil samples indicated chloride concentrations were under 600 mg/Kg and sulfate concentrations were under 700 mg/Kg (reference *Tables 4, 5 and 6, Figures 7, 8 and 9 and Appendix I*).

6.2 Is surface soil contamination present at the site (i.e., soil in the uppermost two feet that is visibly stained, contaminated at greater than 10 ppm (PID) or hydrocarbon saturated)?

☐ yes ☒ no

If yes, attach a site map identifying extent(s) of surface soil contamination.

Visibly stained soil during initial response was excavated and transported to Sundance Services for disposal. Remainder of excavated, impacted soil was transported to C and C Landfarm for treatment.

7.0 DISCUSSION

7.1 *Discuss the risks associated with the remaining soil contamination:*

Laboratory analytical results indicated TPH and BTEX constituent concentrations were below NMOCD remedial thresholds. Chloride residuals exist within/below the excavation floor. Based on depth to groundwater (approximately 50- ft bgs) and excavation soil sample laboratory analyses, chloride residuals remaining in the soil should not be capable of impacting groundwater above NMWQCC groundwater standards.

7.2 *Discuss the risks associated with the impacted groundwater:* Chloride residuals remaining in the soil should not be capable of impacting local groundwater above NMWQCC groundwater standard of 250 mg/L.

7.3 *Discuss other concerns not mentioned above:* Not Applicable

8.0 CONCLUSIONS AND RECOMMENDATIONS

- 8.1 *Recommendation for the site:*
- ☒ *Site Closure*
☐ *Additional Groundwater Monitoring*
☐ *Corrective Action*


- 8.2 *Base the recommendation above on Guidelines for Remediation of Leaks, Spills and Releases (August 13, 1993). Describe below how you applied the policy to support your recommendation. If closure is recommended, please summarize significant site investigative events and describe how site specific risk issues have been adequately addressed or minimized to acceptable low risk levels.*

Approximately 7,600 cubic yards of impacted soil were removed from an excavation area of approximately 42,800 square feet to a maximum depth of 10-ft bgs. Impacted soil excavated during initial response activities (~1,350 cubic yards) was transported to Sundance Services for disposal. Remaining impacted soil (~6,250 cubic yards) was excavated and transported to C and C Landfarm for treatment.

Field and laboratory analyses of final soil samples collected from excavation sidewalls and floor locations indicate residual chloride and sulfate concentrations are inadequate to impact local groundwater (i.e. ~50-feet bgs) or impede vegetative growth.

Environmental Plus, Inc., on behalf of Apache Corporation, request the NMOCD require no further action and issue Apache Corporation a "Site Closure Letter."

- 8.3 *If additional groundwater monitoring is recommended, indicate the proposed monitoring schedule and frequency. Conduct quarterly monitoring until the NMOCD responds to this report.* Not Applicable
- 8.4 *If corrective action is recommended, provide a conceptual approach.* Not Applicable






Figure 2
Site Location Map
Apache Corporation
North Monument Grayburg
San Andres Unit #603


Lea County, New Mexico
NE 1/4 of the NW 1/4, Sec. 20, T19S, R37E
N 32° 39' 04.3" W 103° 16' 33.43"
Elevation: 3,680 feet amsl


DWG By: Daniel Dominguez
July 2006


REVISED:


0 2,000 4,000
Feet


SHEET
1 of 1




















TABLE 1

Well Data

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. # 240014)

Well Number	Diversion ^A	Owner	Use	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Measured	Surface Elevation ^B	Depth to Water
											(ft bgs)
L 01975 APPRO	3	O & W DRLG. CO.	PRO	19S	37E	16 4 3	N32° 39' 10.30"	W103° 15' 21.56"	12-Feb-53	3,638	20
L 03185	3	CARPER DRILLING CO.	PRO	19S	37E	16 2 4	N32° 39' 36.37"	W103° 15' 6.16"	24-Apr-56	3,668	45
L 03228	3	MAKIN DRILLING COMPANY	PRO	19S	37E	16 4 4	N32° 39' 10.26"	W103° 15' 6.14"	18-Jun-56	3,641	42
L 06933 (E)	0	GULF OIL CORPORATION	PRO	19S	37E	17 4 2 3	N32° 39' 23.47"	W103° 16' 7.86"	12-Apr-72	3,678	65
L 02033	0	MONUMENT WATER USERS	DOM	19S	37E	18 1 1 1	N32° 39' 50.42"	W103° 17' 55.35"	12-Sep-47	3,717	35
L 10271 EXPL	0	INC. SNYDER RANCHES	EXP	19S	37E	18 1 1 1	N32° 39' 50.42"	W103° 17' 55.35"	13-Jul-92	3,717	70
L 04313	3	MCVAY AND STAFFORD DRILLING CO	PRO	19S	37E	19 1 1	N32° 38' 58.03"	W103° 17' 55.36"	23-Oct-59	3,704	52
L 10277	3	INC. SNYDER RANCHES	STK	19S	37E	19 4 2 2	N32° 38' 31.48"	W103° 17' 9.65"	10-Jul-92	3,678	40
L 02621	3	LA MANCE DRILLING COMPANY	PRO	19S	37E	21 3 2 3	N32° 38' 31.20"	W103° 15' 37.02"	14-Sep-54	3,642	40
L 04108	3	R.H. HUSTON	PRO	19S	37E	21 4 2	N32° 38' 31.15"	W103° 15' 6.17"	01-Apr-59	3,619	22
L 05336	0	GULF OIL CORPORATION	PRO	19S	37E	21 1 2 4	N32° 38' 57.29"	W103° 15' 37.00"	15-Feb-64	3,639	30
L 09163	3	LEROY LOTT	DOM	19S	37E	21 2 3 2	N32° 38' 44.21"	W103° 15' 21.58"	16-Apr-83	3,632	47
L 10238	3	W. S. ISRAEL	DOM	19S	37E	21 3 4 3	N32° 38' 18.16"	W103° 15' 37.03"	19-Mar-92	3,637	30
L 10295	3	TERRY ISRAEL	DOM	19S	37E	21 3 4 3	N32° 38' 18.16"	W103° 15' 37.03"	29-Oct-92	3,637	30
USGS #1				19S	37E	16 2 3 3			08-Mar-91	3,648	26.94
USGS #2				19S	37E	17 1 3 4			27-Feb-96	3,706	62.54
USGS #3				19S	37E	17 4 3 1			24-Apr-91	3,670	36.96
USGS #4				19S	37E	18 3 3 1			18-Mar-54	3,701	51.93
USGS #5				19S	37E	18 1 1 1			22-Feb-91	3,716	63.87
USGS #6				19S	37E	19 3 2 1			21-Feb-91	3,670	58.43
USGS #7				19S	37E	19 1 1 3			06-Mar-96	3,702	57.31
USGS #8				19S	37E	20 2 3 1			19-Apr-68	3,662	47.85
USGS #9				19S	37E	21 1 3 2			29-Feb-96	3,640	24.13
USGS #10				19S	37E	21 4 3 1			09-Jan-86	3,614	16.19
USGS #17				19S	37E	30 1 1 1			11-Feb-66	3,654	26.88

TABLE 1

Well Data

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. # 240014)

Well Number	Diversion ^A	Owner	Use	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Measured	Surface Elevation ^B	Depth to Water
											(ft bgs)
L 02596	3	MAKIN DRILLING COMPANY	PRO	19S	37E	29 3 2	N32° 37' 39.11"	W103° 16' 38.84"	20-Jul-54	3,609	20
L 03884	3	R.L. LEWIS	DOM	19S	37E	28	N32° 37' 25.94"	W103° 15' 52.53"	14-Jun-58	3,606	30
L 03905	3	LILLIE B. LONG NELKER	DOM	19S	37E	30 4 4	N32° 37' 26.16"	W103° 17' 9.72"	12-Aug-58	3,599	20
L 03906	3	ROBERT P. III SHORT	DOM	19S	37E	30 4 4	N32° 37' 26.16"	W103° 17' 9.72"	11-Aug-58	3,599	20
L 03922	3	LEON DICKERSON	DOM	19S	37E	29	N32° 37' 26.10"	W103° 16' 54.28"	11-Aug-58	3,596	22
L 03949	3	ROY L. WHEELER	DOM	19S	37E	29	N32° 37' 26.10"	W103° 16' 54.28"	12-Aug-58	3,596	18
L 03954	3	K. W. LITTLE	DOM	19S	37E	30 4 4	N32° 37' 26.16"	W103° 17' 9.72"	10-Aug-58	3,599	20
L 03956	3	DENNIS C. SMITH	DOM	19S	37E	29	N32° 37' 26.10"	W103° 16' 54.28"	13-Aug-58	3,596	20
L 03982 APPRO				19S	37E	28 3 3	N32° 37' 25.94"	W103° 15' 52.53"	10-Nov-58	3,606	31
L 03995	3	W. E. COPELAND	DOM	19S	37E	30 4 4	N32° 37' 26.16"	W103° 17' 9.72"	26-Sep-58	3,599	20
L 05995	3	H. L. STEPHENS	DOM	19S	37E	30 4 4 4	N32° 37' 26.16"	W103° 17' 9.72"	04-Aug-66	3,599	23
USGS #11				19S	37E	28 4 2 4			18-Apr-91		20.30
USGS #12				19S	37E	29 3 2 2			16-Jan-81		17.50
USGS #13				19S	37E	29 3 4 4			23-Mar-60		21.50P
USGS #14				19S	37E	29 4 4 4			22-Feb-80		34.45
USGS #15				19S	37E	29 4 4 4			19-Jan-71		35.05
USGS #16				19S	37E	29 3 3 3			18-Apr-91		13.01

^A = In acre feet per annum^B = Elevation interpolated from USGS topographical map based on referenced location.

PRO = Prospecting or development of natural resource

DOM = Domestic

EXP = Exploration

STK = Livestock watering

quarters are 1=NW, 2=NE, 3=SW, 4=SE; quarters are biggest to smallest

Shaded areas indicate wells not shown on Figure 2

TABLE 2

Summary of Initial Excavation Soil Sample Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)

Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Carbon C6-C12 Range (mg/Kg)	Carbon C12-C28 Range (mg/Kg)	Carbon C28-C35 Range (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
BH-1 (1')	1	8.9	240	In Situ	26-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	126	43.0
BH-2 (1')	1	12.4	960	In Situ	26-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	605	111
BH-3 (1')	1	0.0	520	In Situ	26-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	7.91 ^B	<10.0	<10.0	428	63.6
BH-4 (1')	1	18.8	900	In Situ	25-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	540	151
BH-5 (1')	1	18.9	560	In Situ	25-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	511	98.5
BH-6 (1')	1	4.0	560	In Situ	25-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	12.7	8.53 ^B	12.7	436	117
BH-7 (1')	1	18.9	500	In Situ	25-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	283	49.3
BH-8 (1')	1	0.0	1,200	In Situ	26-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	4.45 ^B	1.98 ^B	<10.0	949	131
BH-9 (1')	1	0.0	1,760	In Situ	26-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,320	172
BH-10 (1')	1	8.3	800	In Situ	26-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	976	134
BH-11 (6")	0.5	4.3	2,000	In Situ	31-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	2,110	281
BH-12 (6")	0.5	4.1	960	In Situ	31-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,000	74.5
BH-13 (6")	0.5	4.3	1,200	In Situ	31-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,500	178
BH-14 (6")	0.5	4.1	1,760	In Situ	31-Jul-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,750	216

TABLE 2

Summary of Initial Excavation Soil Sample Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)

Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Carbon C6-C12 Range (mg/Kg)	Carbon C12-C28 Range (mg/Kg)	Carbon C28-C35 Range (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
BH-15 (6")	0.5	11.1	2,000	In Situ	01-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	2,510	146
BH-16 (6")	0.5	0.0	400	In Situ	01-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	226	84.6
BH-17 (6")	0.5	0.0	1,600	In Situ	01-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,720	290
BH-18 (6")	0.5	0.0	1,200	In Situ	01-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,240	176
BH-19 (6")	0.5	0.0	1,360	In Situ	01-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,550	253
BH-20 (6")	0.5	0.0	160	In Situ	01-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	7.20	21.8
BH-21 (6")	0.5	0.0	1,280	In Situ	02-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	13.4	57.8	<10.0	71.2	920	168
BH-22 (6")	0.5	0.0	1,280	In Situ	02-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	976	121
BH-23 (6")	0.5	0.0	120	In Situ	02-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	6.09	17.6
BH-24 (6")	0.5	18.3	1,440	In Situ	02-Aug-06	<0.0250	<0.0250	<0.0250	0.0361	0.0361	<10.0	<10.0	<10.0	<10.0	705	65.3
BH-25 (6")	0.5	19.5	1,040	In Situ	02-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	1,250	2,380
BH-26 (6")	0.5	0.0	320	In Situ	02-Aug-06	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<10.0	<10.0	136	151
NMOCD Remedial Thresholds						10				50				100	250 ^A	600 ^A

Bolded values are in excess of NMOCD Remediation Thresholds

-- =Not Analyzed

^AChloride and Sulfate residuals may not be capable of impacting local groundwater above the NMWQCC standards of 250 mg/L and 650 mg/L respectively^B= Estimated value, analyte detected below reporting limit

TABLE 3

Summary of Soil Boring Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)

Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
SB-1 (5')	5	--	480	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	464	148
SB-1 (10')	10	--	240	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	144	45
SB-1 (15')	15	--	160	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	80	40.2
SB-2 (5')	5	--	240	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	144	269
SB-2 (10')	10	--	160	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	80	198
SB-3 (5')	5	--	240	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	176	245
SB-3 (10')	10	--	160	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	96	158
SB-4 (1')	1	--	160	In Situ	30-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	<16	<1
SB-4 (5')	5	--	160	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	<16	104
SB-4 (10')	10	--	160	In Situ	29-Nov-06	<0.005	<0.005	<0.005	<0.015	<0.030	<10.0	<10.0	<10.0	32	134
NMOCD Remedial Thresholds						10				50			100	250 ^A	600 ^A

Bolded values are in excess of NMOCD Remediation Thresholds

-- =Not Analyzed

^AChloride and Sulfate residuals may not be capable of impacting local groundwater above the NMWQCC standards of 250 mg/L and 650 mg/L respectively

TABLE 4

Summary of South Excavation Soil Sample Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)

Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Carbon C6-C12 Range (mg/Kg)	Carbon C12-C28 Range (mg/Kg)	Carbon C28-C35 Range (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
BH-1 (3')	3	0.2	380	Excavated	10-Apr-07	--	--	--	--	--	--	--	--	--	256	3,378
S-BH-1 (6')	6	1.2	240	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	112	624
BH-2 (3')	3	0.1	560	Excavated	10-Apr-07	--	--	--	--	--	--	--	--	--	496	806
S-BH-2 (6')	6	0.5	260	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	80	275
BH-3 (3')	3	0.2	480	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	400	268
BH-4 (3')	3	0.2	440	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	256	591
BH-5 (3')	3	0.7	320	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	384	389
BH-6 (3')	3	0.8	460	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	528	495
BH-7 (3')	3	0.5	560	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	416	668
S-BH-7 (6')	6	0.2	240	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	80	287
BH-8 (3')	3	0.7	420	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	336	849
S-BH-8 (6')	6	1.7	680	Excavated	01-May-07	--	--	--	--	--	--	--	--	--	608	996
S-BH-8 (8')	8	0.8	560	In Situ	10-May-07	--	--	--	--	--	--	--	--	--	336	647
BH-9 (3')	3	0.4	580	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	592	5,805
S-BH-9 (6')	6	2.1	680	Excavated	01-May-07	--	--	--	--	--	--	--	--	--	576	1,240
S-BH-9 (8')	8	0.3	360	In Situ	10-May-07	--	--	--	--	--	--	--	--	--	240	430
BH-10 (3')	3	0.2	560	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	512	634
BH-11 (3')	3	1.6	600	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	560	1,058
S-BH-11 (10')	10	--	--	In Situ	15-May-07	--	--	--	--	--	--	--	--	--	160	217
ESW-1 (2')	2	0.2	400	Excavated	10-Apr-07	--	--	--	--	--	--	--	--	--	352	1,009
ESW-1 B (3')	3	--	240	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	32	15.1

TABLE 4

Summary of South Excavation Soil Sample Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)

Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Carbon C6-C12 Range (mg/Kg)	Carbon C12-C28 Range (mg/Kg)	Carbon C28-C35 Range (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
ESW-2 (2')	2	0.0	240	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	208	162
ESW-3 (2')	2	0.2	260	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	144	243
ESW-4 (2')	2	0.4	580	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	576	566
ESW-5 (2')	2	0.4	240	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	176	253
ESW-6 (2')	2	0.1	260	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	144	359
ESW-7 (2')	2	0.4	340	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	144	357
WSW-1 (2')	2	0.0	560	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	384	351
WSW-2 (2')	2	0.1	240	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	64	43
WSW-3 (2')	2	0.0	280	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	176	209
WSW-4 (2')	2	0.0	180	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	64	414
WSW-5 (2')	2	0.6	380	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	352	2,733
S-WSW-5 (2')	2	--	--	In Situ	15-May-07	--	--	--	--	--	--	--	--	--	176	190
WSW-6 (2')	0.5	0.2	240	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	144	221
WSW-7 (2')	2	0.1	240	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	112	175
NSW-1 (2')	2	0.0	480	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	432	1,319
NSW-1B (3')	3	--	580	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	160	220
SSW-1 (2')	2	0.1	160	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	48	253
BACKGROUND		0.0	160	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	<16	<1
NMOCD Remedial Thresholds						10				50				100	250 ^A	600 ^A

Bolded values are in excess of NMOCD Remediation Thresholds.

-- =Not Analyzed.

^AChloride and Sulfate residuals may not be capable of impacting local groundwater above the NMWQCC standards of 250 mg/L and 650 mg/L respectively.^B = Estimated value, analyte detected below reporting limit

NOTE: Shaded cells indicate excavated sample location areas

TABLE 5

Summary of North Excavation Soil Sample Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)

Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Carbon C6-C12 Range (mg/Kg)	Carbon C12-C28 Range (mg/Kg)	Carbon C28-C35 Range (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
BH-1 (6')	6	0.9	800	Excavated	24-Apr-07	--	--	--	--	--	--	--	--	--	880	677
N-BH-1 (8')	8	--	--	In Situ	16-May-07	--	--	--	--	--	--	--	--	--	176	190
TT-1 (8')	8	0.8	480	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	224	158
TT-1 (10')	10	0.5	280	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	208	90
BH-2 (6')	6	0.5	720	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	176	33.8
TT-2 (8')	8	0.3	560	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	496	240
TT-2 (10')	10	0.7	560	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	336	175
BH-3 (6')	6	0.5	920	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	352	156
NSW-1 (2')	2	0.1	580	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	528	362
WSW-1 (2')	2	0.4	400	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	289	145
WSW-2 (2')	2	0.5	480	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	432	244
ESW-1 (2')	2	2.9	580	Excavated	24-Apr-07	--	--	--	--	--	--	--	--	--	688	1,175
N-ESW-1B (3')	3	--	240	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	64	186
ESW-2 (2')	2	8.6	720	Excavated	24-Apr-07	--	--	--	--	--	--	--	--	--	80	1,200
N-ESW-2B (3')	3	--	280	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	48	266
SSW-1 (2')	2	--	1,360	Excavated	24-Apr-07	--	--	--	--	--	--	--	--	--	--	--
SSW-2 (2')	2	14.7	1,200	Excavated	24-Apr-07	--	--	--	--	--	--	--	--	--	928	314
N-SSW-B (3')	3	--	460	In Situ	01-May-07	--	--	--	--	--	--	--	--	--	448	183
BACKGROUND	2	0.1	160	In Situ	24-Apr-07	--	--	--	--	--	--	--	--	--	<16	0.44
NMOCD Remedial Thresholds						10				50				100	250 ^A	600 ^A

^B Bolded values are in excess of NMOCD Remediation Thresholds

-- = Not Analyzed

NOTE: Shaded cells indicate excavated sample location areas

^A Chloride and Sulfate residuals may not be capable of impacting local groundwater above the NMWQCC standards of 250 mg/L and 650 mg/L respectively^B = Estimated value, analyte detected below reporting limit

TABLE 6

Summary of Injection Well Excavation Soil Sample Analytical Results

Apache Corporation - North Monument Grayburg San Andres Unit #603 (Ref. #240014)


Sample I.D.	Depth (feet)	PID analysis	Field Chloride Analysis	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	Carbon C6-C12 Range (mg/Kg)	Carbon C12-C28 Range (mg/Kg)	Carbon C28-C35 Range (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
BH-1 (1')	1	--	240	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	96	43.1
BH-2 (1')	1	--	480	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	480	280
BH-3 (1')	1	--	440	In Situ	10-Apr-07	--	--	--	--	--	--	--	--	--	400	136
BH-4 (1')	1	--	960	Excavated	10-Apr-07	--	--	--	--	--	--	--	--	--	784	261
BH-4B (4')	4	0.2	160	In Situ	10-May-07	--	--	--	--	--	--	--	--	--	16	119
BH-5 (1')	1	--	380	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	224	306
BH-6 (1')	1	--	360	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	240	613
BH-6B (4')	4	0.4	240	In Situ	10-May-07	--	--	--	--	--	--	--	--	--	80	267
SSW (1')	1	--	580	Excavated	19-Apr-07	--	--	--	--	--	--	--	--	--	688	250
SSW-B (3')	3	0.6	380	In Situ	10-May-07	--	--	--	--	--	--	--	--	--	160	165
NSW (1')	1	--	240	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	16	42.7
ESW (1')	1	--	180	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	16	22.3
WSW (1')	1	--	200	In Situ	19-Apr-07	--	--	--	--	--	--	--	--	--	16	39.8
NMOCD Remedial Thresholds						10				50				100	250 ^A	600 ^A

Bolded values are in excess of NMOCD Remediation Thresholds

-- = Not Analyzed

NOTE: Shaded cells indicate excavated sample location areas

^AChloride and Sulfate residuals may not be capable of impacting local groundwater above the NMWQCC standards of 250 mg/L and 650 mg/L respectively^B = Estimated value, analyte detected below reporting limit



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jason Stegemoller

Environmental Plus, Incorporated

P.O. Box 1558

Eunice, NM 88231

Project: Apache/ N. Mon. Grayburg SA 603

Project Number: 240014

Location: UL-C, Sect. 20, T 19 S, R 37 E

Lab Order Number: 6G28008

Report Date: 08/03/06

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-1 1'	6G28008-01	Soil	2006-07-26 10 15	2006-07-28 10 50
BH-2 1'	6G28008-02	Soil	2006-07-26 10 35	2006-07-28 10 50
BH-3 1'	6G28008-03	Soil	2006-07-26 10 45	2006-07-28 10 50
BH-4 1'	6G28008-04	Soil	2006-07-25 10 20	2006-07-28 10 50
BH-5 1'	6G28008-05	Soil	2006-07-25 10 40	2006-07-28 10 50
BH-6 1'	6G28008-06	Soil	2006-07-25 13 30	2006-07-28 10 50
BH-7 1'	6G28008-07	Soil	2006-07-25 13 45	2006-07-28 10 50
BH-8 1'	6G28008-08	Soil	2006-07-26 13 15	2006-07-28 10 50
BH-9 1'	6G28008-09	Soil	2006-07-26 13 30	2006-07-28 10 50
BH-10 1'	6G28008-10	Soil	2006-07-26 13 45	2006-07-28 10 50

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-1 1' (6G28008-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG63119	07/31/06	08/01/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		94.8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		88.5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		113 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		111 %	70-130		"	"	"	"	
BH-2 1' (6G28008-02) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG63119	07/31/06	08/01/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		100 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		83.2 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		114 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		111 %	70-130		"	"	"	"	
BH-3 1' (6G28008-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG63119	07/31/06	08/01/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		91.8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		84.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 14

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-3 1' (6G28008-03) Soil									
Carbon Ranges C12-C28	J [7.91]	10 0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	J
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		117 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		115 %	70-130		"	"	"	"	
BH-4 1' (6G28008-04) Soil									
Benzene	ND	0 0250	mg/kg dry	25	EG63119	07/31/06	08/01/06	EPA 8021B	
Toluene	ND	0 0250	"	"	"	"	"	"	
Ethylbenzene	ND	0 0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0 0250	"	"	"	"	"	"	
Xylene (o)	ND	0 0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		94 0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		88 0 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10 0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10 0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		116 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		113 %	70-130		"	"	"	"	
BH-5 1' (6G28008-05) Soil									
Benzene	ND	0 0250	mg/kg dry	25	EG63119	07/31/06	08/01/06	EPA 8021B	
Toluene	ND	0 0250	"	"	"	"	"	"	
Ethylbenzene	ND	0 0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0 0250	"	"	"	"	"	"	
Xylene (o)	ND	0 0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		88 2 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		80 0 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10 0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10 0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		116 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		113 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas

Page 3 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-6 1' (6G28008-06) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60114	08/01/06	08/02/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		83.2 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		82.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	12.7	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	J [8.53]	10.0	"	"	"	"	"	"	J
Total Hydrocarbons	12.7	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		118 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		115 %	70-130		"	"	"	"	
BH-7 1' (6G28008-07) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60114	08/01/06	08/02/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		94.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		83.5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		118 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		115 %	70-130		"	"	"	"	
BH-8 1' (6G28008-08) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60114	08/01/06	08/02/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		93.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		84.0 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 4 of 14

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-8 1' (6G28008-08) Soil									
Carbon Ranges C12-C28	J [4.45]	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	J
Carbon Ranges C28-C35	J [1.98]	10.0	"	"	"	"	"	"	J
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		116 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		114 %	70-130		"	"	"	"	
BH-9 1' (6G28008-09) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60114	08/01/06	08/02/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		94.8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		85.5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		113 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		110 %	70-130		"	"	"	"	
BH-10 1' (6G28008-10) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60114	08/01/06	08/02/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		90.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		81.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EG62817	07/28/06	07/30/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		117 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		114 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 5 of 14

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-1 1' (6G28008-01) Soil									
Chloride	126	5.00	mg/kg	10	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	11.0	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	43.0	5.00	mg/kg	10	EG63104	"	07/31/06	EPA 300.0	
BH-2 1' (6G28008-02) Soil									
Chloride	605	10.0	mg/kg	20	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	11.5	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	111	10.0	mg/kg	20	EG63104	"	07/31/06	EPA 300.0	
BH-3 1' (6G28008-03) Soil									
Chloride	428	10.0	mg/kg	20	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	3.1	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	63.6	10.0	mg/kg	20	EG63104	"	07/31/06	EPA 300.0	
BH-4 1' (6G28008-04) Soil									
Chloride	540	10.0	mg/kg	20	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	14.6	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	151	10.0	mg/kg	20	EG63104	"	07/31/06	EPA 300.0	
BH-5 1' (6G28008-05) Soil									
Chloride	511	10.0	mg/kg	20	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	16.1	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	98.5	10.0	mg/kg	20	EG63104	"	07/31/06	EPA 300.0	
BH-6 1' (6G28008-06) Soil									
Chloride	436	10.0	mg/kg	20	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	12.0	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	117	10.0	mg/kg	20	EG63104	"	07/31/06	EPA 300.0	
BH-7 1' (6G28008-07) Soil									
Chloride	283	10.0	mg/kg	20	EG63104	07/28/06	07/31/06	EPA 300.0	
% Moisture	8.7	0.1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	49.3	10.0	mg/kg	20	EG63104	"	07/31/06	EPA 300.0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 6 of 14

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-8 1' (6G28008-08) Soil									
Chloride	949	20 0	mg/kg	40	EG63104	07/28/06	07/31/06	EPA 300 0	
% Moisture	5.5	0 1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	131	20 0	mg/kg	40	EG63104	"	07/31/06	EPA 300 0	
BH-9 1' (6G28008-09) Soil									
Chloride	1320	25 0	mg/kg	50	EG63104	07/28/06	07/31/06	EPA 300 0	
% Moisture	6.8	0 1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	172	25 0	mg/kg	50	EG63104	"	07/31/06	EPA 300 0	
BH-10 1' (6G28008-10) Soil									
Chloride	976	20 0	mg/kg	40	EG63104	07/28/06	07/31/06	EPA 300 0	
% Moisture	11.2	0 1	%	1	EG63118	"	07/31/06	% calculation	
Sulfate	134	20 0	mg/kg	40	EG63104	"	07/31/06	EPA 300 0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 7 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch EG62817 - Solvent Extraction (GC)									
Blank (EG62817-BLK1)				Prepared 07/28/06 Analyzed 07/30/06					
Carbon Ranges C6-C12	ND	10.0	mg/kg wet						
Carbon Ranges C12-C28	ND	10.0	"						
Carbon Ranges C28-C35	ND	10.0	"						
Total Hydrocarbons	ND	10.0	"						
Surrogate 1-Chlorooctane	64.7		mg/kg	50.0		129	70-130		
Surrogate 1-Chlorooctadecane	64.1		"	50.0		128	70-130		
LCS (EG62817-BS1)				Prepared 07/28/06 Analyzed 07/30/06					
Carbon Ranges C6-C12	574	10.0	mg/kg wet	500		115	75-125		
Carbon Ranges C12-C28	417	10.0	"	500		83.4	75-125		
Carbon Ranges C28-C35	ND	10.0	"	0.00			75-125		
Total Hydrocarbons	991	10.0	"	1000		99.1	75-125		
Surrogate 1-Chlorooctane	62.8		mg/kg	50.0		126	70-130		
Surrogate 1-Chlorooctadecane	63.4		"	50.0		127	70-130		
Calibration Check (EG62817-CCV1)				Prepared 07/28/06 Analyzed 07/31/06					
Carbon Ranges C6-C12	298		mg/kg	250		119	80-120		
Carbon Ranges C12-C28	228		"	250		91.2	80-120		
Total Hydrocarbons	526		"	500		105	80-120		
Surrogate 1-Chlorooctane	83.3		"	100		83.3	70-130		
Surrogate 1-Chlorooctadecane	80.8		"	100		80.8	70-130		
Matrix Spike (EG62817-MS1)				Source: 6G28008-02 Prepared 07/28/06 Analyzed 07/31/06					
Carbon Ranges C6-C12	663	10.0	mg/kg dry	565	ND	117	75-125		
Carbon Ranges C12-C28	501	10.0	"	565	ND	88.7	75-125		
Carbon Ranges C28-C35	ND	10.0	"	0.00	ND		75-125		
Total Hydrocarbons	1160	10.0	"	1130	ND	103	75-125		
Surrogate 1-Chlorooctane	62.2		mg/kg	50.0		124	70-130		
Surrogate 1-Chlorooctadecane	63.3		"	50.0		127	70-130		

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 8 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG62817 - Solvent Extraction (GC)

Matrix Spike Dup (EG62817-MSD1)		Source: 6G28008-02		Prepared 07/28/06 Analyzed 07/30/06						
Carbon Ranges C6-C12	654	10.0	mg/kg dry	565	ND	116	75-125	1.37	20	
Carbon Ranges C12-C28	474	10.0	"	565	ND	83.9	75-125	5.54	20	
Carbon Ranges C28-C35	ND	10.0	"	0.00	ND		75-125		20	
Total Hydrocarbons	1130	10.0	"	1130	ND	100	75-125	2.62	20	
Surrogate 1-Chlorooctane	61.6		mg/kg	50.0		123	70-130			
Surrogate 1-Chlorooctadecane	64.9		"	50.0		130	70-130			

Batch EG63119 - EPA 5030C (GC)

Blank (EG63119-BLK1)		Prepared & Analyzed 07/31/06								
Benzene	ND	0.0250	mg/kg wet							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
Xylene (p/m)	ND	0.0250	"							
Xylene (o)	ND	0.0250	"							
Surrogate a,a,a-Trifluorotoluene	37.5		ug/kg	40.0		93.8	80-120			
Surrogate 4-Bromofluorobenzene	33.3		"	40.0		83.2	80-120			

LCS (EG63119-BS1)		Prepared & Analyzed 07/31/06								
Benzene	1.27	0.0250	mg/kg wet	1.25		102	80-120			
Toluene	1.26	0.0250	"	1.25		101	80-120			
Ethylbenzene	1.23	0.0250	"	1.25		98.4	80-120			
Xylene (p/m)	2.74	0.0250	"	2.50		110	80-120			
Xylene (o)	1.37	0.0250	"	1.25		110	80-120			
Surrogate a,a,a-Trifluorotoluene	39.5		ug/kg	40.0		98.8	80-120			
Surrogate 4-Bromofluorobenzene	38.1		"	40.0		95.2	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 9 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG63119 - EPA 5030C (GC)**Calibration Check (EG63119-CCV1)**

Prepared 07/31/06 Analyzed 08/01/06

Benzene	51.5		ug/kg	50.0		103	80-120			
Toluene	49.9		"	50.0		99.8	80-120			
Ethylbenzene	51.7		"	50.0		103	80-120			
Xylene (p/m)	103		"	100		103	80-120			
Xylene (o)	50.8		"	50.0		102	80-120			
Surrogate a,a,a-Trifluorotoluene	35.7		"	40.0		89.2	80-120			
Surrogate 4-Bromofluorobenzene	33.7		"	40.0		84.2	80-120			

Matrix Spike (EG63119-MS1)

Source: 6G28008-01

Prepared 07/31/06 Analyzed 08/01/06

Benzene	1.51	0.0250	mg/kg dry	1.40	ND	108	80-120			
Toluene	1.52	0.0250	"	1.40	ND	109	80-120			
Ethylbenzene	1.47	0.0250	"	1.40	ND	105	80-120			
Xylene (p/m)	3.25	0.0250	"	2.81	ND	116	80-120			
Xylene (o)	1.58	0.0250	"	1.40	ND	113	80-120			
Surrogate a,a,a-Trifluorotoluene	38.5		ug/kg	40.0		96.2	80-120			
Surrogate 4-Bromofluorobenzene	40.9		"	40.0		102	80-120			

Matrix Spike Dup (EG63119-MSD1)

Source: 6G28008-01

Prepared 07/31/06 Analyzed 08/01/06

Benzene	1.43	0.0250	mg/kg dry	1.40	ND	102	80-120	5.71	20	
Toluene	1.41	0.0250	"	1.40	ND	101	80-120	7.62	20	
Ethylbenzene	1.35	0.0250	"	1.40	ND	96.4	80-120	8.54	20	
Xylene (p/m)	3.00	0.0250	"	2.81	ND	107	80-120	8.07	20	
Xylene (o)	1.49	0.0250	"	1.40	ND	106	80-120	6.39	20	
Surrogate a,a,a-Trifluorotoluene	40.4		ug/kg	40.0		101	80-120			
Surrogate 4-Bromofluorobenzene	39.2		"	40.0		98.0	80-120			

Batch EH60114 - EPA 5030C (GC)**Blank (EH60114-BLK1)**

Prepared 08/01/06 Analyzed 08/02/06

Benzene	ND	0.0250	mg/kg wet							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
Xylene (p/m)	ND	0.0250	"							
Xylene (o)	ND	0.0250	"							
Surrogate a,a,a-Trifluorotoluene	35.5		ug/kg	40.0		88.8	80-120			
Surrogate 4-Bromofluorobenzene	33.2		"	40.0		83.0	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 10 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch EH60114 - EPA 5030C (GC)

LCS (EH60114-BS1)

Prepared 08/01/06 Analyzed 08/02/06

Benzene	1.20	0.0250	mg/kg wet	1.25		96.0	80-120			
Toluene	1.27	0.0250	"	1.25		102	80-120			
Ethylbenzene	1.13	0.0250	"	1.25		90.4	80-120			
Xylene (p/m)	2.68	0.0250	"	2.50		107	80-120			
Xylene (o)	1.33	0.0250	"	1.25		106	80-120			
Surrogate a,a,a-trifluorotoluene	41.7		ug/kg	40.0		104	80-120			
Surrogate 4-Bromofluorobenzene	38.8		"	40.0		97.0	80-120			

Calibration Check (EH60114-CCV1)

Prepared 08/01/06 Analyzed 08/02/06

Benzene	53.8		ug/kg	50.0		108	80-120			
Toluene	54.3		"	50.0		109	80-120			
Ethylbenzene	51.0		"	50.0		102	80-120			
Xylene (p/m)	110		"	100		110	80-120			
Xylene (o)	54.8		"	50.0		110	80-120			
Surrogate a,a,a-trifluorotoluene	37.1		"	40.0		92.8	80-120			
Surrogate 4-Bromofluorobenzene	33.0		"	40.0		82.5	80-120			

Matrix Spike (EH60114-MS1)

Source: 6G28010-01

Prepared 08/01/06 Analyzed 08/02/06

Benzene	1.43	0.0250	mg/kg dry	1.39	ND	103	80-120			
Toluene	1.44	0.0250	"	1.39	ND	104	80-120			
Ethylbenzene	1.37	0.0250	"	1.39	ND	98.6	80-120			
Xylene (p/m)	3.09	0.0250	"	2.78	ND	111	80-120			
Xylene (o)	1.51	0.0250	"	1.39	ND	109	80-120			
Surrogate a,a,a-trifluorotoluene	38.9		ug/kg	40.0		97.2	80-120			
Surrogate 4-Bromofluorobenzene	36.9		"	40.0		92.2	80-120			

Matrix Spike Dup (EH60114-MSD1)

Source: 6G28010-01

Prepared 08/01/06 Analyzed 08/02/06

Benzene	1.30	0.0250	mg/kg dry	1.39	ND	93.5	80-120	9.67	20	
Toluene	1.37	0.0250	"	1.39	ND	98.6	80-120	5.33	20	
Ethylbenzene	1.29	0.0250	"	1.39	ND	92.8	80-120	6.06	20	
Xylene (p/m)	2.88	0.0250	"	2.78	ND	104	80-120	6.51	20	
Xylene (o)	1.42	0.0250	"	1.39	ND	102	80-120	6.64	20	
Surrogate a,a,a-trifluorotoluene	32.7		ug/kg	40.0		81.8	80-120			
Surrogate 4-Bromofluorobenzene	37.0		"	40.0		92.5	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas.

Page 11 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Released to Imaging: 4/8/2025 1:57:47 PM

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EG63104 - General Preparation (WetChem)										
Blank (EG63104-BLK1)				Prepared 07/28/06 Analyzed 07/31/06						
Chloride	ND	0 500	mg/kg							
Sulfate	ND	0 500	"							
LCS (EG63104-BS1)				Prepared 07/28/06 Analyzed 07/31/06						
Sulfate	10 4	0 500	mg/kg	10 0		104	80-120			
Chloride	9 56	0 500	"	10 0		95 6	80-120			
Calibration Check (EG63104-CCVI)				Prepared 07/28/06 Analyzed 07/31/06						
Sulfate	10 1		mg/L	10 0		101	80-120			
Chloride	10 1		"	10 0		101	80-120			
Duplicate (EG63104-DUP1)				Source: 6G21001-01		Prepared 07/28/06 Analyzed 07/31/06				
Sulfate	560	5 00	mg/kg		523			6 83	20	
Chloride	344	5 00	"		320			7 23	20	
Duplicate (EG63104-DUP2)				Source: 6G28008-09		Prepared 07/28/06 Analyzed 07/31/06				
Sulfate	177	25 0	mg/kg		172			2 87	20	
Chloride	1350	25 0	"		1320			2 25	20	
Matrix Spike (EG63104-MS1)				Source: 6G21001-01		Prepared 07/28/06 Analyzed 07/31/06				
Chloride	452	5 00	mg/kg	100	320	132	80-120			S-07
Sulfate	625	5 00	"	100	523	102	75-125			
Matrix Spike (EG63104-MS2)				Source: 6G28008-09		Prepared 07/28/06 Analyzed 07/31/06				
Sulfate	669	25 0	mg/kg	500	172	99 4	75-125			
Chloride	1890	25 0	"	500	1320	114	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 12 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG63118 - General Preparation (Prep)

Blank (EG63118-BLK1)

Prepared 07/28/06 Analyzed 07/31/06

% Moisture	ND	0.1	%
------------	----	-----	---

Duplicate (EG63118-DUP1)

Source: 6G21001-01

Prepared 07/28/06 Analyzed 07/31/06

% Solids	90.8		%	91.9			1.20	20
----------	------	--	---	------	--	--	------	----

Duplicate (EG63118-DUP2)

Source: 6G28008-03

Prepared 07/28/06 Analyzed 07/31/06

% Solids	97.4		%	96.9			0.515	20
----------	------	--	---	------	--	--	-------	----

Duplicate (EG63118-DUP3)

Source: 6G28013-01

Prepared 07/28/06 Analyzed 07/31/06

% Solids	93.9		%	93.5			0.427	20
----------	------	--	---	------	--	--	-------	----

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 13 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Notes and Definitions

S-07 Recovery outside Laboratory historical or method prescribed limits
J Detected but below the Reporting Limit, therefore, result is an estimated concentration (CLP J-Flag)
DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By:

Raland K. Tuttle

Date:

8/3/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas.

Page 14 of 14

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Inc.2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name				Environmental Plus, Inc.				Bill To				ANALYSIS REQUEST													
EPI Project Manager				Jason Stegemoller				 Attn: Iain Olness P.O. Box 1558 Eunice, NM 88231																	
Mailing Address				P.O. BOX 1558																					
City, State, Zip				Eunice New Mexico 88231																					
EPI Phone#/Fax#				505-394-3481 / 505-394-2601																					
Client Company				Apache Corporation																					
Facility Name				N. Mon. Grayburg SA 603																					
Location				UL-C, Sec 20, T19S, R37E																					
Project Reference				240014																					
EPI Sampler Name				Jacob Melancon																					
LAB I.D.	SAMPLE I.D.	(GRAB OR (C)OMP.)	# CONTAINERS	MATRIX						PRESERV.		SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄)	pH	TCLP	OTHER >>>	PAH				
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE											TIME	
-01	1 BH-1 (1')	G	1			1					X		26-Jul-06	10:15	X	X	X	X							
-02	2 BH-2 (1')	G	1			1					X		26-Jul-06	10:35	X	X	X	X							
-03	3 BH-3 (1')	G	1			1					X		26-Jul-06	10:45	X	X	X	X							
-04	4 BH-4 (1')	G	1			1					X		25-Jul-06	10:20	X	X	X	X							
-05	5 BH-5 (1')	G	1			1					X		25-Jul-06	10:40	X	X	X	X							
-06	6 BH-6 (1')	G	1			1					X		25-Jul-06	13:30	X	X	X	X							
-07	7 BH-7 (1')	G	1			1					X		25-Jul-06	13:45	X	X	X	X							
-08	8 BH-8 (1')	G	1			1					X		26-Jul-06	13:15	X	X	X	X							
-09	9 BH-9 (1')	G	1			1					X		26-Jul-06	13:30	X	X	X	X							
-10	10 BH-10 (1')	G	1			1					X		26-Jul-06	13:45	X	X	X	X							
Sampler Relinquished:				Date: 7-28		Received By:		E-mail results to: jstegemoller@envplus.net																	
Releashed by:				Time: 7:30		Received By: (lab staff)		NOTES:																	
Delivered by:				Date: 7/28/06		Time: 10:50		2.5°C 462 glass																	
				Sample Cool & Intact		Checked By:		w/ labels																	
				Yes		No																			

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

ent: EPI
 ate/ Time: 7/28/06 10:50
 b ID #: 66928008
 tials: CK

Sample Receipt Checklist

Client Initials

Temperature of container/ cooler?	Yes	No	2.5 °C	
Shipping container in good condition?	<u>Yes</u>	No		
Custody Seals intact on shipping container/ cooler?	<u>Yes</u>	No	<u>Not Present</u>	
Custody Seals intact on sample bottles/ container?	<u>Yes</u>	No	<u>Not Present</u>	
Chain of Custody present?	<u>Yes</u>	No		
Sample instructions complete of Chain of Custody?	<u>Yes</u>	No		
Chain of Custody signed when relinquished/ received?	<u>Yes</u>	No		
Chain of Custody agrees with sample label(s)?	<u>Yes</u>	No	ID written on Cont./ Lid	
Container label(s) legible and intact?	<u>Yes</u>	No	Not Applicable	
Sample matrix/ properties agree with Chain of Custody?	<u>Yes</u>	No		
Containers supplied by ELOT?	<u>Yes</u>	No		
Samples in proper container/ bottle?	<u>Yes</u>	No	See Below	
Samples properly preserved?	<u>Yes</u>	No	See Below	
Sample bottles intact?	<u>Yes</u>	No		
Preservations documented on Chain of Custody?	<u>Yes</u>	No		
Containers documented on Chain of Custody?	<u>Yes</u>	No		
Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No	See Below	
All samples received within sufficient hold time?	<u>Yes</u>	No	See Below	
VOC samples have zero headspace?	<u>Yes</u>	No	Not Applicable	

Variance Documentation


Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

Check all that Apply.

- ☐ See attached e-mail/ fax
☐ Client understands and would like to proceed with analysis
☐ Cooling process had begun shortly after sampling event



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jason Stegemoller

Environmental Plus, Incorporated

P.O. Box 1558

Eunice, NM 88231

Project: Apache/ N. Mon. Grayburg SA 603

Project Number: 240014

Location: UL-C, Sec. 20, T19S, R37E

Lab Order Number: 6H02006

Report Date: 08/08/06

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-11 6"	6H02006-01	Soil	2006-07-31 08 30	2006-08-02 11 15
BH-12 6"	6H02006-02	Soil	2006-07-31 11 40	2006-08-02 11 15
BH-13 6"	6H02006-03	Soil	2006-07-31 13 43	2006-08-02 11 15
BH-14 6"	6H02006-04	Soil	2006-07-31 15 39	2006-08-02 11 15

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-11 6" (6H02006-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60402	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		86.8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		80.2 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		79.8 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		70.8 %	70-130		"	"	"	"	
BH-12 6" (6H02006-02) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60402	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		89.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		85.0 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		78.4 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		71.0 %	70-130		"	"	"	"	
BH-13 6" (6H02006-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		96.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		93.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 11

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-13 6" (6H02006-03) Soil									
Carbon Ranges C12-C28	ND	10 0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		79.2 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		71.4 %	70-130		"	"	"	"	
BH-14 6" (6H02006-04) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		90.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		92.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10 0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10 0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		92.4 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		112 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 3 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

**General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-11 6" (6H02006-01) Soil									
Chloride	2110	50 0	mg/kg	100	EH60204	08/02/06	08/02/06	EPA 300 0	
% Moisture	18.6	0 1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	281	50 0	mg/kg	100	EH60204	08/02/06	08/02/06	EPA 300 0	
BH-12 6" (6H02006-02) Soil									
Chloride	1000	25 0	mg/kg	50	EH60204	08/02/06	08/02/06	EPA 300 0	
% Moisture	18.5	0 1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	74.5	25 0	mg/kg	50	EH60204	08/02/06	08/02/06	EPA 300 0	
BH-13 6" (6H02006-03) Soil									
Chloride	1500	25 0	mg/kg	50	EH60204	08/02/06	08/02/06	EPA 300 0	
% Moisture	17.0	0 1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	178	25 0	mg/kg	50	EH60204	08/02/06	08/02/06	EPA 300 0	
BH-14 6" (6H02006-04) Soil									
Chloride	1750	50 0	mg/kg	100	EH60204	08/02/06	08/02/06	EPA 300 0	
% Moisture	16.5	0 1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	216	50 0	mg/kg	100	EH60204	08/02/06	08/02/06	EPA 300 0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 4 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project Apache/N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch EH60209 - EPA 5030C (GC)

Blank (EH60209-BLK1)

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	ND	10.0	mg/kg wet							
Carbon Ranges C12-C28	ND	10.0	"							
Carbon Ranges C28-C35	ND	10.0	"							
Total Hydrocarbons	ND	10.0	"							
Surrogate 1-Chlorooctane	64.0		mg/kg	50.0		128	70-130			
Surrogate 1-Chlorooctadecane	61.1		"	50.0		122	70-130			

LCS (EH60209-BS1)

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	441	10.0	mg/kg wet	500		88.2	75-125			
Carbon Ranges C12-C28	451	10.0	"	500		90.2	75-125			
Carbon Ranges C28-C35	ND	10.0	"	0.00			75-125			
Total Hydrocarbons	892	10.0	"	1000		89.2	75-125			
Surrogate 1-Chlorooctane	49.0		mg/kg	50.0		98.0	70-130			
Surrogate 1-Chlorooctadecane	37.1		"	50.0		74.2	70-130			

Calibration Check (EH60209-CCV1)

Prepared 08/02/06 Analyzed 08/03/06

Carbon Ranges C6-C12	210		mg/kg	250		84.0	80-120			
Carbon Ranges C12-C28	271		"	250		108	80-120			
Total Hydrocarbons	481		"	500		96.2	80-120			
Surrogate 1-Chlorooctane	87.7		"	100		87.7	70-130			
Surrogate 1-Chlorooctadecane	75.9		"	100		75.9	70-130			

Matrix Spike (EH60209-MS1)

Source: 6H02005-01

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	466	10.0	mg/kg dry	520	ND	89.6	75-125			
Carbon Ranges C12-C28	479	10.0	"	520	ND	92.1	75-125			
Carbon Ranges C28-C35	ND	10.0	"	0.00	ND		75-125			
Total Hydrocarbons	945	10.0	"	1040	ND	90.9	75-125			
Surrogate 1-Chlorooctane	49.7		mg/kg	50.0		99.4	70-130			
Surrogate 1-Chlorooctadecane	38.3		"	50.0		76.6	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 5 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60209 - EPA 5030C (GC)**Matrix Spike Dup (EH60209-MSD1)****Source: 6H02005-01**

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	470	10.0	mg/kg dry	520	ND	90.4	75-125	0.855	20	
Carbon Ranges C12-C28	484	10.0	"	520	ND	93.1	75-125	1.04	20	
Carbon Ranges C28-C35	ND	10.0	"	0.00	ND		75-125		20	
Total Hydrocarbons	954	10.0	"	1040	ND	91.7	75-125	0.948	20	
Surrogate 1-Chlorooctane	50.5		mg/kg	50.0		101	70-130			
Surrogate 1-Chlorooctadecane	37.2		"	50.0		74.4	70-130			

Batch EH60402 - EPA 5030C (GC)**Blank (EH60402-BLK1)**

Prepared & Analyzed 08/04/06

Benzene	ND	0.0250	mg/kg wet							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
Xylene (p/m)	ND	0.0250	"							
Xylene (o)	ND	0.0250	"							
Surrogate a,a-a-trifluorotoluene	34.6		ug/kg	40.0		86.5	80-120			
Surrogate 4-Bromofluorobenzene	36.8		"	40.0		92.0	80-120			

LCS (EH60402-BS1)

Prepared & Analyzed 08/04/06

Benzene	1.14	0.0250	mg/kg wet	1.25		91.2	80-120			
Toluene	1.17	0.0250	"	1.25		93.6	80-120			
Ethylbenzene	1.15	0.0250	"	1.25		92.0	80-120			
Xylene (p/m)	2.57	0.0250	"	2.50		103	80-120			
Xylene (o)	1.28	0.0250	"	1.25		102	80-120			
Surrogate a,a-a-trifluorotoluene	37.3		ug/kg	40.0		93.2	80-120			
Surrogate 4-Bromofluorobenzene	39.0		"	40.0		97.5	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 6 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch EH60402 - EPA 5030C (GC)

Calibration Check (EH60402-CCV1)

Prepared 08/04/06 Analyzed 08/06/06

Benzene	50.6		ug/kg	50.0		101	80-120		
Toluene	49.6		"	50.0		99.2	80-120		
Ethylbenzene	48.4		"	50.0		96.8	80-120		
Xylene (p/m)	103		"	100		103	80-120		
Xylene (o)	51.5		"	50.0		103	80-120		
Surrogate a,a,a-Trifluorotoluene	37.6		"	40.0		94.0	80-120		
Surrogate 4-Bromofluorobenzene	39.2		"	40.0		98.0	80-120		

Matrix Spike (EH60402-MS1)

Source: 6G31011-06

Prepared 08/04/06 Analyzed 08/07/06

Benzene	1.20	0.0250	mg/kg dry	1.28	ND	93.8	80-120		
Toluene	1.21	0.0250	"	1.28	ND	94.5	80-120		
Ethylbenzene	1.24	0.0250	"	1.28	ND	96.9	80-120		
Xylene (p/m)	2.67	0.0250	"	2.56	ND	104	80-120		
Xylene (o)	1.30	0.0250	"	1.28	ND	102	80-120		
Surrogate a,a,a-Trifluorotoluene	35.2		ug/kg	40.0		88.0	80-120		
Surrogate 4-Bromofluorobenzene	36.3		"	40.0		90.8	80-120		

Matrix Spike Dup (EH60402-MSD1)

Source: 6G31011-06

Prepared 08/04/06 Analyzed 08/07/06

Benzene	1.23	0.0250	mg/kg dry	1.28	ND	96.1	80-120	2.42	20
Toluene	1.25	0.0250	"	1.28	ND	97.7	80-120	3.33	20
Ethylbenzene	1.25	0.0250	"	1.28	ND	97.7	80-120	0.822	20
Xylene (p/m)	2.90	0.0250	"	2.56	ND	113	80-120	8.29	20
Xylene (o)	1.38	0.0250	"	1.28	ND	108	80-120	5.71	20
Surrogate a,a,a-Trifluorotoluene	40.7		ug/kg	40.0		102	80-120		
Surrogate 4-Bromofluorobenzene	39.2		"	40.0		98.0	80-120		

Batch EH60702 - EPA 5030C (GC)

Blank (EH60702-BLK1)

Prepared 08/04/06 Analyzed 08/06/06

Benzene	ND	0.0250	mg/kg wet						
Toluene	ND	0.0250	"						
Ethylbenzene	ND	0.0250	"						
Xylene (p/m)	ND	0.0250	"						
Xylene (o)	ND	0.0250	"						
Surrogate a,a,a-Trifluorotoluene	37.0		ug/kg	40.0		92.5	80-120		
Surrogate 4-Bromofluorobenzene	33.9		"	40.0		84.8	80-120		

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 7 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EH60702 - EPA 5030C (GC)										
LCS (EH60702-BS1)				Prepared 08/04/06		Analyzed 08/06/06				
Benzene	1.19	0.0250	mg/kg wet	1.25		95.2	80-120			
Toluene	1.21	0.0250	"	1.25		96.8	80-120			
Ethylbenzene	1.08	0.0250	"	1.25		86.4	80-120			
Xylene (p/m)	2.66	0.0250	"	2.50		106	80-120			
Xylene (o)	1.31	0.0250	"	1.25		105	80-120			
Surrogate a,a,a-Trifluorotoluene	39.7		ug/kg	40.0		99.2	80-120			
Surrogate 4-Bromofluorobenzene	40.7		"	40.0		102	80-120			
Calibration Check (EH60702-CCV1)				Prepared 08/04/06		Analyzed 08/07/06				
Benzene	50.4		ug/kg	50.0		101	80-120			
Toluene	49.1		"	50.0		98.2	80-120			
Ethylbenzene	49.4		"	50.0		98.8	80-120			
Xylene (p/m)	99.8		"	100		99.8	80-120			
Xylene (o)	48.8		"	50.0		97.6	80-120			
Surrogate a,a,a-Trifluorotoluene	37.3		"	40.0		93.2	80-120			
Surrogate 4-Bromofluorobenzene	34.2		"	40.0		85.5	80-120			
Matrix Spike (EH60702-MS1)		Source: 6H04011-01		Prepared 08/04/06		Analyzed 08/07/06				
Benzene	1.27	0.0250	mg/kg dry	1.36	ND	93.4	80-120			
Toluene	1.27	0.0250	"	1.36	ND	93.4	80-120			
Ethylbenzene	1.23	0.0250	"	1.36	ND	90.4	80-120			
Xylene (p/m)	2.67	0.0250	"	2.72	ND	98.2	80-120			
Xylene (o)	1.36	0.0250	"	1.36	ND	100	80-120			
Surrogate a,a,a-Trifluorotoluene	32.8		ug/kg	40.0		82.0	80-120			
Surrogate 4-Bromofluorobenzene	35.8		"	40.0		89.5	80-120			
Matrix Spike Dup (EH60702-MSD1)		Source: 6H04011-01		Prepared 08/04/06		Analyzed 08/07/06				
Benzene	1.24	0.0250	mg/kg dry	1.36	ND	91.2	80-120	2.38	20	
Toluene	1.24	0.0250	"	1.36	ND	91.2	80-120	2.38	20	
Ethylbenzene	1.20	0.0250	"	1.36	ND	88.2	80-120	2.46	20	
Xylene (p/m)	2.62	0.0250	"	2.72	ND	96.3	80-120	1.95	20	
Xylene (o)	1.31	0.0250	"	1.36	ND	96.3	80-120	3.77	20	
Surrogate a,a,a-Trifluorotoluene	33.1		ug/kg	40.0		82.8	80-120			
Surrogate 4-Bromofluorobenzene	35.5		"	40.0		88.8	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 8 of 11

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EH60204 - Water Extraction										
Blank (EH60204-BLK1)				Prepared & Analyzed 08/02/06						
Sulfate	ND	0 500	mg/kg							
Chloride	ND	0 500	"							
LCS (EH60204-BS1)				Prepared & Analyzed 08/02/06						
Sulfate	8 62	0 500	mg/kg	10 0		86 2	80-120			
Chloride	9 70	0 500	"	10 0		97 0	80-120			
Calibration Check (EH60204-CCV1)				Prepared & Analyzed 08/02/06						
Chloride	9 83		mg/L	10 0		98 3	80-120			
Sulfate	10 9		"	10 0		109	80-120			
Duplicate (EH60204-DUP1)				Source: 6G31011-02		Prepared & Analyzed 08/02/06				
Sulfate	154	5 00	mg/kg		149			3 30	20	
Chloride	47 1	5 00	"		48 0			1 89	20	
Duplicate (EH60204-DUP2)				Source: 6G31013-02		Prepared & Analyzed 08/02/06				
Sulfate	126	5 00	mg/kg		127			0 791	20	
Chloride	173	5 00	"		176			1 72	20	
Matrix Spike (EH60204-MS1)				Source: 6G31011-02		Prepared & Analyzed 08/02/06				
Chloride	152	5 00	mg/kg	100	48 0	104	80-120			
Sulfate	256	5 00	"	100	149	107	80-120			
Matrix Spike (EH60204-MS2)				Source: 6G31013-02		Prepared & Analyzed 08/02/06				
Chloride	285	5 00	mg/kg	100	176	109	80-120			
Sulfate	234	5 00	"	100	127	107	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas.

Page 9 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60302 - General Preparation (Prep)

Blank (EH60302-BLK1)

Prepared 08/02/06 Analyzed 08/03/06

% Solids 100 %

Duplicate (EH60302-DUP1)

Source: 6H02001-01

Prepared 08/02/06 Analyzed 08/03/06

% Solids 99.5 % 99.4 0.101 20

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 10 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231


Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By:



Date:

8/8/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 11 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231

P.O. Box 1558, Eunice, NM 88231

(505) 394-3481 FAX: (505) 394-2601

1 of 1

Chain of Custody Form

Company Name		Environmental Plus, Inc.		Bill To				ANALYSIS REQUEST																		
EPI Project Manager		Jason Stegemoller		 Attn: Iain Olness P.O. Box 1558 Eunice, NM 88231																						
Mailing Address		P.O. BOX 1558																								
City, State, Zip		Eunice New Mexico 88231																								
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																								
Client Company		Apache Corporation																								
Facility Name		N. Mon. Grayburg SA 603																								
Location		UL-C, Sec 20, T19S, R37E																								
Project Reference		240014																								
EPI Sampler Name		George Blackburn																								
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX				PRESERV.			SAMPLING		BTX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄)	pH	TCLP	OTHER >>>	PAH						
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER													DATE	TIME
66102006																										
01	1 BH-11 (6")	G	1			1				X		31-Jul-06	8:30	X	X	X	X									
02	2 BH-12 (6")	G	1			1				X		31-Jul-06	11:40	X	X	X	X									
03	3 BH-13 (6")	G	1			1				X		31-Jul-06	13:43	X	X	X	X									
04	4 BH-14 (6")	G	1			1				X		31-Jul-06	15:39	X	X	X	X									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									

Sampler Relinquished:	Date	Received By:
	Time	
Relinquished by:	Date 8-2-06	Received By: (lab staff)
Delivered by:	Time 10:15	Checked By:

E-mail results to: jstegemoller@envplus.net

NOTES:

3.0

402-glass

w/label & you seal

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

Client: EPI
 Date/ Time: 8/2/06 11:15
 Lab ID #: 64102006
 Initials: CK

Sample Receipt Checklist

Client Initials

#1 Temperature of container/ cooler?	Yes	No	3.0 °C	
#2 Shipping container in good condition?	<u>Yes</u>	No		
#3 Custody Seals intact on shipping container/ cooler?	Yes	No	<u>Not Present</u>	
#4 Custody Seals intact on sample bottles/ container?	<u>Yes</u>	No	Not Present	
#5 Chain of Custody present?	<u>Yes</u>	No		
#6 Sample instructions complete of Chain of Custody?	<u>Yes</u>	No		
#7 Chain of Custody signed when relinquished/ received?	<u>Yes</u>	No		
#8 Chain of Custody agrees with sample label(s)?	<u>Yes</u>	No	ID written on Cont./ Lid	
#9 Container label(s) legible and intact?	<u>Yes</u>	No	Not Applicable	
#10 Sample matrix/ properties agree with Chain of Custody?	<u>Yes</u>	No		
#11 Containers supplied by ELOT?	<u>Yes</u>	No		
#12 Samples in proper container/ bottle?	<u>Yes</u>	No	See Below	
#13 Samples properly preserved?	<u>Yes</u>	No	See Below	
#14 Sample bottles intact?	<u>Yes</u>	No		
#15 Preservations documented on Chain of Custody?	<u>Yes</u>	No		
#16 Containers documented on Chain of Custody?	<u>Yes</u>	No		
#17 Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No	See Below	
#18 All samples received within sufficient hold time?	<u>Yes</u>	No	See Below	
#19 VOC samples have zero headspace?	<u>Yes</u>	No	Not Applicable	

Variance Documentation


Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken

Check all that Apply:

- ☐ See attached e-mail/ fax
☐ Client understands and would like to proceed with analysis
☐ Cooling process had begun shortly after sampling event



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jason Stegemoller

Environmental Plus, Incorporated

P.O. Box 1558

Eunice, NM 88231

Project: Apache/ N. Mon. Grayburg SA 603

Project Number: 240014

Location: UL-C, Sec. 20, T19S, R37E

Lab Order Number: 6H02007

Report Date: 08/08/06

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-15 6"	6H02007-01	Soil	2006-08-01 08 55	2006-08-02 11 15
BH-16 6"	6H02007-02	Soil	2006-08-01 10 10	2006-08-02 11 15
BH-17 6"	6H02007-03	Soil	2006-08-01 11 25	2006-08-02 11 15
BH-18 6"	6H02007-04	Soil	2006-08-01 13 10	2006-08-02 11 15
BH-19 6"	6H02007-05	Soil	2006-08-01 14 25	2006-08-02 11 15
BH-20 6"	6H02007-06	Soil	2006-08-01 15 25	2006-08-02 11 15

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-15 6" (6H02007-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		96.5 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		93.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		96.0 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		115 %	70-130		"	"	"	"	
BH-16 6" (6H02007-02) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		97.5 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		90.5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		96.4 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		113 %	70-130		"	"	"	"	
BH-17 6" (6H02007-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		98.5 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		93.5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 11

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-17 6" (6H02007-03) Soil									
Carbon Ranges C12-C28	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		93.8 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		112 %	70-130		"	"	"	"	
BH-18 6" (6H02007-04) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		92.8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		87.2 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		93.4 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		112 %	70-130		"	"	"	"	
BH-19 6" (6H02007-05) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/06/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		90.5 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		90.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		96.2 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		113 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 3 of 11

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-20 6" (6H02007-06) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60702	08/04/06	08/07/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		98.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		94.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60209	08/02/06	08/02/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		104 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		123 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-15 6" (6H02007-01) Soil									
Chloride	2510	50.0	mg/kg	100	EH60307	08/02/06	08/04/06	EPA 300.0	
% Moisture	13.6	0.1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	146	50.0	mg/kg	100	EH60307	08/02/06	08/04/06	EPA 300.0	
BH-16 6" (6H02007-02) Soil									
Chloride	226	10.0	mg/kg	20	EH60307	08/02/06	08/04/06	EPA 300.0	
% Moisture	10.6	0.1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	84.6	10.0	mg/kg	20	EH60307	08/02/06	08/04/06	EPA 300.0	
BH-17 6" (6H02007-03) Soil									
Chloride	1720	50.0	mg/kg	100	EH60307	08/02/06	08/04/06	EPA 300.0	
% Moisture	11.8	0.1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	290	50.0	mg/kg	100	EH60307	08/02/06	08/04/06	EPA 300.0	
BH-18 6" (6H02007-04) Soil									
Chloride	1240	25.0	mg/kg	50	EH60307	08/02/06	08/04/06	EPA 300.0	
% Moisture	8.3	0.1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	176	25.0	mg/kg	50	EH60307	08/02/06	08/04/06	EPA 300.0	
BH-19 6" (6H02007-05) Soil									
Chloride	1550	25.0	mg/kg	50	EH60307	08/02/06	08/04/06	EPA 300.0	
% Moisture	9.0	0.1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	253	25.0	mg/kg	50	EH60307	08/02/06	08/04/06	EPA 300.0	
BH-20 6" (6H02007-06) Soil									
Chloride	7.20	5.00	mg/kg	10	EH60307	08/02/06	08/04/06	EPA 300.0	
% Moisture	4.6	0.1	%	1	EH60302	08/02/06	08/03/06	% calculation	
Sulfate	21.8	5.00	mg/kg	10	EH60307	08/02/06	08/04/06	EPA 300.0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 5 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60209 - EPA 5030C (GC)

Blank (EH60209-BLK1)

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	ND	10 0	mg/kg wet							
Carbon Ranges C12-C28	ND	10 0	"							
Carbon Ranges C28-C35	ND	10 0	"							
Total Hydrocarbons	ND	10 0	"							
Surrogate 1-Chlorooctane	64 0		mg/kg	50 0		128	70-130			
Surrogate 1-Chlorooctadecane	61 1		"	50 0		122	70-130			

LCS (EH60209-BS1)

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	441	10 0	mg/kg wet	500		88 2	75-125			
Carbon Ranges C12-C28	451	10 0	"	500		90 2	75-125			
Carbon Ranges C28-C35	ND	10 0	"	0 00			75-125			
Total Hydrocarbons	892	10 0	"	1000		89 2	75-125			
Surrogate 1-Chlorooctane	49 0		mg/kg	50 0		98 0	70-130			
Surrogate 1-Chlorooctadecane	37 1		"	50 0		74 2	70-130			

Calibration Check (EH60209-CCV1)

Prepared 08/02/06 Analyzed 08/03/06

Carbon Ranges C6-C12	210		mg/kg	250		84 0	80-120			
Carbon Ranges C12-C28	271		"	250		108	80-120			
Total Hydrocarbons	481		"	500		96 2	80-120			
Surrogate 1-Chlorooctane	87 7		"	100		87 7	70-130			
Surrogate 1-Chlorooctadecane	75 9		"	100		75 9	70-130			

Matrix Spike (EH60209-MS1)

Source: 6H02005-01

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	466	10 0	mg/kg dry	520	ND	89 6	75-125			
Carbon Ranges C12-C28	479	10 0	"	520	ND	92 1	75-125			
Carbon Ranges C28-C35	ND	10 0	"	0 00	ND		75-125			
Total Hydrocarbons	945	10 0	"	1040	ND	90 9	75-125			
Surrogate 1-Chlorooctane	49 7		mg/kg	50 0		99 4	70-130			
Surrogate 1-Chlorooctadecane	38 3		"	50 0		76 6	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 6 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM. 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60209 - EPA 5030C (GC)

Matrix Spike Dup (EH60209-MSD1)

Source: 6H02005-01

Prepared & Analyzed 08/02/06

Carbon Ranges C6-C12	470	10 0	mg/kg dry	520	ND	90 4	75-125	0 855	20	
Carbon Ranges C12-C28	484	10 0	"	520	ND	93 1	75-125	1 04	20	
Carbon Ranges C28-C35	ND	10 0	"	0 00	ND		75-125		20	
Total Hydrocarbons	954	10 0	"	1040	ND	91 7	75-125	0 948	20	
Surrogate 1-Chlorooctane	50 5		mg/kg	50 0		101	70-130			
Surrogate 1-Chlorooctadecane	37 2		"	50 0		74 4	70-130			

Batch EH60702 - EPA 5030C (GC)

Blank (EH60702-BLK1)

Prepared 08/04/06 Analyzed 08/06/06

Benzene	ND	0 0250	mg/kg wet							
Toluene	ND	0 0250	"							
Ethylbenzene	ND	0 0250	"							
Xylene (p/m)	ND	0 0250	"							
Xylene (o)	ND	0 0250	"							
Surrogate a,a,a-Trifluorotoluene	37 0		ug/kg	40 0		92 5	80-120			
Surrogate 4-Bromofluorobenzene	33 9		"	40 0		84 8	80-120			

LCS (EH60702-BS1)

Prepared 08/04/06 Analyzed 08/06/06

Benzene	1 19	0 0250	mg/kg wet	1 25		95 2	80-120			
Toluene	1 21	0 0250	"	1 25		96 8	80-120			
Ethylbenzene	1 08	0 0250	"	1 25		86 4	80-120			
Xylene (p/m)	2 66	0 0250	"	2 50		106	80-120			
Xylene (o)	1 31	0 0250	"	1 25		105	80-120			
Surrogate a,a,a-Trifluorotoluene	39 7		ug/kg	40 0		99 2	80-120			
Surrogate 4-Bromofluorobenzene	40 7		"	40 0		102	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 7 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch EH60702 - EPA 5030C (GC)

Calibration Check (EH60702-CCV1)

Prepared 08/04/06 Analyzed 08/07/06

Benzene	50.4		ug/kg	50.0		101	80-120		
Toluene	49.1		"	50.0		98.2	80-120		
Ethylbenzene	49.4		"	50.0		98.8	80-120		
Xylene (p/m)	99.8		"	100		99.8	80-120		
Xylene (o)	48.8		"	50.0		97.6	80-120		
Surrogate a,a,a-trifluorotoluene	37.3		"	40.0		93.2	80-120		
Surrogate 4-Bromofluorobenzene	34.2		"	40.0		85.5	80-120		

Matrix Spike (EH60702-MS1)

Source: 6H04011-01

Prepared 08/04/06 Analyzed 08/07/06

Benzene	1.27	0.0250	mg/kg dry	1.36	ND	93.4	80-120		
Toluene	1.27	0.0250	"	1.36	ND	93.4	80-120		
Ethylbenzene	1.23	0.0250	"	1.36	ND	90.4	80-120		
Xylene (p/m)	2.67	0.0250	"	2.72	ND	98.2	80-120		
Xylene (o)	1.36	0.0250	"	1.36	ND	100	80-120		
Surrogate a,a,a-trifluorotoluene	32.8		ug/kg	40.0		82.0	80-120		
Surrogate 4-Bromofluorobenzene	35.8		"	40.0		89.5	80-120		

Matrix Spike Dup (EH60702-MSD1)

Source: 6H04011-01

Prepared 08/04/06 Analyzed 08/07/06

Benzene	1.24	0.0250	mg/kg dry	1.36	ND	91.2	80-120	2.38	20
Toluene	1.24	0.0250	"	1.36	ND	91.2	80-120	2.38	20
Ethylbenzene	1.20	0.0250	"	1.36	ND	88.2	80-120	2.46	20
Xylene (p/m)	2.62	0.0250	"	2.72	ND	96.3	80-120	1.95	20
Xylene (o)	1.31	0.0250	"	1.36	ND	96.3	80-120	3.77	20
Surrogate a,a,a-trifluorotoluene	33.1		ug/kg	40.0		82.8	80-120		
Surrogate 4-Bromofluorobenzene	35.5		"	40.0		88.8	80-120		

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 8 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Released to Imaging: 4/8/2025 1:57:47 PM

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EH60302 - General Preparation (Prep)										
Blank (EH60302-BLK1)				Prepared 08/02/06 Analyzed 08/03/06						
% Solids	100		%							
Duplicate (EH60302-DUP1)				Source: 6H02001-01		Prepared 08/02/06 Analyzed 08/03/06				
% Solids	99.5		%		99.4			0.101	20	
Batch EH60307 - Water Extraction										
Blank (EH60307-BLK1)				Prepared 08/02/06 Analyzed 08/04/06						
Sulfate	ND	0.500	mg/kg							
Chloride	ND	0.500	"							
LCS (EH60307-BS1)				Prepared 08/02/06 Analyzed 08/04/06						
Chloride	8.90	0.500	mg/kg	10.0		89.0	80-120			
Sulfate	9.47	0.500	"	10.0		94.7	80-120			
Calibration Check (EH60307-CCV1)				Prepared 08/02/06 Analyzed 08/04/06						
Chloride	10.1		mg/L	10.0		101	80-120			
Sulfate	9.57		"	10.0		95.7	80-120			
Duplicate (EH60307-DUP1)				Source: 6H01008-03		Prepared 08/02/06 Analyzed 08/04/06				
Sulfate	327	10.0	mg/kg		325			0.613	20	
Chloride	7.30	10.0	"		9.22			23.2	20	S-08 J
Duplicate (EH60307-DUP2)				Source: 6H01009-06		Prepared 08/02/06 Analyzed 08/04/06				
Sulfate	30.1	5.00	mg/kg		30.1			0.00	20	
Chloride	13.3	5.00	"		13.3			0.00	20	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 9 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60307 - Water Extraction

Matrix Spike (EH60307-MS1)

Source: 6H01008-03

Prepared 08/02/06 Analyzed 08/04/06

Chloride	221	10 0	mg/kg	200	9 22	106	80-120			
Sulfate	539	10 0	"	200	325	107	80-120			

Matrix Spike (EH60307-MS2)

Source: 6H01009-06

Prepared 08/02/06 Analyzed 08/04/06

Chloride	109	5 00	mg/kg	100	13 3	95 7	80-120			
Sulfate	120	5 00	"	100	30 1	89 9	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 10 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231


Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Notes and Definitions

S-08 Value outside Laboratory historical or method prescribed QC limits
J Detected but below the Reporting Limit, therefore, result is an estimated concentration (CLP J-Flag)
DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By



Date:

8/8/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 11 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To										ANALYSIS REQUEST												
EPI Project Manager		Jason Stegemoller		 Attn: Iain Olness P.O. Box 1558 Eunice, NM 88231																						
Mailing Address		P.O. BOX 1558																								
City, State, Zip		Eunice New Mexico 88231																								
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																								
Client Company		Apache Corporation																								
Facility Name		N. Mon. Grayburg SA 603																								
Location		UL-C, Sec 20, T19S, R37E																								
Project Reference		240014																								
EPI Sampler Name		George Blackburn																								
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.			SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER A	PAH				
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE	TIME												
-01	1 BH-15 (6")	G	1			1					X		01-Aug-06	8:55	X	X	X	X								
-02	2 BH-16 (6")	G	1			1					X		01-Aug-06	10:10	X	X	X	X								
-03	3 BH-17 (6")	G	1			1					X		01-Aug-06	11:25	X	X	X	X								
-04	4 BH-18 (6")	G	1			1					X		01-Aug-06	13:10	X	X	X	X								
-05	5 BH-19 (6")	G	1			1					X		01-Aug-06	14:25	X	X	X	X								
-06	6 BH-20 (6")	G	1			1					X		01-Aug-06	15:25	X	X	X	X								
	7																									
	8																									
	9																									
	10																									

Sampler Relinquished.		Date	Received By:		E-mail results to: jstegemoller@envplus.net NOTES: 4oz glass w/ label & jar seal 3.0	
Relinquished by:		Time	Received By. (lab staff)			
Delivered by:		Time	Checked By:			
			Sample Cool & Intact No			

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

ent: EPI
 ite/ Time: 8/2/00 11:15
 b ID #: 6402007
 tials: OK

Sample Receipt Checklist

Client Initials

Temperature of container/ cooler?	Yes	No	3.0 °C	
Shipping container in good condition?	Yes	No		
Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present	
Custody Seals intact on sample bottles/ container?	Yes	No	Not Present	
Chain of Custody present?	Yes	No		
Sample instructions complete of Chain of Custody?	Yes	No		
Chain of Custody signed when relinquished/ received?	Yes	No		
Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Cont./ Lid	
Container label(s) legible and intact?	Yes	No	Not Applicable	
Sample matrix/ properties agree with Chain of Custody?	Yes	No		
Containers supplied by ELOT?	Yes	No		
Samples in proper container/ bottle?	Yes	No	See Below	
Samples properly preserved?	Yes	No	See Below	
Sample bottles intact?	Yes	No		
Preservations documented on Chain of Custody?	Yes	No		
Containers documented on Chain of Custody?	Yes	No		
Sufficient sample amount for indicated test(s)?	Yes	No	See Below	
All samples received within sufficient hold time?	Yes	No	See Below	
VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____


Regarding: _____

Corrective Action Taken: _____

Check all that Apply.

☐
☐
☐

See attached e-mail/ fax
 Client understands and would like to proceed with analysis
 Cooling process had begun shortly after sampling event



Analytical Report

Prepared for:

Jason Stegemoller

Environmental Plus, Incorporated

P.O. Box 1558

Eunice, NM 88231

Project: Apache/ N. Mon. Grayburg SA 603

Project Number: 240014

Location: EUL-C, Sec. 20, T19S, R37E

Lab Order Number: 6H08004

Report Date: 08/10/06

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Siegemoller

Fax 505-394-2601

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-21 6"	6H08004-01	Soil	08/02/06 08 15	08-08-2006 10 40
BH-22 6"	6H08004-02	Soil	08/02/06 09 50	08-08-2006 10 40
BH-23 6"	6H08004-03	Soil	08/02/06 12 00	08-08-2006 10 40
BH-24 6"	6H08004-04	Soil	08/02/06 13 30	08-08-2006 10 40
BH-25 6"	6H08004-05	Soil	08/02/06 14 35	08-08-2006 10 40
BH-26 6"	6H08004-06	Soil	08/02/06 15 06	08-08-2006 10 40

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-21 6" (6H08004-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60809	08/08/06	08/09/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		98.5 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		89.5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	13.4	10.0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	
Carbon Ranges C12-C28	57.8	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	71.2	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		125 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		121 %	70-130		"	"	"	"	
BH-22 6" (6H08004-02) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60809	08/08/06	08/09/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		89.8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		84.2 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		120 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		117 %	70-130		"	"	"	"	
BH-23 6" (6H08004-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60809	08/08/06	08/09/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a,a,a-Trifluorotoluene		97.0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		91.8 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 11

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-23 6" (6H08004-03) Soil									
Carbon Ranges C12-C28	ND	10 0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		130 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		121 %	70-130		"	"	"	"	
BH-24 6" (6H08004-04) Soil									
Benzene	ND	0 0250	mg/kg dry	25	EH60809	08/08/06	08/08/06	EPA 8021B	
Toluene	ND	0 0250	"	"	"	"	"	"	
Ethylbenzene	ND	0 0250	"	"	"	"	"	"	
Xylene (p/m)	0.0361	0 0250	"	"	"	"	"	"	
Xylene (o)	ND	0 0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		98 8 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		87 5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10 0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10 0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		129 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		117 %	70-130		"	"	"	"	
BH-25 6" (6H08004-05) Soil									
Benzene	ND	0 0250	mg/kg dry	25	EH60809	08/08/06	08/08/06	EPA 8021B	
Toluene	ND	0 0250	"	"	"	"	"	"	
Ethylbenzene	ND	0 0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0 0250	"	"	"	"	"	"	
Xylene (o)	ND	0 0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		85 0 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		81 5 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10 0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10 0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10 0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10 0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		125 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		117 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 3 of 11

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-26 6" (6H08004-06) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EH60809	08/08/06	08/08/06	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate a.a.a-Trifluorotoluene		101 %	80-120		"	"	"	"	
Surrogate 4-Bromofluorobenzene		93.0 %	80-120		"	"	"	"	
Carbon Ranges C6-C12	ND	10.0	mg/kg dry	1	EH60808	08/08/06	08/08/06	EPA 8015M	
Carbon Ranges C12-C28	ND	10.0	"	"	"	"	"	"	
Carbon Ranges C28-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbons	ND	10.0	"	"	"	"	"	"	
Surrogate 1-Chlorooctane		121 %	70-130		"	"	"	"	
Surrogate 1-Chlorooctadecane		113 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BH-21 6" (6H08004-01) Soil									
Chloride	920	25.0	mg/kg	50	EH60812	08/08/06	08/08/06	EPA 300.0	
% Moisture	14.4	0.1	%	1	EH60906	08/08/06	08/09/06	% calculation	
Sulfate	168	25.0	mg/kg	50	EH60812	08/08/06	08/08/06	EPA 300.0	
BH-22 6" (6H08004-02) Soil									
Chloride	976	25.0	mg/kg	50	EH60812	08/08/06	08/08/06	EPA 300.0	
% Moisture	12.0	0.1	%	1	EH60906	08/08/06	08/09/06	% calculation	
Sulfate	121	25.0	mg/kg	50	EH60812	08/08/06	08/08/06	EPA 300.0	
BH-23 6" (6H08004-03) Soil									
Chloride	6.09	5.00	mg/kg	10	EH60812	08/08/06	08/08/06	EPA 300.0	
% Moisture	10.9	0.1	%	1	EH60906	08/08/06	08/09/06	% calculation	
Sulfate	17.6	5.00	mg/kg	10	EH60812	08/08/06	08/08/06	EPA 300.0	
BH-24 6" (6H08004-04) Soil									
Chloride	705	20.0	mg/kg	40	EH60812	08/08/06	08/08/06	EPA 300.0	
% Moisture	10.1	0.1	%	1	EH60906	08/08/06	08/09/06	% calculation	
Sulfate	65.3	20.0	mg/kg	40	EH60812	08/08/06	08/08/06	EPA 300.0	
BH-25 6" (6H08004-05) Soil									
Chloride	1250	50.0	mg/kg	100	EH60812	08/08/06	08/08/06	EPA 300.0	
% Moisture	10.2	0.1	%	1	EH60906	08/08/06	08/09/06	% calculation	
Sulfate	2380	50.0	mg/kg	100	EH60812	08/08/06	08/08/06	EPA 300.0	
BH-26 6" (6H08004-06) Soil									
Chloride	136	10.0	mg/kg	20	EH60812	08/08/06	08/08/06	EPA 300.0	
% Moisture	12.8	0.1	%	1	EH60906	08/08/06	08/09/06	% calculation	
Sulfate	151	10.0	mg/kg	20	EH60812	08/08/06	08/08/06	EPA 300.0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 5 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60808 - EPA 5030C (GC)

Blank (EH60808-BLK1)

Prepared & Analyzed 08/08/06

Carbon Ranges C6-C12	ND	10.0	mg/kg wet							
Carbon Ranges C12-C28	ND	10.0	"							
Carbon Ranges C28-C35	ND	10.0	"							
Total Hydrocarbons	ND	10.0	"							
Surrogate 1-Chlorooctane	58.0		mg/kg	50.0		116	70-130			
Surrogate 1-Chlorooctadecane	55.6		"	50.0		111	70-130			

LCS (EH60808-BS1)

Prepared & Analyzed 08/08/06

Carbon Ranges C6-C12	483	10.0	mg/kg wet	500		96.6	75-125			
Carbon Ranges C12-C28	426	10.0	"	500		85.2	75-125			
Carbon Ranges C28-C35	ND	10.0	"	0.00			75-125			
Total Hydrocarbons	909	10.0	"	1000		90.9	75-125			
Surrogate 1-Chlorooctane	63.2		mg/kg	50.0		126	70-130			
Surrogate 1-Chlorooctadecane	56.3		"	50.0		113	70-130			

Calibration Check (EH60808-CCV1)

Prepared & Analyzed 08/08/06

Carbon Ranges C6-C12	215		mg/kg	250		86.0	80-120			
Carbon Ranges C12-C28	224		"	250		89.6	80-120			
Total Hydrocarbons	439		"	500		87.8	80-120			
Surrogate 1-Chlorooctane	64.1		"	50.0		128	70-130			
Surrogate 1-Chlorooctadecane	62.2		"	50.0		124	70-130			

Matrix Spike (EH60808-MS1)

Source: 6H08003-02

Prepared & Analyzed 08/08/06

Carbon Ranges C6-C12	597	10.0	mg/kg dry	561	ND	106	75-125			
Carbon Ranges C12-C28	520	10.0	"	561	ND	92.7	75-125			
Carbon Ranges C28-C35	ND	10.0	"	0.00	ND		75-125			
Total Hydrocarbons	1120	10.0	"	1120	ND	100	75-125			
Surrogate 1-Chlorooctane	64.9		mg/kg	50.0		130	70-130			
Surrogate 1-Chlorooctadecane	63.8		"	50.0		128	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas.

Page 6 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60808 - EPA 5030C (GC)

Matrix Spike Dup (EH60808-MSD1)

Source: 6H08003-02

Prepared & Analyzed 08/08/06

Carbon Ranges C6-C12	585	10 0	mg/kg dry	561	ND	104	75-125	2 03	20	
Carbon Ranges C12-C28	498	10 0	"	561	ND	88 8	75-125	4 32	20	
Carbon Ranges C28-C35	ND	10 0	"	0 00	ND		75-125		20	
Total Hydrocarbons	1080	10 0	"	1120	ND	96 4	75-125	3 64	20	
Surrogate 1-Chlorooctane	64 1		mg/kg	50 0		128	70-130			
Surrogate 1-Chlorooctadecane	63 3		"	50 0		127	70-130			

Batch EH60809 - EPA 5030C (GC)

Blank (EH60809-BLK1)

Prepared & Analyzed 08/08/06

Benzene	ND	0 0250	mg/kg wet							
Toluene	ND	0 0250	"							
Ethylbenzene	ND	0 0250	"							
Xylene (p/m)	ND	0 0250	"							
Xylene (o)	ND	0 0250	"							
Surrogate a,a,a-Trifluorotoluene	37 0		ug/kg	40 0		92 5	80-120			
Surrogate 4-Bromofluorobenzene	33 5		"	40 0		83 8	80-120			

LCS (EH60809-BS1)

Prepared & Analyzed 08/08/06

Benzene	1 24	0 0250	mg/kg wet	1 25		99 2	80-120			
Toluene	1 27	0 0250	"	1 25		102	80-120			
Ethylbenzene	1 12	0 0250	"	1 25		89 6	80-120			
Xylene (p/m)	2 78	0 0250	"	2 50		111	80-120			
Xylene (o)	1 39	0 0250	"	1 25		111	80-120			
Surrogate a,a,a-Trifluorotoluene	34 8		ug/kg	40 0		87 0	80-120			
Surrogate 4-Bromofluorobenzene	36 8		"	40 0		92 0	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas

Page 7 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60809 - EPA 5030C (GC)

Calibration Check (EH60809-CCV1)

Prepared & Analyzed 08/08/06

Benzene	49.2		ug/kg	50.0		98.4	80-120			
Toluene	48.6		"	50.0		97.2	80-120			
Ethylbenzene	48.4		"	50.0		96.8	80-120			
Xylene (p/m)	101		"	100		101	80-120			
Xylene (o)	50.0		"	50.0		100	80-120			
Surrogate a,a,a-Trifluorotoluene	32.8		"	40.0		82.0	80-120			
Surrogate 4-Bromofluorobenzene	32.1		"	40.0		80.2	80-120			

Matrix Spike (EH60809-MS1)

Source: 6H07012-01

Prepared & Analyzed 08/08/06

Benzene	1.38	0.0250	mg/kg dry	1.38	ND	100	80-120			
Toluene	1.42	0.0250	"	1.38	ND	103	80-120			
Ethylbenzene	1.40	0.0250	"	1.38	ND	101	80-120			
Xylene (p/m)	3.09	0.0250	"	2.76	ND	112	80-120			
Xylene (o)	1.50	0.0250	"	1.38	ND	109	80-120			
Surrogate a,a,a-Trifluorotoluene	41.4		ug/kg	40.0		104	80-120			
Surrogate 4-Bromofluorobenzene	39.6		"	40.0		99.0	80-120			

Matrix Spike Dup (EH60809-MSD1)

Source: 6H07012-01

Prepared & Analyzed 08/08/06

Benzene	1.37	0.0250	mg/kg dry	1.38	ND	99.3	80-120	0.702	20	
Toluene	1.41	0.0250	"	1.38	ND	102	80-120	0.976	20	
Ethylbenzene	1.39	0.0250	"	1.38	ND	101	80-120	0.00	20	
Xylene (p/m)	3.10	0.0250	"	2.76	ND	112	80-120	0.00	20	
Xylene (o)	1.54	0.0250	"	1.38	ND	112	80-120	2.71	20	
Surrogate a,a,a-Trifluorotoluene	41.8		ug/kg	40.0		104	80-120			
Surrogate 4-Bromofluorobenzene	40.1		"	40.0		100	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 8 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Released to Imaging: 4/8/2025 1:57:47 PM

Environmental Plus, Incorporated	Project	Apache/ N Mon Grayburg SA 603	Fax	505-394-2601
P O Box 1558	Project Number	240014		
Eumice NM, 88231	Project Manager	Jason Stegemoller		

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EH60812 - Water Extraction										
Blank (EH60812-BLK1)				Prepared & Analyzed 08/08/06						
Chloride	ND	0.500	mg/kg							
Sulfate	ND	0.500	"							
LCS (EH60812-BS1)				Prepared & Analyzed 08/08/06						
Sulfate	8.06	0.500	mg/kg	10.0		80.6	80-120			
Chloride	9.00	0.500	"	10.0		90.0	80-120			
Calibration Check (EH60812-CCV1)				Prepared & Analyzed 08/08/06						
Chloride	10.1		mg/L	10.0		101	80-120			
Sulfate	10.9		"	10.0		109	80-120			
Duplicate (EH60812-DUP1)				Source: 6H07014-04		Prepared & Analyzed 08/08/06				
Chloride	4.20	5.00	mg/kg		3.93			6.64	20	J
Duplicate (EH60812-DUP2)				Source: 6H08004-05		Prepared & Analyzed 08/08/06				
Sulfate	2200	50.0	mg/kg		2380			7.86	20	
Chloride	1150	50.0	"		1250			8.33	20	
Matrix Spike (EH60812-MS1)				Source: 6H07014-04		Prepared & Analyzed 08/08/06				
Chloride	100	5.00	mg/kg	100	3.93	96.1	80-120			
Matrix Spike (EH60812-MS2)				Source: 6H08004-05		Prepared & Analyzed 08/08/06				
Chloride	2200	50.0	mg/kg	1000	1250	95.0	80-120			
Sulfate	3190	50.0	"	1000	2380	81.0	80-120			
Batch EH60906 - General Preparation (Prep)										
Blank (EH60906-BLK1)				Prepared 08/08/06 Analyzed 08/09/06						
% Solids	100		%							

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 9 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EH60906 - General Preparation (Prep)**Duplicate (EH60906-DUP1)****Source: 6H08003-01**

Prepared 08/08/06 Analyzed 08/09/06

% Solids	83.3		%		82.9			0.481	20	
----------	------	--	---	--	------	--	--	-------	----	--

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety with written approval of Environmental Lab of Texas.

Page 10 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Incorporated
P O Box 1558
Eunice NM, 88231

Project Apache/ N Mon Grayburg SA 603
Project Number 240014
Project Manager Jason Stegemoller

Fax 505-394-2601

Notes and Definitions

J Detected but below the Reporting Limit. therefore, result is an estimated concentration (CLP J-Flag)

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

LCS Laboratory Control Spike

MS Matrix Spike

Dup Duplicate

Report Approved By:

Raland K. Tuttle

Date

8/10/2006

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director. Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas

Page 11 of 11

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231

P.O. Box 1558, Eunice, NM 88231

(505) 394-3481 FAX: (505) 394-2601

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To				ANALYSIS REQUEST													
EPI Project Manager		Jason Stegemoller		 Attn: Cody Miller P.O. Box 1558 Eunice, NM 88231																	
Mailing Address		P.O. BOX 1558																			
City, State, Zip		Eunice New Mexico 88231																			
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																			
Client Company		Apache Corporation																			
Facility Name		N. Mon. Grayburg SA 603																			
Location		UL-C, Sec 20, T19S, R37E																			
Project Reference		240014																			
EPI Sampler Name		Jacob Melancon																			

LAB I.D.	SAMPLE I.D.	(GRAB OR (C)OMP. # CONTAINERS	MATRIX					PRESERV.			SAMPLING		BTX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH	
			GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE									TIME
01	1 BH-21 (6")	G 1			1				X		02-Aug-06	8:15	X	X	X	X					
02	2 BH-22 (6")	G 1			1				X		02-Aug-06	9:50	X	X	X	X					
03	3 BH-23 (6")	G 1			1				X		02-Aug-06	12:00	X	X	X	X					
04	4 BH-24 (6")	G 1			1				X		02-Aug-06	1:30	X	X	X	X					
05	5 BH-25 (6")	G 1			1				X		02-Aug-06	2:35	X	X	X	X					
06	6 BH-26 (6")	G 1			1				X		02-Aug-06	3:06	X	X	X	X					
	7																				
	8																				
	9																				
	10																				

Sampler Relinquished:		Date	Received By:		E-mail results to: jstegemoller@envplus.net NOTES: 4oz glass 3.0 w/ label
Relinquished by:		Time	Received By: (lab staff)		
Delivered by:		Date	Sample Cool & Intact		
		Time	No		

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

Client: EPI
 Date/ Time: 8/8/06 10:40
 Lab ID #: 6H08004
 Initials: OK

Sample Receipt Checklist

Client Initials

#1 Temperature of container/ cooler?	Yes	No	3.0 ° C	
#2 Shipping container in good condition?	Yes	No		
#3 Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present	
#4 Custody Seals intact on sample bottles/ container?	Yes	No	Not Present	
#5 Chain of Custody present?	Yes	No		
#6 Sample instructions complete of Chain of Custody?	Yes	No		
#7 Chain of Custody signed when relinquished/ received?	Yes	No		
#8 Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Cont./ Lid	
#9 Container label(s) legible and intact?	Yes	No	Not Applicable	
#10 Sample matrix/ properties agree with Chain of Custody?	Yes	No		
#11 Containers supplied by EL0T?	Yes	No		
#12 Samples in proper container/ bottle?	Yes	No	See Below	
#13 Samples properly preserved?	Yes	No	See Below	
#14 Sample bottles intact?	Yes	No		
#15 Preservations documented on Chain of Custody?	Yes	No		
#16 Containers documented on Chain of Custody?	Yes	No		
#17 Sufficient sample amount for indicated test(s)?	Yes	No	See Below	
#18 All samples received within sufficient hold time?	Yes	No	See Below	
#19 VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

- Check all that Apply:
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event


Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To				ANALYSIS REQUEST																	
EPI Project Manager		Jason Stegemoller		 Attn: Cody Miller P.O. Box 1558 Eunice, NM 88231																					
Mailing Address		P.O. BOX 1558																							
City, State, Zip		Eunice New Mexico 88231																							
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																							
Client Company		Apache Corporation																							
Facility Name		N. Mon. Grayburg SA 603																							
Location		UL-C, Sec 20, T19S, R37E																							
Project Reference		240014																							
EPI Sampler Name		George Blackburn																							
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.		SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH					
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER											DATE	TIME	
H16C1 -	1 SB-1 (5')	G	1			1					X		29-Nov-06	9:15	X	X	X	X							
-	2 SB-1 (10')	G	1			1					X		29-Nov-06	10:20	X	X	X	X							
-	3 SB-1 (15')	G	1			1					X		29-Nov-06	11:23	X	X	X	X							
-	4 SB-2 (5')	G	1			1					X		29-Nov-06	13:05	X	X	X	X							
-	5 SB-2 (10')	G	1			1					X		29-Nov-06	13:35	X	X	X	X							
-	6 SB-3 (5')	G	1			1					X		29-Nov-06	14:13	X	X	X	X							
-	7 SB-3 (10')	G	1			1					X		29-Nov-06	14:50	X	X	X	X							
-	8 SB-4 (1')	G	1			1					X		30-Nov-06	15:15	X	X	X	X							
-	9 SB-4 (5')	G	1			1					X		29-Nov-06	15:45	X	X	X	X							
-	10 SB-4 (10')	G	1			1					X		29-Nov-06	16:40	X	X	X	X							
Sampler Relinquished		Date 12-1-06		Received By		E-mail results to: jstegemoller@envplus.net NOTES.																			
Relinquished by:		Time 3:30		Received By (lab staff)																					
Delivered by:		Date 12-1-06		Sample Cool & Intact																					
		Time 4:25		No																					
				Checked By:																					



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO (505) 394-2601

Receiving Date: 12/01/06
Reporting Date: 12/05/06
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 11/29/06
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: NF
Analyzed By: BC

LAB NO.	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/Kg)	DRO (>C ₁₀ -C ₂₈) (mg/Kg)	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE:		12/04/06	12/04/06	12/04/06	12/04/06	12/04/06	12/04/06
H11861-1	SB-1 (5')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-2	SB-1 (10')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-3	SB-1 (15')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-4	SB-2 (5')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-5	SB-2 (10')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-6	SB-3 (5')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-7	SB-3 (10')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-8	SB-4 (1')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-9	SB-4 (5')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
H11861-10	SB-4 (10')	<10.0	<10.0	<0.005	<0.005	<0.005	<0.015
Quality Control		777	778	0.101	0.101	0.102	0.294
True Value QC		800	800	0.100	0.100	0.100	0.300
% Recovery		97.1	97.2	101	101	102	97.9
Relative Percent Difference		1.9	1.3	2.7	0.7	1.2	0.9

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8260.

Burgess J. A. Cooke, Ph.D.

12/5/06
Date

H11861A

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601

Receiving Date: 12/01/06
Reporting Date: 12/05/06
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 11/29/06
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: NF
Analyzed By: HM/NF

LAB NUMBER	SAMPLE ID	SO ₄ (mg/Kg)	Cl (mg/Kg)
ANALYSIS DATE:		12/05/06	12/05/06
H11861-1	SB-1 (5')	148	464
H11861-2	SB-1 (10')	45.2	144
H11861-3	SB-1 (15')	40.2	80
H11861-4	SB-2 (5')	269	144
H11861-5	SB-2 (10')	198	80
H11861-6	SB-3 (5')	245	176
H11861-7	SB-3 (10')	158	96
H11861-8	SB-4 (1')	< 1	< 16
H11861-9	SB-4 (5')	104	< 16
H11861-10	SB-4 (10')	134	32
Quality Control		26.2	470
True Value QC		25.0	500
% Recovery		105	94
Relative Percent Difference		7.2	8.2

METHODS: EPA 600/4-79-020	375.4	SM 4500 ClB
---------------------------	-------	-------------

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Jason Stegemoller
Chemist

12-05-06
Date

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. No event shall hold Cardinal liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601


Receiving Date: 04/20/07
Reporting Date: 04/24/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E


Sampling Date: 04/10/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: HM
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		04/23/07	04/23/07
H12492-1	BH-1 (3')	256	3378
H12492-2	BH-2 (3')	496	806
H12492-3	BH-3 (3')	400	268
H12492-4	BH-4 (3')	256	591
H12492-5	SSW-1 (2')	48	253
H12492-6	ESW-1 (2')	352	1009
H12492-7	WSW-1 (2')	384	351
H12492-8	ESW-2 (2')	208	162
H12492-9	WSW-2 (2')	64	43.4
H12492-10	ESW-3 (2')	144	243
Quality Control		490	23.1
True Value QC		500	25.0
% Recovery		98.0	92.5
Relative Percent Difference		1.0	3.4

METHODS: Cl: Std. Methods 4500-ClB; SO₄: EPA 600 375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.


Chemist


Date

H12492

PLEASE NOTE **Liability and Damages** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



PHONE (325) 673-7601 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601


Receiving Date: 04/20/07
Reporting Date: 04/24/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E


Sampling Date: 04/10/07 & 04/19/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: HM
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		04/24/07	04/24/07
H12492-11	WSW-3 (2')	176	209
H12492-12	BH-5 (3')	384	389
H12492-13	BH-6 (3')	528	495
H12492-14	BH-7 (3')	416	668
H12492-15	BH-8 (3')	336	849
H12492-16	BH-9 (3')	592	5805
H12492-17	BH-10 (3')	512	634
H12492-18	BH-11 (3')	560	1058
H12492-19	ESW-4 (2')	576	566
H12492-20	ESW-5 (2')	176	253
Quality Control		500	25.0
True Value QC		500	25.0
% Recovery		100	100
Relative Percent Difference		1.0	7.8

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600 375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.


Chemist


Date

H12492A

PLEASE NOTE **Liability and Damages** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



CARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601


Receiving Date: 04/20/07
Reporting Date: 04/24/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 04/19/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: HM
Analyzed By: HM


LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		04/24/07	04/24/07
H12492-21	ESW-6 (2')	144	359
H12492-22	ESW-7 (2')	144	357
H12492-23	WSW-4 (2')	64	414
H12492-24	WSW-5 (2')	352	2733
H12492-25	WSW-6 (2')	144	221
H12492-26	WSW-7 (2')	112	175
H12492-27	NSW-1 (2')	432	1319
H12492-28	BACKGROUND	< 16	< 1
Quality Control		500	25.0
True Value QC		500	25.0
% Recovery		100	100
Relative Percent Difference		1.0	7.8

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600 375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.



Chemist



Date

H12492B

PLEASE NOTE **Liability and Damages** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.**Chain of Custody Form**

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

2 of 3

Company Name		Environmental Plus, Inc.		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																			
EPI Project Manager		Jason Stegemoller																					
Mailing Address		P.O. BOX 1558																					
City, State, Zip		Eunice New Mexico 88231																					
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																					
Client Company		Apache Corporation																					
Facility Name		N. Mon. Grayburg SA 603																					
Location		UL-C, Sec 20, T19S, R37E																					
Project Reference		240014																					
EPI Sampler Name		Sebastian Romero																					
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.			SAMPLING		BTEX 8021B	TPH 8016M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH		
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER	ACID/BASE	ICE/COOL	OTHER	DATE									TIME	
412492 - 1	WSW-3 (2')	G	1			1				X		10-Apr-07	12:35			X	X						
- 2	BH-5 (3')	G	1			1				X		19-Apr-07	7:45			X	X						
- 3	BH-6 (3')	G	1			1				X		19-Apr-07	8:00			X	X						
- 4	BH-7 (3')	G	1			1				X		19-Apr-07	8:15			X	X						
- 5	BH-8 (3')	G	1			1				X		19-Apr-07	8:21			X	X						
- 6	BH-9 (3')	G	1			1				X		19-Apr-07	8:25			X	X						
- 7	BH-10 (3')	G	1			1				X		19-Apr-07	8:55			X	X						
- 8	BH-11 (3')	G	1			1				X		19-Apr-07	9:30			X	X						
- 9	ESW-4 (2')	G	1			1				X		19-Apr-07	9:45			X	X						
- 10	ESW-5 (2')	G	1			1				X		19-Apr-07	10:00			X	X						
Sampler (Signature):		Sebastian Romero		Received By:		Jason Stegemoller		E-mail results to: jstegemoller@envplus.net NOTES:															
Released by:		Jason Stegemoller		Received By: (lab staff):		Lore S. Moreno																	
Delivered by:				Sample Cool & intact		Yes No																	
				Checked By:																			

Environmental Plus, Inc.**Chain of Custody Form**

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

3 of 3

Company Name		Environmental Plus, Inc.		ANALYSIS REQUEST Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																						
EPI Project Manager		Jason Stegemoller																								
Mailing Address		P.O. BOX 1558																								
City, State, Zip		Eunice New Mexico 88231																								
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																								
Client Company		Apache Corporation																								
Facility Name		N. Mon. Grayburg SA 603																								
Location		UL-C, Sec 20, T19S, R37E																								
Project Reference		240014																								
EPI Sampler Name		Sebastian Romero																								
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.			SAMPLING		BTX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄)	pH	TCLP	OTHER >>>	PAH					
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE											TIME		
12492-21	ESW-6 (2)	G	1			1					X		19-Apr-07	10:30			X	X								
-22	ESW-7 (2)	G	1			1					X		19-Apr-07	10:46			X	X								
-23	WSW-4 (2)	G	1			1					X		19-Apr-07	11:00			X	X								
-24	WSW-5 (2)	G	1			1					X		19-Apr-07	11:05			X	X								
-25	WSW-6 (2)	G	1			1					X		19-Apr-07	13:05			X	X								
-26	WSW-7 (2)	G	1			1					X		19-Apr-07	13:15			X	X								
-27	NSW-1 (2)	G	1			1					X		19-Apr-07	13:30			X	X								
-28	BACKGROUND	G	1			1					X		19-Apr-07	14:15			X	X								
9																										
10																										

Sampler Relinquished: <i>Sebastian Romero</i> Relinquished by: <i>Jason Stegemoller</i> Delivered by:	Date: 4-20-07 Time: 4:35 PM	Received By: <i>Jason Stegemoller</i> Received By: (lab staff) <i>Hope S. Moreno</i> Checked By:	E-mail results to: jstegemoller@envplus.net NOTES:
---	--------------------------------------	--	---

Environmental Plus, Inc.2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 3

Company Name Environmental Plus, Inc.		Project Name Apache Corporation	
EPI Project Manager Jason Stegemoller		Attn: Mr. Guinn Burks	
Mailing Address P.O. BOX 1558		P.O. Box 728	
City, State, Zip Eunice New Mexico 88231		Crane, Texas 79731	
EPI Phone/Fax# 505-394-3481 / 505-394-2601			
Client Company Apache Corporation			
Facility Name N. Mon. Grayburg SA 603			
Location UL-C, Sec 20, T19S, R37E			
Project Reference 240014			
EPI Sampler Name Sebastian Romero			

LAB I.D.	SAMPLE I.D.	G/RAS OR (G)RASP.	# CONTAINERS	MATRIX					PRESERV.			SAMPLING		STEX 8021B	TPH 8015M	CHLORIDES (CL)	SULFATES (SO ₄)	pH	TCLP	OTHER >>>	PAI	
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE									TIME
H12492 - 1	BH-1 (3')	G	1			1					X		10-Apr-07	9:50			X	X				
- 2	BH-2 (3')	G	1			1					X		10-Apr-07	10:05			X	X				
- 3	BH-3 (3')	G	1			1					X		10-Apr-07	10:19			X	X				
- 4	BH-4 (3')	G	1			1					X		10-Apr-07	10:35			X	X				
- 5	SSW-1 (2')	G	1			1					X		10-Apr-07	10:45			X	X				
- 6	ESW-1 (2')	G	1			1					X		10-Apr-07	11:10			X	X				
- 7	WSW-1 (2')	G	1			1					X		10-Apr-07	11:20			X	X				
- 8	ESW-2 (2')	G	1			1					X		10-Apr-07	11:35			X	X				
- 9	WSW-2 (2')	G	1			1					X		10-Apr-07	12:05			X	X				
- 10	ESW-3 (2')	G	1			1					X		10-Apr-07	12:25			X	X				

Sampler Relinquished by: <i>Sebastian Romero</i>		Received By: <i>Jason Stegemoller</i>		E-mail results to: jstegemoller@envplus.net	
Relinquished by: <i>Jason Stegemoller</i>		Received By: (lab staff) <i>Jose S. Moreno</i>		NOTES:	
Collected by:		Sample Cool & Intact Yes No		Checked By:	



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603
PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601

Receiving Date: 04/26/07
Reporting Date: 04/30/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 04/24/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: BC
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		04/27/07	04/27/07
H12517-1	BH-1 (6')	880	677
H12517-2	BH-2 (6')	176	33.8
H12517-3	BH-3 (6')	352	156
H12517-4	TT-2 (8')	496	240
H12517-5	TT-2 (10')	336	175
H12517-6	TT-1 (8')	224	158
H12517-7	TT-1 (10')	208	90
H12517-8	NSW-1 (2')	528	362
H12517-9	WSW-1 (2')	289	145
H12517-10	WSW-2 (2')	432	244
H12517-11	ESW-1 (2')	688	1175
H12517-12	ESW-2 (2')	80	1200
H12517-13	SSW-2 (2')	928	314
H12517-14	BACKGROUND	< 16	0.44
Quality Control		490	24.8
True Value QC		500	25.0
% Recovery		98.0	99.3
Relative Percent Difference		0.0	0.7

METHODS: Cl: Std. Methods 4500-Cl'B; SO₄: EPA 600 375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Chemist

Date

H12517

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 3

Company Name		Environmental Plus, Inc.		Bill To										ANALYSIS REQUEST																	
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																											
Mailing Address		P.O. BOX 1558																													
City, State, Zip		Eunice New Mexico 88231																													
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																													
Client Company		Apache Corporation																													
Facility Name		N. Mon. Grayburg SA 603																													
Location		UL-C, Sec 20, T19S, R37E																													
Project Reference		240014																													
EPI Sampler Name		Sebastian Romero																													
LAB I.D.	SAMPLE I.D.	(G/RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.			SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄)	pH	TCLP	OTHER >>>	PAH									
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE	TIME																	
11/2517	1 BH-1 (6')	G	1			1					X			24-Apr-07	8:40			X	X												
	2 BH-2 (6')	G	1			1					X			24-Apr-07	8:50			X	X												
	3 BH-3 (6')	G	1			1					X			24-Apr-07	9:15			X	X												
	4 TT-2 (8')	G	1			1					X			24-Apr-07	9:50			X	X												
	5 TT-2 (10')	G	1			1					X			24-Apr-07	12:40			X	X												
	6 TT-1 (8')	G	1			1					X			24-Apr-07	10:55			X	X												
	7 TT-1 (10')	G	1			1					X			24-Apr-07	12:33			X	X												
	8 NSW-1 (2')	G	1			1					X			24-Apr-07	10:10			X	X												
	9 WSW-1 (2')	G	1			1					X			24-Apr-07	10:43			X	X												
	10 WSW-2 (2')	G	1			1					X			24-Apr-07	11:20			X	X												
Sampler Relinquished: <i>Sebastian Romero</i> Date: <i>1:30P</i> Received By: <i>Jason Stegemoller</i> E-mail results to: jstegemoller@envplus.net Relinquished by: <i>Sebastian Romero</i> Date: <i>4-26-07</i> Received By: (lab staff) <i>Jason Stegemoller</i> NOTES: Delivered by: <i>Sebastian Romero</i> Date: <i>2:10P</i> Received By: <i>Jason Stegemoller</i> Sample Cool & Intact: ☒ Yes ☐ No Checked By: <i>Jason Stegemoller</i>																															

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

2 of 3

Company Name		Environmental Plus, Inc.		Bill To		ANALYSIS REQUEST																				
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																						
Mailing Address		P.O. BOX 1558																								
City, State, Zip		Eunice New Mexico 88231																								
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																								
Client Company		Apache Corporation																								
Facility Name		N. Mon. Grayburg SA 603																								
Location		UL-C, Sec 20, T19S, R37E																								
Project Reference		240014																								
EPI Sampler Name		Sebastian Romero																								
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.		SAMPLING		BTX 8021B	TPH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH					
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE											TIME		
#10517-1	1 ESW-1 (2')	G	1			1					X		24-Apr-07	11:25			X	X								
- 1	2 ESW-2 (2')	G	1			1					X		24-Apr-07	11:46			X	X								
- 3	3 SSW-2 (2')	G	1			1					X		24-Apr-07	14:00			X	X								
- 4	4 Background	G	1			1					X		24-Apr-07	14:15			X	X								
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									

Sampler Relinquished:		Date	Received By:	E-mail results to: jstegemoller@envplus.net NOTES:	
Sebastian Romero		1:30P	Jason Stegemoller		
Relinquished by:		4-26-07	Received By: (lab staff)		
Delivered by:		Date	Checked By:		
		2:10	Guinn Burks		
		Sample Cool & Intact			
		Yes	No		



CARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601


Receiving Date: 04/26/07
Reporting Date: 04/30/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 04/25/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: BC
Analyzed By: HM


LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		04/30/07	04/30/07
H12518-1	BH-1 (1')	96	43.1
H12518-2	BH-2 (1')	480	280
H12518-3	BH-3 (1')	400	136
H12518-4	BH-4 (1')	784	261
H12518-5	BH-5 (1')	224	306
H12518-6	BH-6 (1')	240	613
H12518-7	SSW (1')	688	250
H12518-8	NSW (1')	16	42.7
H12518-9	ESW (1')	16	22.3
H12518-10	WSW (1')	16	39.8
Quality Control		480	26.4
True Value QC		500	25.0
% Recovery		96.0	106
Relative Percent Difference		2.1	6.1

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600 375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.


Chemist

H12518


Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

3 of 3

Company Name		Environmental Plus, Inc.		Bill To				ANALYSIS REQUEST																		
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																						
Mailing Address		P.O. BOX 1558																								
City, State, Zip		Eunice New Mexico 88231																								
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																								
Client Company		Apache Corporation																								
Facility Name		N. Mon. Grayburg SA 603																								
Location		UL-C, Sec 20, T19S, R37E																								
Project Reference		240014																								
EPI Sampler Name		Sebastian Romero																								
LAB I.D.	SAMPLE I.D.	(GRAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.		SAMPLING		BTX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH					
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE											TIME		
4/25/08 - 1	BH-1 (6") (1')	G	1			1					X		25-Apr-07	9:55			X	X								
- 2	BH-2 (6") (1')	G	1			1					X		25-Apr-07	10:04			X	X								
- 3	BH-3 (1')	G	1			1					X		25-Apr-07	10:16			X	X								
- 4	BH-4 (1')	G	1			1					X		25-Apr-07	10:27			X	X								
- 5	BH-5 (1')	G	1			1					X		25-Apr-07	10:41			X	X								
- 6	BH-6 (1')	G	1			1					X		25-Apr-07	11:15			X	X								
- 7	SSW (1')	G	1			1					X		25-Apr-07	11:27			X	X								
- 8	NSW (1')	G	1			1					X		25-Apr-07	11:40			X	X								
- 9	ESW (1')	G	1			1					X		25-Apr-07	11:50			X	X								
- 10	WSW (1')	G	1			1					X		25-Apr-07	11:06			X	X								

Sampler Relinquished:		Date	Received By:	E-mail results to: jstegemoller@envplus.net NOTES:	
Sebastian Romero		1:30P	Jason Stegemoller		
Relinquished by:		Time 4-26-07			
Relinquished by:		Date	Received By: (lab staff)		
		Time 2:10	Buyers		
Delivered by:		Sample Cool & Intact			
		☒ Yes ☐ No			
		Checked By:			

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To										ANALYSIS REQUEST																	
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																											
Mailing Address		P.O. BOX 1558																													
City, State, Zip		Eunice New Mexico 88231																													
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																													
Client Company		Apache Corporation																													
Facility Name		N. Mon. Grayburg SA 603																													
Location		UL-C, Sec 20, T19S, R37E																													
Project Reference		240014																													
EPI Sampler Name		Sebastian Romero																													
LAB I.D.	SAMPLE I.D.	(GIRAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.			SAMPLING		BTX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH									
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE	TIME																	
H17552 - 1	S-BH-1 (6')	G	1			1					X			01-May-07	8:45			X	X												
- 2	S-BH-2 (6')	G	1			1					X			01-May-07	9:00			X	X												
- 3	S-BH-7 (6')	G	1			1					X			01-May-07	9:25			X	X												
- 4	S-BH-8 (6')	G	1			1					X			01-May-07	9:40			X	X												
- 5	S-BH-9 (6')	G	1			1					X			01-May-07	9:55			X	X												
6																															
7																															
8																															
9																															
10																															

Sampler Relinquished:		Date	Received By:		E-mail results to: jstegemoller@envplus.net NOTES:
		Time			
Relinquished by:		Date	Received By: (lab staff)		
		Time			
Delivered by:		Sample Cool & Intact		Checked By:	
		☒ Yes ☐ No			



PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
 ENVIRONMENTAL PLUS, INC.
 ATTN: JASON STEGEMOLLER
 P.O. BOX 1558
 EUNICE, NM 88231
 FAX TO: (505) 394-2601

Receiving Date: 05/07/07
 Reporting Date: 05/09/07
 Project Owner: APACHE CORPORATION (240014)
 Project Name: N. MON. GRAYBURG SA 603
 Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 05/01/07
 Sample Type: SOIL
 Sample Condition: COOL & INTACT
 Sample Received By: AB
 Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		05/09/07	05/09/07
H12552-1	S-BH-1 (6')	112	624
H12552-2	S-BH-2 (6')	80	275
H12552-3	S-BH-7 (6')	80	287
H12552-4	S-BH-8 (6')	608	996
H12552-5	S-BH-9 (6')	576	1240
Quality Control		490	27.2
True Value QC		500	25.0
% Recovery		98.0	109
Relative Percent Difference		2.1	3.0

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600 375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Chemist

Date

H12552

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231

P.O. Box 1558, Eunice, NM 88231

(505) 394-3481 FAX: (505) 394-2601

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To		ANALYSIS REQUEST																					
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																							
Mailing Address		P.O. BOX 1558																									
City, State, Zip		Eunice New Mexico 88231																									
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																									
Client Company		Apache Corporation																									
Facility Name		N. Mon. Grayburg SA 603																									
Location		UL-C, Sec 20, T19S, R37E																									
Project Reference		240014																									
EPI Sampler Name		Sebastian Romero																									
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.		SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH						
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE													TIME	
H12570 - 1	ESW-6B (3')	G	1			1					X		01-May-07	9:00			X	X									
- 2	NSW-1B (3')	G	1			1					X		01-May-07	9:25			X	X									
- 3	N-SSW-B (3')	G	1			1					X		01-May-07	11:10			X	X									
- 4	N-ESW-1 B (3')	G	1			1					X		01-May-07	11:30			X	X									
- 5	N-ESW-2 B (3')	G	1			1					X		01-May-07	12:55			X	X									
6																											
7																											
8																											
9																											
10																											

Sampler Relinquished:	Date	Received By:	E-mail results to: jstegemoller@envplus.net NOTES:
	Time		
Relinquished by:	Date	Received By: (lab staff)	
	Time		
Delivered by:	Sample Cool & Intact Yes ☒ No ☐		Checked By:



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601**

Receiving Date: 05/08/07
Reporting Date: 05/09/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 05/01/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: NF
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		05/09/07	05/09/07
H12552-1	ESW-6B (3')	32	15.1
H12552-2	NSW-1B (3')	160	220
H12552-3	N-SSW-B (3')	448	183
H12552-4	N-ESW-1 B (3')	64	186
H12552-5	N-ESW-2 B (3')	48	266
Quality Control		490	27.2
True Value QC		500	25.0
% Recovery		98.0	109
Relative Percent Difference		2.1	3.0

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600/375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Chemist

Date

H12570

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601**

Receiving Date: 05/11/07
Reporting Date: 05/14/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 05/10/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: LB
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		05/14/07	05/14/07
H12581-1	BH-4B (4')	16	119.0
H12581-2	BH-6B (4')	80	267
H12581-3	SSW-B (3')	160	165
H12581-4	S-BH-8 (8')	336	647
H12581-5	S-BH-9 (8')	240	430
Quality Control		480	25.5
True Value QC		500	25.0
% Recovery		96.0	102
Relative Percent Difference		2.1	9.4

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600/375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Chemist

Date _____

H12581

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.




2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To										ANALYSIS REQUEST																			
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																													
Mailing Address		P.O. BOX 1558																															
City, State, Zip		Eunice New Mexico 88231																															
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																															
Client Company		Apache Corporation																															
Facility Name		N. Mon. Grayburg SA 603																															
Location		UL-C, Sec 20, T19S, R37E																															
Project Reference		240014																															
EPI Sampler Name		Sebastian Romero																															
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX				PRESERV.			SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH													
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER											DATE	TIME									
H12581	-1 BH-4B (4')	G	1			1					X		10-May-07	9:50			X	X															
	-2 BH-6B (4')	G	1			1					X		10-May-07	10:45			X	X															
	-3 SSW-B (3')	G	1			1					X		10-May-07	11:20			X	X															
	-4 S-BH-8 (8')	G	1			1					X		10-May-07	14:35			X	X															
	-5 S-BH-9 (8')	G	1			1					X		10-May-07	14:45			X	X															
	6																																
	7																																
	8																																
	9																																
	10																																

Sampler Relinquished:  Relinquished by:  Delivered by:	Date: 5-11-07 Time: 10:00 Date: 5-15-07 Time: 11:00 Sample Cool & Intact Yes ☒ No ☐	Received By:  Received By: (lab staff)  Checked By: 	E-mail results to: jstegemoller@envplus.net NOTES:
--	---	---	---



PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601

Receiving Date: 05/15/07
Reporting Date: 05/16/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 05/15/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: BC
Analyzed By: AB

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		05/16/07	05/16/07
H12598-1	S-BH-11 (10')	160	217
H12598-2	S-WSW-5 (2')	96	158
Quality Control		490	23.7
True Value QC		500	25.0
% Recovery		98.0	95
Relative Percent Difference		0.0	7.3

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600/375.4

NOTE: Analyses performed on 1:4 w:v aqueous extracts.

Chemist

Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the analysis service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.



2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		BILL TO										ANALYSIS REQUEST														
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																								
Mailing Address		P.O. BOX 1558																										
City, State, Zip		Eunice New Mexico 88231																										
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																										
Client Company		Apache Corporation																										
Facility Name		N. Mon. Grayburg SA 603																										
Location		UL-C, Sec 20, T19S, R37E																										
Project Reference		240014																										
EPI Sampler Name		Sebastian Romero																										
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX							PRESERV.		SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	pH	TCLP	OTHER >>>	PAH						
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE	TIME														
H12548d -2	1 S-BH-11 (10')	G	1			1					X		15-May-07	11:25			X	X										
	2 S-WSW-5 (2')	G	1			1					X		15-May-07	11:10			X	X										
	3																											
	4																											
	5																											
	6																											
	7																											
	8																											
	9																											
	10																											

Sampler Relinquished:		Date	Received By:		E-mail results to: jstegemoller@envplus.net NOTES:		
		Time					
Relinquished by:		Date	Received By: (lab staff)				
		Date: 5-15-07 Time: 5:15 PM					
Delivered by:		Sample Cool & Intact		Checked By:			
		☒ Yes ☐ No					

**ARDINAL**
LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E MARLAND • HOBBS, NM 88240

**ANALYTICAL RESULTS FOR
ENVIRONMENTAL PLUS, INC.
ATTN: JASON STEGEMOLLER
P.O. BOX 1558
EUNICE, NM 88231
FAX TO: (505) 394-2601**

Receiving Date: 05/17/07
Reporting Date: 05/17/07
Project Owner: APACHE CORPORATION (240014)
Project Name: N. MON. GRAYBURG SA 603
Project Location: UL-C, SEC 20, T19S, R37E

Sampling Date: 05/16/07
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: LB
Analyzed By: HM

LAB NUMBER	SAMPLE ID	Cl (mg/kg)	SO ₄ (mg/kg)
ANALYSIS DATE:		05/17/07	05/17/07
H12612-1	N-BH-1 (8')	176	190
Quality Control		490	23.6
True Value QC		500	25.0
% Recovery		98.0	94
Relative Percent Difference		0.0	0.1

METHODS: Cl: Std. Methods 4500-Cl⁻B; SO₄: EPA 600/375.4

NOTE: Analysis performed on a 1:4 w:v aqueous extract.

Chemist

Date

H12612

PLEASE NOTE **Liability and Damages** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by **Cardinal** within thirty (30) days after completion of the applicable service. In no event shall **Cardinal** be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by **Cardinal**, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231
(505) 394-3481 FAX: (505) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

1 of 1

Company Name		Environmental Plus, Inc.		Bill To				ANALYSIS REQUEST																		
EPI Project Manager		Jason Stegemoller		Apache Corporation Attn: Mr. Guinn Burks P.O. Box 728 Crane, Texas 79731																						
Mailing Address		P.O. BOX 1558																								
City, State, Zip		Eunice New Mexico 88231																								
EPI Phone#/Fax#		505-394-3481 / 505-394-2601																								
Client Company		Apache Corporation																								
Facility Name		N. Mon. Grayburg SA 603																								
Location		UL-C, Sec 20, T19S, R37E																								
Project Reference		240014																								
EPI Sampler Name		Sebastian Romero																								
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.			SAMPLING		BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ²⁻)	PH	TCLP	OTHER >>>	PAH					
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER	DATE											TIME		
H12612	1 N-BH-1 (8')	G	1			1					X			16-May-07	12:20			X	X							
	2																									
	3																									
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									

Sampler Relinquished: <i>Sebastian Romero</i>		Date: 5-17-07 Time: 7:00	Received By: <i>Guinn Burks</i>	E-mail results to: jstegemoller@envplus.net NOTES:
Relinquished by: <i>Sebastian Romero</i>		Date: 5-17-07 Time: 12:30	Received By: (lab staff) <i>[Signature]</i>	
Delivered by:		Sample Cool & Intact (Yes) No	Checked By: <i>[Signature]</i>	




Photo #1: Well location sign.




Photo #2: Lanexco well location sign.




Photo #3: Looking westerly at point of release. Dark stained soil indicates contamination.



Photo #4: Looking westerly from point of release at Lanexco well pad. Dark stained soil indicates contamination.




Photo #5: Looking northerly at excavation of the south flowpath area.




Photo #7: Looking west-northwesterly at excavation of Lanexco caliche well pad.




Photo #8: Looking northeasterly across ephemeral pond to excavation.



Photo #9: Looking northeasterly at pooling area west of Lanexco caliche well pad (i.e., location of soil boring SB-1).



Photo #10: Looking west-southwesterly at southern-most berm (i.e., location of soil boring SB-4), ephemeral pond area is in background.



Photo #11: Looking southerly across release area at center berm in southern portion of excavation.




Photo #12: Looking southwesterly across southernmost point of south excavation area




Photo #13: Looking northerly across south excavation area.




Photo #14: Looking northwesterly across injection well excavation area.




Photo #15: Looking westerly across injection well excavation area.




Photo #16: Looking northwesterly across north excavation area




Photo #17: Looking northerly across north excavation area.




Photo #18: Looking westerly towards injection well excavation area after backfilling.




Photo #19: Looking west-southwesterly across northern portion of south excavation area after backfilling.




Photo #20: Looking northerly across north excavation area after backfilling.




Photo #21: Looking southwesterly across south excavation area after backfilling.

Log Of Test Borings

(NOTE - Page 1 of 1)



ENVIRONMENTAL PLUS, INC.
CONSULTING AND
REMEDIAL CONSTRUCTION
EUNICE, NEW MEXICO
505-394-3481

Project Number: NMCD 1RP# 1019; EPI Ref. #240014

Project Name: Apache Corporation - NMGSAU #603

Location: UL-C, Section 20, Township 19 South, Range 37 East

Boring Number: SB-1

Surface Elevation: 3,680-feet amsl

Time	Sample Type	Recovery (inches)	Moisture	PID Readings (ppm)	Chloride Analysis (mg/kg)	U.S.C.S. Symbol	Depth (feet)	Start Date: 11-29-06 Time: 08:00	Completion Date: 11-29-06 Time: 12:00	Description
										1' Topsoil - Sandy Loam
										4' Fractured Limestone
0915	SS	5	Dry	--	480		5			5' Caliche, White to Tan, Hard to Firm
1020	SS	5	Dry	--	240		10			
1123	SS	4	Dry	--	160		15			Sandstone, Hard to Firm
										End of Soil Boring at 16' bgs
							20			
							25			
							30			
Water Level Measurements (feet)								Drilling Method: HSA 3.5' ID		
Date	Time	Sample Depth	Casing Depth	Cave-In Depth	Water Level			Backfill Method: Bentonite		
-	-	-	-	-	-			Field Representative: GB		
-	-	-	-	-	-					

Log Of Test Borings

(NOTE - Page 1 of 1)



ENVIRONMENTAL PLUS, INC.
CONSULTING AND
REMEDIAL CONSTRUCTION
EUNICE, NEW MEXICO
505-394-3481

Project Number: NMDCD 1RP# 1019; EPI Ref. #240014

Project Name: Apache Corporation - NMGSAU #603

Location: UL-C, Section 20, Township 19 South, Range 37 East

Boring Number: SB-2

Surface Elevation: 3,680-feet amsl

Time	Sample Type	Recovery (inches)	Moisture	PID Readings (ppm)	Chloride Analysis (mg/kg)	U.S.C.S. Symbol	Depth (feet)	Description
								Start Date: 11-29-06 Time: 12:30
								Completion Date: 11-29-06 Time: 13:30
								4' Fractured Limestone
1305	SS	5	Dry	--	240		5	5' Caliche, White to Tan, Hard to Firm
1325	SS	4	Dry	--	160		10	Sandstone, Hard to Firm
								End of Soil Boring at 11' bgs
							15	
							20	
							25	
							30	

Water Level Measurements (feet)						Drilling Method: HSA 3.5' ID	
Date	Time	Sample Depth	Casing Depth	Cave-in Depth	Water Level	Backfill Method: Bentonite	
-	-	-	-	-	-	Field Representative: GB	
-	-	-	-	-	-		

Log Of Test Borings

(NOTE - Page 1 of 1)



ENVIRONMENTAL PLUS, INC.
CONSULTING AND
REMEDIAL CONSTRUCTION
EUNICE, NEW MEXICO
505-394-3481

Project Number: NMDCD 1RP# 1019; EPI Ref. #240014

Project Name: Apache Corporation - NMGSAU #603

Location: UL-C, Section 20, Township 19 South, Range 37 East

Boring Number: SB-3

Surface Elevation: 3,680-feet amsl

Time	Sample Type	Recovery (Inches)	Moisture	PID Readings (ppm)	Chloride Analysis (mg/Kg)	U.S.C.S. Symbol	Depth (feet)	Start Date: 11-29-06 Time: 13:45 Completion Date: 11-29-06 Time: 15:00 Description
							5	4' Fractured Limestone
1413	SS	5	Dry	--	240			5' Caliche, White to Tan, Hard to Firm
							10	Sandstone, Hard to Firm
1450	SS	4	Dry	--	160			End of Soil Boring at 11' bgs
							15	
							20	
							25	
							30	

Water Level Measurements (feet)

Date	Time	Sample Depth	Casing Depth	Cave-In Depth	Water Level	Drilling Method: HSA 3.5' ID
-	-	-	-	-	-	Backfill Method: Bentonite
-	-	-	-	-	-	Field Representative: GB

Log Of Test Borings

(NOTE - Page 1 of 1)



ENVIRONMENTAL PLUS, INC.
CONSULTING AND
REMEDIAL CONSTRUCTION
EUNICE, NEW MEXICO
505-394-3481

Project Number: NMDCD 1RP# 1019; EPI Ref. #240014

Project Name: Apache Corporation - NMGSAU #603

Location: UL-C, Section 20, Township 19 South, Range 37 East

Boring Number: SB-4

Surface Elevation: 3,680-feet amsl

Time	Sample Type	Recovery (inches)	Moisture	PID Readings (ppm)	Chloride Analysis (mg/Kg)	U.S.C.S. Symbol	Depth (feet)	Start Date: 11-29-06 Time: 15:15	Completion Date: 11-29-06 Time: 16:45	Description
1515	SS	5	Dry	--	160					1' Topsoil-Sandy Loam
							5			4' Fractured Limestone
1545	SS	5	Dry	--	160					
							10			Sandstone, Tan, Hard to Firm
1640	SS	3	Dry	--	160					End of Soil Boring at 11' bgs
							15			
							20			
							25			
							30			
Water Level Measurements (feet)								Drilling Method: HSA 3.5' ID		
Date	Time	Sample Depth	Casing Depth	Cave-In Depth	Water Level			Backfill Method: Bentonite		
-	-	-	-	-	-			Field Representative: GB		
-	-	-	-	-	-					

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

RELEASE NOTIFICATION AND CORRECTIVE ACTION

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: Apache Corporation	Contact: Guinn Burks
Address: P.O. Box 728 Crane, TX 79731	Telephone No.: (432) 556-9143
Facility Name: North Monument Grayburg San Andres Unit (NMGSAU) #603	Facility Type: Injection Well

Surface Owner: State of New Mexico	Mineral Owner: State of New Mexico	Lease No.: 1RP #1019 API 30025056690000
---	---	---

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
C	20	19 S	37 E					Lea

Latitude: N 32° 39' 04.30" **Longitude:** W 103° 16' 33.43"


NATURE OF RELEASE

Type of Release: Injection Water	Volume of Release: ~ 85 barrels	Volume Recovered: 60 barrels
Source of Release: Injection Line	Date and Hour of Occurrence: July 16, 2006 @ A.M.	Date and Hour of Discovery: July 16, 2006 @ 8:45 A.M.
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Gary Wink	
By Whom? Doug Mathews, Apache Corp.	Date and Hour July 16, 2006 @ 12:00 P.M.	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. Not Applicable	
If a Watercourse was Impacted, Describe Fully.* Not Applicable		

Describe Cause of Problem and Remedial Action Taken.* Plug blew out of injection line. Vacuum trucks were dispatched to recover free liquids and line repaired. EPI was retained to begin recovery of injection water saturated soil and delineate extent of impacts.

Describe Area Affected and Cleanup Action Taken.* Approximately 7,600-yd³ of impacted soil was removed from an excavation area of approximately 42,800-ft² to a maximum depth of 10-ft bgs. Impacted soil excavated during initial response activities (~1,350-yd³) was transported to Sundance Services for disposal. Remaining impacted soil (~6,250-yd³) was excavated and transported to C and C Landfarm for treatment. Field and laboratory analyses of final soil samples collected from the excavation sidewalls and floor locations indicate residual chloride and sulfate concentrations are inadequate to impact local groundwater (i.e., ~50-feet bgs) or impede vegetative growth. NMOCD Remedial Goals: benzene-10 mg/Kg; BTEX-50mg/Kg; TPH-100 mg/Kg.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Guinn Burks	Approved by District Supervisor: 	
Title: EH&S Technician South/Central Permian	Approval Date: 9.7.07	Expiration Date: -
E-mail Address: guinn.burks@apachecorp.com	Conditions of Approval:	Attached ☐
Date:	Phone:	

* Attach Additional Sheets If Necessary

RP 1519

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 435023

QUESTIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nPAC0628637327
Incident Name	NPAC0628637327 NORTH MONUMENT G/SA UNIT #003 @ 30-025-05669
Incident Type	Produced Water Release
Incident Status	Re-vegetation Report Received
Incident Well	[30-025-05669] NORTH MONUMENT G/SA UNIT #003

Location of Release Source

Please answer all the questions in this group.

Site Name	NORTH MONUMENT G/SA UNIT #003
Date Release Discovered	07/16/2006
Surface Owner	State

Incident Details

Please answer all the questions in this group.

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Injection Well Produced Water Released: 85 BBL Recovered: 60 BBL Lost: 25 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	This is a historical closure report previously submitted to the NMOCD. It is identified as the NMGSAU 003 in the Portal. The original C-141 lists the site as the NMGSAU 603 with the 603 struck and re-named the NMGSAU 003. The Final C-141, approved by the NMOCD on September 7, 2007 lists the site as the NMGSAU 603. However, dates, times, and volumes are identical. The reason for the discrepancy is unknown but the 003/603 release on 07/16/2006 is the same event

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Barrett Bole Title: EH&S Supervisor Email: barrett.bole@apachecorp.com Date: 02/25/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 100 (ft.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 (ft.) and ½ (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Between 1 and 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	None
A 100-year floodplain	Between 1000 (ft.) and ½ (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	2510
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	71.2
GRO+DRO (EPA SW-846 Method 8015M)	57.8
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	07/25/2006
On what date will (or did) the final sampling or liner inspection occur	05/16/2007
On what date will (or was) the remediation complete(d)	05/16/2007
What is the estimated surface area (in square feet) that will be reclaimed	42800
What is the estimated volume (in cubic yards) that will be reclaimed	7600
What is the estimated surface area (in square feet) that will be remediated	42800
What is the estimated volume (in cubic yards) that will be remediated	7600

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	SUNDANCE SERVICES, INC [fKJ1600527371]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Barrett Bole Title: EH&S Supervisor Email: barrett.bole@apachecorp.com Date: 02/25/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	435338
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/16/2007
What was the (estimated) number of samples that were to be gathered	105
What was the sampling surface area in square feet	42800

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	42800
What was the total volume (cubic yards) remediated	0
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	42800
What was the total volume (in cubic yards) reclaimed	7200
Summarize any additional remediation activities not included by answers (above)	Historical Spill. Back entering information to create upload of data and close incident
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Barrett Bole Title: EH&S Supervisor Email: barrett.bole@apachecorp.com Date: 02/25/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	42800
What was the total volume of replacement material (in cubic yards) for this site	7200
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseedling commence(d)	06/01/2007
Summarize any additional reclamation activities not included by answers (above)	Historical Spill. Back entering information to create upload of data and close incident
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseedling plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Barrett Bole Title: EH&S Supervisor Email: barrett.bole@apachecorp.com Date: 02/25/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 435023

QUESTIONS (continued)

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	Yes
What was the total revegetation surface area (in square feet) for this site	42800
<i>Per Paragraph (2) of Subsection D of 19.15.29.13 NMAC the responsible party must reseed disturbed area in the first favorable growing season following closure of the site.</i>	
On what date did the reseeded commence	06/01/2007
On what date was the vegetative cover inspected	02/24/2025
What was the life form ratio compared to pre-disturbance levels	80
What was the total percent plant cover compared to pre-disturbance levels	85
Summarize any additional revegetation activities not included by answers (above)	Historical Spill. Back entering information to create upload of data and close incident
<i>The responsible party must attach information demonstrating they have complied with all applicable re-vegetation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any life form ratio and percent plant cover sampling diagrams or other relevant field notes, photographs of re-vegetated areas, and a narrative of the re-vegetation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Barrett Bole Title: EH&S Supervisor Email: barrett.bole@apachecorp.com Date: 02/25/2025
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 435023

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 435023
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	None	4/8/2025