

**Released Volume Calculation**

|           |          |
|-----------|----------|
| Length    | 145 feet |
| Width     | 52 feet  |
| Thickness | 0.5 in   |

7,540 gal = 179 Est. Total Bbls Released

Volume = L\*W\*T

Total Released Volume = 7,540 gallons (US, dry)  
179 Bbls

**Release volume is unknown but is estimated based on size of barren area.**



# Revised Site Characterization Report and Remediation Workplan

April 26, 2025

**Bagley SWD #004  
API 30-025-01015  
Historical Produced Water Releases  
Incident Nos.**

**nDEV1776  
nAPP2509976410  
nAPP2509977675  
nAPP2509978375  
nAPP2509978939  
nAPP2509979883  
nAPP2509980372  
nAPP2509980836  
nAPP2509974572 (Compliance  
cEZB2328943265)**

**Lea County, New Mexico**

**Prepared For:**

BXP Operating, LLC  
11757 Katy Freeway, Suite 475  
Houston, Texas 77079

**Prepared By:**

Crain Environmental  
2925 East 17<sup>th</sup> Street  
Odessa, Texas 79761

A handwritten signature in blue ink that reads 'Cynthia K. Crain'.

Cynthia K. Crain, P.G.

Bagley SWD #004 Produced Water Releases  
Revised Site Characterization Report and Remediation Workplan



## Table of Contents

|            |                                                                            |          |
|------------|----------------------------------------------------------------------------|----------|
| <b>1.0</b> | <b>INTRODUCTION.....</b>                                                   | <b>1</b> |
| <b>2.0</b> | <b>BACKGROUND.....</b>                                                     | <b>1</b> |
| <b>3.0</b> | <b>NMOCD CLOSURE CRITERIA .....</b>                                        | <b>3</b> |
| 3.1        | Groundwater Evaluation .....                                               | 3        |
| 3.2        | Surface Features and Other Development .....                               | 4        |
| 3.3        | Wetlands, Floodplain, and Karst Geology.....                               | 4        |
| 3.4        | Closure Criteria Currently Assumed Applicable to the Site.....             | 5        |
| <b>4.0</b> | <b>SITE ASSESSMENT/CHARACTERIZATION RESULTS .....</b>                      | <b>6</b> |
| 4.1        | Site Map .....                                                             | 6        |
| 4.2        | Depth to Groundwater .....                                                 | 6        |
| 4.3        | Wellhead Protection Area .....                                             | 6        |
| 4.4        | Distance to Nearest Significant Watercourse .....                          | 6        |
| 4.5        | Initial Delineation Activities .....                                       | 6        |
| 4.6        | Laboratory Analytical Data Quality Assurance/Quality Control Results ..... | 7        |
| <b>5.0</b> | <b>PROPOSED REMEDIATION AND RECLAMATION ACTIVITIES .....</b>               | <b>7</b> |
| <b>6.0</b> | <b>SCHEDULE OF IMPLEMENTATION .....</b>                                    | <b>8</b> |
| <b>7.0</b> | <b>DISTRIBUTION.....</b>                                                   | <b>9</b> |

## TABLES

Table 1: Summary of Soil Sample Analytical Results

## FIGURES

Figure 1 – Site Location Map  
 Figure 2 – Estimated Remediation Area Boundaries  
 Figure 3 – Wellhead Protection Area Map  
 Figure 4 – National Wetlands Inventory Map  
 Figure 5 – FEMA Floodplain Map  
 Figure 6 – Karst Potential Map  
 Figure 7 – Sample Location Map

## APPENDICES

Appendix A – NMOSE Water Well Records  
 Appendix B – Laboratory Reports and Chain-of-Custody Documentation  
 Appendix C – Photographic Documentation  
 Appendix D - NMSLO Cultural Resources Cover Sheet  
 Appendix E- Biological Desktop Review

Bagley SWD #004 Produced Water Releases  
 Revised Site Characterization Report and Remediation Workplan



## 1.0 Introduction

Crain Environmental (CE), on behalf of BXP Operating, LLC (BXP), has prepared this Revised Site Characterization Report and Remediation Workplan for the produced water releases at Bagley SWD #004 (Site), located in in Unit Letter N, Section 35, Township 11 South, Range 33 East, Lea County, New Mexico, at Global Positioning Coordinates (GPS) 33.3168983, - 103.5868378. The property surface rights are owned by the State of New Mexico.

The Bagley SWD #004 is located approximately 17 miles northwest of Tatum, New Mexico, in an area of oil and gas activity and cattle grazing. No surface water is present in the area and vegetation is sparse.

The site can be accessed by traveling west from Tatum, New Mexico on Highway 380 for 15.23 miles to County Road 457. Travel south on 457 for 1.23 miles and west for 0.82 miles to Bagley Field Road. Continue west on Bagley Field Road for 0.64 miles to the site on the north side of the road. There are no locked gates or other access issues. Figure 1 shows the site location.

## 2.0 Background

On October 21, 2024, BXP received an email from the New Mexico State Land Office (NMSLO) Environmental Compliance Office (ECO) stating there was an open Incident (#nDEV1776) from 1993 with the New Mexico Oil Conservation Division (NMOCD), and an NMOCD compliance inspection (cEZB2328943265) from October 2023 that indicated spills and releases at the site that had not been resolved. A Site Assessment Workplan was submitted to the ECO on October 28, 2024, and was approved on November 6, 2024. Site assessment activities were conducted in the tank battery and eight barren areas of the Lease on November 20, 2024, and sample results were submitted to ECO via email on December 16, 2024.

Notifications of Release (NOR) for each of the nine areas were submitted to the NMOCD on April 9, 2025, and the following Incident numbers were assigned:

- nAPP2509976410 (Area 1)
- nAPP2509977675 (Area 2)
- nAPP2509978375 (Area 3)
- nDEV1776 (Area 4)
- nAPP2509978939 (Area 5)
- nAPP2509979883 (Area 6)
- nAPP2509980372 (Area 7)
- nAPP2509980836 (Area 8)
- nAPP2509974572 (Area 9)



Figure 2 shows the areas of investigation with the respective Incident numbers.

A Site Characterization Report and Remediation Workplan was submitted to the NMOCD on April 10, 2025, for Incident #nDEV1776, and was denied on April 22, 2025, for the following reasons:

- Horizontal delineation submitted was incomplete and did not meet requirements of 19.15.29.11 NMAC.
- Incident nDEV1776 (Area 4) has not been fully delineated, horizontally or vertically.
- The current samples within Area 4, nDEV1776, do not meet 19.15.29.11 NMAC for horizontal and vertical delineation.
- Deferral request for nDEV1776 (Area 4) will not be granted. Depth to groundwater is at 43 feet.
- If P&A activities are going to impact remediation activities for nDEV1776, Area 4, address how activities will be coordinated in the remediation workplan. Provide a detailed timeline when remediation is to begin and conclude.
- Submit a remediation workplan via the OCD permitting portal by July 21, 2025.

This Revised Site Characterization Report and Remediation Workplan has been prepared in accordance with 19.15.29.11 New Mexico Administrative Code (NMAC). As horizontal and vertical delineation activities during excavation/remediation activities are commonly approved by the NMOCD, BXP has elected to conduct horizontal and vertical delineation activities during excavation/remediation. As BXP does not have a definite timeline for plugging and abandonment (P&A) of the Bagley SWD #004 well, and the tank battery is being used for other wells in addition to the Bagley SWD #004, references to P&A and deferral of remediation at the tank battery have been removed from the Revised Workplan.

As remediation of each Incident # included in this Workplan will be completed in sequential order, each has the same Closure Criteria, remediation at each will be conducted by dig and haul methods, and horizontal and vertical delineation will be completed at each Incident during excavation/remediation, all Incidents associated with the Bagley SWD #004 are being included in this Revised Site Characterization Report and Remediation Workplan, and this Workplan will be submitted to the NMOCD for each Incident listed in the title.

Upon completion of the remediation of each Incident, a separate Closure Report will be submitted to the NMOCD for that Incident.



### 3.0 NMOCD Closure Criteria

Cleanup standards for produced water spills are provided in 19.15.29 NMAC. The cleanup standards (described in the rule as “Closure Criteria”) are based primarily on depth to groundwater but are also based on other criteria. Three different Closure Criteria are provided in the rule. The most stringent apply to sites where groundwater is found within 50 feet of the ground surface or if the release occurred within one of the following areas:

- Within 300 feet of any continuously flowing watercourse or any other significant watercourse.
- Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary highwater mark).
- Within 300 feet from an occupied permanent residence, school, hospital, institution or church.
- Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes.
- Within 1,000 feet of any fresh water well or spring.
- Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended.
- Within 300 feet of a wetland.
- Within the area overlying a subsurface mine.
- Within an unstable area such as a karst formation.
- Within a 100-year floodplain.

CE reviewed available information to determine the Closure Criteria for the Site. The findings of this evaluation are summarized below.

### 3.1 Groundwater Evaluation

A review of the New Mexico Office of the State Engineer (NMOSE) records indicated several water wells located within a 0.5-mile radius of the Site with depth to groundwater provided; however, each well was drilled in the 1950's. CE was able to locate well L-01327 and measured a depth to groundwater of 43.1' below ground surface (bgs) on March 28, 2025. Based on the depth to groundwater in well L-01327, the most stringent NMOCD Closure Criteria will apply to each Incident at the Site. Figure 3 provides a wellhead protection area map that shows the location of water wells within a 0.5-mile radius of the Site, as recorded with NMOSE. NMOSE water well records with depth to groundwater listed are provided in Appendix A.



### 3.2 Surface Features and Other Development

CE reviewed recent aerial photographs, topographic maps, the NMOSE Point of Discharge (POD) GIS website, and information available from the Lea County, New Mexico Central Appraisal District website. As shown on Figure 1, the Site is not located:

- Within 300 feet of any continuously flowing watercourse or any other significant watercourse.
  - o No continuously flowing watercourses (rivers, streams, arroyos, etc.) are apparent within 300 feet of the Site in the aerial map (Figure 3).
- Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary highwater mark).
  - o The aerial map (Figure 3) indicates there is not a lakebed, sinkhole or playa lake located within 200 feet of the Site.
- Within 300 feet from an occupied permanent residence, school, hospital, institution or church.
  - o The Site Location Map (Figure 1) and information available from the Lea County, New Mexico Central Appraisal District do not show or list any permanent residence, school, hospital, institution or church located within 300 feet of the Site.
- Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes.
  - o No wells or springs located within 500 feet of the Site appear in any of the NMOSE records reviewed by CE.
- Within 1,000 feet of any fresh water well or spring.
  - o No freshwater wells or springs located within 1,000 feet of the Site appear in any of the records reviewed by CE.
- Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended.
  - o Based on the property and other records review by CE, the Site is not located in incorporated municipal boundaries or within a defined municipal fresh water well field.
- Within the area overlying a subsurface mine.
  - o Based on the property and other records reviewed by CE, the Site is not located within an area overlying a subsurface mine.

### 3.3 Wetlands, Floodplain, and Karst Geology

A review of the United States Fish and Wildlife Service (USFWS) wetlands map indicated the Site is not located within 300 feet of a wetland. The New Mexico Bureau of Land Management



(BLM) karst potential map indicates the Site is located within a “low karst potential” area. Finally, review of the Federal Emergency Management Act (FEMA) floodplain map indicates the release at the Site is located outside of a 100-year floodplain. Figures 4, 5, and 6 depict the USFWS map, the FEMA floodplain map, and the karst potential map, respectively.

### 3.4 Closure Criteria Currently Assumed Applicable to the Site

A review of the New NMOSE records indicated several water wells located within a 0.5-mile radius of the Site with depth to groundwater provided; however, each well was drilled in the 1950's. CE was able to locate well L-01327 (located 1,279 feet west of Bagley SWD #004) and measured a depth to groundwater of 43.1' bgs on March 28, 2025.

Based on the depth of groundwater in well L-01327, the most stringent NMOCD Closure Criteria associated with groundwater depths of less than 50 feet bgs will apply to each Incident at the Bagley SWD #004. A summary of the Closure Criteria is provided in the table below and in Table 1. Figure 3 provides a wellhead protection area map that shows the location of water wells within a 0.5-mile radius of the Site, as recorded with NMOSE. NMOSE water well records with depth to groundwater listed are provided in Appendix A.

NMOCD Closure Criteria

| Constituent of Concern        |                 | Closure Criteria Based on Depth to Groundwater (mg/kg) |                         |                |
|-------------------------------|-----------------|--------------------------------------------------------|-------------------------|----------------|
|                               |                 | ≤ 50 feet bgs                                          | 51 feet to 100 feet bgs | > 100 feet bgs |
| Chloride (EPA 300)            |                 | 600                                                    | 10,000                  | 20,000         |
| TPH (EPA 8015M)               | GRO + DRO + MRO | 100                                                    | 2,500                   | 2,500          |
|                               | GRO + DRO       | NA                                                     | 1,000                   | 1,000          |
| Total BTEX (EPA 8021 or 8260) |                 | 50                                                     | 50                      | 50             |
| Benzene (EPA 8021 or 8260)    |                 | 10                                                     | 10                      | 10             |

Notes: NA = not applicable

bgs = below ground surface

mg/kg = milligrams per kilogram

GRO = gasoline range organics

DRO = diesel range organics

MRO = motor oil range organics

TPH = total petroleum hydrocarbons

BTEX = benzene, toluene, ethylbenzene, and total xylenes

Green highlighted cells denote applicable Closure Criteria.



---

#### **4.0 Site Assessment/Characterization Results**

As per 19.15.29.11 NMAC, a Site Characterization Report will have the components described in Sections 4.1 through 4.5 of this document.

##### **4.1 Site Map**

As required by 19.15.29.11 NMAC, a scaled diagram showing significant Site infrastructure, sample point locations, and known subsurface features such as utilities are provided on Figures 2 and 7.

##### **4.2 Depth to Groundwater**

As discussed in Section 3.1, a depth to groundwater of 43.1' bgs was measured in well L-01327 (located 1,279 feet west of Bagley SWD #004) on March 28, 2025.

##### **4.3 Wellhead Protection Area**

The 0.5-mile wellhead protection area is shown on Figure 3. There were no other water sources, springs, or other sources of freshwater extraction identified within 0.5-mile of the Site.

##### **4.4 Distance to Nearest Significant Watercourse**

The horizontal distance to the nearest significant watercourse as defined in Subsection P of 19.15.17.7 NMAC is greater than 0.5-mile from the Site.

##### **4.5 Initial Delineation Activities**

On November 20, 2024, soil samples were collected from 21 locations (S-1 to S-21) as approved by the ECO in the Site Assessment Workplan. Test holes were dug using a backhoe, and samples were collected from each test hole at the surface (0-6") and at the total depth of the test hole. Each hole was dug until backhoe refusal was encountered at a hard rock surface that could not be penetrated with a backhoe.

All samples were placed in laboratory prepared containers, properly labeled, immediately placed on ice, and hand delivered to Eurofins Environment Testing (Eurofins) in Midland, Texas for analysis of total petroleum hydrocarbons (TPH) by EPA Method 8015 Modified, benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8021B, and chlorides by EPA Method 300.0.



Table 1 provides a summary of laboratory results. Figure 7 shows the sample locations and concentrations. Appendix B provides a copy of the laboratory report and chain of custody documentation. Appendix C provides a photographic log of site assessment activities.

Referring to Table 1, concentrations of benzene and BTEX were reported below the test method detection limits or Closure Criteria in each sample. Concentrations of TPH were reported above the Closure Criteria in samples S-5 at 3' below ground surface (bgs) [890 milligrams per kilogram (mg/kg)] and S-20 at 0-6" bgs (109 mg/kg). All other samples reported TPH concentrations below the test method detection limits or Closure Criteria. Concentrations of chlorides were reported above the Closure Criteria in the deepest samples at each location except sample points S-14, S-19, S-20, and S-21.

#### **4.6 Laboratory Analytical Data Quality Assurance/Quality Control Results**

Laboratory data in Report Number 880-51419-1 generated by Eurofins, was reviewed to ensure that reported analytical results met data quality objectives. It was determined by quality control data associated with analytical results that reported concentrations of target analytes are defensible and that measurement data reliability is within the expected limits of sampling and analytical error. All analytical results are usable for characterization of soil at the Site. The laboratory analytical results are provided as Appendix B.

#### **5.0 Proposed Remediation and Reclamation Activities**

As sample locations include areas located in previously disturbed areas, compliance with the Cultural Properties Protection (CPP) rule will apply, and an Archaeological Survey has been conducted. The Survey Cover Sheet for NMCRIS Activity Number 157575 is included as Appendix D.

A biological desktop review was conducted, and no critical habitats were found in proximity to the subject Site. A copy of the U.S. Fish & Wildlife Service database review is included as Appendix E.

Concentrations of benzene and BTEX were reported below the test method detection limits or Closure Criteria in each sample. Concentrations of TPH were reported above the Closure Criteria in samples S-5 at 3' below ground surface (bgs) [890 milligrams per kilogram (mg/kg)] and S-20 at 0-6" bgs (109 mg/kg). All other samples reported TPH concentrations below the test method detection limits or Closure Criteria. Concentrations of chlorides were reported above the Closure Criteria in the deepest samples at each location except sample points S-14, S-19, S-20, and S-21.



BXP proposes to excavate all impacted soil at each sample point in each area of concern until five-point confirmation samples collected from the bottom and sidewalls of each excavation report TPH, BTEX, and chloride concentrations below the most stringent NMOCD Closure Criteria (i.e. complete vertical and horizontal delineation of each release area will be conducted during remediation).

All excavated soil from each area will be disposed of at an NMOCD approved disposal facility. Figure 2 shows the areas proposed for remediation. The remediation areas cover a surface area of approximately 195,150 square feet, and it is estimated that approximately 28,911 cubic yards of soil will be hauled to disposal.

Upon receipt of laboratory results that all TPH, BTEX, and chloride concentrations are below the Closure Criteria, the excavations will be backfilled to grade with non-impacted similar material obtained from a landowner pit. Pursuant to 19.15.29.13 NMAC, the impacted surface areas will be restored to pre-release conditions. Surface grading will be performed to near original conditions and contoured to prevent erosion and ponding, promote stability, and preserve storm water flow patterns.

Seeding of all remediated areas outside the tank battery will be conducted during the next favorable growing season following completion of remediation. The remediated areas will be re-seeded by seed drill method using the NMSLO Coarse Seed Mix (planted in the amount specified in the pounds live seed (PLS) per acre), and fresh water will be applied for two consecutive weeks following re-seeding.

Upon completion of remediation at each Incident area and receipt of laboratory results below the Closure Criteria, a Closure Report will be submitted to the NMOCD. The Closure Report will include photographs of the excavation, laboratory results with chain-of-custody documentation, and a scaled map of the excavation.

## **6.0 Schedule of Implementation**

Site remediation activities will begin within 30 days of NMOCD and ECO approval of this Workplan, and a Closure Report for each Incident will be submitted to the NMOCD and ECO within 30 days of receipt of acceptable final laboratory results for that excavation.

The remediation areas cover a surface area of approximately 195,150 square feet, and it is estimated that approximately 28,911 cubic yards of soil will be hauled to disposal.

BXP proposes to conduct remediation activities at areas in the following order. The estimated surface area (ft<sup>2</sup>) and estimated cubic yards (cy) of soil for each area of remediation are provided below. Estimated yardage is based on a 4' bgs depth of excavation.




---

|                                    |                        |           |
|------------------------------------|------------------------|-----------|
| • Area 6 (Incident nAPP2509979883) | 2,021 ft <sup>2</sup>  | 300 cy    |
| • Area 5 (Incident nAPP2509978939) | 43,195 ft <sup>2</sup> | 6,400 cy  |
| • Area 3 (Incident nAPP2509978375) | 4,982 ft <sup>2</sup>  | 738 cy    |
| • Area 2 (Incident nAPP2509977675) | 750 ft <sup>2</sup>    | 110 cy    |
| • Area 1 (Incident nAPP2509976410) | 7,506 ft <sup>2</sup>  | 1,112 cy  |
| • Area 8 (Incident nAPP2509980836) | 4,710 ft <sup>2</sup>  | 698 cy    |
| • Area 7 (Incident nAPP2509980372) | 3,186 ft <sup>2</sup>  | 472 cy    |
| • Area 9 (Incident nAPP2509974572) | 88,800 ft <sup>2</sup> | 13,155 cy |
| • Area 4 (Incident nDEV1776).      | 40,000 ft <sup>2</sup> | 5,926 cy  |

The location of Incident areas on provided on Figure 2. As the area of remediation is quite large and includes multiple Incidents, BXP respectfully requests a remediation schedule of 180 days from the date of NMOCD approval of this Revised Remediation Workplan to complete the proposed remediation activities. Closure Reports will be submitted for each Incident area upon completion of remediation. It is estimated that remediation and reclamation of all areas of concern will be completed by the end of 2025, and extension requests (beyond 180 days) may be necessary as remediation progresses.

## 7.0 Distribution

Copy 1: Mike Bratcher  
 New Mexico Energy, Minerals, and Natural Resources Department  
 Oil Conservation Division, District 2  
 811 S. First Street  
 Artesia, New Mexico 88210

Copy 2: Environmental Compliance Office  
 ECO@nmslo.gov



## TABLE

Table 1  
Summary of Soil Sample Analyses  
BXP Operating, LLC  
Bagley SWD #004

| Sample ID              | Sample Date | Sample Depth (feet bgs) | Soil Status | TPH (GRO)                       | TPH (DRO) | TPH (MRO) | Total TPH | Benzene  | Toluene  | Ethylbenzene | Total Xylenes | Total BTEX | Chloride |
|------------------------|-------------|-------------------------|-------------|---------------------------------|-----------|-----------|-----------|----------|----------|--------------|---------------|------------|----------|
|                        |             |                         |             | milligrams per kilogram (mg/kg) |           |           |           |          |          |              |               |            |          |
| NMOCD Closure Criteria |             |                         |             | -                               | -         | -         | 100       | 10       | -        | -            | -             | 50         | 600      |
| S-1 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.4                           | <15.0     | <15.0     | <15.0     | <0.00139 | <0.00200 | <0.00109     | <0.00228      | <0.00228   | 552      |
| S-1 (4.1')             | 11/20/24    | 4.1'                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00141 | 0.00270  | 0.00630      | <0.00231      | 0.0106     | 1,170    |
| S-2 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <15.1                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00109     | <0.00229      | <0.00229   | 589      |
| S-2 (1.5')             | 11/20/24    | 1.5'                    | In Situ     | <14.5                           | 57.9      | <15.1     | 57.9      | <0.00139 | <0.00200 | <0.00109     | <0.00229      | <0.00229   | 5,190    |
| S-3 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | 18.7 J    | <15.1     | 18.7 J    | <0.00139 | <0.00199 | <0.00108     | <0.00228      | <0.00228   | 1,800    |
| S-3 (2')               | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00110     | <0.00230      | <0.00230   | 3,400    |
| S-4 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00200 | <0.00109     | <0.00229      | <0.00229   | 3,650    |
| S-4 (1.5')             | 11/20/24    | 1.5'                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00199 | <0.00108     | <0.00227      | <0.00227   | 3,010    |
| S-5 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | 18.3 J    | <15.1     | 18.3 J    | <0.00138 | <0.00198 | <0.00108     | <0.00227      | <0.00227   | 6,350    |
| S-5 (3')               | 11/20/24    | 3'                      | In Situ     | 30.6 J                          | 859       | <15.1     | 890       | <0.00139 | 0.00960  | 0.0564       | 0.0764        | 0.142      | 2,120    |
| S-6 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00200 | <0.00109     | 0.00826       | 0.00826    | 1,120    |
| S-6 (4')               | 11/20/24    | 4'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00202 | <0.00110     | <0.00230      | <0.00230   | 2,610 F1 |
| S-7 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.4                           | <15.0     | <15.0     | <15.0     | <0.00139 | <0.00200 | <0.00109     | <0.00228      | <0.00228   | 181      |
| S-7 (2')               | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00109     | <0.00229      | <0.00229   | 1,330    |
| S-8 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00202 | <0.00110     | <0.00230      | <0.00230   | 2,900    |
| S-8 (2')               | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00199 | <0.00108     | <0.00227      | <0.00227   | 1,890    |
| S-9 (0-6")             | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00198 | <0.00108     | <0.00227      | <0.00227   | 14,400   |
| S-9 (2')               | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00202 | <0.00110     | <0.00230      | <0.00230   | 6,470    |
| S-10 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00200 | <0.00109     | <0.00228      | <0.00228   | 1,820    |
| S-10 (2')              | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00198 | <0.00108     | <0.00226      | <0.00226   | 825      |
| S-11 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.4                           | <15.0     | <15.0     | <15.0     | <0.00140 | <0.00202 | <0.00110     | <0.00230      | <0.00230   | 2,970    |
| S-11 (2')              | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00198 | <0.00108     | <0.00227      | <0.00227   | 764      |
| S-12 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.4                           | <15.0     | <15.0     | <15.0     | <0.00140 | <0.00201 | <0.00109     | <0.00229      | <0.00229   | 1,520    |
| S-12 (2')              | 11/20/24    | 2'                      | In Situ     | <14.4                           | <15.0     | <15.0     | <15.0     | <0.00140 | <0.00202 | <0.00110     | <0.00230      | <0.00230   | 838      |
| S-13 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.4                           | <15.0     | <15.0     | <15.0     | <0.00141 | <0.00202 | <0.00110     | <0.00231      | <0.00231   | 262      |
| S-13 (2')              | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00198 | <0.00108     | <0.00226      | <0.00226   | 1,260    |
| S-14 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00138 | <0.00199 | <0.00108     | <0.00227      | <0.00227   | 888      |
| S-14 (1.5')            | 11/20/24    | 1.5'                    | In Situ     | <14.5                           | 62.8      | <15.1     | 62.8      | <0.00138 | <0.00198 | <0.00108     | <0.00226      | <0.00226   | 506      |
| S-15 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00110     | <0.00230      | <0.00230   | 4,040    |
| S-15 (2')              | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00109     | <0.00229      | <0.00229   | 2,370    |
| S-16 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00200 | <0.00109     | <0.00228      | <0.00228   | 1,980    |
| S-16 (1.5')            | 11/20/24    | 1.5'                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00200 | <0.00109     | <0.00229      | <0.00229   | 1,880    |
| S-17 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00199 | <0.00108     | <0.00228      | <0.00228   | 210      |
| S-17 (1.5')            | 11/20/24    | 1.5'                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00109     | <0.00229      | <0.00229   | 2,420 F1 |
| S-18 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00141 | <0.00202 | <0.00110     | <0.00231      | <0.00231   | 145      |
| S-18 (1.5')            | 11/20/24    | 1.5'                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00202 | <0.00110     | <0.00230      | <0.00230   | 1,500    |
| S-19 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | 26.8 J    | <15.1     | 26.8 J    | <0.00139 | <0.00200 | <0.00109     | <0.00228      | <0.00228   | 874      |
| S-19 (2')              | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00141 | <0.00202 | <0.00110     | <0.00231      | <0.00231   | 574      |
| S-20 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | 109       | <15.1     | 109       | <0.00138 | <0.00198 | <0.00108     | <0.00227      | <0.00227   | 1,500    |
| S-20 (4.1')            | 11/20/24    | 4.1'                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00140 | <0.00201 | <0.00109     | <0.00229      | <0.00229   | 408      |
| S-21 (0-6")            | 11/20/24    | 0-6"                    | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | <0.00200 | <0.00109     | <0.00228      | <0.00228   | 726      |
| S-21 (2')              | 11/20/24    | 2'                      | In Situ     | <14.5                           | <15.1     | <15.1     | <15.1     | <0.00139 | 0.00438  | 0.0209       | 0.0815        | 0.107      | 175 F1   |


Notes:

1. GRO: Gasoline Range Organics
2. DRO: Diesel Range Organics
3. MRO: Motor Oil Range Organics
4. bgs: below ground surface
5. Bold and highlighting indicates the COC was detected above the NMOCD Closure Criteria.
6. < indicates the COC was below the appropriate laboratory method/sample detection limit
7. Yellow highlighting indicates the COC concentration exceeds the NMOCD Closure Criteria
8. F1: MS and/or MSD recovery exceeds control limits.
9. J: Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.



---

## FIGURES



LEGEND:

 Site Location

Base Map from GAIA GPS


**Figure 1**  
Site Location Map  
BXP Operating, LLC  
Bagley SWD #004  
Lea County, New Mexico

Drafted by: CC | Checked by: CC

Draft: April 10, 2025


GPS: 33.3168983° -103.5868378°






| LEGEND:                                                                             |                                                                     | Figure 2                   |  |                                 |  |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------|--|---------------------------------|--|
|  | Investigation Sample Location                                       | Estimated Remediation Area |  | Drafted by: CC   Checked by: CC |  |
|  | ECO Investigation Boundary                                          | Boundaries                 |  | Draft: April 10, 2025           |  |
|  | Estimated Remediation Area Boundaries with Area and Incident Number | BXP Operating, LLC         |  | GPS: 33.3168983° -103.5868378°  |  |
| Base Map from Google Earth Pro                                                      |                                                                     | Bagley SWD #004            |  |                                 |  |
|                                                                                     |                                                                     | Lea County, New Mexico     |  |                                 |  |






|                                                                                                                                                                                    |                                                                                                                                                                                     |                                 |                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------|
| <div>LEGEND:</div> <div> Site and Well Location</div> <div>Base Map from Google Earth Pro</div> | <div>Figure 3</div> <div>Wellhead Protection Area Map</div> <div>Site Location Map</div> <div>BXP Operating, LLC</div> <div>Bagley SWD #004</div> <div>Lea County, New Mexico</div> |                                 |  |
|                                                                                                                                                                                    |                                                                                                                                                                                     | Drafted by: CC   Checked by: CC |                                                                                       |
|                                                                                                                                                                                    |                                                                                                                                                                                     | Draft: April 10, 2025           |                                                                                       |
|                                                                                                                                                                                    |                                                                                                                                                                                     | GPS: 33.3168983° -103.5868378°  |                                                                                       |
|                                                                                                                                                                                    |                                                                                                                                                                                     |                                 |                                                                                       |




|                                                                                                                                                                                         |                                                                                                                                                                                        |                                 |                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------|
| <div>LEGEND:</div> <div> Site Location</div> <div>Base Map from US Fish &amp; Wildlife Service</div> | <div>Figure 4</div> <div>National Wetlands Inventory Map</div> <div>Site Location Map</div> <div>BXP Operating, LLC</div> <div>Bagley SWD #004</div> <div>Lea County, New Mexico</div> |                                 |  |
|                                                                                                                                                                                         |                                                                                                                                                                                        | Drafted by: CC   Checked by: CC |                                                                                       |
|                                                                                                                                                                                         |                                                                                                                                                                                        | Draft: April 10, 2025           |                                                                                       |
|                                                                                                                                                                                         |                                                                                                                                                                                        | GPS: 33.3168983° -103.5868378°  |                                                                                       |
|                                                                                                                                                                                         |                                                                                                                                                                                        |                                 |                                                                                       |




|                                                           |                                                                                                                                       |                                 |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| <b>LEGEND:</b><br>Site Location<br><br>Base Map from FEMA | <b>Figure 5</b><br><b>FEMA Floodplain Map</b><br>Site Location Map<br>BXP Operating, LLC<br>Bagley SWD #004<br>Lea County, New Mexico |                                 |
|                                                           |                                                                                                                                       | Drafted by: CC   Checked by: CC |
|                                                           |                                                                                                                                       | Draft: April 10, 2025           |
|                                                           |                                                                                                                                       | GPS: 33.3168983° -103.5868378°  |
|                                                           |                                                                                                                                       |                                 |





|                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                       |                                 |                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------|
| <b>LEGEND:</b><br> Low Karst Potential<br> Medium Karst Potential<br> High Karst Potential<br>Base Map from Google Earth Pro and BLM | <b>Figure 6</b><br><b>Karst Potential Map</b><br>Site Location Map<br>BXP Operating, LLC<br>Bagley SWD #004<br>Lea County, New Mexico |                                 |  |
|                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                       |                                 |                                                                                       |
|                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                       | Drafted by: CC   Checked by: CC |                                                                                       |
|                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                       | Draft: April 10, 2025           |                                                                                       |
|                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                       | GPS: 33.3168983° -103.5868378°  |                                                                                       |
|                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                       |                                 |                                                                                       |

**LEGEND:**

- Sample Location with Concentrations (mg/kg).
- ECO Investigation Boundary
- Highlighting Indicates Concentrations Above the Closure Criteria

**Figure 7**  
**Sample Location Map**  
 BXP Operating, LLC  
 Bagley SWD #004  
 Lea County, New Mexico

Drafted by: CC | Checked by: CC

Draft: April 10, 2025

GPS: 33.3168983° -103.5868378°





## Appendix A: NMOSE Water Well Records

# Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE  
quarters are smallest to largest

NAD83 UTM in meters

| Well Tag | POD Nbr | Q64 | Q16 | Q4 | Sec | Tws | Rng | X        | Y           | Map                                                                                 |
|----------|---------|-----|-----|----|-----|-----|-----|----------|-------------|-------------------------------------------------------------------------------------|
|          | L 01327 |     | SW  | SW | 35  | 11S | 33E | 631143.0 | 3687301.0 * |  |

\* UTM location was derived from PLSS - see Help

|                   |                  |                      |                 |                  |            |
|-------------------|------------------|----------------------|-----------------|------------------|------------|
| Driller License:  | 33               | Driller Company:     | TATUM CLAUDE E. |                  |            |
| Driller Name:     | TATUM, CLAUDE E. |                      |                 |                  |            |
| Drill Start Date: | 1951-12-17       | Drill Finish Date:   | 1951-12-18      | Plug Date:       | 1954-07-10 |
| Log File Date:    | 1952-02-18       | PCW Rcv Date:        | 1953-02-20      | Source:          | Shallow    |
| Pump Type:        |                  | Pipe Discharge Size: |                 | Estimated Yield: |            |
| Casing Size:      | 7.00             | Depth Well:          | 115             | Depth Water:     | 55         |

## Water Bearing Stratifications:

| Top | Bottom | Description                   |
|-----|--------|-------------------------------|
| 55  | 115    | Sandstone/Gravel/Conglomerate |

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

# Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE  
quarters are smallest to largest

NAD83 UTM in meters

| Well Tag | POD Nbr | Q64 | Q16 | Q4 | Sec | Tws | Rng | X        | Y           | Map                                                                                 |
|----------|---------|-----|-----|----|-----|-----|-----|----------|-------------|-------------------------------------------------------------------------------------|
|          | L 01330 |     | SW  | SE | 35  | 11S | 33E | 631947.0 | 3687312.0 * |  |

\* UTM location was derived from PLSS - see [Help](#)

|                   |                  |                      |                 |                  |            |
|-------------------|------------------|----------------------|-----------------|------------------|------------|
| Driller License:  | 33               | Driller Company:     | TATUM CLAUDE E. |                  |            |
| Driller Name:     | TATUM, CLAUDE E. |                      |                 |                  |            |
| Drill Start Date: | 1951-12-20       | Drill Finish Date:   | 1951-12-21      | Plug Date:       | 1954-08-31 |
| Log File Date:    | 1952-02-18       | PCW Rcv Date:        | 1953-02-24      | Source:          | Shallow    |
| Pump Type:        |                  | Pipe Discharge Size: |                 | Estimated Yield: |            |
| Casing Size:      | 6.63             | Depth Well:          | 115             | Depth Water:     | 55         |

## Water Bearing Stratifications:

| Top | Bottom | Description                   |
|-----|--------|-------------------------------|
| 25  | 55     | Sandstone/Gravel/Conglomerate |
| 55  | 110    | Sandstone/Gravel/Conglomerate |
| 110 | 115    | Sandstone/Gravel/Conglomerate |

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

# Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE  
quarters are smallest to largest

NAD83 UTM in meters

| Well Tag | POD Nbr | Q64 | Q16 | Q4 | Sec | Tws | Rng | X        | Y           | Map                                                                                 |
|----------|---------|-----|-----|----|-----|-----|-----|----------|-------------|-------------------------------------------------------------------------------------|
|          | L 01396 |     | NE  | NW | 02  | 12S | 33E | 631552.0 | 3686905.0 * |  |

\* UTM location was derived from PLSS - see Help

|                   |                  |                      |                 |                  |            |
|-------------------|------------------|----------------------|-----------------|------------------|------------|
| Driller License:  | 33               | Driller Company:     | TATUM CLAUDE E. |                  |            |
| Driller Name:     | TATUM, CLAUDE E. |                      |                 |                  |            |
| Drill Start Date: | 1952-03-05       | Drill Finish Date:   | 1952-03-06      | Plug Date:       | 1952-11-13 |
| Log File Date:    | 1952-04-03       | PCW Rcv Date:        | 1953-10-22      | Source:          | Shallow    |
| Pump Type:        |                  | Pipe Discharge Size: |                 | Estimated Yield: |            |
| Casing Size:      | 6.00             | Depth Well:          | 126             | Depth Water:     | 45         |

## Water Bearing Stratifications:

| Top | Bottom | Description                   |
|-----|--------|-------------------------------|
| 45  | 126    | Sandstone/Gravel/Conglomerate |

## Casing Perforations:

| Top | Bottom |
|-----|--------|
| 100 | 126    |

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

# Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE  
quarters are smallest to largest

NAD83 UTM in meters

| Well Tag | POD Nbr | Q64 | Q16 | Q4 | Sec | Tws | Rng | X        | Y           | Map                                                                                 |
|----------|---------|-----|-----|----|-----|-----|-----|----------|-------------|-------------------------------------------------------------------------------------|
|          | L 03411 | NE  | NE  | NW | 02  | 12S | 33E | 631651.0 | 3687004.0 * |  |

\* UTM location was derived from PLSS - see Help

|                   |              |                      |                               |                  |         |
|-------------------|--------------|----------------------|-------------------------------|------------------|---------|
| Driller License:  | 183          | Driller Company:     | CAYTON WATER WELL DRILLING CO |                  |         |
| Driller Name:     | JACK CLAYTON |                      |                               |                  |         |
| Drill Start Date: | 1957-01-28   | Drill Finish Date:   | 1957-01-30                    | Plug Date:       |         |
| Log File Date:    | 1957-02-21   | PCW Rcv Date:        |                               | Source:          | Shallow |
| Pump Type:        |              | Pipe Discharge Size: |                               | Estimated Yield: |         |
| Casing Size:      | 7.00         | Depth Well:          | 121                           | Depth Water:     | 50      |

## Water Bearing Stratifications:

| Top | Bottom | Description                   |
|-----|--------|-------------------------------|
| 50  | 70     | Sandstone/Gravel/Conglomerate |
| 90  | 105    | Sandstone/Gravel/Conglomerate |

## Casing Perforations:

| Top | Bottom |
|-----|--------|
| 50  | 121    |

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



---

## Appendix B: Laboratory Report and Chain-of-Custody Documentation



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Cindy Crain  
Crain Environmental  
2925 E. 17th St.  
Odessa, Texas 79761

Generated 11/27/2024 1:05:45 PM

## JOB DESCRIPTION

Bagley #4 SWD  
Lea County NM

## JOB NUMBER

880-51419-1

Eurofins Midland  
1211 W. Florida Ave  
Midland TX 79701

# Eurofins Midland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
11/27/2024 1:05:45 PM

Authorized for release by  
Jessica Kramer, Project Manager  
[Jessica.Kramer@et.eurofinsus.com](mailto:Jessica.Kramer@et.eurofinsus.com)  
(432)704-5440

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Laboratory Job ID: 880-51419-1  
SDG: Lea County NM

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 6  |
| Client Sample Results . . . . .  | 8  |
| Surrogate Summary . . . . .      | 42 |
| QC Sample Results . . . . .      | 45 |
| QC Association Summary . . . . . | 61 |
| Lab Chronicle . . . . .          | 72 |
| Certification Summary . . . . .  | 85 |
| Method Summary . . . . .         | 86 |
| Sample Summary . . . . .         | 87 |
| Chain of Custody . . . . .       | 88 |
| Receipt Checklists . . . . .     | 95 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Qualifiers

GC VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| F1        | MS and/or MSD recovery exceeds control limits.                                                                 |
| F2        | MS/MSD RPD exceeds control limits                                                                              |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| S1-       | Surrogate recovery exceeds control limits, low biased.                                                         |
| S1+       | Surrogate recovery exceeds control limits, high biased.                                                        |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

GC Semi VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| F1        | MS and/or MSD recovery exceeds control limits.                                                                 |
| F2        | MS/MSD RPD exceeds control limits                                                                              |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| S1-       | Surrogate recovery exceeds control limits, low biased.                                                         |
| S1+       | Surrogate recovery exceeds control limits, high biased.                                                        |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

HPLC/IC

| Qualifier | Qualifier Description                                    |
|-----------|----------------------------------------------------------|
| F1        | MS and/or MSD recovery exceeds control limits.           |
| U         | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |

Definitions/Glossary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|-----------------------------------------------------------------------------|
| TEF          | Toxicity Equivalent Factor (Dioxin)                                         |
| TEQ          | Toxicity Equivalent Quotient (Dioxin)                                       |
| TNTC         | Too Numerous To Count                                                       |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Case Narrative

Client: Crain Environmental  
Project: Bagley #4 SWD

Job ID: 880-51419-1

Job ID: 880-51419-1

Eurofins Midland

**Job Narrative**  
**880-51419-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

**Receipt**

The samples were received on 11/22/2024 11:58 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.5°C.

**Receipt Exceptions**

The following samples were received and analyzed from an unpreserved bulk soil jar: S-1 (0-6") (880-51419-1), S-1 (1') (880-51419-2), S-1 (2') (880-51419-3), S-1 (3') (880-51419-4), S-1 (4.1') (880-51419-5), S-2 (0-6") (880-51419-6), S-2 (1') (880-51419-7), S-2 (1.5') (880-51419-8), S-3 (0-6") (880-51419-9), S-3 (1') (880-51419-10), S-3 (2') (880-51419-11), S-4 (0-6") (880-51419-12), S-4 (1') (880-51419-13), S-4 (1.5') (880-51419-14), S-5 (0-6") (880-51419-15), S-5 (1') (880-51419-16), S-5 (2') (880-51419-17), S-5 (3') (880-51419-18), S-6 (0-6") (880-51419-19), S-6 (1') (880-51419-20), S-6 (2') (880-51419-21), S-6 (3') (880-51419-22), S-6 (4') (880-51419-23), S-7 (0-6") (880-51419-24), S-7 (1') (880-51419-25), S-7 (2') (880-51419-26), S-8 (0-6") (880-51419-27), S-8 (1') (880-51419-28), S-8 (2') (880-51419-29), S-9 (0-6") (880-51419-30), S-9 (1') (880-51419-31), S-9 (2') (880-51419-32), S-10 (0-6") (880-51419-33), S-10 (1') (880-51419-34), S-10 (2') (880-51419-35), S-11 (0-6") (880-51419-36), S-11 (1') (880-51419-37), S-11 (2') (880-51419-38), S-12 (0-6") (880-51419-39), S-12 (1') (880-51419-40), S-12 (2') (880-51419-41), S-14 (0-6") (880-51419-42), S-14 (1') (880-51419-43), S-14 (1.5') (880-51419-44), S-15 (0-6") (880-51419-45), S-15 (1') (880-51419-46), S-15 (2') (880-51419-47), S-16 (0-6") (880-51419-48), S-16 (1') (880-51419-49), S-16 (1.5') (880-51419-50), S-17 (0-6") (880-51419-51), S-17 (1') (880-51419-52), S-17 (1.5') (880-51419-53), S-13 (0-6") (880-51419-54), S-13 (1') (880-51419-55), S-13 (2') (880-51419-56), S-18 (0-6") (880-51419-57), S-18 (1') (880-51419-58), S-18 (1.5') (880-51419-59), S-19 (0-6") (880-51419-60), S-19 (1') (880-51419-61), S-19 (2') (880-51419-62), S-20 (0-6") (880-51419-63), S-20 (1') (880-51419-64), S-20 (2') (880-51419-65), S-20 (3') (880-51419-66), S-20 (4.1') (880-51419-67), S-21 (0-6") (880-51419-68), S-21 (1') (880-51419-69) and S-21 (2') (880-51419-70).

**GC VOA**

Method 8021B: Surrogate recovery for the following samples were outside control limits: S-21 (2') (880-51419-70), (880-51418-A-41-G) and (880-51418-A-41-E MS). Evidence of matrix interferences is not obvious.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-96418 and analytical batch 880-96439 was outside the upper control limits.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-96418 and analytical batch 880-96439 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8021B: Surrogate recovery for the following sample was outside control limits: S-5 (3') (880-51419-18). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**Diesel Range Organics**

Method 8015MOD\_NM: The method blank for preparation batch 880-96419 and analytical batch 880-96493 contained Diesel Range Organics (Over C10-C28) above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: An incorrect volume of surrogate spiking solution was inadvertently added the following samples: (LCS

Eurofins Midland

## Case Narrative

Client: Crain Environmental  
Project: Bagley #4 SWD

Job ID: 880-51419-1

### Job ID: 880-51419-1 (Continued)

Eurofins Midland

880-96419/2-A) and (LCSD 880-96419/3-A). Percent recoveries are based on the amount spiked.

Method 8015MOD\_NM: The continuing calibration verification (CCV) associated with batch 880-96451 recovered above the upper control limit for Diesel Range Organics (Over C10-C28). An acceptable CCV was ran within the 12 hour window, therefore the data has been qualified and reported. The associated sample is impacted: (CCV 880-96451/71).

Method 8015MOD\_NM: The matrix spike duplicate (MSD) recoveries for preparation batch 880-96467 and analytical batch 880-96624 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: S-1 (4.1') (880-51419-5) and S-21 (2') (880-51419-70). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300\_ORGFM\_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-96513 and analytical batch 880-96520 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: S-6 (4') (880-51419-23), S-7 (0-6") (880-51419-24), S-7 (2') (880-51419-26), S-8 (0-6") (880-51419-27), S-8 (2') (880-51419-29), S-9 (0-6") (880-51419-30), S-9 (2') (880-51419-32), S-10 (0-6") (880-51419-33), S-10 (2') (880-51419-35), S-11 (0-6") (880-51419-36), (880-51419-A-23-D MS) and (880-51419-A-23-E MSD).

Method 300\_ORGFM\_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-96516 and analytical batch 880-96541 were outside control limits for one or more analytes. See QC Sample Results for detail. Double spiking of the matrix spike / matrix spike duplicate (MS/MSD) is suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: S-21 (2') (880-51419-70), (880-51419-A-70-D MS) and (880-51419-A-70-E MSD).

Method 300\_ORGFM\_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-96515 and analytical batch 880-96535 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: S-17 (1.5') (880-51419-53), S-13 (0-6") (880-51419-54), S-13 (2') (880-51419-56), S-18 (0-6") (880-51419-57), S-18 (1.5') (880-51419-59), S-19 (0-6") (880-51419-60), S-19 (2') (880-51419-62), S-20 (0-6") (880-51419-63), S-20 (4.1') (880-51419-67), S-21 (0-6") (880-51419-68), (880-51419-A-53-D MS) and (880-51419-A-53-E MSD).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-1 (0-6")

Lab Sample ID: 880-51419-1

Date Collected: 11/20/24 09:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:07 | 1       |
| Toluene             | <0.00200 | U         | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:07 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:07 | 1       |
| m-Xylene & p-Xylene | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:07 | 1       |
| o-Xylene            | <0.00158 | U         | 0.00200 | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:07 | 1       |
| Xylenes, Total      | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:07 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 125       |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 21:07 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 21:07 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   |          | 11/23/24 21:07 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   |          | 11/26/24 02:16 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.4  | U         | 49.7 | 14.4 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:16 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:16 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:16 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 105       |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 02:16 | 1       |
| o-Terphenyl    | 98        |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 02:16 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 552    |           | 9.98 | 0.394 | mg/Kg |   |          | 11/25/24 22:33 | 1       |

Client Sample ID: S-1 (4.1')

Lab Sample ID: 880-51419-5

Date Collected: 11/20/24 09:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 4.1'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00141 | U         | 0.00202 | 0.00141 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 14:40 | 1       |
| Toluene             | 0.00270  |           | 0.00202 | 0.00202 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 14:40 | 1       |
| Ethylbenzene        | 0.00630  |           | 0.00202 | 0.00110 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 14:40 | 1       |
| m-Xylene & p-Xylene | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 14:40 | 1       |
| o-Xylene            | 0.00161  | J         | 0.00202 | 0.00160 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 14:40 | 1       |
| Xylenes, Total      | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 14:40 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 93        |           | 70 - 130 | 11/25/24 12:14 | 11/25/24 14:40 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-1 (4.1')

Lab Sample ID: 880-51419-5

Date Collected: 11/20/24 09:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 4.1'

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 98        |           | 70 - 130 | 11/25/24 12:14 | 11/25/24 14:40 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|--------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | 0.0106 |           | 0.00404 | 0.00231 | mg/Kg |   |          | 11/25/24 14:40 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 11:42 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/25/24 08:25 | 11/26/24 11:42 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/25/24 08:25 | 11/26/24 11:42 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/25/24 08:25 | 11/26/24 11:42 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 86        |           | 70 - 130 |      |       |   | 11/25/24 08:25 | 11/26/24 11:42 | 1       |
| o-Terphenyl                          | 67        | S1-       | 70 - 130 |      |       |   | 11/25/24 08:25 | 11/26/24 11:42 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1170   |           | 49.5 | 1.96 | mg/Kg |   |          | 11/26/24 07:39 | 5       |

Client Sample ID: S-2 (0-6")

Lab Sample ID: 880-51419-6

Date Collected: 11/20/24 09:25

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00140  | U         | 0.00201  | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| Toluene                     | <0.00201  | U         | 0.00201  | 0.00201 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00201  | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| m-Xylene & p-Xylene         | <0.00229  | U         | 0.00402  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| o-Xylene                    | <0.00159  | U         | 0.00201  | 0.00159 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00402  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 130       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |
| 1,4-Difluorobenzene (Surr)  | 98        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 21:27 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   |          | 11/23/24 21:27 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 02:32 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-2 (0-6")

Lab Sample ID: 880-51419-6

Date Collected: 11/20/24 09:25

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:32 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:32 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:32 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 97        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 02:32 | 1       |
| o-Terphenyl                          | 91        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 02:32 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 589    |           | 9.92 | 0.392 | mg/Kg |   |          | 11/25/24 22:57 | 1       |

Client Sample ID: S-2 (1.5')

Lab Sample ID: 880-51419-8

Date Collected: 11/20/24 09:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00200  | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| Toluene                     | <0.00200  | U         | 0.00200  | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00200  | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| m-Xylene & p-Xylene         | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 118       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |
| 1,4-Difluorobenzene (Surr)  | 95        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 21:48 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00400 | 0.00229 | mg/Kg |   |          | 11/23/24 21:48 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 57.9   |           | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 02:47 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:47 | 1       |
| Diesel Range Organics (Over C10-C28) | 57.9      |           | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:47 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 02:47 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 105       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 02:47 | 1       |
| o-Terphenyl                          | 97        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 02:47 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Client Sample ID: S-2 (1.5')

Lab Sample ID: 880-51419-8

Date Collected: 11/20/24 09:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL  | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|------|-------|---|----------|----------------|---------|
| Chloride | 5190   |           | 101 | 3.99 | mg/Kg |   |          | 11/25/24 23:05 | 10      |

## Client Sample ID: S-3 (0-6")

Lab Sample ID: 880-51419-9

Date Collected: 11/20/24 09:40

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00199  | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| Toluene                     | <0.00199  | U         | 0.00199  | 0.00199 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| Ethylbenzene                | <0.00108  | U         | 0.00199  | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| m-Xylene & p-Xylene         | <0.00228  | U         | 0.00398  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00199  | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| Xylenes, Total              | <0.00228  | U         | 0.00398  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 126       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 22:08 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00398 | 0.00228 | mg/Kg |   |          | 11/23/24 22:08 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 18.7   | J         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 03:04 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:04 | 1       |
| Diesel Range Organics (Over C10-C28) | 18.7      | J         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:04 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:04 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 110       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 03:04 | 1       |
| o-Terphenyl                          | 105       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 03:04 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1800   |           | 49.8 | 1.97 | mg/Kg |   |          | 11/25/24 23:13 | 5       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-3 (2')

Lab Sample ID: 880-51419-11

Date Collected: 11/20/24 09:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00201 | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:28 | 1       |
| Toluene             | <0.00201 | U         | 0.00201 | 0.00201 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:28 | 1       |
| Ethylbenzene        | <0.00110 | U         | 0.00201 | 0.00110 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:28 | 1       |
| m-Xylene & p-Xylene | <0.00230 | U         | 0.00402 | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:28 | 1       |
| o-Xylene            | <0.00159 | U         | 0.00201 | 0.00159 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:28 | 1       |
| Xylenes, Total      | <0.00230 | U         | 0.00402 | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:28 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 128       |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 22:28 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 22:28 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00402 | 0.00230 | mg/Kg |   |          | 11/23/24 22:28 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 03:19 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 50.0 | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:19 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:19 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:19 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 105       |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 03:19 | 1       |
| o-Terphenyl    | 96        |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 03:19 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 3400   |           | 50.4 | 1.99 | mg/Kg |   |          | 11/25/24 23:22 | 5       |

Client Sample ID: S-4 (0-6")

Lab Sample ID: 880-51419-12

Date Collected: 11/20/24 10:10

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:49 | 1       |
| Toluene             | <0.00200 | U         | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:49 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:49 | 1       |
| m-Xylene & p-Xylene | <0.00229 | U         | 0.00401 | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:49 | 1       |
| o-Xylene            | <0.00159 | U         | 0.00200 | 0.00159 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:49 | 1       |
| Xylenes, Total      | <0.00229 | U         | 0.00401 | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 22:49 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 127       |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 22:49 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-4 (0-6")

Lab Sample ID: 880-51419-12

Date Collected: 11/20/24 10:10

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 98        |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 22:49 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00401 | 0.00229 | mg/Kg |   |          | 11/23/24 22:49 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 03:35 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:35 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:35 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:35 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 106       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 03:35 | 1       |
| o-Terphenyl                          | 97        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 03:35 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 3650   |           | 49.7 | 1.96 | mg/Kg |   |          | 11/25/24 23:46 | 5       |

Client Sample ID: S-4 (1.5')

Lab Sample ID: 880-51419-14

Date Collected: 11/20/24 10:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00138 | U         | 0.00199 | 0.00138 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:09 | 1       |
| Toluene             | <0.00199 | U         | 0.00199 | 0.00199 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:09 | 1       |
| Ethylbenzene        | <0.00108 | U         | 0.00199 | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:09 | 1       |
| m-Xylene & p-Xylene | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:09 | 1       |
| o-Xylene            | <0.00157 | U         | 0.00199 | 0.00157 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:09 | 1       |
| Xylenes, Total      | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:09 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 124       |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 23:09 | 1       |
| 1,4-Difluorobenzene (Surr)  | 98        |           | 70 - 130 | 11/23/24 17:04 | 11/23/24 23:09 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   |          | 11/23/24 23:09 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 03:51 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-4 (1.5')

Lab Sample ID: 880-51419-14

Date Collected: 11/20/24 10:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:51 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:51 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 03:51 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 104       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 03:51 | 1       |
| o-Terphenyl                          | 96        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 03:51 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 3010   |           | 49.6 | 1.96 | mg/Kg |   |          | 11/25/24 23:54 | 5       |

Client Sample ID: S-5 (0-6")

Lab Sample ID: 880-51419-15

Date Collected: 11/20/24 11:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00138  | U         | 0.00198  | 0.00138 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| Toluene                     | <0.00198  | U         | 0.00198  | 0.00198 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| Ethylbenzene                | <0.00108  | U         | 0.00198  | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| m-Xylene & p-Xylene         | <0.00227  | U         | 0.00397  | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| o-Xylene                    | <0.00157  | U         | 0.00198  | 0.00157 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| Xylenes, Total              | <0.00227  | U         | 0.00397  | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 127       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 23:30 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   |          | 11/23/24 23:30 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 18.3   | J         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 04:06 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:06 | 1       |
| Diesel Range Organics (Over C10-C28) | 18.3      | J         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:06 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:06 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 104       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 04:06 | 1       |
| o-Terphenyl                          | 96        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 04:06 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Client Sample ID: S-5 (0-6")

Lab Sample ID: 880-51419-15

Date Collected: 11/20/24 11:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL  | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|------|-------|---|----------|----------------|---------|
| Chloride | 6350   |           | 101 | 3.99 | mg/Kg |   |          | 11/26/24 00:02 | 10      |

## Client Sample ID: S-5 (3')

Lab Sample ID: 880-51419-18

Date Collected: 11/20/24 11:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 3'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00199  | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| Toluene                     | 0.00960   |           | 0.00199  | 0.00199 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| Ethylbenzene                | 0.0564    |           | 0.00199  | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| m-Xylene & p-Xylene         | 0.0678    |           | 0.00398  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| o-Xylene                    | 0.00861   |           | 0.00199  | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| Xylenes, Total              | 0.0764    |           | 0.00398  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 155       | S1+       | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |
| 1,4-Difluorobenzene (Surr)  | 103       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 23:50 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|--------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | 0.142  |           | 0.00398 | 0.00228 | mg/Kg |   |          | 11/23/24 23:50 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 890    |           | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 04:37 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | 30.6      | J         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:37 | 1       |
| Diesel Range Organics (Over C10-C28) | 859       |           | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:37 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:37 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 109       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 04:37 | 1       |
| o-Terphenyl                          | 111       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 04:37 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 2120   |           | 49.8 | 1.97 | mg/Kg |   |          | 11/26/24 00:10 | 5       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-6 (0-6")

Lab Sample ID: 880-51419-19

Date Collected: 11/20/24 11:25

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 00:11 | 1       |
| Toluene             | <0.00200 | U         | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 00:11 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 00:11 | 1       |
| m-Xylene & p-Xylene | 0.00826  |           | 0.00400 | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 00:11 | 1       |
| o-Xylene            | <0.00158 | U         | 0.00200 | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 00:11 | 1       |
| Xylenes, Total      | 0.00826  |           | 0.00400 | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 00:11 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 119       |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 00:11 | 1       |
| 1,4-Difluorobenzene (Surr)  | 90        |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 00:11 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result  | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|---------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | 0.00826 |           | 0.00400 | 0.00229 | mg/Kg |   |          | 11/24/24 00:11 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 04:53 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 49.8 | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:53 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:53 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 04:53 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 107       |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 04:53 | 1       |
| o-Terphenyl    | 99        |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 04:53 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1120   |           | 50.4 | 1.99 | mg/Kg |   |          | 11/26/24 00:19 | 5       |

Client Sample ID: S-6 (4')

Lab Sample ID: 880-51419-23

Date Collected: 11/20/24 11:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 4.1'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00202 | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:34 | 1       |
| Toluene             | <0.00202 | U         | 0.00202 | 0.00202 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:34 | 1       |
| Ethylbenzene        | <0.00110 | U         | 0.00202 | 0.00110 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:34 | 1       |
| m-Xylene & p-Xylene | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:34 | 1       |
| o-Xylene            | <0.00160 | U         | 0.00202 | 0.00160 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:34 | 1       |
| Xylenes, Total      | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:34 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 121       |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 01:34 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-6 (4')

Lab Sample ID: 880-51419-23

Date Collected: 11/20/24 11:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 4.1'

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 97        |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 01:34 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   |          | 11/24/24 01:34 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 05:09 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:09 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:09 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:09 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 107       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:09 | 1       |
| o-Terphenyl                          | 100       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:09 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 2610   | F1        | 49.7 | 1.96 | mg/Kg |   |          | 11/26/24 00:27 | 5       |

Client Sample ID: S-7 (0-6")

Lab Sample ID: 880-51419-24

Date Collected: 11/20/24 11:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00200  | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| Toluene                     | <0.00200  | U         | 0.00200  | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00200  | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| m-Xylene & p-Xylene         | <0.00228  | U         | 0.00399  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| Xylenes, Total              | <0.00228  | U         | 0.00399  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 127       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |
| 1,4-Difluorobenzene (Surr)  | 98        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 01:54 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   |          | 11/24/24 01:54 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   |          | 11/26/24 05:24 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-7 (0-6")

Lab Sample ID: 880-51419-24

Date Collected: 11/20/24 11:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.4     | U         | 49.7     | 14.4 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:24 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:24 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:24 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 116       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:24 | 1       |
| o-Terphenyl                          | 108       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:24 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 181    |           | 9.94 | 0.393 | mg/Kg |   |          | 11/26/24 00:51 | 1       |

Client Sample ID: S-7 (2')

Lab Sample ID: 880-51419-26

Date Collected: 11/20/24 12:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00140  | U         | 0.00201  | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| Toluene                     | <0.00201  | U         | 0.00201  | 0.00201 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00201  | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| m-Xylene & p-Xylene         | <0.00229  | U         | 0.00402  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| o-Xylene                    | <0.00159  | U         | 0.00201  | 0.00159 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00402  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 125       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 02:15 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   |          | 11/24/24 02:15 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 05:40 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:40 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:40 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:40 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 113       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:40 | 1       |
| o-Terphenyl                          | 104       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:40 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-7 (2')

Lab Sample ID: 880-51419-26

Date Collected: 11/20/24 12:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 1330   |           | 9.90 | 0.391 | mg/Kg |   |          | 11/26/24 00:59 | 1       |

Client Sample ID: S-8 (0-6")

Lab Sample ID: 880-51419-27

Date Collected: 11/20/24 12:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00140  | U         | 0.00202  | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| Toluene                     | <0.00202  | U         | 0.00202  | 0.00202 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| Ethylbenzene                | <0.00110  | U         | 0.00202  | 0.00110 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| m-Xylene & p-Xylene         | <0.00230  | U         | 0.00403  | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| o-Xylene                    | <0.00160  | U         | 0.00202  | 0.00160 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| Xylenes, Total              | <0.00230  | U         | 0.00403  | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 124       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |
| 1,4-Difluorobenzene (Surr)  | 98        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 02:35 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   |          | 11/24/24 02:35 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 05:56 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:56 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:56 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 05:56 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 108       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:56 | 1       |
| o-Terphenyl                          | 100       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 05:56 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 2900   |           | 49.8 | 1.97 | mg/Kg |   |          | 11/26/24 01:24 | 5       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-8 (2')

Lab Sample ID: 880-51419-29

Date Collected: 11/20/24 12:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00138 | U         | 0.00199 | 0.00138 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:56 | 1       |
| Toluene             | <0.00199 | U         | 0.00199 | 0.00199 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:56 | 1       |
| Ethylbenzene        | <0.00108 | U         | 0.00199 | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:56 | 1       |
| m-Xylene & p-Xylene | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:56 | 1       |
| o-Xylene            | <0.00157 | U         | 0.00199 | 0.00157 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:56 | 1       |
| Xylenes, Total      | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 02:56 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 124       |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 02:56 | 1       |
| 1,4-Difluorobenzene (Surr)  | 98        |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 02:56 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   |          | 11/24/24 02:56 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 06:12 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 50.0 | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:12 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:12 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:12 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 107       |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 06:12 | 1       |
| o-Terphenyl    | 99        |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 06:12 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1890   |           | 50.2 | 1.98 | mg/Kg |   |          | 11/26/24 01:32 | 5       |

Client Sample ID: S-9 (0-6")

Lab Sample ID: 880-51419-30

Date Collected: 11/20/24 12:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00138 | U         | 0.00198 | 0.00138 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:16 | 1       |
| Toluene             | <0.00198 | U         | 0.00198 | 0.00198 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:16 | 1       |
| Ethylbenzene        | <0.00108 | U         | 0.00198 | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:16 | 1       |
| m-Xylene & p-Xylene | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:16 | 1       |
| o-Xylene            | <0.00157 | U         | 0.00198 | 0.00157 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:16 | 1       |
| Xylenes, Total      | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:16 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 126       |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 03:16 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-9 (0-6")

Lab Sample ID: 880-51419-30

Date Collected: 11/20/24 12:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 97        |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 03:16 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   |          | 11/24/24 03:16 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 06:27 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:27 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:27 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:27 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 102       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 06:27 | 1       |
| o-Terphenyl                          | 93        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 06:27 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL  | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|------|-------|---|----------|----------------|---------|
| Chloride | 14400  |           | 200 | 7.92 | mg/Kg |   |          | 11/26/24 01:40 | 20      |

Client Sample ID: S-9 (2')

Lab Sample ID: 880-51419-32

Date Collected: 11/20/24 12:30

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00140  | U         | 0.00202  | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| Toluene                     | <0.00202  | U         | 0.00202  | 0.00202 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| Ethylbenzene                | <0.00110  | U         | 0.00202  | 0.00110 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| m-Xylene & p-Xylene         | <0.00230  | U         | 0.00403  | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| o-Xylene                    | <0.00160  | U         | 0.00202  | 0.00160 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| Xylenes, Total              | <0.00230  | U         | 0.00403  | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 129       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 03:37 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   |          | 11/24/24 03:37 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 06:43 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-9 (2')

Lab Sample ID: 880-51419-32

Date Collected: 11/20/24 12:30

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:43 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:43 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:43 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 105       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 06:43 | 1       |
| o-Terphenyl                          | 97        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 06:43 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 6470   |           | 99.6 | 3.93 | mg/Kg |   |          | 11/26/24 01:48 | 10      |

Client Sample ID: S-10 (0-6")

Lab Sample ID: 880-51419-33

Date Collected: 11/20/24 12:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00200  | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| Toluene                     | <0.00200  | U         | 0.00200  | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00200  | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| m-Xylene & p-Xylene         | <0.00228  | U         | 0.00399  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| Xylenes, Total              | <0.00228  | U         | 0.00399  | 0.00228 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 121       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 03:57 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   |          | 11/24/24 03:57 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 06:59 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:59 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:59 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 06:59 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 112       |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 06:59 | 1       |
| o-Terphenyl                          | 99        |           | 70 - 130 |      |       |   | 11/22/24 15:56 | 11/26/24 06:59 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Client Sample ID: S-10 (0-6")

Lab Sample ID: 880-51419-33

Date Collected: 11/20/24 12:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1820   |           | 49.6 | 1.96 | mg/Kg |   |          | 11/26/24 01:56 | 5       |

## Client Sample ID: S-10 (2')

Lab Sample ID: 880-51419-35

Date Collected: 11/20/24 12:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00138  | U         | 0.00198  | 0.00138 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| Toluene                     | <0.00198  | U         | 0.00198  | 0.00198 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| Ethylbenzene                | <0.00108  | U         | 0.00198  | 0.00108 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| m-Xylene & p-Xylene         | <0.00226  | U         | 0.00396  | 0.00226 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| o-Xylene                    | <0.00157  | U         | 0.00198  | 0.00157 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| Xylenes, Total              | <0.00226  | U         | 0.00396  | 0.00226 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 124       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/24/24 04:18 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00226 | U         | 0.00396 | 0.00226 | mg/Kg |   |          | 11/24/24 04:18 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 10:54 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 10:54 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 10:54 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 10:54 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 111       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 10:54 | 1       |
| o-Terphenyl                          | 99        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 10:54 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 825    |           | 10.0 | 0.397 | mg/Kg |   |          | 11/26/24 02:04 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-11 (0-6")

Lab Sample ID: 880-51419-36

Date Collected: 11/20/24 12:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00202 | 0.00140 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:38 | 1       |
| Toluene             | <0.00202 | U         | 0.00202 | 0.00202 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:38 | 1       |
| Ethylbenzene        | <0.00110 | U         | 0.00202 | 0.00110 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:38 | 1       |
| m-Xylene & p-Xylene | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:38 | 1       |
| o-Xylene            | <0.00160 | U         | 0.00202 | 0.00160 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:38 | 1       |
| Xylenes, Total      | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   | 11/23/24 17:04 | 11/24/24 04:38 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 126       |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 04:38 | 1       |
| 1,4-Difluorobenzene (Surr)  | 95        |           | 70 - 130 | 11/23/24 17:04 | 11/24/24 04:38 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   |          | 11/24/24 04:38 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.0  | U         | 49.6 | 15.0 | mg/Kg |   |          | 11/26/24 11:42 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.4  | U         | 49.6 | 14.4 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 11:42 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.0  | U         | 49.6 | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 11:42 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.0  | U         | 49.6 | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 11:42 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 111       |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 11:42 | 1       |
| o-Terphenyl    | 102       |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 11:42 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 2970   |           | 49.8 | 1.97 | mg/Kg |   |          | 11/26/24 02:12 | 5       |

Client Sample ID: S-11 (2')

Lab Sample ID: 880-51419-38

Date Collected: 11/20/24 13:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00138 | U         | 0.00198 | 0.00138 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:26 | 1       |
| Toluene             | <0.00198 | U         | 0.00198 | 0.00198 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:26 | 1       |
| Ethylbenzene        | <0.00108 | U         | 0.00198 | 0.00108 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:26 | 1       |
| m-Xylene & p-Xylene | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:26 | 1       |
| o-Xylene            | <0.00157 | U         | 0.00198 | 0.00157 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:26 | 1       |
| Xylenes, Total      | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:26 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 114       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 07:26 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-11 (2')

Lab Sample ID: 880-51419-38

Date Collected: 11/20/24 13:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 108       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 07:26 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   |          | 11/24/24 07:26 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 11:58 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 11:58 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 11:58 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 11:58 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 104       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 11:58 | 1       |
| o-Terphenyl                          | 94        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 11:58 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 764    |           | 50.4 | 1.99 | mg/Kg |   |          | 11/25/24 22:17 | 5       |

Client Sample ID: S-12 (0-6")

Lab Sample ID: 880-51419-39

Date Collected: 11/20/24 13:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00201 | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:47 | 1       |
| Toluene             | <0.00201 | U         | 0.00201 | 0.00201 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:47 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00201 | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:47 | 1       |
| m-Xylene & p-Xylene | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:47 | 1       |
| o-Xylene            | <0.00159 | U         | 0.00201 | 0.00159 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:47 | 1       |
| Xylenes, Total      | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:47 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 109       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 07:47 | 1       |
| 1,4-Difluorobenzene (Surr)  | 105       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 07:47 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   |          | 11/24/24 07:47 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   |          | 11/26/24 12:14 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-12 (0-6")

Lab Sample ID: 880-51419-39

Date Collected: 11/20/24 13:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.4     | U         | 49.7     | 14.4 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:14 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:14 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:14 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 105       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 12:14 | 1       |
| o-Terphenyl                          | 96        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 12:14 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1520   |           | 50.5 | 1.99 | mg/Kg |   |          | 11/25/24 22:37 | 5       |

Client Sample ID: S-12 (2')

Lab Sample ID: 880-51419-41

Date Collected: 11/20/24 13:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00140  | U         | 0.00202  | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| Toluene                     | <0.00202  | U         | 0.00202  | 0.00202 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| Ethylbenzene                | <0.00110  | U         | 0.00202  | 0.00110 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| m-Xylene & p-Xylene         | <0.00230  | U         | 0.00403  | 0.00230 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| o-Xylene                    | <0.00160  | U         | 0.00202  | 0.00160 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| Xylenes, Total              | <0.00230  | U         | 0.00403  | 0.00230 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 115       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |
| 1,4-Difluorobenzene (Surr)  | 107       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 08:07 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   |          | 11/24/24 08:07 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   |          | 11/26/24 12:30 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.4     | U         | 49.7     | 14.4 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:30 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:30 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:30 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 101       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 12:30 | 1       |
| o-Terphenyl                          | 92        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 12:30 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-12 (2')

Lab Sample ID: 880-51419-41

Date Collected: 11/20/24 13:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 838    |           | 49.8 | 1.97 | mg/Kg |   |          | 11/25/24 22:44 | 5       |

Client Sample ID: S-14 (0-6")

Lab Sample ID: 880-51419-42

Date Collected: 11/20/24 13:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00138  | U         | 0.00199  | 0.00138 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| Toluene                     | <0.00199  | U         | 0.00199  | 0.00199 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| Ethylbenzene                | <0.00108  | U         | 0.00199  | 0.00108 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| m-Xylene & p-Xylene         | <0.00227  | U         | 0.00398  | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| o-Xylene                    | <0.00157  | U         | 0.00199  | 0.00157 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| Xylenes, Total              | <0.00227  | U         | 0.00398  | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 110       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |
| 1,4-Difluorobenzene (Surr)  | 109       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 08:28 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   |          | 11/24/24 08:28 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 12:46 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:46 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:46 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 12:46 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 110       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 12:46 | 1       |
| o-Terphenyl                          | 98        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 12:46 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 888    |           | 9.92 | 0.392 | mg/Kg |   |          | 11/25/24 22:50 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-14 (1.5')

Lab Sample ID: 880-51419-44

Date Collected: 11/20/24 13:30

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00138 | U         | 0.00198 | 0.00138 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:48 | 1       |
| Toluene             | <0.00198 | U         | 0.00198 | 0.00198 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:48 | 1       |
| Ethylbenzene        | <0.00108 | U         | 0.00198 | 0.00108 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:48 | 1       |
| m-Xylene & p-Xylene | <0.00226 | U         | 0.00396 | 0.00226 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:48 | 1       |
| o-Xylene            | <0.00157 | U         | 0.00198 | 0.00157 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:48 | 1       |
| Xylenes, Total      | <0.00226 | U         | 0.00396 | 0.00226 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 08:48 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 110       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 08:48 | 1       |
| 1,4-Difluorobenzene (Surr)  | 108       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 08:48 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00226 | U         | 0.00396 | 0.00226 | mg/Kg |   |          | 11/24/24 08:48 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 62.8   |           | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 17:27 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 50.0 | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:27 | 1       |
| Diesel Range Organics (Over C10-C28) | 62.8   |           | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:27 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:27 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 104       |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 17:27 | 1       |
| o-Terphenyl    | 95        |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 17:27 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 506    |           | 9.90 | 0.391 | mg/Kg |   |          | 11/25/24 22:57 | 1       |

Client Sample ID: S-15 (0-6")

Lab Sample ID: 880-51419-45

Date Collected: 11/20/24 13:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00201 | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:09 | 1       |
| Toluene             | <0.00201 | U         | 0.00201 | 0.00201 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:09 | 1       |
| Ethylbenzene        | <0.00110 | U         | 0.00201 | 0.00110 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:09 | 1       |
| m-Xylene & p-Xylene | <0.00230 | U         | 0.00402 | 0.00230 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:09 | 1       |
| o-Xylene            | <0.00159 | U         | 0.00201 | 0.00159 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:09 | 1       |
| Xylenes, Total      | <0.00230 | U         | 0.00402 | 0.00230 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:09 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 113       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 09:09 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-15 (0-6")

Lab Sample ID: 880-51419-45

Date Collected: 11/20/24 13:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 107       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 09:09 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00402 | 0.00230 | mg/Kg |   |          | 11/24/24 09:09 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 17:43 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:43 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:43 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:43 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 107       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 17:43 | 1       |
| o-Terphenyl                          | 99        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 17:43 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL  | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|------|-------|---|----------|----------------|---------|
| Chloride | 4040   |           | 100 | 3.95 | mg/Kg |   |          | 11/25/24 23:17 | 10      |

Client Sample ID: S-15 (2')

Lab Sample ID: 880-51419-47

Date Collected: 11/20/24 13:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00201 | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:29 | 1       |
| Toluene             | <0.00201 | U         | 0.00201 | 0.00201 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:29 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00201 | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:29 | 1       |
| m-Xylene & p-Xylene | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:29 | 1       |
| o-Xylene            | <0.00159 | U         | 0.00201 | 0.00159 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:29 | 1       |
| Xylenes, Total      | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:29 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 111       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 09:29 | 1       |
| 1,4-Difluorobenzene (Surr)  | 108       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 09:29 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   |          | 11/24/24 09:29 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 17:59 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-15 (2')

Lab Sample ID: 880-51419-47

Date Collected: 11/20/24 13:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:59 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:59 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 17:59 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 109       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 17:59 | 1       |
| o-Terphenyl                          | 100       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 17:59 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 2370   |           | 50.4 | 1.99 | mg/Kg |   |          | 11/25/24 23:24 | 5       |

Client Sample ID: S-16 (0-6")

Lab Sample ID: 880-51419-48

Date Collected: 11/20/24 13:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00200  | 0.00139 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| Toluene                     | <0.00200  | U         | 0.00200  | 0.00200 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00200  | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| m-Xylene & p-Xylene         | <0.00228  | U         | 0.00399  | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| Xylenes, Total              | <0.00228  | U         | 0.00399  | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 114       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |
| 1,4-Difluorobenzene (Surr)  | 108       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 09:50 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   |          | 11/24/24 09:50 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 18:14 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 18:14 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 18:14 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 18:14 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 107       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 18:14 | 1       |
| o-Terphenyl                          | 98        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 18:14 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Client Sample ID: S-16 (0-6")

Lab Sample ID: 880-51419-48

Date Collected: 11/20/24 13:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1980   |           | 49.7 | 1.96 | mg/Kg |   |          | 11/25/24 23:30 | 5       |

## Client Sample ID: S-16 (1.5')

Lab Sample ID: 880-51419-50

Date Collected: 11/20/24 14:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139  | U         | 0.00200  | 0.00139 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| Toluene                     | <0.00200  | U         | 0.00200  | 0.00200 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00200  | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| m-Xylene & p-Xylene         | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 112       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |
| 1,4-Difluorobenzene (Surr)  | 108       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 10:10 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00400 | 0.00229 | mg/Kg |   |          | 11/24/24 10:10 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 18:46 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 18:46 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 18:46 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 18:46 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 103       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 18:46 | 1       |
| o-Terphenyl                          | 95        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 18:46 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1880   |           | 49.6 | 1.96 | mg/Kg |   |          | 11/25/24 23:37 | 5       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-17 (0-6")

Lab Sample ID: 880-51419-51

Date Collected: 11/20/24 14:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00199 | 0.00139 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:31 | 1       |
| Toluene             | <0.00199 | U         | 0.00199 | 0.00199 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:31 | 1       |
| Ethylbenzene        | <0.00108 | U         | 0.00199 | 0.00108 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:31 | 1       |
| m-Xylene & p-Xylene | <0.00228 | U         | 0.00398 | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:31 | 1       |
| o-Xylene            | <0.00158 | U         | 0.00199 | 0.00158 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:31 | 1       |
| Xylenes, Total      | <0.00228 | U         | 0.00398 | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 10:31 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 109       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 10:31 | 1       |
| 1,4-Difluorobenzene (Surr)  | 107       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 10:31 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00398 | 0.00228 | mg/Kg |   |          | 11/24/24 10:31 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 19:03 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 49.9 | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:03 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:03 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:03 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 108       |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 19:03 | 1       |
| o-Terphenyl    | 98        |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 19:03 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 210    |           | 9.90 | 0.391 | mg/Kg |   |          | 11/25/24 23:44 | 1       |

Client Sample ID: S-17 (1.5')

Lab Sample ID: 880-51419-53

Date Collected: 11/20/24 14:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00201 | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:05 | 1       |
| Toluene             | <0.00201 | U         | 0.00201 | 0.00201 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:05 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00201 | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:05 | 1       |
| m-Xylene & p-Xylene | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:05 | 1       |
| o-Xylene            | <0.00159 | U         | 0.00201 | 0.00159 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:05 | 1       |
| Xylenes, Total      | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:05 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 110       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 12:05 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-17 (1.5')

Lab Sample ID: 880-51419-53

Date Collected: 11/20/24 14:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 108       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 12:05 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   |          | 11/24/24 12:05 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 19:18 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:18 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:18 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:18 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 108       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 19:18 | 1       |
| o-Terphenyl                          | 98        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 19:18 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 2420   | F1        | 50.0 | 1.98 | mg/Kg |   |          | 11/25/24 23:50 | 5       |

Client Sample ID: S-13 (0-6")

Lab Sample ID: 880-51419-54

Date Collected: 11/20/24 14:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00141  | U         | 0.00202  | 0.00141 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| Toluene                     | <0.00202  | U         | 0.00202  | 0.00202 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| Ethylbenzene                | <0.00110  | U         | 0.00202  | 0.00110 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| m-Xylene & p-Xylene         | <0.00231  | U         | 0.00404  | 0.00231 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| o-Xylene                    | <0.00160  | U         | 0.00202  | 0.00160 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| Xylenes, Total              | <0.00231  | U         | 0.00404  | 0.00231 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 111       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |
| 1,4-Difluorobenzene (Surr)  | 107       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 12:26 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   |          | 11/24/24 12:26 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.0  | U         | 49.7 | 15.0 | mg/Kg |   |          | 11/26/24 19:34 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-13 (0-6")

Lab Sample ID: 880-51419-54

Date Collected: 11/20/24 14:35

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.4     | U         | 49.7     | 14.4 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:34 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:34 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.0     | U         | 49.7     | 15.0 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:34 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 101       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 19:34 | 1       |
| o-Terphenyl                          | 94        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 19:34 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 262    |           | 9.92 | 0.392 | mg/Kg |   |          | 11/26/24 00:10 | 1       |

Client Sample ID: S-13 (2')

Lab Sample ID: 880-51419-56

Date Collected: 11/20/24 14:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00138  | U         | 0.00199  | 0.00138 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| Toluene                     | <0.00199  | U         | 0.00199  | 0.00199 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| Ethylbenzene                | <0.00108  | U         | 0.00199  | 0.00108 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| m-Xylene & p-Xylene         | <0.00227  | U         | 0.00398  | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| o-Xylene                    | <0.00157  | U         | 0.00199  | 0.00157 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| Xylenes, Total              | <0.00227  | U         | 0.00398  | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 112       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |
| 1,4-Difluorobenzene (Surr)  | 107       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 12:46 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00398 | 0.00227 | mg/Kg |   |          | 11/24/24 12:46 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 19:49 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:49 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:49 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 19:49 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 106       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 19:49 | 1       |
| o-Terphenyl                          | 97        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 19:49 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-13 (2')

Lab Sample ID: 880-51419-56

Date Collected: 11/20/24 14:45

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1260   |           | 50.4 | 1.99 | mg/Kg |   |          | 11/26/24 00:17 | 5       |

Client Sample ID: S-18 (0-6")

Lab Sample ID: 880-51419-57

Date Collected: 11/20/24 14:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00141  | U         | 0.00202  | 0.00141 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| Toluene                     | <0.00202  | U         | 0.00202  | 0.00202 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| Ethylbenzene                | <0.00110  | U         | 0.00202  | 0.00110 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| m-Xylene & p-Xylene         | <0.00231  | U         | 0.00404  | 0.00231 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| o-Xylene                    | <0.00160  | U         | 0.00202  | 0.00160 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| Xylenes, Total              | <0.00231  | U         | 0.00404  | 0.00231 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 108       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |
| 1,4-Difluorobenzene (Surr)  | 107       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 13:07 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   |          | 11/24/24 13:07 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 20:06 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:06 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:06 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:06 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 111       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 20:06 | 1       |
| o-Terphenyl                          | 101       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 20:06 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 145    |           | 9.90 | 0.391 | mg/Kg |   |          | 11/26/24 00:37 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-18 (1.5')

Lab Sample ID: 880-51419-59

Date Collected: 11/20/24 15:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 1.5'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00140 | U         | 0.00202 | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:27 | 1       |
| Toluene             | <0.00202 | U         | 0.00202 | 0.00202 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:27 | 1       |
| Ethylbenzene        | <0.00110 | U         | 0.00202 | 0.00110 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:27 | 1       |
| m-Xylene & p-Xylene | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:27 | 1       |
| o-Xylene            | <0.00160 | U         | 0.00202 | 0.00160 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:27 | 1       |
| Xylenes, Total      | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:27 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 109       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 13:27 | 1       |
| 1,4-Difluorobenzene (Surr)  | 105       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 13:27 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00230 | U         | 0.00403 | 0.00230 | mg/Kg |   |          | 11/24/24 13:27 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 20:21 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 49.9 | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:21 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:21 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:21 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 111       |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 20:21 | 1       |
| o-Terphenyl    | 101       |           | 70 - 130 | 11/22/24 15:59 | 11/26/24 20:21 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1500   |           | 49.6 | 1.96 | mg/Kg |   |          | 11/26/24 00:44 | 5       |

Client Sample ID: S-19 (0-6")

Lab Sample ID: 880-51419-60

Date Collected: 11/20/24 15:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:48 | 1       |
| Toluene             | <0.00200 | U         | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:48 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:48 | 1       |
| m-Xylene & p-Xylene | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:48 | 1       |
| o-Xylene            | <0.00158 | U         | 0.00200 | 0.00158 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:48 | 1       |
| Xylenes, Total      | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 13:48 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 110       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 13:48 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-19 (0-6")

Lab Sample ID: 880-51419-60

Date Collected: 11/20/24 15:05

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate                  | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 107       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 13:48 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   |          | 11/24/24 13:48 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 26.8   | J         | 49.9 | 15.1 | mg/Kg |   |          | 11/26/24 20:37 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.9     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:37 | 1       |
| Diesel Range Organics (Over C10-C28) | 26.8      | J         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:37 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.9     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:37 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 106       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 20:37 | 1       |
| o-Terphenyl                          | 96        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 20:37 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 874    |           | 50.4 | 1.99 | mg/Kg |   |          | 11/26/24 00:50 | 5       |

Client Sample ID: S-19 (2')

Lab Sample ID: 880-51419-62

Date Collected: 11/20/24 15:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00141 | U         | 0.00202 | 0.00141 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:08 | 1       |
| Toluene             | <0.00202 | U         | 0.00202 | 0.00202 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:08 | 1       |
| Ethylbenzene        | <0.00110 | U         | 0.00202 | 0.00110 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:08 | 1       |
| m-Xylene & p-Xylene | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:08 | 1       |
| o-Xylene            | <0.00160 | U         | 0.00202 | 0.00160 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:08 | 1       |
| Xylenes, Total      | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:08 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 111       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 14:08 | 1       |
| 1,4-Difluorobenzene (Surr)  | 109       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 14:08 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00231 | U         | 0.00404 | 0.00231 | mg/Kg |   |          | 11/24/24 14:08 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.8 | 15.1 | mg/Kg |   |          | 11/26/24 20:52 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-19 (2')

Lab Sample ID: 880-51419-62

Date Collected: 11/20/24 15:15

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 49.8     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:52 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:52 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 49.8     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 20:52 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 104       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 20:52 | 1       |
| o-Terphenyl                          | 94        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 20:52 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 574    |           | 49.5 | 1.96 | mg/Kg |   |          | 11/26/24 00:57 | 5       |

Client Sample ID: S-20 (0-6")

Lab Sample ID: 880-51419-63

Date Collected: 11/20/24 15:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00138  | U         | 0.00198  | 0.00138 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| Toluene                     | <0.00198  | U         | 0.00198  | 0.00198 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| Ethylbenzene                | <0.00108  | U         | 0.00198  | 0.00108 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| m-Xylene & p-Xylene         | <0.00227  | U         | 0.00397  | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| o-Xylene                    | <0.00157  | U         | 0.00198  | 0.00157 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| Xylenes, Total              | <0.00227  | U         | 0.00397  | 0.00227 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 106       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |
| 1,4-Difluorobenzene (Surr)  | 106       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 14:29 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00227 | U         | 0.00397 | 0.00227 | mg/Kg |   |          | 11/24/24 14:29 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | 109    |           | 50.0 | 15.1 | mg/Kg |   |          | 11/26/24 21:08 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 21:08 | 1       |
| Diesel Range Organics (Over C10-C28) | 109       |           | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 21:08 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 21:08 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 110       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 21:08 | 1       |
| o-Terphenyl                          | 99        |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 21:08 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-20 (0-6")

Lab Sample ID: 880-51419-63

Date Collected: 11/20/24 15:20

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloride | 1500   |           | 49.5 | 1.96 | mg/Kg |   |          | 11/26/24 01:04 | 5       |

Client Sample ID: S-20 (4.1')

Lab Sample ID: 880-51419-67

Date Collected: 11/20/24 15:40

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 4.1'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte                     | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00140  | U         | 0.00201  | 0.00140 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| Toluene                     | <0.00201  | U         | 0.00201  | 0.00201 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00201  | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| m-Xylene & p-Xylene         | <0.00229  | U         | 0.00402  | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| o-Xylene                    | <0.00159  | U         | 0.00201  | 0.00159 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00402  | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| Surrogate                   | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 110       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |
| 1,4-Difluorobenzene (Surr)  | 107       |           | 70 - 130 |         |       |   | 11/23/24 17:07 | 11/24/24 14:49 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00229 | U         | 0.00402 | 0.00229 | mg/Kg |   |          | 11/24/24 14:49 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 50.0 | 15.1 | mg/Kg |   |          | 11/25/24 13:49 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 13:49 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 13:49 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 13:49 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 81        |           | 70 - 130 |      |       |   | 11/22/24 16:33 | 11/25/24 13:49 | 1       |
| o-Terphenyl                          | 85        |           | 70 - 130 |      |       |   | 11/22/24 16:33 | 11/25/24 13:49 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 408    |           | 10.0 | 0.396 | mg/Kg |   |          | 11/26/24 01:10 | 1       |

Eurofins Midland

## Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-21 (0-6")

Lab Sample ID: 880-51419-68

Date Collected: 11/20/24 15:50

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 0-6"

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 15:10 | 1       |
| Toluene             | <0.00200 | U         | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 15:10 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 15:10 | 1       |
| m-Xylene & p-Xylene | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 15:10 | 1       |
| o-Xylene            | <0.00158 | U         | 0.00200 | 0.00158 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 15:10 | 1       |
| Xylenes, Total      | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 15:10 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 111       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 15:10 | 1       |
| 1,4-Difluorobenzene (Surr)  | 108       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 15:10 | 1       |

## Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte    | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00228 | U         | 0.00399 | 0.00228 | mg/Kg |   |          | 11/24/24 15:10 | 1       |

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------|-------|---|----------|----------------|---------|
| Total TPH | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   |          | 11/25/24 17:06 | 1       |

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U         | 49.9 | 14.5 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 17:06 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 17:06 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1  | U         | 49.9 | 15.1 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 17:06 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 88        |           | 70 - 130 | 11/22/24 16:33 | 11/25/24 17:06 | 1       |
| o-Terphenyl    | 95        |           | 70 - 130 | 11/22/24 16:33 | 11/25/24 17:06 | 1       |

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte  | Result | Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------|----------------|---------|
| Chloride | 726    |           | 9.90 | 0.391 | mg/Kg |   |          | 11/26/24 01:17 | 1       |

Client Sample ID: S-21 (2')

Lab Sample ID: 880-51419-70

Date Collected: 11/20/24 16:00

Matrix: Solid

Date Received: 11/22/24 11:58

Sample Depth: 2'

## Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte             | Result   | Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |
| Toluene             | 0.00438  |           | 0.00200 | 0.00200 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |
| Ethylbenzene        | 0.0209   |           | 0.00200 | 0.00109 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |
| m-Xylene & p-Xylene | 0.00799  |           | 0.00399 | 0.00228 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |
| o-Xylene            | 0.0735   |           | 0.00200 | 0.00158 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |
| Xylenes, Total      | 0.0815   |           | 0.00399 | 0.00228 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 27        | S1-       | 70 - 130 | 11/22/24 16:19 | 11/24/24 14:36 | 1       |

Eurofins Midland

Client Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-21 (2')  
Date Collected: 11/20/24 16:00  
Date Received: 11/22/24 11:58  
Sample Depth: 2'

Lab Sample ID: 880-51419-70  
Matrix: Solid

|                                                                   |           |           |          |         |       |   |                |                |         |  |
|-------------------------------------------------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|--|
| Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued) |           |           |          |         |       |   |                |                |         |  |
| Surrogate                                                         | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |  |
| 1,4-Difluorobenzene (Surr)                                        | 120       |           | 70 - 130 |         |       |   | 11/22/24 16:19 | 11/24/24 14:36 | 1       |  |
| Method: TAL SOP Total BTEX - Total BTEX Calculation               |           |           |          |         |       |   |                |                |         |  |
| Analyte                                                           | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |  |
| Total BTEX                                                        | 0.107     |           | 0.00399  | 0.00228 | mg/Kg | - |                | 11/24/24 14:36 | 1       |  |
| Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)          |           |           |          |         |       |   |                |                |         |  |
| Analyte                                                           | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |  |
| Total TPH                                                         | <15.1     | U         | 49.9     | 15.1    | mg/Kg | - |                | 11/26/24 11:58 | 1       |  |
| Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)         |           |           |          |         |       |   |                |                |         |  |
| Analyte                                                           | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |  |
| Gasoline Range Organics (GRO)-C6-C10                              | <14.5     | U         | 49.9     | 14.5    | mg/Kg | - | 11/25/24 08:25 | 11/26/24 11:58 | 1       |  |
| Diesel Range Organics (Over C10-C28)                              | <15.1     | U         | 49.9     | 15.1    | mg/Kg | - | 11/25/24 08:25 | 11/26/24 11:58 | 1       |  |
| Oil Range Organics (Over C28-C36)                                 | <15.1     | U         | 49.9     | 15.1    | mg/Kg | - | 11/25/24 08:25 | 11/26/24 11:58 | 1       |  |
| Surrogate                                                         | %Recovery | Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |  |
| 1-Chlorooctane                                                    | 86        |           | 70 - 130 |         |       |   | 11/25/24 08:25 | 11/26/24 11:58 | 1       |  |
| o-Terphenyl                                                       | 67        | S1-       | 70 - 130 |         |       |   | 11/25/24 08:25 | 11/26/24 11:58 | 1       |  |
| Method: EPA 300.0 - Anions, Ion Chromatography - Soluble          |           |           |          |         |       |   |                |                |         |  |
| Analyte                                                           | Result    | Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |  |
| Chloride                                                          | 175       | F1        | 10.1     | 0.397   | mg/Kg | - |                | 11/26/24 03:18 | 1       |  |

## Surrogate Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID        | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |                   |
|----------------------|------------------------|------------------------------------------------|-------------------|
|                      |                        | BFB1<br>(70-130)                               | DFBZ1<br>(70-130) |
| 880-51418-A-41-E MS  | Matrix Spike           | 144 S1+                                        | 91                |
| 880-51418-A-41-F MSD | Matrix Spike Duplicate | 84                                             | 99                |
| 880-51419-1          | S-1 (0-6")             | 125                                            | 97                |
| 880-51419-1 MS       | S-1 (0-6")             | 103                                            | 96                |
| 880-51419-1 MSD      | S-1 (0-6")             | 108                                            | 100               |
| 880-51419-5          | S-1 (4.1')             | 93                                             | 98                |
| 880-51419-6          | S-2 (0-6")             | 130                                            | 98                |
| 880-51419-8          | S-2 (1.5')             | 118                                            | 95                |
| 880-51419-9          | S-3 (0-6")             | 126                                            | 97                |
| 880-51419-11         | S-3 (2')               | 128                                            | 97                |
| 880-51419-12         | S-4 (0-6")             | 127                                            | 98                |
| 880-51419-14         | S-4 (1.5')             | 124                                            | 98                |
| 880-51419-15         | S-5 (0-6")             | 127                                            | 97                |
| 880-51419-18         | S-5 (3')               | 155 S1+                                        | 103               |
| 880-51419-19         | S-6 (0-6")             | 119                                            | 90                |
| 880-51419-23         | S-6 (4')               | 121                                            | 97                |
| 880-51419-24         | S-7 (0-6")             | 127                                            | 98                |
| 880-51419-26         | S-7 (2')               | 125                                            | 97                |
| 880-51419-27         | S-8 (0-6")             | 124                                            | 98                |
| 880-51419-29         | S-8 (2')               | 124                                            | 98                |
| 880-51419-30         | S-9 (0-6")             | 126                                            | 97                |
| 880-51419-32         | S-9 (2')               | 129                                            | 97                |
| 880-51419-33         | S-10 (0-6")            | 121                                            | 97                |
| 880-51419-35         | S-10 (2')              | 124                                            | 97                |
| 880-51419-36         | S-11 (0-6")            | 126                                            | 95                |
| 880-51419-38         | S-11 (2')              | 114                                            | 108               |
| 880-51419-38 MS      | S-11 (2')              | 104                                            | 103               |
| 880-51419-38 MSD     | S-11 (2')              | 111                                            | 105               |
| 880-51419-39         | S-12 (0-6")            | 109                                            | 105               |
| 880-51419-41         | S-12 (2')              | 115                                            | 107               |
| 880-51419-42         | S-14 (0-6")            | 110                                            | 109               |
| 880-51419-44         | S-14 (1.5')            | 110                                            | 108               |
| 880-51419-45         | S-15 (0-6")            | 113                                            | 107               |
| 880-51419-47         | S-15 (2')              | 111                                            | 108               |
| 880-51419-48         | S-16 (0-6")            | 114                                            | 108               |
| 880-51419-50         | S-16 (1.5')            | 112                                            | 108               |
| 880-51419-51         | S-17 (0-6")            | 109                                            | 107               |
| 880-51419-53         | S-17 (1.5')            | 110                                            | 108               |
| 880-51419-54         | S-13 (0-6")            | 111                                            | 107               |
| 880-51419-56         | S-13 (2')              | 112                                            | 107               |
| 880-51419-57         | S-18 (0-6")            | 108                                            | 107               |
| 880-51419-59         | S-18 (1.5')            | 109                                            | 105               |
| 880-51419-60         | S-19 (0-6")            | 110                                            | 107               |
| 880-51419-62         | S-19 (2')              | 111                                            | 109               |
| 880-51419-63         | S-20 (0-6")            | 106                                            | 106               |
| 880-51419-67         | S-20 (4.1')            | 110                                            | 107               |
| 880-51419-68         | S-21 (0-6")            | 111                                            | 108               |
| 880-51419-70         | S-21 (2')              | 27 S1-                                         | 120               |
| 880-51482-A-2-A MS   | Matrix Spike           | 101                                            | 101               |

Eurofins Midland

## Surrogate Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

|                                   |                        | Percent Surrogate Recovery (Acceptance Limits) |                   |
|-----------------------------------|------------------------|------------------------------------------------|-------------------|
| Lab Sample ID                     | Client Sample ID       | BFB1<br>(70-130)                               | DFBZ1<br>(70-130) |
| 880-51482-A-2-B MSD               | Matrix Spike Duplicate | 105                                            | 100               |
| LCS 880-96418/1-A                 | Lab Control Sample     | 126                                            | 95                |
| LCS 880-96445/1-A                 | Lab Control Sample     | 116                                            | 99                |
| LCS 880-96446/1-A                 | Lab Control Sample     | 108                                            | 103               |
| LCS 880-96521/1-A                 | Lab Control Sample     | 104                                            | 101               |
| LCSD 880-96418/2-A                | Lab Control Sample Dup | 125                                            | 94                |
| LCSD 880-96445/2-A                | Lab Control Sample Dup | 107                                            | 98                |
| LCSD 880-96446/2-A                | Lab Control Sample Dup | 108                                            | 102               |
| LCSD 880-96521/2-A                | Lab Control Sample Dup | 110                                            | 102               |
| MB 880-96416/5-A                  | Method Blank           | 107                                            | 102               |
| MB 880-96418/5-A                  | Method Blank           | 132 S1+                                        | 92                |
| MB 880-96443/25-A                 | Method Blank           | 128                                            | 92                |
| MB 880-96445/5-A                  | Method Blank           | 117                                            | 89                |
| MB 880-96446/5-A                  | Method Blank           | 106                                            | 103               |
| MB 880-96521/5-A                  | Method Blank           | 96                                             | 93                |
| <b>Surrogate Legend</b>           |                        |                                                |                   |
| BFB = 4-Bromofluorobenzene (Surr) |                        |                                                |                   |
| DFBZ = 1,4-Difluorobenzene (Surr) |                        |                                                |                   |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

|                      |                        | Percent Surrogate Recovery (Acceptance Limits) |                   |
|----------------------|------------------------|------------------------------------------------|-------------------|
| Lab Sample ID        | Client Sample ID       | 1CO1<br>(70-130)                               | OTPH1<br>(70-130) |
| 880-51418-A-57-C MS  | Matrix Spike           | 95                                             | 92                |
| 880-51418-A-57-D MSD | Matrix Spike Duplicate | 95                                             | 92                |
| 880-51419-1          | S-1 (0-6")             | 105                                            | 98                |
| 880-51419-5          | S-1 (4.1')             | 86                                             | 67 S1-            |
| 880-51419-6          | S-2 (0-6")             | 97                                             | 91                |
| 880-51419-8          | S-2 (1.5')             | 105                                            | 97                |
| 880-51419-9          | S-3 (0-6")             | 110                                            | 105               |
| 880-51419-11         | S-3 (2')               | 105                                            | 96                |
| 880-51419-12         | S-4 (0-6")             | 106                                            | 97                |
| 880-51419-14         | S-4 (1.5')             | 104                                            | 96                |
| 880-51419-15         | S-5 (0-6")             | 104                                            | 96                |
| 880-51419-18         | S-5 (3')               | 109                                            | 111               |
| 880-51419-19         | S-6 (0-6")             | 107                                            | 99                |
| 880-51419-23         | S-6 (4')               | 107                                            | 100               |
| 880-51419-24         | S-7 (0-6")             | 116                                            | 108               |
| 880-51419-26         | S-7 (2')               | 113                                            | 104               |
| 880-51419-27         | S-8 (0-6")             | 108                                            | 100               |
| 880-51419-29         | S-8 (2')               | 107                                            | 99                |
| 880-51419-30         | S-9 (0-6")             | 102                                            | 93                |
| 880-51419-32         | S-9 (2')               | 105                                            | 97                |
| 880-51419-33         | S-10 (0-6")            | 112                                            | 99                |
| 880-51419-35         | S-10 (2')              | 111                                            | 99                |
| 880-51419-35 MS      | S-10 (2')              | 99                                             | 94                |
| 880-51419-35 MSD     | S-10 (2')              | 99                                             | 95                |
| 880-51419-36         | S-11 (0-6")            | 111                                            | 102               |

Eurofins Midland

## Surrogate Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

|                         |                        | Percent Surrogate Recovery (Acceptance Limits) |                   |
|-------------------------|------------------------|------------------------------------------------|-------------------|
| Lab Sample ID           | Client Sample ID       | 1CO1<br>(70-130)                               | OTPH1<br>(70-130) |
| 880-51419-38            | S-11 (2')              | 104                                            | 94                |
| 880-51419-39            | S-12 (0-6")            | 105                                            | 96                |
| 880-51419-41            | S-12 (2')              | 101                                            | 92                |
| 880-51419-42            | S-14 (0-6")            | 110                                            | 98                |
| 880-51419-44            | S-14 (1.5')            | 104                                            | 95                |
| 880-51419-45            | S-15 (0-6")            | 107                                            | 99                |
| 880-51419-47            | S-15 (2')              | 109                                            | 100               |
| 880-51419-48            | S-16 (0-6")            | 107                                            | 98                |
| 880-51419-50            | S-16 (1.5')            | 103                                            | 95                |
| 880-51419-51            | S-17 (0-6")            | 108                                            | 98                |
| 880-51419-53            | S-17 (1.5')            | 108                                            | 98                |
| 880-51419-54            | S-13 (0-6")            | 101                                            | 94                |
| 880-51419-56            | S-13 (2')              | 106                                            | 97                |
| 880-51419-57            | S-18 (0-6")            | 111                                            | 101               |
| 880-51419-59            | S-18 (1.5')            | 111                                            | 101               |
| 880-51419-60            | S-19 (0-6")            | 106                                            | 96                |
| 880-51419-62            | S-19 (2')              | 104                                            | 94                |
| 880-51419-63            | S-20 (0-6")            | 110                                            | 99                |
| 880-51419-67            | S-20 (4.1')            | 81                                             | 85                |
| 880-51419-67 MS         | S-20 (4.1')            | 94                                             | 87                |
| 880-51419-67 MSD        | S-20 (4.1')            | 97                                             | 88                |
| 880-51419-68            | S-21 (0-6")            | 88                                             | 95                |
| 880-51419-70            | S-21 (2')              | 86                                             | 67 S1-            |
| 880-51433-A-4-D MS      | Matrix Spike           | 102                                            | 84                |
| 880-51433-A-4-E MSD     | Matrix Spike Duplicate | 84                                             | 71                |
| LCS 880-96410/2-A       | Lab Control Sample     | 124                                            | 120               |
| LCS 880-96411/2-A       | Lab Control Sample     | 104                                            | 104               |
| LCS 880-96419/2-A       | Lab Control Sample     | 136 S1+                                        | 131 S1+           |
| LCS 880-96467/2-A       | Lab Control Sample     | 90                                             | 82                |
| LCSD 880-96410/3-A      | Lab Control Sample Dup | 114                                            | 113               |
| LCSD 880-96411/3-A      | Lab Control Sample Dup | 105                                            | 103               |
| LCSD 880-96419/3-A      | Lab Control Sample Dup | 143 S1+                                        | 134 S1+           |
| LCSD 880-96467/3-A      | Lab Control Sample Dup | 92                                             | 82                |
| MB 880-96410/1-A        | Method Blank           | 118                                            | 109               |
| MB 880-96411/1-A        | Method Blank           | 128                                            | 117               |
| MB 880-96419/1-A        | Method Blank           | 76                                             | 82                |
| MB 880-96467/1-A        | Method Blank           | 113                                            | 91                |
| <b>Surrogate Legend</b> |                        |                                                |                   |
| 1CO = 1-Chlorooctane    |                        |                                                |                   |
| OTPH = o-Terphenyl      |                        |                                                |                   |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-96416/5-A

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96416

| Analyte             | MB<br>Result | MB<br>Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|--------------|-----------------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139     | U               | 0.00200 | 0.00139 | mg/Kg |   | 11/22/24 16:09 | 11/23/24 20:05 | 1       |
| Toluene             | <0.00200     | U               | 0.00200 | 0.00200 | mg/Kg |   | 11/22/24 16:09 | 11/23/24 20:05 | 1       |
| Ethylbenzene        | <0.00109     | U               | 0.00200 | 0.00109 | mg/Kg |   | 11/22/24 16:09 | 11/23/24 20:05 | 1       |
| m-Xylene & p-Xylene | <0.00229     | U               | 0.00400 | 0.00229 | mg/Kg |   | 11/22/24 16:09 | 11/23/24 20:05 | 1       |
| o-Xylene            | <0.00158     | U               | 0.00200 | 0.00158 | mg/Kg |   | 11/22/24 16:09 | 11/23/24 20:05 | 1       |
| Xylenes, Total      | <0.00229     | U               | 0.00400 | 0.00229 | mg/Kg |   | 11/22/24 16:09 | 11/23/24 20:05 | 1       |

| Surrogate                   | MB<br>%Recovery | MB<br>Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 107             |                 | 70 - 130 | 11/22/24 16:09 | 11/23/24 20:05 | 1       |
| 1,4-Difluorobenzene (Surr)  | 102             |                 | 70 - 130 | 11/22/24 16:09 | 11/23/24 20:05 | 1       |

Lab Sample ID: MB 880-96418/5-A

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96418

| Analyte             | MB<br>Result | MB<br>Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|--------------|-----------------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139     | U               | 0.00200 | 0.00139 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 06:53 | 1       |
| Toluene             | <0.00200     | U               | 0.00200 | 0.00200 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 06:53 | 1       |
| Ethylbenzene        | <0.00109     | U               | 0.00200 | 0.00109 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 06:53 | 1       |
| m-Xylene & p-Xylene | <0.00229     | U               | 0.00400 | 0.00229 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 06:53 | 1       |
| o-Xylene            | <0.00158     | U               | 0.00200 | 0.00158 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 06:53 | 1       |
| Xylenes, Total      | <0.00229     | U               | 0.00400 | 0.00229 | mg/Kg |   | 11/22/24 16:19 | 11/24/24 06:53 | 1       |

| Surrogate                   | MB<br>%Recovery | MB<br>Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 132             | S1+             | 70 - 130 | 11/22/24 16:19 | 11/24/24 06:53 | 1       |
| 1,4-Difluorobenzene (Surr)  | 92              |                 | 70 - 130 | 11/22/24 16:19 | 11/24/24 06:53 | 1       |

Lab Sample ID: LCS 880-96418/1-A

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96418

| Analyte             | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit  | D | %Rec | %Rec<br>Limits |
|---------------------|----------------|---------------|------------------|-------|---|------|----------------|
| Benzene             | 0.100          | 0.1211        |                  | mg/Kg |   | 121  | 70 - 130       |
| Toluene             | 0.100          | 0.1118        |                  | mg/Kg |   | 112  | 70 - 130       |
| Ethylbenzene        | 0.100          | 0.1121        |                  | mg/Kg |   | 112  | 70 - 130       |
| m-Xylene & p-Xylene | 0.200          | 0.2307        |                  | mg/Kg |   | 115  | 70 - 130       |
| o-Xylene            | 0.100          | 0.1153        |                  | mg/Kg |   | 115  | 70 - 130       |

| Surrogate                   | LCS<br>%Recovery | LCS<br>Qualifier | Limits   |
|-----------------------------|------------------|------------------|----------|
| 4-Bromofluorobenzene (Surr) | 126              |                  | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 95               |                  | 70 - 130 |

Lab Sample ID: LCSD 880-96418/2-A

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96418

| Analyte | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit  | D | %Rec | %Rec<br>Limits | RPD | RPD<br>Limit |
|---------|----------------|----------------|-------------------|-------|---|------|----------------|-----|--------------|
| Benzene | 0.100          | 0.1207         |                   | mg/Kg |   | 121  | 70 - 130       | 0   | 35           |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-96418/2-A

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96418

| Analyte             | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec     |     | RPD | Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|----------|-----|-----|-------|
|                     |             |             |                |       |   |      | Limits   | RPD |     |       |
| Toluene             | 0.100       | 0.1114      |                | mg/Kg |   | 111  | 70 - 130 | 0   |     | 35    |
| Ethylbenzene        | 0.100       | 0.1116      |                | mg/Kg |   | 112  | 70 - 130 | 0   |     | 35    |
| m-Xylene & p-Xylene | 0.200       | 0.2295      |                | mg/Kg |   | 115  | 70 - 130 | 1   |     | 35    |
| o-Xylene            | 0.100       | 0.1146      |                | mg/Kg |   | 115  | 70 - 130 | 1   |     | 35    |

| Surrogate                   | LCSD      |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 125       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 94        |           | 70 - 130 |

Lab Sample ID: 880-51418-A-41-E MS

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 96418

| Analyte             | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec     |     |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|----------|-----|
|                     |               |                  |             |           |              |       |   |      | Limits   | RPD |
| Benzene             | <0.00139      | U F2 F1          | 0.0996      | 0.08104   |              | mg/Kg |   | 81   | 70 - 130 |     |
| Toluene             | <0.00199      | U F2 F1          | 0.0996      | 0.08140   |              | mg/Kg |   | 82   | 70 - 130 |     |
| Ethylbenzene        | <0.00108      | U F2 F1          | 0.0996      | 0.08578   |              | mg/Kg |   | 86   | 70 - 130 |     |
| m-Xylene & p-Xylene | <0.00228      | U F2 F1          | 0.199       | 0.1840    |              | mg/Kg |   | 92   | 70 - 130 |     |
| o-Xylene            | <0.00158      | U F2 F1          | 0.0996      | 0.09331   |              | mg/Kg |   | 94   | 70 - 130 |     |

| Surrogate                   | MS        |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 144       | S1+       | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 91        |           | 70 - 130 |

Lab Sample ID: 880-51418-A-41-F MSD

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 96418

| Analyte             | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec     |     | RPD | Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|----------|-----|-----|-------|
|                     |               |                  |             |            |               |       |   |      | Limits   | RPD |     |       |
| Benzene             | <0.00139      | U F2 F1          | 0.101       | 0.03618    | F2 F1         | mg/Kg |   | 36   | 70 - 130 | 77  |     | 35    |
| Toluene             | <0.00199      | U F2 F1          | 0.101       | 0.04235    | F2 F1         | mg/Kg |   | 42   | 70 - 130 | 63  |     | 35    |
| Ethylbenzene        | <0.00108      | U F2 F1          | 0.101       | 0.03680    | F2 F1         | mg/Kg |   | 37   | 70 - 130 | 80  |     | 35    |
| m-Xylene & p-Xylene | <0.00228      | U F2 F1          | 0.201       | 0.08125    | F2 F1         | mg/Kg |   | 40   | 70 - 130 | 77  |     | 35    |
| o-Xylene            | <0.00158      | U F2 F1          | 0.101       | 0.04105    | F2 F1         | mg/Kg |   | 41   | 70 - 130 | 78  |     | 35    |

| Surrogate                   | MSD       |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 84        |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 99        |           | 70 - 130 |

Lab Sample ID: MB 880-96443/25-A

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96443

| Analyte             | MB       |           | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|----------|-----------|---------|---------|-------|---|----------------|----------------|---------|
|                     | Result   | Qualifier |         |         |       |   |                |                |         |
| Benzene             | <0.00139 | U         | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |
| Toluene             | <0.00200 | U         | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |
| Ethylbenzene        | <0.00109 | U         | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |
| m-Xylene & p-Xylene | <0.00229 | U         | 0.00400 | 0.00229 | mg/Kg |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-96443/25-A

Matrix: Solid

Analysis Batch: 96439

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96443

| Analyte                     | MB        | MB        | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
|                             | Result    | Qualifier |          |         |       |   |                |                |         |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |
| Surrogate                   | MB        | MB        | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
|                             | %Recovery | Qualifier |          |         |       |   |                |                |         |
| 4-Bromofluorobenzene (Surr) | 128       |           | 70 - 130 |         |       |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |
| 1,4-Difluorobenzene (Surr)  | 92        |           | 70 - 130 |         |       |   | 11/23/24 16:48 | 11/23/24 19:56 | 1       |

Lab Sample ID: MB 880-96445/5-A

Matrix: Solid

Analysis Batch: 96438

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96445

| Analyte                     | MB        | MB        | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|---------|-------|---|----------------|----------------|---------|
|                             | Result    | Qualifier |          |         |       |   |                |                |         |
| Benzene                     | <0.00139  | U         | 0.00200  | 0.00139 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| Toluene                     | <0.00200  | U         | 0.00200  | 0.00200 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| Ethylbenzene                | <0.00109  | U         | 0.00200  | 0.00109 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| m-Xylene & p-Xylene         | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| o-Xylene                    | <0.00158  | U         | 0.00200  | 0.00158 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| Xylenes, Total              | <0.00229  | U         | 0.00400  | 0.00229 | mg/Kg |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| Surrogate                   | MB        | MB        | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
|                             | %Recovery | Qualifier |          |         |       |   |                |                |         |
| 4-Bromofluorobenzene (Surr) | 117       |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |
| 1,4-Difluorobenzene (Surr)  | 89        |           | 70 - 130 |         |       |   | 11/23/24 17:04 | 11/23/24 20:45 | 1       |

Lab Sample ID: LCS 880-96445/1-A

Matrix: Solid

Analysis Batch: 96438

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96445

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|-----------------------------|-------------|------------|---------------|-------|---|------|-------------|--|--|
|                             |             |            |               |       |   |      |             |  |  |
| Benzene                     | 0.100       | 0.1171     |               | mg/Kg |   | 117  | 70 - 130    |  |  |
| Toluene                     | 0.100       | 0.1136     |               | mg/Kg |   | 114  | 70 - 130    |  |  |
| Ethylbenzene                | 0.100       | 0.1164     |               | mg/Kg |   | 116  | 70 - 130    |  |  |
| m-Xylene & p-Xylene         | 0.200       | 0.2392     |               | mg/Kg |   | 120  | 70 - 130    |  |  |
| o-Xylene                    | 0.100       | 0.1273     |               | mg/Kg |   | 127  | 70 - 130    |  |  |
| Surrogate                   | LCS         | LCS        | Limits        |       |   |      |             |  |  |
|                             | %Recovery   | Qualifier  |               |       |   |      |             |  |  |
| 4-Bromofluorobenzene (Surr) | 116         |            | 70 - 130      |       |   |      |             |  |  |
| 1,4-Difluorobenzene (Surr)  | 99          |            | 70 - 130      |       |   |      |             |  |  |

Lab Sample ID: LCSD 880-96445/2-A

Matrix: Solid

Analysis Batch: 96438

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96445

| Analyte             | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
|                     |             |             |                |       |   |      |             |     |           |
| Benzene             | 0.100       | 0.1183      |                | mg/Kg |   | 118  | 70 - 130    | 1   | 35        |
| Toluene             | 0.100       | 0.1153      |                | mg/Kg |   | 115  | 70 - 130    | 1   | 35        |
| Ethylbenzene        | 0.100       | 0.1208      |                | mg/Kg |   | 121  | 70 - 130    | 4   | 35        |
| m-Xylene & p-Xylene | 0.200       | 0.2433      |                | mg/Kg |   | 122  | 70 - 130    | 2   | 35        |
| o-Xylene            | 0.100       | 0.1269      |                | mg/Kg |   | 127  | 70 - 130    | 0   | 35        |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

|                             | LCSD      | LCSD      |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 107       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 98        |           | 70 - 130 |

Lab Sample ID: 880-51419-1 MS

Matrix: Solid

Analysis Batch: 96438

Client Sample ID: S-1 (0-6")

Prep Type: Total/NA

Prep Batch: 96445

| Analyte             | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Benzene             | <0.00139      | U                | 0.0996      | 0.1087    |              | mg/Kg |   | 109  | 70 - 130    |
| Toluene             | <0.00200      | U                | 0.0996      | 0.1037    |              | mg/Kg |   | 104  | 70 - 130    |
| Ethylbenzene        | <0.00109      | U                | 0.0996      | 0.1029    |              | mg/Kg |   | 103  | 70 - 130    |
| m-Xylene & p-Xylene | <0.00228      | U                | 0.199       | 0.2041    |              | mg/Kg |   | 102  | 70 - 130    |
| o-Xylene            | <0.00158      | U                | 0.0996      | 0.1056    |              | mg/Kg |   | 106  | 70 - 130    |

|                             | MS        | MS        |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 103       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 96        |           | 70 - 130 |

Lab Sample ID: 880-51419-1 MSD

Matrix: Solid

Analysis Batch: 96438

Client Sample ID: S-1 (0-6")

Prep Type: Total/NA

Prep Batch: 96445

| Analyte             | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-------|
| Benzene             | <0.00139      | U                | 0.100       | 0.1186     |               | mg/Kg |   | 118  | 70 - 130    | 9   | 35    |
| Toluene             | <0.00200      | U                | 0.100       | 0.1128     |               | mg/Kg |   | 113  | 70 - 130    | 8   | 35    |
| Ethylbenzene        | <0.00109      | U                | 0.100       | 0.1127     |               | mg/Kg |   | 113  | 70 - 130    | 9   | 35    |
| m-Xylene & p-Xylene | <0.00228      | U                | 0.200       | 0.2256     |               | mg/Kg |   | 113  | 70 - 130    | 10  | 35    |
| o-Xylene            | <0.00158      | U                | 0.100       | 0.1160     |               | mg/Kg |   | 116  | 70 - 130    | 9   | 35    |

|                             | MSD       | MSD       |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 108       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 100       |           | 70 - 130 |

Lab Sample ID: MB 880-96446/5-A

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96446

| Analyte             | MB Result | MB Qualifier | RL      | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------|-----------|--------------|---------|---------|-------|---|----------------|----------------|---------|
| Benzene             | <0.00139  | U            | 0.00200 | 0.00139 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:05 | 1       |
| Toluene             | <0.00200  | U            | 0.00200 | 0.00200 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:05 | 1       |
| Ethylbenzene        | <0.00109  | U            | 0.00200 | 0.00109 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:05 | 1       |
| m-Xylene & p-Xylene | <0.00229  | U            | 0.00400 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:05 | 1       |
| o-Xylene            | <0.00158  | U            | 0.00200 | 0.00158 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:05 | 1       |
| Xylenes, Total      | <0.00229  | U            | 0.00400 | 0.00229 | mg/Kg |   | 11/23/24 17:07 | 11/24/24 07:05 | 1       |

|                             | MB        | MB        |          |                |                |         |  |  |  |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|--|--|--|
| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |  |  |  |
| 4-Bromofluorobenzene (Surr) | 106       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 07:05 | 1       |  |  |  |
| 1,4-Difluorobenzene (Surr)  | 103       |           | 70 - 130 | 11/23/24 17:07 | 11/24/24 07:05 | 1       |  |  |  |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-96446/1-A

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96446

| Analyte             | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit  | D | %Rec | %Rec<br>Limits |
|---------------------|----------------|---------------|------------------|-------|---|------|----------------|
|                     |                |               |                  |       |   |      |                |
| Benzene             | 0.100          | 0.1088        |                  | mg/Kg |   | 109  | 70 - 130       |
| Toluene             | 0.100          | 0.1064        |                  | mg/Kg |   | 106  | 70 - 130       |
| Ethylbenzene        | 0.100          | 0.1037        |                  | mg/Kg |   | 104  | 70 - 130       |
| m-Xylene & p-Xylene | 0.200          | 0.2090        |                  | mg/Kg |   | 105  | 70 - 130       |
| o-Xylene            | 0.100          | 0.1092        |                  | mg/Kg |   | 109  | 70 - 130       |

| Surrogate                   | LCS<br>%Recovery | LCS<br>Qualifier | Limits   |
|-----------------------------|------------------|------------------|----------|
| 4-Bromofluorobenzene (Surr) | 108              |                  | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 103              |                  | 70 - 130 |

Lab Sample ID: LCSD 880-96446/2-A

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96446

| Analyte             | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit  | D | %Rec | %Rec<br>Limits | RPD | RPD<br>Limit |
|---------------------|----------------|----------------|-------------------|-------|---|------|----------------|-----|--------------|
|                     |                |                |                   |       |   |      |                |     |              |
| Benzene             | 0.100          | 0.1090         |                   | mg/Kg |   | 109  | 70 - 130       | 0   | 35           |
| Toluene             | 0.100          | 0.1072         |                   | mg/Kg |   | 107  | 70 - 130       | 1   | 35           |
| Ethylbenzene        | 0.100          | 0.1051         |                   | mg/Kg |   | 105  | 70 - 130       | 1   | 35           |
| m-Xylene & p-Xylene | 0.200          | 0.2127         |                   | mg/Kg |   | 106  | 70 - 130       | 2   | 35           |
| o-Xylene            | 0.100          | 0.1108         |                   | mg/Kg |   | 111  | 70 - 130       | 1   | 35           |

| Surrogate                   | LCSD<br>%Recovery | LCSD<br>Qualifier | Limits   |
|-----------------------------|-------------------|-------------------|----------|
| 4-Bromofluorobenzene (Surr) | 108               |                   | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 102               |                   | 70 - 130 |

Lab Sample ID: 880-51419-38 MS

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: S-11 (2')

Prep Type: Total/NA

Prep Batch: 96446

| Analyte             | Sample<br>Result | Sample<br>Qualifier | Spike<br>Added | MS<br>Result | MS<br>Qualifier | Unit  | D | %Rec | %Rec<br>Limits |
|---------------------|------------------|---------------------|----------------|--------------|-----------------|-------|---|------|----------------|
|                     |                  |                     |                |              |                 |       |   |      |                |
| Benzene             | <0.00138         | U                   | 0.0996         | 0.09905      |                 | mg/Kg |   | 99   | 70 - 130       |
| Toluene             | <0.00198         | U                   | 0.0996         | 0.09241      |                 | mg/Kg |   | 93   | 70 - 130       |
| Ethylbenzene        | <0.00108         | U                   | 0.0996         | 0.08538      |                 | mg/Kg |   | 86   | 70 - 130       |
| m-Xylene & p-Xylene | <0.00227         | U                   | 0.199          | 0.1708       |                 | mg/Kg |   | 86   | 70 - 130       |
| o-Xylene            | <0.00157         | U                   | 0.0996         | 0.08919      |                 | mg/Kg |   | 90   | 70 - 130       |

| Surrogate                   | MS<br>%Recovery | MS<br>Qualifier | Limits   |
|-----------------------------|-----------------|-----------------|----------|
| 4-Bromofluorobenzene (Surr) | 104             |                 | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 103             |                 | 70 - 130 |

Lab Sample ID: 880-51419-38 MSD

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: S-11 (2')

Prep Type: Total/NA

Prep Batch: 96446

| Analyte      | Sample<br>Result | Sample<br>Qualifier | Spike<br>Added | MSD<br>Result | MSD<br>Qualifier | Unit  | D | %Rec | %Rec<br>Limits | RPD | RPD<br>Limit |
|--------------|------------------|---------------------|----------------|---------------|------------------|-------|---|------|----------------|-----|--------------|
|              |                  |                     |                |               |                  |       |   |      |                |     |              |
| Benzene      | <0.00138         | U                   | 0.100          | 0.08867       |                  | mg/Kg |   | 88   | 70 - 130       | 11  | 35           |
| Toluene      | <0.00198         | U                   | 0.100          | 0.08234       |                  | mg/Kg |   | 82   | 70 - 130       | 12  | 35           |
| Ethylbenzene | <0.00108         | U                   | 0.100          | 0.07708       |                  | mg/Kg |   | 77   | 70 - 130       | 10  | 35           |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-51419-38 MSD

Matrix: Solid

Analysis Batch: 96441

Client Sample ID: S-11 (2')

Prep Type: Total/NA

Prep Batch: 96446

| Analyte                     | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| m-Xylene & p-Xylene         | <0.00227      | U                | 0.200       | 0.1573     |               | mg/Kg |   | 78   | 70 - 130    | 8   | 35        |
| o-Xylene                    | <0.00157      | U                | 0.100       | 0.08391    |               | mg/Kg |   | 84   | 70 - 130    | 6   | 35        |
| Surrogate                   | MSD %Recovery | MSD Qualifier    | Limits      |            |               |       |   |      |             |     |           |
| 4-Bromofluorobenzene (Surr) | 111           |                  | 70 - 130    |            |               |       |   |      |             |     |           |
| 1,4-Difluorobenzene (Surr)  | 105           |                  | 70 - 130    |            |               |       |   |      |             |     |           |

Lab Sample ID: MB 880-96521/5-A

Matrix: Solid

Analysis Batch: 96471

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96521

| Analyte                     | MB Result    | MB Qualifier | RL       | MDL     | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|---------|-------|---|----------------|----------------|---------|
| Benzene                     | <0.00139     | U            | 0.00200  | 0.00139 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| Toluene                     | <0.00200     | U            | 0.00200  | 0.00200 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| Ethylbenzene                | <0.00109     | U            | 0.00200  | 0.00109 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| m-Xylene & p-Xylene         | <0.00229     | U            | 0.00400  | 0.00229 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| o-Xylene                    | <0.00158     | U            | 0.00200  | 0.00158 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| Xylenes, Total              | <0.00229     | U            | 0.00400  | 0.00229 | mg/Kg |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| Surrogate                   | MB %Recovery | MB Qualifier | Limits   |         |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96           |              | 70 - 130 |         |       |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |
| 1,4-Difluorobenzene (Surr)  | 93           |              | 70 - 130 |         |       |   | 11/25/24 12:14 | 11/25/24 13:18 | 1       |

Lab Sample ID: LCS 880-96521/1-A

Matrix: Solid

Analysis Batch: 96471

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96521

| Analyte                     | Spike Added   | LCS Result    | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |
|-----------------------------|---------------|---------------|---------------|-------|---|------|-------------|
| Benzene                     | 0.100         | 0.1044        |               | mg/Kg |   | 104  | 70 - 130    |
| Toluene                     | 0.100         | 0.1033        |               | mg/Kg |   | 103  | 70 - 130    |
| Ethylbenzene                | 0.100         | 0.1096        |               | mg/Kg |   | 110  | 70 - 130    |
| m-Xylene & p-Xylene         | 0.200         | 0.2129        |               | mg/Kg |   | 106  | 70 - 130    |
| o-Xylene                    | 0.100         | 0.1179        |               | mg/Kg |   | 118  | 70 - 130    |
| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits        |       |   |      |             |
| 4-Bromofluorobenzene (Surr) | 104           |               | 70 - 130      |       |   |      |             |
| 1,4-Difluorobenzene (Surr)  | 101           |               | 70 - 130      |       |   |      |             |

Lab Sample ID: LCSD 880-96521/2-A

Matrix: Solid

Analysis Batch: 96471

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96521

| Analyte             | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Benzene             | 0.100       | 0.1083      |                | mg/Kg |   | 108  | 70 - 130    | 4   | 35        |
| Toluene             | 0.100       | 0.1072      |                | mg/Kg |   | 107  | 70 - 130    | 4   | 35        |
| Ethylbenzene        | 0.100       | 0.1143      |                | mg/Kg |   | 114  | 70 - 130    | 4   | 35        |
| m-Xylene & p-Xylene | 0.200       | 0.2212      |                | mg/Kg |   | 111  | 70 - 130    | 4   | 35        |
| o-Xylene            | 0.100       | 0.1236      |                | mg/Kg |   | 124  | 70 - 130    | 5   | 35        |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

|                             | LCSD      | LCSD      |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 110       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 102       |           | 70 - 130 |

Lab Sample ID: 880-51482-A-2-A MS

Matrix: Solid

Analysis Batch: 96471

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 96521

| Analyte             | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Benzene             | 0.00190       | J                | 0.100       | 0.1093    |              | mg/Kg |   | 107  | 70 - 130    |
| Toluene             | 0.0111        |                  | 0.100       | 0.1105    |              | mg/Kg |   | 99   | 70 - 130    |
| Ethylbenzene        | 0.00164       | J                | 0.100       | 0.1120    |              | mg/Kg |   | 110  | 70 - 130    |
| m-Xylene & p-Xylene | 0.0230        |                  | 0.200       | 0.2224    |              | mg/Kg |   | 100  | 70 - 130    |
| o-Xylene            | 0.00747       |                  | 0.100       | 0.1221    |              | mg/Kg |   | 115  | 70 - 130    |

|                             | MS        | MS        |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 101       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 101       |           | 70 - 130 |

Lab Sample ID: 880-51482-A-2-B MSD

Matrix: Solid

Analysis Batch: 96471

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 96521

| Analyte             | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Benzene             | 0.00190       | J                | 0.100       | 0.09998    |               | mg/Kg |   | 98   | 70 - 130    | 9   | 35        |
| Toluene             | 0.0111        |                  | 0.100       | 0.1035     |               | mg/Kg |   | 92   | 70 - 130    | 7   | 35        |
| Ethylbenzene        | 0.00164       | J                | 0.100       | 0.1033     |               | mg/Kg |   | 102  | 70 - 130    | 8   | 35        |
| m-Xylene & p-Xylene | 0.0230        |                  | 0.200       | 0.2053     |               | mg/Kg |   | 91   | 70 - 130    | 8   | 35        |
| o-Xylene            | 0.00747       |                  | 0.100       | 0.1136     |               | mg/Kg |   | 106  | 70 - 130    | 7   | 35        |

|                             | MSD       | MSD       |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| 4-Bromofluorobenzene (Surr) | 105       |           | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 100       |           | 70 - 130 |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-96410/1-A

Matrix: Solid

Analysis Batch: 96451

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96410

| Analyte                              | MB Result | MB Qualifier | RL   | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U            | 50.0 | 14.5 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 00:26 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U            | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 00:26 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U            | 50.0 | 15.1 | mg/Kg |   | 11/22/24 15:56 | 11/26/24 00:26 | 1       |

|                | MB        | MB        |          |                |                |         |  |  |  |
|----------------|-----------|-----------|----------|----------------|----------------|---------|--|--|--|
| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |  |  |  |
| 1-Chlorooctane | 118       |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 00:26 | 1       |  |  |  |
| o-Terphenyl    | 109       |           | 70 - 130 | 11/22/24 15:56 | 11/26/24 00:26 | 1       |  |  |  |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-96410/2-A

Matrix: Solid

Analysis Batch: 96451

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96410

| Analyte                              | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |
|--------------------------------------|-------------|------------|---------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | 1000        | 1218       |               | mg/Kg |   | 122  | 70 - 130    |
| Diesel Range Organics (Over C10-C28) | 1000        | 1127       |               | mg/Kg |   | 113  | 70 - 130    |
|                                      |             |            |               |       |   |      |             |
|                                      |             | LCS        | LCS           |       |   |      |             |
|                                      |             | %Recovery  | Qualifier     |       |   |      |             |
| Surrogate                            |             |            | Limits        |       |   |      |             |
| 1-Chlorooctane                       |             | 124        | 70 - 130      |       |   |      |             |
| o-Terphenyl                          |             | 120        | 70 - 130      |       |   |      |             |

Lab Sample ID: LCSD 880-96410/3-A

Matrix: Solid

Analysis Batch: 96451

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96410

| Analyte                              | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | 1000        | 1123        |                | mg/Kg |   | 112  | 70 - 130    | 8   | 20        |
| Diesel Range Organics (Over C10-C28) | 1000        | 969.8       |                | mg/Kg |   | 97   | 70 - 130    | 15  | 20        |
|                                      |             |             |                |       |   |      |             |     |           |
|                                      |             | LCSD        | LCSD           |       |   |      |             |     |           |
|                                      |             | %Recovery   | Qualifier      |       |   |      |             |     |           |
| Surrogate                            |             |             | Limits         |       |   |      |             |     |           |
| 1-Chlorooctane                       |             | 114         | 70 - 130       |       |   |      |             |     |           |
| o-Terphenyl                          |             | 113         | 70 - 130       |       |   |      |             |     |           |

Lab Sample ID: 880-51418-A-57-C MS

Matrix: Solid

Analysis Batch: 96451

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 96410

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|--------------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U                | 999         | 884.8     |              | mg/Kg |   | 89   | 70 - 130    |
| Diesel Range Organics (Over C10-C28) | <15.1         | U                | 999         | 819.0     |              | mg/Kg |   | 82   | 70 - 130    |
|                                      |               |                  |             |           |              |       |   |      |             |
|                                      |               | MS               | MS          |           |              |       |   |      |             |
|                                      |               | %Recovery        | Qualifier   |           |              |       |   |      |             |
| Surrogate                            |               |                  | Limits      |           |              |       |   |      |             |
| 1-Chlorooctane                       |               | 95               | 70 - 130    |           |              |       |   |      |             |
| o-Terphenyl                          |               | 92               | 70 - 130    |           |              |       |   |      |             |

Lab Sample ID: 880-51418-A-57-D MSD

Matrix: Solid

Analysis Batch: 96451

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 96410

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U                | 997         | 888.6      |               | mg/Kg |   | 89   | 70 - 130    | 0   | 20        |
| Diesel Range Organics (Over C10-C28) | <15.1         | U                | 997         | 810.1      |               | mg/Kg |   | 81   | 70 - 130    | 1   | 20        |
|                                      |               |                  |             |            |               |       |   |      |             |     |           |
|                                      |               | MSD              | MSD         |            |               |       |   |      |             |     |           |
|                                      |               | %Recovery        | Qualifier   |            |               |       |   |      |             |     |           |
| Surrogate                            |               |                  | Limits      |            |               |       |   |      |             |     |           |
| 1-Chlorooctane                       |               | 95               | 70 - 130    |            |               |       |   |      |             |     |           |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-51418-A-57-D MSD

Matrix: Solid

Analysis Batch: 96451

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 96410

|                     | MSD       | MSD       |          |
|---------------------|-----------|-----------|----------|
| Surrogate           | %Recovery | Qualifier | Limits   |
| <i>o</i> -Terphenyl | 92        |           | 70 - 130 |

Lab Sample ID: MB 880-96411/1-A

Matrix: Solid

Analysis Batch: 96626

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96411

|                                      | MB        | MB        |          |      |       |   |                |                |     |     |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|-----|-----|
| Analyte                              | Result    | Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil | Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 08:17 | 1   |     |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 08:17 | 1   |     |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/22/24 15:59 | 11/26/24 08:17 | 1   |     |
|                                      | MB        | MB        |          |      |       |   |                |                |     |     |
| Surrogate                            | %Recovery | Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil | Fac |
| 1-Chlorooctane                       | 128       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 08:17 | 1   |     |
| <i>o</i> -Terphenyl                  | 117       |           | 70 - 130 |      |       |   | 11/22/24 15:59 | 11/26/24 08:17 | 1   |     |

Lab Sample ID: LCS 880-96411/2-A

Matrix: Solid

Analysis Batch: 96626

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96411

|                                      |           | Spike     | LCS      | LCS       |       |   |      | %Rec     |  |  |
|--------------------------------------|-----------|-----------|----------|-----------|-------|---|------|----------|--|--|
| Analyte                              |           | Added     | Result   | Qualifier | Unit  | D | %Rec | Limits   |  |  |
| Gasoline Range Organics (GRO)-C6-C10 |           | 1000      | 1073     |           | mg/Kg |   | 107  | 70 - 130 |  |  |
| Diesel Range Organics (Over C10-C28) |           | 1000      | 982.9    |           | mg/Kg |   | 98   | 70 - 130 |  |  |
|                                      | LCS       | LCS       |          |           |       |   |      |          |  |  |
| Surrogate                            | %Recovery | Qualifier | Limits   |           |       |   |      |          |  |  |
| 1-Chlorooctane                       | 104       |           | 70 - 130 |           |       |   |      |          |  |  |
| <i>o</i> -Terphenyl                  | 104       |           | 70 - 130 |           |       |   |      |          |  |  |

Lab Sample ID: LCSD 880-96411/3-A

Matrix: Solid

Analysis Batch: 96626

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96411

|                                      |           | Spike     | LCSD     | LCSD      |       |   |      | %Rec     |     | RPD   |
|--------------------------------------|-----------|-----------|----------|-----------|-------|---|------|----------|-----|-------|
| Analyte                              |           | Added     | Result   | Qualifier | Unit  | D | %Rec | Limits   | RPD | Limit |
| Gasoline Range Organics (GRO)-C6-C10 |           | 1000      | 1076     |           | mg/Kg |   | 108  | 70 - 130 | 0   | 20    |
| Diesel Range Organics (Over C10-C28) |           | 1000      | 945.9    |           | mg/Kg |   | 95   | 70 - 130 | 4   | 20    |
|                                      | LCSD      | LCSD      |          |           |       |   |      |          |     |       |
| Surrogate                            | %Recovery | Qualifier | Limits   |           |       |   |      |          |     |       |
| 1-Chlorooctane                       | 105       |           | 70 - 130 |           |       |   |      |          |     |       |
| <i>o</i> -Terphenyl                  | 103       |           | 70 - 130 |           |       |   |      |          |     |       |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-51419-35 MS

Matrix: Solid

Analysis Batch: 96626

Client Sample ID: S-10 (2')

Prep Type: Total/NA

Prep Batch: 96411

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|--------------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U                | 996         | 847.1     |              | mg/Kg |   | 85   | 70 - 130    |
| Diesel Range Organics (Over C10-C28) | <15.1         | U                | 996         | 766.9     |              | mg/Kg |   | 77   | 70 - 130    |
| Surrogate                            | MS %Recovery  | MS Qualifier     | Limits      |           |              |       |   |      |             |
| 1-Chlorooctane                       | 99            |                  | 70 - 130    |           |              |       |   |      |             |
| o-Terphenyl                          | 94            |                  | 70 - 130    |           |              |       |   |      |             |

Lab Sample ID: 880-51419-35 MSD

Matrix: Solid

Analysis Batch: 96626

Client Sample ID: S-10 (2')

Prep Type: Total/NA

Prep Batch: 96411

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U                | 996         | 852.8      |               | mg/Kg |   | 86   | 70 - 130    | 1   | 20        |
| Diesel Range Organics (Over C10-C28) | <15.1         | U                | 996         | 765.8      |               | mg/Kg |   | 77   | 70 - 130    | 0   | 20        |
| Surrogate                            | MSD %Recovery | MSD Qualifier    | Limits      |            |               |       |   |      |             |     |           |
| 1-Chlorooctane                       | 99            |                  | 70 - 130    |            |               |       |   |      |             |     |           |
| o-Terphenyl                          | 95            |                  | 70 - 130    |            |               |       |   |      |             |     |           |

Lab Sample ID: MB 880-96419/1-A

Matrix: Solid

Analysis Batch: 96493

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96419

| Analyte                              | MB Result    | MB Qualifier | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------------|--------------|----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5        | U            | 50.0     | 14.5 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 10:01 | 1       |
| Diesel Range Organics (Over C10-C28) | 15.29        | J            | 50.0     | 15.1 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 10:01 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1        | U            | 50.0     | 15.1 | mg/Kg |   | 11/22/24 16:33 | 11/25/24 10:01 | 1       |
| Surrogate                            | MB %Recovery | MB Qualifier | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 76           |              | 70 - 130 |      |       |   | 11/22/24 16:33 | 11/25/24 10:01 | 1       |
| o-Terphenyl                          | 82           |              | 70 - 130 |      |       |   | 11/22/24 16:33 | 11/25/24 10:01 | 1       |

Lab Sample ID: LCS 880-96419/2-A

Matrix: Solid

Analysis Batch: 96493

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96419

| Analyte                              | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |
|--------------------------------------|-------------|------------|---------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | 1000        | 1157       |               | mg/Kg |   | 116  | 70 - 130    |
| Diesel Range Organics (Over C10-C28) | 1000        | 1030       |               | mg/Kg |   | 103  | 70 - 130    |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-96419/2-A

Matrix: Solid

Analysis Batch: 96493

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96419

|                | LCS       | LCS       |          |
|----------------|-----------|-----------|----------|
| Surrogate      | %Recovery | Qualifier | Limits   |
| 1-Chlorooctane | 136       | S1+       | 70 - 130 |
| o-Terphenyl    | 131       | S1+       | 70 - 130 |

Lab Sample ID: LCSD 880-96419/3-A

Matrix: Solid

Analysis Batch: 96493

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96419

| Analyte                              | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | 1000        | 1203        |                | mg/Kg |   | 120  | 70 - 130    | 4   | 20        |
| Diesel Range Organics (Over C10-C28) | 1000        | 1109        |                | mg/Kg |   | 111  | 70 - 130    | 7   | 20        |

|                | LCSD      | LCSD      |          |
|----------------|-----------|-----------|----------|
| Surrogate      | %Recovery | Qualifier | Limits   |
| 1-Chlorooctane | 143       | S1+       | 70 - 130 |
| o-Terphenyl    | 134       | S1+       | 70 - 130 |

Lab Sample ID: 880-51419-67 MS

Matrix: Solid

Analysis Batch: 96493

Client Sample ID: S-20 (4.1')

Prep Type: Total/NA

Prep Batch: 96419

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|--------------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U                | 1000        | 851.2     |              | mg/Kg |   | 85   | 70 - 130    |
| Diesel Range Organics (Over C10-C28) | <15.1         | U                | 1000        | 744.9     |              | mg/Kg |   | 74   | 70 - 130    |

|                | MS        | MS        |          |
|----------------|-----------|-----------|----------|
| Surrogate      | %Recovery | Qualifier | Limits   |
| 1-Chlorooctane | 94        |           | 70 - 130 |
| o-Terphenyl    | 87        |           | 70 - 130 |

Lab Sample ID: 880-51419-67 MSD

Matrix: Solid

Analysis Batch: 96493

Client Sample ID: S-20 (4.1')

Prep Type: Total/NA

Prep Batch: 96419

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U                | 1000        | 881.9      |               | mg/Kg |   | 88   | 70 - 130    | 4   | 20        |
| Diesel Range Organics (Over C10-C28) | <15.1         | U                | 1000        | 746.8      |               | mg/Kg |   | 75   | 70 - 130    | 0   | 20        |

|                | MSD       | MSD       |          |
|----------------|-----------|-----------|----------|
| Surrogate      | %Recovery | Qualifier | Limits   |
| 1-Chlorooctane | 97        |           | 70 - 130 |
| o-Terphenyl    | 88        |           | 70 - 130 |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-96467/1-A

Matrix: Solid

Analysis Batch: 96624

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 96467

| Analyte                              | MB        | MB        | RL       | MDL  | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------|-------|---|----------------|----------------|---------|
|                                      | Result    | Qualifier |          |      |       |   |                |                |         |
| Gasoline Range Organics (GRO)-C6-C10 | <14.5     | U         | 50.0     | 14.5 | mg/Kg |   | 11/25/24 08:25 | 11/26/24 08:02 | 1       |
| Diesel Range Organics (Over C10-C28) | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/25/24 08:25 | 11/26/24 08:02 | 1       |
| Oil Range Organics (Over C28-C36)    | <15.1     | U         | 50.0     | 15.1 | mg/Kg |   | 11/25/24 08:25 | 11/26/24 08:02 | 1       |
| Surrogate                            | MB        | MB        | Limits   |      |       |   | Prepared       | Analyzed       | Dil Fac |
|                                      | %Recovery | Qualifier |          |      |       |   |                |                |         |
| 1-Chlorooctane                       | 113       |           | 70 - 130 |      |       |   | 11/25/24 08:25 | 11/26/24 08:02 | 1       |
| o-Terphenyl                          | 91        |           | 70 - 130 |      |       |   | 11/25/24 08:25 | 11/26/24 08:02 | 1       |

Lab Sample ID: LCS 880-96467/2-A

Matrix: Solid

Analysis Batch: 96624

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 96467

| Analyte                              | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|--------------------------------------|-------------|------------|---------------|-------|---|------|-------------|--|--|
|                                      |             |            |               |       |   |      |             |  |  |
| Gasoline Range Organics (GRO)-C6-C10 | 1000        | 993.9      |               | mg/Kg |   | 99   | 70 - 130    |  |  |
| Diesel Range Organics (Over C10-C28) | 1000        | 835.4      |               | mg/Kg |   | 84   | 70 - 130    |  |  |
| Surrogate                            | LCS         | LCS        | Limits        |       |   |      |             |  |  |
|                                      | %Recovery   | Qualifier  |               |       |   |      |             |  |  |
| 1-Chlorooctane                       | 90          |            | 70 - 130      |       |   |      |             |  |  |
| o-Terphenyl                          | 82          |            | 70 - 130      |       |   |      |             |  |  |

Lab Sample ID: LCSD 880-96467/3-A

Matrix: Solid

Analysis Batch: 96624

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 96467

| Analyte                              | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
|                                      |             |             |                |       |   |      |             |     |           |
| Gasoline Range Organics (GRO)-C6-C10 | 1000        | 1036        |                | mg/Kg |   | 104  | 70 - 130    | 4   | 20        |
| Diesel Range Organics (Over C10-C28) | 1000        | 827.1       |                | mg/Kg |   | 83   | 70 - 130    | 1   | 20        |
| Surrogate                            | LCSD        | LCSD        | Limits         |       |   |      |             |     |           |
|                                      | %Recovery   | Qualifier   |                |       |   |      |             |     |           |
| 1-Chlorooctane                       | 92          |             | 70 - 130       |       |   |      |             |     |           |
| o-Terphenyl                          | 82          |             | 70 - 130       |       |   |      |             |     |           |

Lab Sample ID: 880-51433-A-4-D MS

Matrix: Solid

Analysis Batch: 96624

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 96467

| Analyte                              | Sample | Sample    | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|--------------------------------------|--------|-----------|-------------|-----------|--------------|-------|---|------|-------------|--|--|
|                                      | Result | Qualifier |             |           |              |       |   |      |             |  |  |
| Gasoline Range Organics (GRO)-C6-C10 | <14.5  | U F2      | 999         | 972.0     |              | mg/Kg |   | 97   | 70 - 130    |  |  |
| Diesel Range Organics (Over C10-C28) | <15.1  | U F1      | 999         | 783.4     |              | mg/Kg |   | 78   | 70 - 130    |  |  |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-51433-A-4-D MS

Matrix: Solid

Analysis Batch: 96624

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 96467

|                | MS        | MS        |          |
|----------------|-----------|-----------|----------|
| Surrogate      | %Recovery | Qualifier | Limits   |
| 1-Chlorooctane | 102       |           | 70 - 130 |
| o-Terphenyl    | 84        |           | 70 - 130 |

Lab Sample ID: 880-51433-A-4-E MSD

Matrix: Solid

Analysis Batch: 96624

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 96467

| Analyte                              | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | <14.5         | U F2             | 999         | 785.4      | F2            | mg/Kg |   | 79   | 70 - 130    | 21  | 20        |
| Diesel Range Organics (Over C10-C28) | <15.1         | U F1             | 999         | 649.7      | F1            | mg/Kg |   | 65   | 70 - 130    | 19  | 20        |
| Surrogate                            | MSD %Recovery | MSD Qualifier    | Limits      |            |               |       |   |      |             |     |           |
| 1-Chlorooctane                       | 84            |                  | 70 - 130    |            |               |       |   |      |             |     |           |
| o-Terphenyl                          | 71            |                  | 70 - 130    |            |               |       |   |      |             |     |           |

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-96513/1-A

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: Method Blank

Prep Type: Soluble

| Analyte  | MB Result | MB Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|------|-------|-------|---|----------|----------------|---------|
| Chloride | <0.395    | U            | 10.0 | 0.395 | mg/Kg |   |          | 11/25/24 22:08 | 1       |

Lab Sample ID: LCS 880-96513/2-A

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: Lab Control Sample

Prep Type: Soluble

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|-------|---|------|-------------|
| Chloride | 250         | 249.7      |               | mg/Kg |   | 100  | 90 - 110    |

Lab Sample ID: LCSD 880-96513/3-A

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Chloride | 250         | 250.4       |                | mg/Kg |   | 100  | 90 - 110    | 0   | 20        |

Lab Sample ID: 880-51419-1 MS

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: S-1 (0-6")

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Chloride | 552           |                  | 250         | 816.9     |              | mg/Kg |   | 106  | 90 - 110    |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-51419-1 MSD

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: S-1 (0-6")

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 552           |                  | 250         | 817.4      |               | mg/Kg |   | 106  | 90 - 110    | 0   | 20        |

Lab Sample ID: 880-51419-23 MS

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: S-6 (4')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|--|--|
| Chloride | 2610          | F1               | 1240        | 4070      | F1           | mg/Kg |   | 117  | 90 - 110    |  |  |

Lab Sample ID: 880-51419-23 MSD

Matrix: Solid

Analysis Batch: 96520

Client Sample ID: S-6 (4')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 2610          | F1               | 1240        | 4076       | F1            | mg/Kg |   | 118  | 90 - 110    | 0   | 20        |

Lab Sample ID: MB 880-96515/1-A

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: Method Blank

Prep Type: Soluble

| Analyte  | MB Result | MB Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|------|-------|-------|---|----------|----------------|---------|
| Chloride | <0.395    | U            | 10.0 | 0.395 | mg/Kg |   |          | 11/25/24 21:57 | 1       |

Lab Sample ID: LCS 880-96515/2-A

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: Lab Control Sample

Prep Type: Soluble

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|----------|-------------|------------|---------------|-------|---|------|-------------|--|--|
| Chloride | 250         | 257.2      |               | mg/Kg |   | 103  | 90 - 110    |  |  |

Lab Sample ID: LCSD 880-96515/3-A

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Chloride | 250         | 256.8       |                | mg/Kg |   | 103  | 90 - 110    | 0   | 20        |

Lab Sample ID: 880-51419-38 MS

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: S-11 (2')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|--|--|
| Chloride | 764           |                  | 1260        | 2121      |              | mg/Kg |   | 108  | 90 - 110    |  |  |

Lab Sample ID: 880-51419-38 MSD

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: S-11 (2')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 764           |                  | 1260        | 2133       |               | mg/Kg |   | 109  | 90 - 110    | 1   | 20        |

Eurofins Midland

## QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-51419-53 MS

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: S-17 (1.5')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Chloride | 2420          | F1               | 1250        | 2732      | F1           | mg/Kg |   | 25   | 90 - 110    |

Lab Sample ID: 880-51419-53 MSD

Matrix: Solid

Analysis Batch: 96535

Client Sample ID: S-17 (1.5')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 2420          | F1               | 1250        | 2815       | F1            | mg/Kg |   | 31   | 90 - 110    | 3   | 20        |

Lab Sample ID: MB 880-96516/1-A

Matrix: Solid

Analysis Batch: 96541

Client Sample ID: Method Blank

Prep Type: Soluble

| Analyte  | MB Result | MB Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|------|-------|-------|---|----------|----------------|---------|
| Chloride | <0.395    | U            | 10.0 | 0.395 | mg/Kg |   |          | 11/26/24 02:53 | 1       |

Lab Sample ID: LCS 880-96516/2-A

Matrix: Solid

Analysis Batch: 96541

Client Sample ID: Lab Control Sample

Prep Type: Soluble

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|-------|---|------|-------------|
| Chloride | 250         | 252.5      |               | mg/Kg |   | 101  | 90 - 110    |

Lab Sample ID: LCSD 880-96516/3-A

Matrix: Solid

Analysis Batch: 96541

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Chloride | 250         | 252.4       |                | mg/Kg |   | 101  | 90 - 110    | 0   | 20        |

Lab Sample ID: 880-51419-70 MS

Matrix: Solid

Analysis Batch: 96541

Client Sample ID: S-21 (2')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Chloride | 175           | F1               | 252         | 583.3     | F1           | mg/Kg |   | 162  | 90 - 110    |

Lab Sample ID: 880-51419-70 MSD

Matrix: Solid

Analysis Batch: 96541

Client Sample ID: S-21 (2')

Prep Type: Soluble

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 175           | F1               | 252         | 583.7      | F1            | mg/Kg |   | 162  | 90 - 110    | 0   | 20        |

Lab Sample ID: MB 880-96517/1-A

Matrix: Solid

Analysis Batch: 96559

Client Sample ID: Method Blank

Prep Type: Soluble

| Analyte  | MB Result | MB Qualifier | RL   | MDL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|------|-------|-------|---|----------|----------------|---------|
| Chloride | <0.395    | U            | 10.0 | 0.395 | mg/Kg |   |          | 11/26/24 07:14 | 1       |

Eurofins Midland

QC Sample Results

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCS 880-96517/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 96559

| Analyte  |  |  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|----------|--|--|-------------|------------|---------------|-------|---|------|-------------|--|--|
| Chloride |  |  | 250         | 254.0      |               | mg/Kg |   | 102  | 90 - 110    |  |  |

Lab Sample ID: LCSD 880-96517/3-A

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 96559

| Analyte  |  |  | Spike Added | LCSD Result | LCSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|--|--|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Chloride |  |  | 250         | 254.7       |                | mg/Kg |   | 102  | 90 - 110    | 0   | 20        |

Lab Sample ID: 880-51419-5 MS

Client Sample ID: S-1 (4.1')

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 96559

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec Limits |  |  |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|--|--|
| Chloride | 1170          |                  | 1240        | 2494      |              | mg/Kg |   | 107  | 90 - 110    |  |  |

Lab Sample ID: 880-51419-5 MSD

Client Sample ID: S-1 (4.1')

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 96559

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 1170          |                  | 1240        | 2495       |               | mg/Kg |   | 107  | 90 - 110    | 0   | 20        |

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC VOA

## Prep Batch: 96416

| Lab Sample ID    | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------|-----------|--------|--------|------------|
| MB 880-96416/5-A | Method Blank     | Total/NA  | Solid  | 5035   |            |

## Prep Batch: 96418

| Lab Sample ID        | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-70         | S-21 (2')              | Total/NA  | Solid  | 5035   |            |
| MB 880-96418/5-A     | Method Blank           | Total/NA  | Solid  | 5035   |            |
| LCS 880-96418/1-A    | Lab Control Sample     | Total/NA  | Solid  | 5035   |            |
| LCSD 880-96418/2-A   | Lab Control Sample Dup | Total/NA  | Solid  | 5035   |            |
| 880-51418-A-41-E MS  | Matrix Spike           | Total/NA  | Solid  | 5035   |            |
| 880-51418-A-41-F MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 5035   |            |

## Analysis Batch: 96438

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-1        | S-1 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-6        | S-2 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-8        | S-2 (1.5')             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-9        | S-3 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-11       | S-3 (2')               | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-12       | S-4 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-14       | S-4 (1.5')             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-15       | S-5 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-18       | S-5 (3')               | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-19       | S-6 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-23       | S-6 (4')               | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-24       | S-7 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-26       | S-7 (2')               | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-27       | S-8 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-29       | S-8 (2')               | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-30       | S-9 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-32       | S-9 (2')               | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-33       | S-10 (0-6")            | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-35       | S-10 (2')              | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-36       | S-11 (0-6")            | Total/NA  | Solid  | 8021B  | 96445      |
| MB 880-96445/5-A   | Method Blank           | Total/NA  | Solid  | 8021B  | 96445      |
| LCS 880-96445/1-A  | Lab Control Sample     | Total/NA  | Solid  | 8021B  | 96445      |
| LCSD 880-96445/2-A | Lab Control Sample Dup | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-1 MS     | S-1 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |
| 880-51419-1 MSD    | S-1 (0-6")             | Total/NA  | Solid  | 8021B  | 96445      |

## Analysis Batch: 96439

| Lab Sample ID        | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-70         | S-21 (2')              | Total/NA  | Solid  | 8021B  | 96418      |
| MB 880-96418/5-A     | Method Blank           | Total/NA  | Solid  | 8021B  | 96418      |
| MB 880-96443/25-A    | Method Blank           | Total/NA  | Solid  | 8021B  | 96443      |
| LCS 880-96418/1-A    | Lab Control Sample     | Total/NA  | Solid  | 8021B  | 96418      |
| LCSD 880-96418/2-A   | Lab Control Sample Dup | Total/NA  | Solid  | 8021B  | 96418      |
| 880-51418-A-41-E MS  | Matrix Spike           | Total/NA  | Solid  | 8021B  | 96418      |
| 880-51418-A-41-F MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 8021B  | 96418      |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC VOA

## Analysis Batch: 96441

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-38       | S-11 (2')              | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-39       | S-12 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-41       | S-12 (2')              | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-42       | S-14 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-44       | S-14 (1.5')            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-45       | S-15 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-47       | S-15 (2')              | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-48       | S-16 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-50       | S-16 (1.5')            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-51       | S-17 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-53       | S-17 (1.5')            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-54       | S-13 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-56       | S-13 (2')              | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-57       | S-18 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-59       | S-18 (1.5')            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-60       | S-19 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-62       | S-19 (2')              | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-63       | S-20 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-67       | S-20 (4.1')            | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-68       | S-21 (0-6")            | Total/NA  | Solid  | 8021B  | 96446      |
| MB 880-96416/5-A   | Method Blank           | Total/NA  | Solid  | 8021B  | 96416      |
| MB 880-96446/5-A   | Method Blank           | Total/NA  | Solid  | 8021B  | 96446      |
| LCS 880-96446/1-A  | Lab Control Sample     | Total/NA  | Solid  | 8021B  | 96446      |
| LCSD 880-96446/2-A | Lab Control Sample Dup | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-38 MS    | S-11 (2')              | Total/NA  | Solid  | 8021B  | 96446      |
| 880-51419-38 MSD   | S-11 (2')              | Total/NA  | Solid  | 8021B  | 96446      |

## Prep Batch: 96443

| Lab Sample ID     | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|--------|------------|
| MB 880-96443/25-A | Method Blank     | Total/NA  | Solid  | 5035   |            |

## Prep Batch: 96445

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 880-51419-1   | S-1 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-6   | S-2 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-8   | S-2 (1.5')       | Total/NA  | Solid  | 5035   |            |
| 880-51419-9   | S-3 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-11  | S-3 (2')         | Total/NA  | Solid  | 5035   |            |
| 880-51419-12  | S-4 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-14  | S-4 (1.5')       | Total/NA  | Solid  | 5035   |            |
| 880-51419-15  | S-5 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-18  | S-5 (3')         | Total/NA  | Solid  | 5035   |            |
| 880-51419-19  | S-6 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-23  | S-6 (4')         | Total/NA  | Solid  | 5035   |            |
| 880-51419-24  | S-7 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-26  | S-7 (2')         | Total/NA  | Solid  | 5035   |            |
| 880-51419-27  | S-8 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-29  | S-8 (2')         | Total/NA  | Solid  | 5035   |            |
| 880-51419-30  | S-9 (0-6")       | Total/NA  | Solid  | 5035   |            |
| 880-51419-32  | S-9 (2')         | Total/NA  | Solid  | 5035   |            |
| 880-51419-33  | S-10 (0-6")      | Total/NA  | Solid  | 5035   |            |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC VOA (Continued)

## Prep Batch: 96445 (Continued)

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-35       | S-10 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-36       | S-11 (0-6")            | Total/NA  | Solid  | 5035   |            |
| MB 880-96445/5-A   | Method Blank           | Total/NA  | Solid  | 5035   |            |
| LCS 880-96445/1-A  | Lab Control Sample     | Total/NA  | Solid  | 5035   |            |
| LCSD 880-96445/2-A | Lab Control Sample Dup | Total/NA  | Solid  | 5035   |            |
| 880-51419-1 MS     | S-1 (0-6")             | Total/NA  | Solid  | 5035   |            |
| 880-51419-1 MSD    | S-1 (0-6")             | Total/NA  | Solid  | 5035   |            |

## Prep Batch: 96446

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-38       | S-11 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-39       | S-12 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-41       | S-12 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-42       | S-14 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-44       | S-14 (1.5')            | Total/NA  | Solid  | 5035   |            |
| 880-51419-45       | S-15 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-47       | S-15 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-48       | S-16 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-50       | S-16 (1.5')            | Total/NA  | Solid  | 5035   |            |
| 880-51419-51       | S-17 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-53       | S-17 (1.5')            | Total/NA  | Solid  | 5035   |            |
| 880-51419-54       | S-13 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-56       | S-13 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-57       | S-18 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-59       | S-18 (1.5')            | Total/NA  | Solid  | 5035   |            |
| 880-51419-60       | S-19 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-62       | S-19 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-63       | S-20 (0-6")            | Total/NA  | Solid  | 5035   |            |
| 880-51419-67       | S-20 (4.1')            | Total/NA  | Solid  | 5035   |            |
| 880-51419-68       | S-21 (0-6")            | Total/NA  | Solid  | 5035   |            |
| MB 880-96446/5-A   | Method Blank           | Total/NA  | Solid  | 5035   |            |
| LCS 880-96446/1-A  | Lab Control Sample     | Total/NA  | Solid  | 5035   |            |
| LCSD 880-96446/2-A | Lab Control Sample Dup | Total/NA  | Solid  | 5035   |            |
| 880-51419-38 MS    | S-11 (2')              | Total/NA  | Solid  | 5035   |            |
| 880-51419-38 MSD   | S-11 (2')              | Total/NA  | Solid  | 5035   |            |

## Analysis Batch: 96471

| Lab Sample ID       | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-5         | S-1 (4.1')             | Total/NA  | Solid  | 8021B  | 96521      |
| MB 880-96521/5-A    | Method Blank           | Total/NA  | Solid  | 8021B  | 96521      |
| LCS 880-96521/1-A   | Lab Control Sample     | Total/NA  | Solid  | 8021B  | 96521      |
| LCSD 880-96521/2-A  | Lab Control Sample Dup | Total/NA  | Solid  | 8021B  | 96521      |
| 880-51482-A-2-A MS  | Matrix Spike           | Total/NA  | Solid  | 8021B  | 96521      |
| 880-51482-A-2-B MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 8021B  | 96521      |

## Prep Batch: 96521

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-5        | S-1 (4.1')             | Total/NA  | Solid  | 5035   |            |
| MB 880-96521/5-A   | Method Blank           | Total/NA  | Solid  | 5035   |            |
| LCS 880-96521/1-A  | Lab Control Sample     | Total/NA  | Solid  | 5035   |            |
| LCSD 880-96521/2-A | Lab Control Sample Dup | Total/NA  | Solid  | 5035   |            |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC VOA (Continued)

## Prep Batch: 96521 (Continued)

| Lab Sample ID       | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-51482-A-2-A MS  | Matrix Spike           | Total/NA  | Solid  | 5035   |            |
| 880-51482-A-2-B MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 5035   |            |

## Analysis Batch: 96539

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method     | Prep Batch |
|---------------|------------------|-----------|--------|------------|------------|
| 880-51419-1   | S-1 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-5   | S-1 (4.1')       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-6   | S-2 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-8   | S-2 (1.5')       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-9   | S-3 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-11  | S-3 (2')         | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-12  | S-4 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-14  | S-4 (1.5')       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-15  | S-5 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-18  | S-5 (3')         | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-19  | S-6 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-23  | S-6 (4')         | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-24  | S-7 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-26  | S-7 (2')         | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-27  | S-8 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-29  | S-8 (2')         | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-30  | S-9 (0-6")       | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-32  | S-9 (2')         | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-33  | S-10 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-35  | S-10 (2')        | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-36  | S-11 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-38  | S-11 (2')        | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-39  | S-12 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-41  | S-12 (2')        | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-42  | S-14 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-44  | S-14 (1.5')      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-45  | S-15 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-47  | S-15 (2')        | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-48  | S-16 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-50  | S-16 (1.5')      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-51  | S-17 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-53  | S-17 (1.5')      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-54  | S-13 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-56  | S-13 (2')        | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-57  | S-18 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-59  | S-18 (1.5')      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-60  | S-19 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-62  | S-19 (2')        | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-63  | S-20 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-67  | S-20 (4.1')      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-68  | S-21 (0-6")      | Total/NA  | Solid  | Total BTEX |            |
| 880-51419-70  | S-21 (2')        | Total/NA  | Solid  | Total BTEX |            |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC Semi VOA

## Prep Batch: 96410

| Lab Sample ID        | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|----------------------|------------------------|-----------|--------|-------------|------------|
| 880-51419-1          | S-1 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-6          | S-2 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-8          | S-2 (1.5')             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-9          | S-3 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-11         | S-3 (2')               | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-12         | S-4 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-14         | S-4 (1.5')             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-15         | S-5 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-18         | S-5 (3')               | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-19         | S-6 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-23         | S-6 (4')               | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-24         | S-7 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-26         | S-7 (2')               | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-27         | S-8 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-29         | S-8 (2')               | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-30         | S-9 (0-6")             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-32         | S-9 (2')               | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-33         | S-10 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| MB 880-96410/1-A     | Method Blank           | Total/NA  | Solid  | 8015NM Prep |            |
| LCS 880-96410/2-A    | Lab Control Sample     | Total/NA  | Solid  | 8015NM Prep |            |
| LCSD 880-96410/3-A   | Lab Control Sample Dup | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51418-A-57-C MS  | Matrix Spike           | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51418-A-57-D MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 8015NM Prep |            |

## Prep Batch: 96411

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| 880-51419-35       | S-10 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-36       | S-11 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-38       | S-11 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-39       | S-12 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-41       | S-12 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-42       | S-14 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-44       | S-14 (1.5')            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-45       | S-15 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-47       | S-15 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-48       | S-16 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-50       | S-16 (1.5')            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-51       | S-17 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-53       | S-17 (1.5')            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-54       | S-13 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-56       | S-13 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-57       | S-18 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-59       | S-18 (1.5')            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-60       | S-19 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-62       | S-19 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-63       | S-20 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| MB 880-96411/1-A   | Method Blank           | Total/NA  | Solid  | 8015NM Prep |            |
| LCS 880-96411/2-A  | Lab Control Sample     | Total/NA  | Solid  | 8015NM Prep |            |
| LCSD 880-96411/3-A | Lab Control Sample Dup | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-35 MS    | S-10 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-35 MSD   | S-10 (2')              | Total/NA  | Solid  | 8015NM Prep |            |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC Semi VOA

## Prep Batch: 96419

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| 880-51419-67       | S-20 (4.1')            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-68       | S-21 (0-6")            | Total/NA  | Solid  | 8015NM Prep |            |
| MB 880-96419/1-A   | Method Blank           | Total/NA  | Solid  | 8015NM Prep |            |
| LCS 880-96419/2-A  | Lab Control Sample     | Total/NA  | Solid  | 8015NM Prep |            |
| LCSD 880-96419/3-A | Lab Control Sample Dup | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-67 MS    | S-20 (4.1')            | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-67 MSD   | S-20 (4.1')            | Total/NA  | Solid  | 8015NM Prep |            |

## Analysis Batch: 96451

| Lab Sample ID        | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|----------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-1          | S-1 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-6          | S-2 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-8          | S-2 (1.5')             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-9          | S-3 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-11         | S-3 (2')               | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-12         | S-4 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-14         | S-4 (1.5')             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-15         | S-5 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-18         | S-5 (3')               | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-19         | S-6 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-23         | S-6 (4')               | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-24         | S-7 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-26         | S-7 (2')               | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-27         | S-8 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-29         | S-8 (2')               | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-30         | S-9 (0-6")             | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-32         | S-9 (2')               | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51419-33         | S-10 (0-6")            | Total/NA  | Solid  | 8015B NM | 96410      |
| MB 880-96410/1-A     | Method Blank           | Total/NA  | Solid  | 8015B NM | 96410      |
| LCS 880-96410/2-A    | Lab Control Sample     | Total/NA  | Solid  | 8015B NM | 96410      |
| LCSD 880-96410/3-A   | Lab Control Sample Dup | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51418-A-57-C MS  | Matrix Spike           | Total/NA  | Solid  | 8015B NM | 96410      |
| 880-51418-A-57-D MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 8015B NM | 96410      |

## Prep Batch: 96467

| Lab Sample ID       | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|---------------------|------------------------|-----------|--------|-------------|------------|
| 880-51419-5         | S-1 (4.1')             | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51419-70        | S-21 (2')              | Total/NA  | Solid  | 8015NM Prep |            |
| MB 880-96467/1-A    | Method Blank           | Total/NA  | Solid  | 8015NM Prep |            |
| LCS 880-96467/2-A   | Lab Control Sample     | Total/NA  | Solid  | 8015NM Prep |            |
| LCSD 880-96467/3-A  | Lab Control Sample Dup | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51433-A-4-D MS  | Matrix Spike           | Total/NA  | Solid  | 8015NM Prep |            |
| 880-51433-A-4-E MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 8015NM Prep |            |

## Analysis Batch: 96493

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-67       | S-20 (4.1')            | Total/NA  | Solid  | 8015B NM | 96419      |
| 880-51419-68       | S-21 (0-6")            | Total/NA  | Solid  | 8015B NM | 96419      |
| MB 880-96419/1-A   | Method Blank           | Total/NA  | Solid  | 8015B NM | 96419      |
| LCS 880-96419/2-A  | Lab Control Sample     | Total/NA  | Solid  | 8015B NM | 96419      |
| LCSD 880-96419/3-A | Lab Control Sample Dup | Total/NA  | Solid  | 8015B NM | 96419      |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC Semi VOA (Continued)

## Analysis Batch: 96493 (Continued)

| Lab Sample ID    | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------|-----------|--------|----------|------------|
| 880-51419-67 MS  | S-20 (4.1')      | Total/NA  | Solid  | 8015B NM | 96419      |
| 880-51419-67 MSD | S-20 (4.1')      | Total/NA  | Solid  | 8015B NM | 96419      |

## Analysis Batch: 96567

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method  | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-51419-1   | S-1 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-5   | S-1 (4.1')       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-6   | S-2 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-8   | S-2 (1.5')       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-9   | S-3 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-11  | S-3 (2')         | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-12  | S-4 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-14  | S-4 (1.5')       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-15  | S-5 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-18  | S-5 (3')         | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-19  | S-6 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-23  | S-6 (4')         | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-24  | S-7 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-26  | S-7 (2')         | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-27  | S-8 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-29  | S-8 (2')         | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-30  | S-9 (0-6")       | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-32  | S-9 (2')         | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-33  | S-10 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-35  | S-10 (2')        | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-36  | S-11 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-38  | S-11 (2')        | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-39  | S-12 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-41  | S-12 (2')        | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-42  | S-14 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-44  | S-14 (1.5')      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-45  | S-15 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-47  | S-15 (2')        | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-48  | S-16 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-50  | S-16 (1.5')      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-51  | S-17 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-53  | S-17 (1.5')      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-54  | S-13 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-56  | S-13 (2')        | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-57  | S-18 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-59  | S-18 (1.5')      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-60  | S-19 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-62  | S-19 (2')        | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-63  | S-20 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-67  | S-20 (4.1')      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-68  | S-21 (0-6")      | Total/NA  | Solid  | 8015 NM |            |
| 880-51419-70  | S-21 (2')        | Total/NA  | Solid  | 8015 NM |            |

## Analysis Batch: 96624

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 880-51419-5   | S-1 (4.1')       | Total/NA  | Solid  | 8015B NM | 96467      |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## GC Semi VOA (Continued)

## Analysis Batch: 96624 (Continued)

| Lab Sample ID       | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-70        | S-21 (2')              | Total/NA  | Solid  | 8015B NM | 96467      |
| MB 880-96467/1-A    | Method Blank           | Total/NA  | Solid  | 8015B NM | 96467      |
| LCS 880-96467/2-A   | Lab Control Sample     | Total/NA  | Solid  | 8015B NM | 96467      |
| LCSD 880-96467/3-A  | Lab Control Sample Dup | Total/NA  | Solid  | 8015B NM | 96467      |
| 880-51433-A-4-D MS  | Matrix Spike           | Total/NA  | Solid  | 8015B NM | 96467      |
| 880-51433-A-4-E MSD | Matrix Spike Duplicate | Total/NA  | Solid  | 8015B NM | 96467      |

## Analysis Batch: 96626

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-35       | S-10 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-36       | S-11 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-38       | S-11 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-39       | S-12 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-41       | S-12 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-42       | S-14 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-44       | S-14 (1.5')            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-45       | S-15 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-47       | S-15 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-48       | S-16 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-50       | S-16 (1.5')            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-51       | S-17 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-53       | S-17 (1.5')            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-54       | S-13 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-56       | S-13 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-57       | S-18 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-59       | S-18 (1.5')            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-60       | S-19 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-62       | S-19 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-63       | S-20 (0-6")            | Total/NA  | Solid  | 8015B NM | 96411      |
| MB 880-96411/1-A   | Method Blank           | Total/NA  | Solid  | 8015B NM | 96411      |
| LCS 880-96411/2-A  | Lab Control Sample     | Total/NA  | Solid  | 8015B NM | 96411      |
| LCSD 880-96411/3-A | Lab Control Sample Dup | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-35 MS    | S-10 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |
| 880-51419-35 MSD   | S-10 (2')              | Total/NA  | Solid  | 8015B NM | 96411      |

## HPLC/IC

## Leach Batch: 96513

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 880-51419-1   | S-1 (0-6")       | Soluble   | Solid  | DI Leach |            |
| 880-51419-6   | S-2 (0-6")       | Soluble   | Solid  | DI Leach |            |
| 880-51419-8   | S-2 (1.5')       | Soluble   | Solid  | DI Leach |            |
| 880-51419-9   | S-3 (0-6")       | Soluble   | Solid  | DI Leach |            |
| 880-51419-11  | S-3 (2')         | Soluble   | Solid  | DI Leach |            |
| 880-51419-12  | S-4 (0-6")       | Soluble   | Solid  | DI Leach |            |
| 880-51419-14  | S-4 (1.5')       | Soluble   | Solid  | DI Leach |            |
| 880-51419-15  | S-5 (0-6")       | Soluble   | Solid  | DI Leach |            |
| 880-51419-18  | S-5 (3')         | Soluble   | Solid  | DI Leach |            |
| 880-51419-19  | S-6 (0-6")       | Soluble   | Solid  | DI Leach |            |
| 880-51419-23  | S-6 (4')         | Soluble   | Solid  | DI Leach |            |
| 880-51419-24  | S-7 (0-6")       | Soluble   | Solid  | DI Leach |            |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## HPLC/IC (Continued)

## Leach Batch: 96513 (Continued)

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-26       | S-7 (2')               | Soluble   | Solid  | DI Leach |            |
| 880-51419-27       | S-8 (0-6")             | Soluble   | Solid  | DI Leach |            |
| 880-51419-29       | S-8 (2')               | Soluble   | Solid  | DI Leach |            |
| 880-51419-30       | S-9 (0-6")             | Soluble   | Solid  | DI Leach |            |
| 880-51419-32       | S-9 (2')               | Soluble   | Solid  | DI Leach |            |
| 880-51419-33       | S-10 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-35       | S-10 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-36       | S-11 (0-6")            | Soluble   | Solid  | DI Leach |            |
| MB 880-96513/1-A   | Method Blank           | Soluble   | Solid  | DI Leach |            |
| LCS 880-96513/2-A  | Lab Control Sample     | Soluble   | Solid  | DI Leach |            |
| LCSD 880-96513/3-A | Lab Control Sample Dup | Soluble   | Solid  | DI Leach |            |
| 880-51419-1 MS     | S-1 (0-6")             | Soluble   | Solid  | DI Leach |            |
| 880-51419-1 MSD    | S-1 (0-6")             | Soluble   | Solid  | DI Leach |            |
| 880-51419-23 MS    | S-6 (4')               | Soluble   | Solid  | DI Leach |            |
| 880-51419-23 MSD   | S-6 (4')               | Soluble   | Solid  | DI Leach |            |

## Leach Batch: 96515

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-38       | S-11 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-39       | S-12 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-41       | S-12 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-42       | S-14 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-44       | S-14 (1.5')            | Soluble   | Solid  | DI Leach |            |
| 880-51419-45       | S-15 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-47       | S-15 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-48       | S-16 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-50       | S-16 (1.5')            | Soluble   | Solid  | DI Leach |            |
| 880-51419-51       | S-17 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-53       | S-17 (1.5')            | Soluble   | Solid  | DI Leach |            |
| 880-51419-54       | S-13 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-56       | S-13 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-57       | S-18 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-59       | S-18 (1.5')            | Soluble   | Solid  | DI Leach |            |
| 880-51419-60       | S-19 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-62       | S-19 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-63       | S-20 (0-6")            | Soluble   | Solid  | DI Leach |            |
| 880-51419-67       | S-20 (4.1')            | Soluble   | Solid  | DI Leach |            |
| 880-51419-68       | S-21 (0-6")            | Soluble   | Solid  | DI Leach |            |
| MB 880-96515/1-A   | Method Blank           | Soluble   | Solid  | DI Leach |            |
| LCS 880-96515/2-A  | Lab Control Sample     | Soluble   | Solid  | DI Leach |            |
| LCSD 880-96515/3-A | Lab Control Sample Dup | Soluble   | Solid  | DI Leach |            |
| 880-51419-38 MS    | S-11 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-38 MSD   | S-11 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-53 MS    | S-17 (1.5')            | Soluble   | Solid  | DI Leach |            |
| 880-51419-53 MSD   | S-17 (1.5')            | Soluble   | Solid  | DI Leach |            |

## Leach Batch: 96516

| Lab Sample ID     | Client Sample ID   | Prep Type | Matrix | Method   | Prep Batch |
|-------------------|--------------------|-----------|--------|----------|------------|
| 880-51419-70      | S-21 (2')          | Soluble   | Solid  | DI Leach |            |
| MB 880-96516/1-A  | Method Blank       | Soluble   | Solid  | DI Leach |            |
| LCS 880-96516/2-A | Lab Control Sample | Soluble   | Solid  | DI Leach |            |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## HPLC/IC (Continued)

## Leach Batch: 96516 (Continued)

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| LCSD 880-96516/3-A | Lab Control Sample Dup | Soluble   | Solid  | DI Leach |            |
| 880-51419-70 MS    | S-21 (2')              | Soluble   | Solid  | DI Leach |            |
| 880-51419-70 MSD   | S-21 (2')              | Soluble   | Solid  | DI Leach |            |

## Leach Batch: 96517

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-51419-5        | S-1 (4.1')             | Soluble   | Solid  | DI Leach |            |
| MB 880-96517/1-A   | Method Blank           | Soluble   | Solid  | DI Leach |            |
| LCS 880-96517/2-A  | Lab Control Sample     | Soluble   | Solid  | DI Leach |            |
| LCSD 880-96517/3-A | Lab Control Sample Dup | Soluble   | Solid  | DI Leach |            |
| 880-51419-5 MS     | S-1 (4.1')             | Soluble   | Solid  | DI Leach |            |
| 880-51419-5 MSD    | S-1 (4.1')             | Soluble   | Solid  | DI Leach |            |

## Analysis Batch: 96520

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-1        | S-1 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-6        | S-2 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-8        | S-2 (1.5')             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-9        | S-3 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-11       | S-3 (2')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-12       | S-4 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-14       | S-4 (1.5')             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-15       | S-5 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-18       | S-5 (3')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-19       | S-6 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-23       | S-6 (4')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-24       | S-7 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-26       | S-7 (2')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-27       | S-8 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-29       | S-8 (2')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-30       | S-9 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-32       | S-9 (2')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-33       | S-10 (0-6")            | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-35       | S-10 (2')              | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-36       | S-11 (0-6")            | Soluble   | Solid  | 300.0  | 96513      |
| MB 880-96513/1-A   | Method Blank           | Soluble   | Solid  | 300.0  | 96513      |
| LCS 880-96513/2-A  | Lab Control Sample     | Soluble   | Solid  | 300.0  | 96513      |
| LCSD 880-96513/3-A | Lab Control Sample Dup | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-1 MS     | S-1 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-1 MSD    | S-1 (0-6")             | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-23 MS    | S-6 (4')               | Soluble   | Solid  | 300.0  | 96513      |
| 880-51419-23 MSD   | S-6 (4')               | Soluble   | Solid  | 300.0  | 96513      |

## Analysis Batch: 96535

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 880-51419-38  | S-11 (2')        | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-39  | S-12 (0-6")      | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-41  | S-12 (2')        | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-42  | S-14 (0-6")      | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-44  | S-14 (1.5')      | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-45  | S-15 (0-6")      | Soluble   | Solid  | 300.0  | 96515      |

Eurofins Midland

## QC Association Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## HPLC/IC (Continued)

## Analysis Batch: 96535 (Continued)

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-47       | S-15 (2')              | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-48       | S-16 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-50       | S-16 (1.5')            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-51       | S-17 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-53       | S-17 (1.5')            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-54       | S-13 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-56       | S-13 (2')              | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-57       | S-18 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-59       | S-18 (1.5')            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-60       | S-19 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-62       | S-19 (2')              | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-63       | S-20 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-67       | S-20 (4.1')            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-68       | S-21 (0-6")            | Soluble   | Solid  | 300.0  | 96515      |
| MB 880-96515/1-A   | Method Blank           | Soluble   | Solid  | 300.0  | 96515      |
| LCS 880-96515/2-A  | Lab Control Sample     | Soluble   | Solid  | 300.0  | 96515      |
| LCSD 880-96515/3-A | Lab Control Sample Dup | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-38 MS    | S-11 (2')              | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-38 MSD   | S-11 (2')              | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-53 MS    | S-17 (1.5')            | Soluble   | Solid  | 300.0  | 96515      |
| 880-51419-53 MSD   | S-17 (1.5')            | Soluble   | Solid  | 300.0  | 96515      |

## Analysis Batch: 96541

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-70       | S-21 (2')              | Soluble   | Solid  | 300.0  | 96516      |
| MB 880-96516/1-A   | Method Blank           | Soluble   | Solid  | 300.0  | 96516      |
| LCS 880-96516/2-A  | Lab Control Sample     | Soluble   | Solid  | 300.0  | 96516      |
| LCSD 880-96516/3-A | Lab Control Sample Dup | Soluble   | Solid  | 300.0  | 96516      |
| 880-51419-70 MS    | S-21 (2')              | Soluble   | Solid  | 300.0  | 96516      |
| 880-51419-70 MSD   | S-21 (2')              | Soluble   | Solid  | 300.0  | 96516      |

## Analysis Batch: 96559

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-51419-5        | S-1 (4.1')             | Soluble   | Solid  | 300.0  | 96517      |
| MB 880-96517/1-A   | Method Blank           | Soluble   | Solid  | 300.0  | 96517      |
| LCS 880-96517/2-A  | Lab Control Sample     | Soluble   | Solid  | 300.0  | 96517      |
| LCSD 880-96517/3-A | Lab Control Sample Dup | Soluble   | Solid  | 300.0  | 96517      |
| 880-51419-5 MS     | S-1 (4.1')             | Soluble   | Solid  | 300.0  | 96517      |
| 880-51419-5 MSD    | S-1 (4.1')             | Soluble   | Solid  | 300.0  | 96517      |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-1 (0-6")

Lab Sample ID: 880-51419-1

Date Collected: 11/20/24 09:00

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 21:07       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 21:07       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 02:16       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.06 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 02:16       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.01 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96520        | 11/25/24 22:33       | SMC     | EET MID |

Client Sample ID: S-1 (4.1')

Lab Sample ID: 880-51419-5

Date Collected: 11/20/24 09:20

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.95 g         | 5 mL         | 96521        | 11/25/24 12:14       | AA      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96471        | 11/25/24 14:40       | MNR     | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/25/24 14:40       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 11:42       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96467        | 11/25/24 08:25       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96624        | 11/26/24 11:42       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96517        | 11/25/24 11:24       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96559        | 11/26/24 07:39       | SMC     | EET MID |

Client Sample ID: S-2 (0-6")

Lab Sample ID: 880-51419-6

Date Collected: 11/20/24 09:25

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.98 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 21:27       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 21:27       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 02:32       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 02:32       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96520        | 11/25/24 22:57       | SMC     | EET MID |

Client Sample ID: S-2 (1.5')

Lab Sample ID: 880-51419-8

Date Collected: 11/20/24 09:35

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.00 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 21:48       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 21:48       | SM      | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-2 (1.5')

Lab Sample ID: 880-51419-8

Date Collected: 11/20/24 09:35

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 02:47       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.03 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 02:47       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.95 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 10         | 50 mL          | 50 mL        | 96520        | 11/25/24 23:05       | SMC     | EET MID |

Client Sample ID: S-3 (0-6")

Lab Sample ID: 880-51419-9

Date Collected: 11/20/24 09:40

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.02 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 22:08       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 22:08       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 03:04       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.00 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 03:04       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.02 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/25/24 23:13       | SMC     | EET MID |

Client Sample ID: S-3 (2')

Lab Sample ID: 880-51419-11

Date Collected: 11/20/24 09:50

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.97 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 22:28       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 22:28       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 03:19       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 03:19       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.96 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/25/24 23:22       | SMC     | EET MID |

Client Sample ID: S-4 (0-6")

Lab Sample ID: 880-51419-12

Date Collected: 11/20/24 10:10

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.99 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 22:49       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 22:49       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 03:35       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.05 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 03:35       | TKC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

## Client Sample ID: S-4 (0-6")

Date Collected: 11/20/24 10:10

Date Received: 11/22/24 11:58

## Lab Sample ID: 880-51419-12

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Soluble   | Leach      | DI Leach     |     |            | 5.03 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/25/24 23:46       | SMC     | EET MID |

## Client Sample ID: S-4 (1.5')

Date Collected: 11/20/24 10:20

Date Received: 11/22/24 11:58

## Lab Sample ID: 880-51419-14

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.03 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 23:09       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 23:09       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 03:51       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.02 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 03:51       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/25/24 23:54       | SMC     | EET MID |

## Client Sample ID: S-5 (0-6")

Date Collected: 11/20/24 11:05

Date Received: 11/22/24 11:58

## Lab Sample ID: 880-51419-15

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.04 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 23:30       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 23:30       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 04:06       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.03 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 04:06       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.95 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 10         | 50 mL          | 50 mL        | 96520        | 11/26/24 00:02       | SMC     | EET MID |

## Client Sample ID: S-5 (3')

Date Collected: 11/20/24 11:20

Date Received: 11/22/24 11:58

## Lab Sample ID: 880-51419-18

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.02 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/23/24 23:50       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/23/24 23:50       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 04:37       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 04:37       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.02 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 00:10       | SMC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-6 (0-6")

Lab Sample ID: 880-51419-19

Date Collected: 11/20/24 11:25

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.00 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 00:11       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 00:11       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 04:53       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.05 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 04:53       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.96 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 00:19       | SMC     | EET MID |

Client Sample ID: S-6 (4')

Lab Sample ID: 880-51419-23

Date Collected: 11/20/24 11:45

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.96 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 01:34       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 01:34       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 05:09       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 05:09       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.03 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 00:27       | SMC     | EET MID |

Client Sample ID: S-7 (0-6")

Lab Sample ID: 880-51419-24

Date Collected: 11/20/24 11:50

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 01:54       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 01:54       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 05:24       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.06 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 05:24       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.03 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96520        | 11/26/24 00:51       | SMC     | EET MID |

Client Sample ID: S-7 (2')

Lab Sample ID: 880-51419-26

Date Collected: 11/20/24 12:00

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.98 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 02:15       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 02:15       | SM      | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-7 (2')

Lab Sample ID: 880-51419-26

Date Collected: 11/20/24 12:00

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 05:40       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 05:40       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96520        | 11/26/24 00:59       | SMC     | EET MID |

Client Sample ID: S-8 (0-6")

Lab Sample ID: 880-51419-27

Date Collected: 11/20/24 12:05

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.96 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 02:35       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 02:35       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 05:56       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.02 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 05:56       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.02 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 01:24       | SMC     | EET MID |

Client Sample ID: S-8 (2')

Lab Sample ID: 880-51419-29

Date Collected: 11/20/24 12:15

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.03 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 02:56       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 02:56       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 06:12       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 06:12       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.98 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 01:32       | SMC     | EET MID |

Client Sample ID: S-9 (0-6")

Lab Sample ID: 880-51419-30

Date Collected: 11/20/24 12:20

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.04 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 03:16       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 03:16       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 06:27       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.03 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 06:27       | TKC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-9 (0-6")

Lab Sample ID: 880-51419-30

Date Collected: 11/20/24 12:20

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Soluble   | Leach      | DI Leach     |     |            | 4.99 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 20         | 50 mL          | 50 mL        | 96520        | 11/26/24 01:40       | SMC     | EET MID |

Client Sample ID: S-9 (2')

Lab Sample ID: 880-51419-32

Date Collected: 11/20/24 12:30

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.96 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 03:37       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 03:37       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 06:43       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 06:43       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.02 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 10         | 50 mL          | 50 mL        | 96520        | 11/26/24 01:48       | SMC     | EET MID |

Client Sample ID: S-10 (0-6")

Lab Sample ID: 880-51419-33

Date Collected: 11/20/24 12:35

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 03:57       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 03:57       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 06:59       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96410        | 11/22/24 15:56       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96451        | 11/26/24 06:59       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 01:56       | SMC     | EET MID |

Client Sample ID: S-10 (2')

Lab Sample ID: 880-51419-35

Date Collected: 11/20/24 12:45

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.05 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 04:18       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 04:18       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 10:54       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 10:54       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.98 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96520        | 11/26/24 02:04       | SMC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-11 (0-6")

Lab Sample ID: 880-51419-36

Date Collected: 11/20/24 12:50

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.96 g         | 5 mL         | 96445        | 11/23/24 17:04       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96438        | 11/24/24 04:38       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 04:38       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 11:42       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.08 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 11:42       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.02 g         | 50 mL        | 96513        | 11/25/24 11:12       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96520        | 11/26/24 02:12       | SMC     | EET MID |

Client Sample ID: S-11 (2')

Lab Sample ID: 880-51419-38

Date Collected: 11/20/24 13:00

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.04 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 07:26       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 07:26       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 11:58       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 11:58       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.96 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 22:17       | SMC     | EET MID |

Client Sample ID: S-12 (0-6")

Lab Sample ID: 880-51419-39

Date Collected: 11/20/24 13:05

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.98 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 07:47       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 07:47       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 12:14       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.07 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 12:14       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.95 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 22:37       | SMC     | EET MID |

Client Sample ID: S-12 (2')

Lab Sample ID: 880-51419-41

Date Collected: 11/20/24 13:15

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.96 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 08:07       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 08:07       | SM      | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-12 (2')

Lab Sample ID: 880-51419-41

Date Collected: 11/20/24 13:15

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 12:30       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.06 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 12:30       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.02 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 22:44       | SMC     | EET MID |

Client Sample ID: S-14 (0-6")

Lab Sample ID: 880-51419-42

Date Collected: 11/20/24 13:20

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.03 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 08:28       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 08:28       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 12:46       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.03 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 12:46       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/25/24 22:50       | SMC     | EET MID |

Client Sample ID: S-14 (1.5')

Lab Sample ID: 880-51419-44

Date Collected: 11/20/24 13:30

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.05 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 08:48       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 08:48       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 17:27       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.00 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 17:27       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/25/24 22:57       | SMC     | EET MID |

Client Sample ID: S-15 (0-6")

Lab Sample ID: 880-51419-45

Date Collected: 11/20/24 13:35

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.97 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 09:09       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 09:09       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 17:43       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.03 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 17:43       | TKC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

**Client Sample ID: S-15 (0-6")****Lab Sample ID: 880-51419-45****Date Collected: 11/20/24 13:35****Matrix: Solid****Date Received: 11/22/24 11:58**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Soluble   | Leach      | DI Leach     |     |            | 5.00 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 10         | 50 mL          | 50 mL        | 96535        | 11/25/24 23:17       | SMC     | EET MID |

**Client Sample ID: S-15 (2')****Lab Sample ID: 880-51419-47****Date Collected: 11/20/24 13:45****Matrix: Solid****Date Received: 11/22/24 11:58**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.98 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 09:29       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 09:29       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 17:59       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 17:59       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.96 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 23:24       | SMC     | EET MID |

**Client Sample ID: S-16 (0-6")****Lab Sample ID: 880-51419-48****Date Collected: 11/20/24 13:50****Matrix: Solid****Date Received: 11/22/24 11:58**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 09:50       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 09:50       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 18:14       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.05 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 18:14       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.03 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 23:30       | SMC     | EET MID |

**Client Sample ID: S-16 (1.5')****Lab Sample ID: 880-51419-50****Date Collected: 11/20/24 14:00****Matrix: Solid****Date Received: 11/22/24 11:58**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.00 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 10:10       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 10:10       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 18:46       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 18:46       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 23:37       | SMC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-17 (0-6")

Lab Sample ID: 880-51419-51

Date Collected: 11/20/24 14:05

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.02 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 10:31       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 10:31       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 19:03       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.02 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 19:03       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/25/24 23:44       | SMC     | EET MID |

Client Sample ID: S-17 (1.5')

Lab Sample ID: 880-51419-53

Date Collected: 11/20/24 14:15

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.98 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 12:05       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 12:05       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 19:18       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 19:18       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.00 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/25/24 23:50       | SMC     | EET MID |

Client Sample ID: S-13 (0-6")

Lab Sample ID: 880-51419-54

Date Collected: 11/20/24 14:35

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.95 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 12:26       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 12:26       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 19:34       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.06 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 19:34       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/26/24 00:10       | SMC     | EET MID |

Client Sample ID: S-13 (2')

Lab Sample ID: 880-51419-56

Date Collected: 11/20/24 14:45

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.03 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 12:46       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 12:46       | SM      | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-13 (2')

Lab Sample ID: 880-51419-56

Date Collected: 11/20/24 14:45

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 19:49       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 19:49       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.96 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/26/24 00:17       | SMC     | EET MID |

Client Sample ID: S-18 (0-6")

Lab Sample ID: 880-51419-57

Date Collected: 11/20/24 14:50

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.95 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 13:07       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 13:07       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 20:06       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 20:06       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/26/24 00:37       | SMC     | EET MID |

Client Sample ID: S-18 (1.5')

Lab Sample ID: 880-51419-59

Date Collected: 11/20/24 15:00

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.96 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 13:27       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 13:27       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 20:21       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.02 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 20:21       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.04 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/26/24 00:44       | SMC     | EET MID |

Client Sample ID: S-19 (0-6")

Lab Sample ID: 880-51419-60

Date Collected: 11/20/24 15:05

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 13:48       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 13:48       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 20:37       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.03 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 20:37       | TKC     | EET MID |

Eurofins Midland

## Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-19 (0-6")

Lab Sample ID: 880-51419-60

Date Collected: 11/20/24 15:05

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Soluble   | Leach      | DI Leach     |     |            | 4.96 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/26/24 00:50       | SMC     | EET MID |

Client Sample ID: S-19 (2')

Lab Sample ID: 880-51419-62

Date Collected: 11/20/24 15:15

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.95 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 14:08       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 14:08       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 20:52       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.04 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 20:52       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/26/24 00:57       | SMC     | EET MID |

Client Sample ID: S-20 (0-6")

Lab Sample ID: 880-51419-63

Date Collected: 11/20/24 15:20

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.04 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 14:29       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 14:29       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 21:08       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96411        | 11/22/24 15:59       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96626        | 11/26/24 21:08       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 5          | 50 mL          | 50 mL        | 96535        | 11/26/24 01:04       | SMC     | EET MID |

Client Sample ID: S-20 (4.1')

Lab Sample ID: 880-51419-67

Date Collected: 11/20/24 15:40

Matrix: Solid

Date Received: 11/22/24 11:58

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 4.98 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 14:49       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 14:49       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/25/24 13:49       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.01 g        | 10 mL        | 96419        | 11/22/24 16:33       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96493        | 11/25/24 13:49       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.99 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/26/24 01:10       | SMC     | EET MID |

Eurofins Midland

Lab Chronicle

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Client Sample ID: S-21 (0-6")  
Date Collected: 11/20/24 15:50  
Date Received: 11/22/24 11:58

Lab Sample ID: 880-51419-68  
Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96446        | 11/23/24 17:07       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96441        | 11/24/24 15:10       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 15:10       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/25/24 17:06       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.02 g        | 10 mL        | 96419        | 11/22/24 16:33       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96493        | 11/25/24 17:06       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 5.05 g         | 50 mL        | 96515        | 11/25/24 11:18       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96535        | 11/26/24 01:17       | SMC     | EET MID |

Client Sample ID: S-21 (2')  
Date Collected: 11/20/24 16:00  
Date Received: 11/22/24 11:58

Lab Sample ID: 880-51419-70  
Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5035         |     |            | 5.01 g         | 5 mL         | 96418        | 11/22/24 16:19       | EL      | EET MID |
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 96439        | 11/24/24 14:36       | EL      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 96539        | 11/24/24 14:36       | SM      | EET MID |
| Total/NA  | Analysis   | 8015 NM      |     | 1          |                |              | 96567        | 11/26/24 11:58       | SM      | EET MID |
| Total/NA  | Prep       | 8015NM Prep  |     |            | 10.02 g        | 10 mL        | 96467        | 11/25/24 08:25       | EL      | EET MID |
| Total/NA  | Analysis   | 8015B NM     |     | 1          | 1 uL           | 1 uL         | 96624        | 11/26/24 11:58       | TKC     | EET MID |
| Soluble   | Leach      | DI Leach     |     |            | 4.97 g         | 50 mL        | 96516        | 11/25/24 11:22       | SA      | EET MID |
| Soluble   | Analysis   | 300.0        |     | 1          | 50 mL          | 50 mL        | 96541        | 11/26/24 03:18       | SMC     | EET MID |

Laboratory References:  
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority                                                                                                                                                                                             | Program     | Identification Number | Expiration Date |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------|-----------------|
| Texas                                                                                                                                                                                                 | NELAP       | T104704400            | 06-30-25        |
| The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification. |             |                       |                 |
| Analysis Method                                                                                                                                                                                       | Prep Method | Matrix                | Analyte         |
| 8015 NM                                                                                                                                                                                               |             | Solid                 | Total TPH       |
| Total BTEX                                                                                                                                                                                            |             | Solid                 | Total BTEX      |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

| Method      | Method Description                 | Protocol | Laboratory |
|-------------|------------------------------------|----------|------------|
| 8021B       | Volatile Organic Compounds (GC)    | SW846    | EET MID    |
| Total BTEX  | Total BTEX Calculation             | TAL SOP  | EET MID    |
| 8015 NM     | Diesel Range Organics (DRO) (GC)   | SW846    | EET MID    |
| 8015B NM    | Diesel Range Organics (DRO) (GC)   | SW846    | EET MID    |
| 300.0       | Anions, Ion Chromatography         | EPA      | EET MID    |
| 5035        | Closed System Purge and Trap       | SW846    | EET MID    |
| 8015NM Prep | Microextraction                    | SW846    | EET MID    |
| DI Leach    | Deionized Water Leaching Procedure | ASTM     | EET MID    |

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

## Sample Summary

Client: Crain Environmental  
Project/Site: Bagley #4 SWD

Job ID: 880-51419-1  
SDG: Lea County NM

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       | Depth |
|---------------|------------------|--------|----------------|----------------|-------|
| 880-51419-1   | S-1 (0-6")       | Solid  | 11/20/24 09:00 | 11/22/24 11:58 | 0-6"  |
| 880-51419-5   | S-1 (4.1')       | Solid  | 11/20/24 09:20 | 11/22/24 11:58 | 4.1'  |
| 880-51419-6   | S-2 (0-6")       | Solid  | 11/20/24 09:25 | 11/22/24 11:58 | 0-6"  |
| 880-51419-8   | S-2 (1.5')       | Solid  | 11/20/24 09:35 | 11/22/24 11:58 | 1.5'  |
| 880-51419-9   | S-3 (0-6")       | Solid  | 11/20/24 09:40 | 11/22/24 11:58 | 0-6"  |
| 880-51419-11  | S-3 (2')         | Solid  | 11/20/24 09:50 | 11/22/24 11:58 | 2'    |
| 880-51419-12  | S-4 (0-6")       | Solid  | 11/20/24 10:10 | 11/22/24 11:58 | 0-6"  |
| 880-51419-14  | S-4 (1.5')       | Solid  | 11/20/24 10:20 | 11/22/24 11:58 | 1.5'  |
| 880-51419-15  | S-5 (0-6")       | Solid  | 11/20/24 11:05 | 11/22/24 11:58 | 0-6"  |
| 880-51419-18  | S-5 (3')         | Solid  | 11/20/24 11:20 | 11/22/24 11:58 | 3'    |
| 880-51419-19  | S-6 (0-6")       | Solid  | 11/20/24 11:25 | 11/22/24 11:58 | 0-6"  |
| 880-51419-23  | S-6 (4')         | Solid  | 11/20/24 11:45 | 11/22/24 11:58 | 4.1'  |
| 880-51419-24  | S-7 (0-6")       | Solid  | 11/20/24 11:50 | 11/22/24 11:58 | 0-6"  |
| 880-51419-26  | S-7 (2')         | Solid  | 11/20/24 12:00 | 11/22/24 11:58 | 2'    |
| 880-51419-27  | S-8 (0-6")       | Solid  | 11/20/24 12:05 | 11/22/24 11:58 | 0-6"  |
| 880-51419-29  | S-8 (2')         | Solid  | 11/20/24 12:15 | 11/22/24 11:58 | 2'    |
| 880-51419-30  | S-9 (0-6")       | Solid  | 11/20/24 12:20 | 11/22/24 11:58 | 0-6"  |
| 880-51419-32  | S-9 (2')         | Solid  | 11/20/24 12:30 | 11/22/24 11:58 | 2'    |
| 880-51419-33  | S-10 (0-6")      | Solid  | 11/20/24 12:35 | 11/22/24 11:58 | 0-6"  |
| 880-51419-35  | S-10 (2')        | Solid  | 11/20/24 12:45 | 11/22/24 11:58 | 2'    |
| 880-51419-36  | S-11 (0-6")      | Solid  | 11/20/24 12:50 | 11/22/24 11:58 | 0-6"  |
| 880-51419-38  | S-11 (2')        | Solid  | 11/20/24 13:00 | 11/22/24 11:58 | 2'    |
| 880-51419-39  | S-12 (0-6")      | Solid  | 11/20/24 13:05 | 11/22/24 11:58 | 0-6"  |
| 880-51419-41  | S-12 (2')        | Solid  | 11/20/24 13:15 | 11/22/24 11:58 | 2'    |
| 880-51419-42  | S-14 (0-6")      | Solid  | 11/20/24 13:20 | 11/22/24 11:58 | 0-6"  |
| 880-51419-44  | S-14 (1.5')      | Solid  | 11/20/24 13:30 | 11/22/24 11:58 | 1.5'  |
| 880-51419-45  | S-15 (0-6")      | Solid  | 11/20/24 13:35 | 11/22/24 11:58 | 0-6"  |
| 880-51419-47  | S-15 (2')        | Solid  | 11/20/24 13:45 | 11/22/24 11:58 | 2'    |
| 880-51419-48  | S-16 (0-6")      | Solid  | 11/20/24 13:50 | 11/22/24 11:58 | 0-6"  |
| 880-51419-50  | S-16 (1.5')      | Solid  | 11/20/24 14:00 | 11/22/24 11:58 | 1.5'  |
| 880-51419-51  | S-17 (0-6")      | Solid  | 11/20/24 14:05 | 11/22/24 11:58 | 0-6"  |
| 880-51419-53  | S-17 (1.5')      | Solid  | 11/20/24 14:15 | 11/22/24 11:58 | 1.5'  |
| 880-51419-54  | S-13 (0-6")      | Solid  | 11/20/24 14:35 | 11/22/24 11:58 | 0-6"  |
| 880-51419-56  | S-13 (2')        | Solid  | 11/20/24 14:45 | 11/22/24 11:58 | 2'    |
| 880-51419-57  | S-18 (0-6")      | Solid  | 11/20/24 14:50 | 11/22/24 11:58 | 0-6"  |
| 880-51419-59  | S-18 (1.5')      | Solid  | 11/20/24 15:00 | 11/22/24 11:58 | 1.5'  |
| 880-51419-60  | S-19 (0-6")      | Solid  | 11/20/24 15:05 | 11/22/24 11:58 | 0-6"  |
| 880-51419-62  | S-19 (2')        | Solid  | 11/20/24 15:15 | 11/22/24 11:58 | 2'    |
| 880-51419-63  | S-20 (0-6")      | Solid  | 11/20/24 15:20 | 11/22/24 11:58 | 0-6"  |
| 880-51419-67  | S-20 (4.1')      | Solid  | 11/20/24 15:40 | 11/22/24 11:58 | 4.1'  |
| 880-51419-68  | S-21 (0-6")      | Solid  | 11/20/24 15:50 | 11/22/24 11:58 | 0-6"  |
| 880-51419-70  | S-21 (2')        | Solid  | 11/20/24 16:00 | 11/22/24 11:58 | 2'    |

## Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing  
Xenco



880-51419 Chain of Custody

www.xenco.com Page 1 or 7

|                  |                     |                         |                          |
|------------------|---------------------|-------------------------|--------------------------|
| Project Manager: | Cindy Crain         | Bill to: (if different) | Nicole Carrawell         |
| Company Name:    | Crain Environmental | Company Name:           | BXP                      |
| Address:         | 2925 E. 17th St.    | Address:                | 11757 Katy Fwy, Ste. 475 |
| City, State ZIP: | Odessa, TX 79761    | City, State ZIP:        | Houston, TX 77079        |
| Phone:           | (575) 441-7244      | Email:                  | Cindy.Crain@gmail.com    |

|                   |               |                     |                                                                                                                                                                       |
|-------------------|---------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Project Name:     | Bayley #4 SND | Work Order Comments |                                                                                                                                                                       |
| Project Number:   |               | Program:            | UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>    |
| Project Location: | Lea Co., NM   | State of Project:   | NM                                                                                                                                                                    |
| Sampler's Name:   | Cindy Crain   | Reporting:          | Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/> |
| PO #:             |               | Deliverables:       | EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:                                                                                                    |

| ANALYSIS REQUEST      |        |              |              |       |           |           |            |             |            | Preservative Codes                                                                                                                                                                                                                                                                |  |
|-----------------------|--------|--------------|--------------|-------|-----------|-----------|------------|-------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Sample Identification | Matrix | Date Sampled | Time Sampled | Depth | Grab/Comp | # of Cont | Pres. Code | Turn Around | Pres. Code | Preservative Codes                                                                                                                                                                                                                                                                |  |
| S-1 (0-6")            | S      | 11/20/24     | 0900         | 0-6"  | C         | 1         |            |             |            | None: NO<br>Cool: Cool<br>HCL: HC<br>H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub><br>H <sub>3</sub> PO <sub>4</sub> : HP<br>NaHSO <sub>4</sub> : NABIS<br>Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub><br>Zn Acetate+NaOH: Zn<br>NaOH+Ascorbic Acid: SAPC |  |
| S-1 (1')              |        |              | 0905         | 1'    |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-1 (2')              |        |              | 0910         | 2'    |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-1 (3')              |        |              | 0915         | 3'    |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-1 (4.1')            |        |              | 0920         | 4.1'  |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-2 (0-6")            |        |              | 0925         | 0-6"  |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-2 (1')              |        |              | 0930         | 1'    |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-2 (1.5')            |        |              | 0935         | 1.5'  |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-3 (0-6")            |        |              | 0940         | 0-6"  |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |
| S-3 (1')              |        |              | 0945         | 1'    |           |           |            |             |            |                                                                                                                                                                                                                                                                                   |  |

Handwritten notes: TPH 8015M, BTEX, Chlorides, HOLD

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

| Relinquished by (Signature) | Received by (Signature) | Date/Time      | Relinquished by (Signature) | Received by (Signature) | Date/Time |
|-----------------------------|-------------------------|----------------|-----------------------------|-------------------------|-----------|
| Cindy Crain                 | Teddy Rumbold           | 11/22/24 11:58 |                             |                         |           |
|                             |                         |                |                             |                         |           |
|                             |                         |                |                             |                         |           |

Revised Date: 08/25/2020 Rev. 2020.2

## Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

**Environment Testing**  
**Xenco**



Work Order No: \_\_\_\_\_

Page 2 of 1  
www.xenco.com

|                                              |  |                                                                                                                    |  |
|----------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------|--|
| Project Manager:<br><i>Cindy Crain</i>       |  | Bill to: (if different)<br><i>Nicole Brownell</i>                                                                  |  |
| Company Name:<br><i>Crain Environmental</i>  |  | Company Name:<br><i>BXP</i>                                                                                        |  |
| Address:<br><i>2925 C. 17th St.</i>          |  | Address:<br><i>11757 Katy Fwy, Ste. 475</i>                                                                        |  |
| City, State ZIP:<br><i>Odessa, TX 79761</i>  |  | City, State ZIP:<br><i>Houston, TX 77079</i>                                                                       |  |
| Phone:<br><i>(575) 441-7244</i>              |  | Email:<br><i>Cindy.Crain@gmail.com</i>                                                                             |  |
| Project Name:<br><i>Bayley #4 SWD</i>        |  | Turn Around<br><input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush                           |  |
| Project Number:<br><i>Lea Co. NM</i>         |  | Due Date:<br>TAT starts the day received by the lab, if received by 4:30pm                                         |  |
| Sample Name:<br><i>Cindy Crain</i>           |  | Parameters                                                                                                         |  |
| PO #:                                        |  |                                                                                                                    |  |
| SAMPLE RECEIPT                               |  | Wet Ice: <i>Yes</i> <i>No</i>                                                                                      |  |
| Samples Received Intact:                     |  | Thermometer ID: <i>FR-8</i>                                                                                        |  |
| Cooler Custody Seals:                        |  | Correction Factor: <i>-0.1</i>                                                                                     |  |
| Sample Custody Seals:                        |  | Temperature Reading: <i>3.6</i>                                                                                    |  |
| Total Containers:                            |  | Corrected Temperature: <i>3.5</i>                                                                                  |  |
| Sample Identification                        |  | Date Sampled                                                                                                       |  |
| Matrix                                       |  | Grab/Comp                                                                                                          |  |
| Depth                                        |  | # of Cont                                                                                                          |  |
| Time Sampled                                 |  |                                                                                                                    |  |
| S-3 (2')                                     |  | S 11/20/21 0950                                                                                                    |  |
| S-4 (0-6")                                   |  | 1010 2' 0-6"                                                                                                       |  |
| S-4 (1')                                     |  | 1015 1' 11"                                                                                                        |  |
| S-4 (1.5')                                   |  | 1020 1.5' 1.5"                                                                                                     |  |
| S-5 (0-6")                                   |  | 1105 0-6" 1.5"                                                                                                     |  |
| S-5 (1')                                     |  | 1110 1' 11"                                                                                                        |  |
| S-5 (2')                                     |  | 1115 2' 2"                                                                                                         |  |
| S-5 (3')                                     |  | 1120 3' 3"                                                                                                         |  |
| S-6 (0-6")                                   |  | 1125 0-6" 1.5"                                                                                                     |  |
| S-6 (1')                                     |  | 1130 1' 11"                                                                                                        |  |
| Total 200.7 / 6010                           |  | 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO <sub>2</sub> Na Sr Ti Sn U V Zn |  |
| Circle Method(s) and Metal(s) to be analyzed |  | TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471             |  |
| Relinquished by: <i>Cindy Crain</i>          |  | Received by: <i>Teddy Kumbalozai</i>                                                                               |  |
| Relinquished by: <i>Cindy Crain</i>          |  | Received by: <i>Teddy Kumbalozai</i>                                                                               |  |
| Date/Time                                    |  | Date/Time                                                                                                          |  |
| 11/22/24 11:58                               |  | 11/22/24 11:58                                                                                                     |  |
| 3                                            |  | 4                                                                                                                  |  |
| 6                                            |  | 6                                                                                                                  |  |

## Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing  
Xenco



Work Order No: \_\_\_\_\_

www.xenco.com Page 3 of 7

Work Order Comments

Program: ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project: **NM**

Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Deliverables: EDD ☐ ADaPT ☐ Other: \_\_\_\_\_

Project Manager: **Cindy Crain**

Company Name: **Cain Environmental**

Address: **2995 E 17th St.**

City, State ZIP: **Albuquerque, NM 87106**

Phone: **(505) 441-7244**

Bill to: (if different) **Nicole Cornwell**

Company Name: **BXP**

Address: **11757 Katy Fwy, Ste. 475**

City, State ZIP: **Houston, TX 77079**

Email: **Cindy.crain@gmail.com**

| ANALYSIS REQUEST                    |                 |                                                                           |              |       |           |           |                        |    |            | Preservative Codes                                                |                            |
|-------------------------------------|-----------------|---------------------------------------------------------------------------|--------------|-------|-----------|-----------|------------------------|----|------------|-------------------------------------------------------------------|----------------------------|
| Project Name:                       | Project Number: | Turn Around                                                               | Temp Blank:  | Yes   | No        | Wet Ice:  | Yes                    | No | Pres. Code |                                                                   |                            |
| <b>Bagley #4 SMD</b>                |                 | <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush | Yes          | No    |           |           |                        |    |            | None: NO                                                          | DI Water: H <sub>2</sub> O |
| Project Location: <b>Lea Co. NM</b> |                 | Due Date:                                                                 | Yes          | No    |           |           |                        |    |            | Cool: Cool                                                        | MeOH: Me                   |
| Sampler's Name: <b>Cindy Crain</b>  |                 | TAT starts the day received by the lab, if received by 4:30pm             | Yes          | No    |           |           |                        |    |            | HCL: HC                                                           | HNO <sub>3</sub> : HN      |
| PO #:                               |                 |                                                                           | Yes          | No    |           |           |                        |    |            | H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub>                   | NaOH: Na                   |
| SAMPLE RECEIPT                      |                 |                                                                           | Temp Blank:  |       | Yes       | No        | Wet Ice:               |    |            | H <sub>3</sub> PO <sub>4</sub> : HP                               |                            |
| Samples Received Intact:            |                 |                                                                           | Yes          | No    |           |           | Thermometer ID:        |    |            | NaHSO <sub>4</sub> : NABIS                                        |                            |
| Cooler Custody Seals:               |                 |                                                                           | Yes          | No    |           |           | Correction Factor:     |    |            | Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub> |                            |
| Sample Custody Seals:               |                 |                                                                           | Yes          | No    |           |           | Temperature Reading:   |    |            | Zn Acetate+NaOH: Zn                                               |                            |
| Total Containers:                   |                 |                                                                           |              |       |           |           | Corrected Temperature: |    |            | NaOH+Ascorbic Acid: SAPC                                          |                            |
| Sample Identification               | Matrix          | Date Sampled                                                              | Time Sampled | Depth | Grab/Comp | # of Cont |                        |    |            |                                                                   |                            |
| S-6 (2')                            | S               | 11/20/24                                                                  | 1135         | 2'    | C         | 1         |                        |    |            |                                                                   |                            |
| S-6 (3')                            |                 |                                                                           | 1140         | 3'    |           |           |                        |    |            |                                                                   |                            |
| S-6 (4.1')                          |                 |                                                                           | 1145         | 4.1'  |           |           |                        |    |            |                                                                   |                            |
| S-7 (0-6")                          |                 |                                                                           | 1150         | 0-6"  |           |           |                        |    |            |                                                                   |                            |
| S-7 (1')                            |                 |                                                                           | 1155         | 1'    |           |           |                        |    |            |                                                                   |                            |
| S-7 (2')                            |                 |                                                                           | 1200         | 2'    |           |           |                        |    |            |                                                                   |                            |
| S-8 (0-6")                          |                 |                                                                           | 1205         | 0-6"  |           |           |                        |    |            |                                                                   |                            |
| S-8 (1')                            |                 |                                                                           | 1210         | 1'    |           |           |                        |    |            |                                                                   |                            |
| S-8 (2')                            |                 |                                                                           | 1215         | 2'    |           |           |                        |    |            |                                                                   |                            |
| S-9 (0-6")                          |                 |                                                                           | 1220         | 0-6"  |           |           |                        |    |            |                                                                   |                            |
|                                     |                 |                                                                           |              |       |           |           | Sample Comments        |    |            |                                                                   |                            |
|                                     |                 |                                                                           |              |       |           |           | TFH 8015M              |    |            |                                                                   |                            |
|                                     |                 |                                                                           |              |       |           |           | BTEX                   |    |            |                                                                   |                            |
|                                     |                 |                                                                           |              |       |           |           | Chlorides              |    |            |                                                                   |                            |
|                                     |                 |                                                                           |              |       |           |           | HOLD                   |    |            |                                                                   |                            |

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn

Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

| Relinquished by: (Signature) | Received by: (Signature) | Date/Time      | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
|------------------------------|--------------------------|----------------|------------------------------|--------------------------|-----------|
| <b>Cindy Crain</b>           | <b>Cindy Crain</b>       | 11/22/24 11:58 |                              |                          |           |
|                              |                          |                |                              |                          |           |
|                              |                          |                |                              |                          |           |

Revised Date: 08/25/2020 Rev. 2020.2

## Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
 El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

**Environment Testing**  
**Xenco**

**Work Order No:**

Page 4 of 7  
www.xenco.com[illegible]

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$55.00 will be applied to each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated with Eurofins Xenco. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$55.00 will be applied to each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated with Eurofins Xenco.

|   | Relinquished by: (Signature)                                                          | Received by: (Signature)                                                             | Date/Time      | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
|---|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------|------------------------------|--------------------------|-----------|
| 1 |  |  | 11/22/24 11:58 |                              |                          |           |
| 3 |                                                                                       |                                                                                      |                |                              |                          |           |
|   |                                                                                       |                                                                                      |                |                              |                          |           |

Revised Date: 08/25/2020 Rev. 2020.2



## Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing  
Xenco

Work Order No:

www.xenco.com Page 5 of 7

|                  |                     |                         |                          |
|------------------|---------------------|-------------------------|--------------------------|
| Project Manager: | Cindy Crain         | Bill to: (if different) | Nicole Cornwell          |
| Company Name:    | Crain Environmental | Company Name:           | BXP                      |
| Address:         | 2425 E. 17th St.    | Address:                | 11757 Katy Fwy, Ste. 475 |
| City, State ZIP: | Dallas, TX 75201    | City, State ZIP:        | Houston, TX 77079        |
| Phone:           | (575) 441-7244      | Email:                  | Cindy.crain@gmail.com    |

|                   |                |                                                               |                                                                           |            |  |
|-------------------|----------------|---------------------------------------------------------------|---------------------------------------------------------------------------|------------|--|
| Project Name:     | Bagley # 4 SWD | Turn Around                                                   | <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush | Pres. Code |  |
| P Project Number: |                | Due Date:                                                     |                                                                           |            |  |
| Project Location: | Lea Co., NM    | TAT starts the day received by the lab, if received by 4:30pm |                                                                           |            |  |
| Sampler's Name:   | Cindy Crain    |                                                               |                                                                           |            |  |
| P O #:            |                |                                                               |                                                                           |            |  |

| SAMPLE RECEIPT           |     |    |          | Parameters |     |                 |                    | ANALYSIS REQUEST     |                        |           |       | Preservative Codes |              |        |                       |
|--------------------------|-----|----|----------|------------|-----|-----------------|--------------------|----------------------|------------------------|-----------|-------|--------------------|--------------|--------|-----------------------|
| Temp Blank:              | Yes | No | Wet Ice: | Yes        | No  | Thermometer ID: | Correction Factor: | Temperature Reading: | Corrected Temperature: | Grab/Comp | Depth | Time Sampled       | Date Sampled | Matrix | Sample Identification |
| Samples Received Intact: | Yes | No | Yes      | No         | Yes | No              | 1K-8               |                      |                        |           |       |                    |              |        | S-12 (2')             |
| Cooler Custody Seals:    | Yes | No | N/A      |            |     |                 | 4.16               |                      |                        |           |       |                    |              |        | S-14 (0-6")           |
| Sample Custody Seals:    | Yes | No | N/A      |            |     |                 | 3.16               |                      |                        |           |       |                    |              |        | S-14 (1')             |
| Total Containers:        |     |    |          |            |     |                 | 3.15               |                      |                        |           |       |                    |              |        | S-14 (1.5')           |
|                          |     |    |          |            |     |                 |                    |                      |                        |           |       |                    |              |        | S-15 (0-6")           |
|                          |     |    |          |            |     |                 |                    |                      |                        |           |       |                    |              |        | S-15 (1')             |
|                          |     |    |          |            |     |                 |                    |                      |                        |           |       |                    |              |        | S-15 (2')             |
|                          |     |    |          |            |     |                 |                    |                      |                        |           |       |                    |              |        | S-16 (0-6")           |
|                          |     |    |          |            |     |                 |                    |                      |                        |           |       |                    |              |        | S-16 (1')             |
|                          |     |    |          |            |     |                 |                    |                      |                        |           |       |                    |              |        | S-16 (1.5')           |

|                                              |                                                                         |                                |                                                                                               |
|----------------------------------------------|-------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------|
| Total 200.7 / 6010                           | 200.8 / 6020:                                                           | 8RCRA 13PPM Texas 11           | Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO <sub>2</sub> Na Sr Ti Sn U V Zn |
| Circle Method(s) and Metal(s) to be analyzed | TCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U | Hg: 1631 / 245.1 / 7470 / 7471 |                                                                                               |

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

| Relinquished by (Signature) | Received by (Signature) | Date/Time      | Relinquished by (Signature) | Received by (Signature) | Date/Time |
|-----------------------------|-------------------------|----------------|-----------------------------|-------------------------|-----------|
| Cindy Crain                 | Teddy Lambert           | 11/22/24 11:58 |                             |                         |           |
|                             |                         |                |                             |                         |           |
|                             |                         |                |                             |                         |           |

Revised Date: 08/25/2020 Rev. 2020.2

## Chain of Custody

Houston, TX (281) 240-4200; Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440; San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443; Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550; Carlsbad, NM (575) 988-3199

**Environment Testing**  
**Xenco**



Work Order No: \_\_\_\_\_

Page 6 of 1  
www.xenco.com

| Project Information   |  |                          |  |                         |  | Company Information |  |                                                               |  |                        |  | Billing Information                                                                                                                                                              |  |                                                                                                                                                                    |  |  |  |
|-----------------------|--|--------------------------|--|-------------------------|--|---------------------|--|---------------------------------------------------------------|--|------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| Project Manager:      |  | Cindy Crain              |  | Bill To: (if different) |  | Nicole Coranell     |  | Company Name:                                                 |  | BXP                    |  | Program:                                                                                                                                                                         |  | UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/> |  |  |  |
| Company Name:         |  | Crain Environmental      |  | Address:                |  | 2925 E. 17th St.    |  | City, State ZIP:                                              |  | Odessa, TX 79701       |  | State of Project:                                                                                                                                                                |  | NM                                                                                                                                                                 |  |  |  |
| Address:              |  |                          |  | Email:                  |  | (575) 441-7244      |  | City, State ZIP:                                              |  | Houston, TX 77079      |  | Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/> |  |                                                                                                                                                                    |  |  |  |
| City, State ZIP:      |  | Odessa, TX 79701         |  | Turn Around             |  | Bagley #4 SWD       |  | TAT starts the day received by the lab, if received by 4:30pm |  | Due Date:              |  | Deliverables: EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other:                                                                                                 |  |                                                                                                                                                                    |  |  |  |
| Phone:                |  | (575) 441-7244           |  | Parameters              |  | Thermometer ID:     |  | Wet Ice:                                                      |  | Yes No                 |  | Preservative Codes                                                                                                                                                               |  |                                                                                                                                                                    |  |  |  |
| Project Name:         |  | Bagley #4 SWD            |  | # of Cont               |  | Date Sampled        |  | Time Sampled                                                  |  | Depth                  |  | Grab/Comp                                                                                                                                                                        |  |                                                                                                                                                                    |  |  |  |
| Project Number:       |  |                          |  | Matrix                  |  | S                   |  | 11/20/24                                                      |  | 1405                   |  | 0-6"                                                                                                                                                                             |  | C-                                                                                                                                                                 |  |  |  |
| Project Location:     |  | Lea Co., NM              |  | Sample Identification   |  | S-17 (0-6")         |  | S-17 (1')                                                     |  | S-17 (1.5')            |  | S-13 (0-6")                                                                                                                                                                      |  | S-13 (1')                                                                                                                                                          |  |  |  |
| Sampler's Name:       |  | Cindy Crain              |  | Cooler Custody Seals:   |  | Yes No N/A          |  | Temperature Reading:                                          |  | Corrected Temperature: |  | TPH 80.5 M                                                                                                                                                                       |  | BTX                                                                                                                                                                |  |  |  |
| PO #:                 |  |                          |  | Total Containers:       |  | 5                   |  | 1505                                                          |  | 1505                   |  | 1505                                                                                                                                                                             |  | Chlorides                                                                                                                                                          |  |  |  |
| SAMPLE RECEIPT        |  | Samples Received Intact: |  | Yes No                  |  | N/A                 |  | Correction Factor:                                            |  | 0.1                    |  | HOLD                                                                                                                                                                             |  |                                                                                                                                                                    |  |  |  |
| Cooler Custody Seals: |  | Yes No                   |  | Temperature Reading:    |  | 3.6                 |  | Corrected Temperature:                                        |  | 3.5                    |  |                                                                                                                                                                                  |  |                                                                                                                                                                    |  |  |  |
| Sample Custody Seals: |  | Yes No                   |  | Date Sampled            |  | 11/20/24            |  | Time Sampled                                                  |  | 1410                   |  | 1' X                                                                                                                                                                             |  |                                                                                                                                                                    |  |  |  |
| Total Containers:     |  | 5                        |  | Matrix                  |  | S                   |  | Date Sampled                                                  |  | 1415                   |  | 1.5' X                                                                                                                                                                           |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-17 (0-6")         |  | Time Sampled                                                  |  | 1435                   |  | 0-6" X                                                                                                                                                                           |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-17 (1')           |  | Time Sampled                                                  |  | 1440                   |  | 1' X                                                                                                                                                                             |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-17 (1.5')         |  | Time Sampled                                                  |  | 1445                   |  | 2' X                                                                                                                                                                             |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-13 (0-6")         |  | Time Sampled                                                  |  | 1450                   |  | 0-6" X                                                                                                                                                                           |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-13 (1')           |  | Time Sampled                                                  |  | 1455                   |  | 1' X                                                                                                                                                                             |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-13 (2')           |  | Time Sampled                                                  |  | 1500                   |  | 1.5' X                                                                                                                                                                           |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-18 (0-6")         |  | Time Sampled                                                  |  | 1505                   |  | 0-6" X                                                                                                                                                                           |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-18 (1')           |  | Time Sampled                                                  |  |                        |  |                                                                                                                                                                                  |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-18 (1.5')         |  | Time Sampled                                                  |  |                        |  |                                                                                                                                                                                  |  |                                                                                                                                                                    |  |  |  |
|                       |  |                          |  | Sample Identification   |  | S-19 (0-1.5')       |  | Time Sampled                                                  |  |                        |  |                                                                                                                                                                                  |  |                                                                                                                                                                    |  |  |  |

|                                              | Total                    | 200.7 / 6010                                                                  | 200.8 / 6020: | 8RCRA Texas 11 | Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO <sub>2</sub> Na Sr Ti Sn U V Zn |
|----------------------------------------------|--------------------------|-------------------------------------------------------------------------------|---------------|----------------|-----------------------------------------------------------------------------------------------|
| Circle Method(s) and Metal(s) to be analyzed | TCLP / SPLP 6010 : 8RCRA | Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg; 1631 / 245.1 / 7470 / 7471 |               |                |                                                                                               |

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

|     | Relinquished by: (Signature) | Received by: (Signature) | Date/Time | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
|-----|------------------------------|--------------------------|-----------|------------------------------|--------------------------|-----------|
| 1   |                              |                          |           |                              |                          |           |
| 2   |                              |                          |           |                              |                          |           |
| 3   |                              |                          |           |                              |                          |           |
| 4   |                              |                          |           |                              |                          |           |
| 5   |                              |                          |           |                              |                          |           |
| 6   |                              |                          |           |                              |                          |           |
| 7   |                              |                          |           |                              |                          |           |
| 8   |                              |                          |           |                              |                          |           |
| 9   |                              |                          |           |                              |                          |           |
| 10  |                              |                          |           |                              |                          |           |
| 11  |                              |                          |           |                              |                          |           |
| 12  |                              |                          |           |                              |                          |           |
| 13  |                              |                          |           |                              |                          |           |
| 14  |                              |                          |           |                              |                          |           |
| 15  |                              |                          |           |                              |                          |           |
| 16  |                              |                          |           |                              |                          |           |
| 17  |                              |                          |           |                              |                          |           |
| 18  |                              |                          |           |                              |                          |           |
| 19  |                              |                          |           |                              |                          |           |
| 20  |                              |                          |           |                              |                          |           |
| 21  |                              |                          |           |                              |                          |           |
| 22  |                              |                          |           |                              |                          |           |
| 23  |                              |                          |           |                              |                          |           |
| 24  |                              |                          |           |                              |                          |           |
| 25  |                              |                          |           |                              |                          |           |
| 26  |                              |                          |           |                              |                          |           |
| 27  |                              |                          |           |                              |                          |           |
| 28  |                              |                          |           |                              |                          |           |
| 29  |                              |                          |           |                              |                          |           |
| 30  |                              |                          |           |                              |                          |           |
| 31  |                              |                          |           |                              |                          |           |
| 32  |                              |                          |           |                              |                          |           |
| 33  |                              |                          |           |                              |                          |           |
| 34  |                              |                          |           |                              |                          |           |
| 35  |                              |                          |           |                              |                          |           |
| 36  |                              |                          |           |                              |                          |           |
| 37  |                              |                          |           |                              |                          |           |
| 38  |                              |                          |           |                              |                          |           |
| 39  |                              |                          |           |                              |                          |           |
| 40  |                              |                          |           |                              |                          |           |
| 41  |                              |                          |           |                              |                          |           |
| 42  |                              |                          |           |                              |                          |           |
| 43  |                              |                          |           |                              |                          |           |
| 44  |                              |                          |           |                              |                          |           |
| 45  |                              |                          |           |                              |                          |           |
| 46  |                              |                          |           |                              |                          |           |
| 47  |                              |                          |           |                              |                          |           |
| 48  |                              |                          |           |                              |                          |           |
| 49  |                              |                          |           |                              |                          |           |
| 50  |                              |                          |           |                              |                          |           |
| 51  |                              |                          |           |                              |                          |           |
| 52  |                              |                          |           |                              |                          |           |
| 53  |                              |                          |           |                              |                          |           |
| 54  |                              |                          |           |                              |                          |           |
| 55  |                              |                          |           |                              |                          |           |
| 56  |                              |                          |           |                              |                          |           |
| 57  |                              |                          |           |                              |                          |           |
| 58  |                              |                          |           |                              |                          |           |
| 59  |                              |                          |           |                              |                          |           |
| 60  |                              |                          |           |                              |                          |           |
| 61  |                              |                          |           |                              |                          |           |
| 62  |                              |                          |           |                              |                          |           |
| 63  |                              |                          |           |                              |                          |           |
| 64  |                              |                          |           |                              |                          |           |
| 65  |                              |                          |           |                              |                          |           |
| 66  |                              |                          |           |                              |                          |           |
| 67  |                              |                          |           |                              |                          |           |
| 68  |                              |                          |           |                              |                          |           |
| 69  |                              |                          |           |                              |                          |           |
| 70  |                              |                          |           |                              |                          |           |
| 71  |                              |                          |           |                              |                          |           |
| 72  |                              |                          |           |                              |                          |           |
| 73  |                              |                          |           |                              |                          |           |
| 74  |                              |                          |           |                              |                          |           |
| 75  |                              |                          |           |                              |                          |           |
| 76  |                              |                          |           |                              |                          |           |
| 77  |                              |                          |           |                              |                          |           |
| 78  |                              |                          |           |                              |                          |           |
| 79  |                              |                          |           |                              |                          |           |
| 80  |                              |                          |           |                              |                          |           |
| 81  |                              |                          |           |                              |                          |           |
| 82  |                              |                          |           |                              |                          |           |
| 83  |                              |                          |           |                              |                          |           |
| 84  |                              |                          |           |                              |                          |           |
| 85  |                              |                          |           |                              |                          |           |
| 86  |                              |                          |           |                              |                          |           |
| 87  |                              |                          |           |                              |                          |           |
| 88  |                              |                          |           |                              |                          |           |
| 89  |                              |                          |           |                              |                          |           |
| 90  |                              |                          |           |                              |                          |           |
| 91  |                              |                          |           |                              |                          |           |
| 92  |                              |                          |           |                              |                          |           |
| 93  |                              |                          |           |                              |                          |           |
| 94  |                              |                          |           |                              |                          |           |
| 95  |                              |                          |           |                              |                          |           |
| 96  |                              |                          |           |                              |                          |           |
| 97  |                              |                          |           |                              |                          |           |
| 98  |                              |                          |           |                              |                          |           |
| 99  |                              |                          |           |                              |                          |           |
| 100 |                              |                          |           |                              |                          |           |

Revised Date: 08/25/2020 Rev. 2020.2



eurofins

**Environment Testing**  
**Xenco**

## Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

**Work Order No:**

www.xenco.com

Page 7 of 7

|                  |                     |  |                         |                           |  |
|------------------|---------------------|--|-------------------------|---------------------------|--|
| Project Manager: | Andy Crain          |  | Bill to: (if different) | BXP - Nicole Caronell     |  |
| Company Name:    | Crain Environmental |  | Company Name:           | BXP                       |  |
| Address:         | 2225 E. 17th St.    |  | Address:                | 11757 Katy Fwy., Ste. 475 |  |
| City, State ZIP: | Dallas, TX 75201    |  | City, State ZIP:        | Houston, TX 77079         |  |
| Phone:           | (575) 441-7344      |  | Email:                  | andy.crain@gmail.com      |  |

| Project Name:            |  | <i>Bugley #4 SMD</i> |  | Turn Around                                                   |                               | ANALYSIS REQUEST       |  |              |  |             |  |            |  |            |  | Preservative Codes                                                                                                                                                                                                                                                                |  |
|--------------------------|--|----------------------|--|---------------------------------------------------------------|-------------------------------|------------------------|--|--------------|--|-------------|--|------------|--|------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Project Number:          |  |                      |  | <input checked="" type="checkbox"/> Routine                   | <input type="checkbox"/> Rush |                        |  |              |  |             |  |            |  |            |  | None: NO<br>Cool: Cool<br>HCL: HC<br>H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub><br>H <sub>3</sub> PO <sub>4</sub> : HP<br>NaHSO <sub>4</sub> : NABIS<br>Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub><br>Zn Acetate+NaOH: Zn<br>NaOH+Ascorbic Acid: SAPC |  |
| Project Location:        |  | <i>Lga Co., NM</i>   |  | Due Date:                                                     |                               |                        |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| Sampler's Name:          |  | <i>Lindy Crain</i>   |  | TAT starts the day received by the lab, if received by 4:30pm |                               |                        |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| PO #:                    |  |                      |  |                                                               |                               |                        |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <b>SAMPLE RECEIPT</b>    |  |                      |  | Temp Blank:                                                   |                               | Yes No                 |  | Wet Ice:     |  | Yes No      |  | Parameters |  | Pres. Code |  |                                                                                                                                                                                                                                                                                   |  |
| Samples Received Intact: |  |                      |  | Yes No                                                        |                               | Thermometer ID:        |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| Cooler Custody Seals:    |  |                      |  | Yes No                                                        |                               | Correction Factor:     |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| Sample Custody Seals:    |  |                      |  | Yes No                                                        |                               | Temperature Reading:   |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| Total Containers:        |  |                      |  | <i>70</i>                                                     |                               | Corrected Temperature: |  |              |  |             |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| Sample Identification    |  |                      |  | Matrix                                                        |                               | Date Sampled           |  | Time Sampled |  | Depth       |  | Grab/Comp  |  | # of Cont  |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-19 (1')</i>         |  |                      |  | <i>S</i>                                                      |                               | <i>11/20/24</i>        |  | <i>1510</i>  |  | <i>1'</i>   |  | <i>C</i>   |  | <i>1</i>   |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-19 (2')</i>         |  |                      |  |                                                               |                               |                        |  | <i>1515</i>  |  | <i>2'</i>   |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-20 (0-6")</i>       |  |                      |  |                                                               |                               |                        |  | <i>1520</i>  |  | <i>0-6"</i> |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-20 (1')</i>         |  |                      |  |                                                               |                               |                        |  | <i>1525</i>  |  | <i>1'</i>   |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-20 (2')</i>         |  |                      |  |                                                               |                               |                        |  | <i>1530</i>  |  | <i>2'</i>   |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-20 (3')</i>         |  |                      |  |                                                               |                               |                        |  | <i>1535</i>  |  | <i>3'</i>   |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-20 (4.1')</i>       |  |                      |  |                                                               |                               |                        |  | <i>1540</i>  |  | <i>4.1'</i> |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-21 (0-6")</i>       |  |                      |  |                                                               |                               |                        |  | <i>1550</i>  |  | <i>0-6"</i> |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-21 (1')</i>         |  |                      |  |                                                               |                               |                        |  | <i>1555</i>  |  | <i>1'</i>   |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |
| <i>S-21 (2')</i>         |  |                      |  |                                                               |                               |                        |  | <i>1600</i>  |  | <i>2'</i>   |  |            |  |            |  |                                                                                                                                                                                                                                                                                   |  |

|       |              |               |
|-------|--------------|---------------|
| Total | 200.7 / 6010 | 200.8 / 6020: |
|-------|--------------|---------------|

| Total                                                                                                   | 200.7 / 6010 | 200.8 / 6020: | 8RCRA Texas 11 | Al | Sb | As | Ba | Be | B | Cd | Ca | Cr | Co | Cu | Pb | Mg | Mn | Mo | Ni | K | Se | Ag | SiO <sub>2</sub> | Na | Sr | Tl | Sn | U | V | Zn |  |
|---------------------------------------------------------------------------------------------------------|--------------|---------------|----------------|----|----|----|----|----|---|----|----|----|----|----|----|----|----|----|----|---|----|----|------------------|----|----|----|----|---|---|----|--|
| Circle Method(s) and Metal(s) to be analyzed                                                            |              |               |                |    |    |    |    |    |   |    |    |    |    |    |    |    |    |    |    |   |    |    |                  |    |    |    |    |   |   |    |  |
| TCCLP / SPLP 6010 : 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Tl U Hg: 1631 / 245.1 / 7470 / 7471 |              |               |                |    |    |    |    |    |   |    |    |    |    |    |    |    |    |    |    |   |    |    |                  |    |    |    |    |   |   |    |  |

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated with Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated with Eurofins Xenco.

| Relinquished by: (Signature)                                                          | Received by: (Signature)                                                             | Date/Time      | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------|------------------------------|--------------------------|-----------|
|  |  | 11/22/04 11:58 |                              |                          |           |
|                                                                                       |                                                                                      | 4              |                              |                          |           |
|                                                                                       |                                                                                      | 6              |                              |                          |           |

Downloaded From: 98.176.170.201 On: 20 Jun 2020

## Login Sample Receipt Checklist

Client: Crain Environmental

Job Number: 880-51419-1

SDG Number: Lea County NM

Login Number: 51419

List Number: 1

Creator: Vasquez, Julisa

List Source: Eurofins Midland

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | N/A    |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | N/A    |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | N/A    |         |



## Appendix C: Photographic Documentation

Photographic Log  
BXP Operating, LLC  
Bagley SWD #4  
November 20, 2024



View of well sign.



View to SW of sample S-1 location.



View of sample S-1 location.



View to S of sample S-2 and S-3 locations.



View to N of sample S-2 and S-3 locations.



View of sample S-4 location.



View to N of sample S-4 location.



View to E of sample S-5 location.

Photographic Log  
BXP Operating, LLC  
Bagley SWD #4  
November 20, 2024



View to N of sample S-6 location.



View to N of sample S-5 and S-6 locations.



View to N of sample S-7, S-8, and S-9 locations.



View to SE of sample S-10, S-11, and S-12 locations.



View to NW of sample S-13 location.



View to E of sample S-14 location.



View to N of sample S-15 location.



View to NE of sample S-16 location.

Photographic Log  
BXP Operating, LLC  
Bagley SWD #4  
November 20, 2024



View to NE of sample S-17 location.



View to S of sample S-18 location.



View to SW of sample S-19 location.



View to W of sample S-20 location.



View to W of sample S-21 location.



## Appendix D - NMSLO Cultural Resources Cover Sheet



Stephanie Garcia Richard, Commissioner of Public Lands  
State of New Mexico

## NMSLO Cultural Resources Cover Sheet Exhibit

**NMCRIS Activity Number:**

(if applicable)

**Exhibit Type** (select one)

**ARMS Inspection/Review** - Summarize the results (select one):

- (A) The entire area of potential effect or project area has been previously surveyed to current standards and **no cultural properties** were found within the survey area.
- (B) The entire area of potential effect or project area has been previously surveyed to current standards and **cultural properties were found** within the survey area.
- (C) The entire area of potential effect or project area has **not** been previously surveyed or **has not been surveyed** to current standards. A complete archaeological survey will be conducted and submitted for review.

**Archaeological Survey**

**Findings:**

**Negative** - No further archaeological review is required.

**Positive** - Have avoidance and protection measures been devised? Select one:

**Comments:**

**Project Details:**

NMSLO Lease Number (if available):

Cultural Resources Consultant:

Project Proponent (Applicant):

Project Title/Description:

**Project Location:**

County(ies):

PLSS/Section/Township/Range):

---

**For NMSLO Agency Use Only:**

NMSLO Lease Number:

Acknowledgment-Only:

Lease Analyst:

Date Exhibit Routed to Cultural Resources Office:

---

*No person may alter the wording of the questions or layout of the cover sheet. The completion of this cover sheet by itself does not authorize anyone to engage in new surface disturbing activity before the review and approvals required by the Cultural Properties Protections Rule.*

Form Revised 12 22



## Appendix E - Biological Desktop Review

Project code: 2025-0081805

04/10/2025 20:04:51 UTC

## PROJECT SUMMARY

Project Code: 2025-0081805  
Project Name: Bagley SWD #004  
Project Type: Non-NPL Site Remediation  
Project Description: Soil remediation  
Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@33.31675815,-103.58720367585516,14z>



Counties: Lea County, New Mexico

Project code: 2025-0081805

04/10/2025 20:04:51 UTC

BIRDS

| NAME                                                                                                                                                                                                                                                                     | STATUS                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Lesser Prairie-chicken <i>Tympanuchus pallidicinctus</i><br>Population: Southern DPS<br>No critical habitat has been designated for this species.<br>Species profile: <a href="https://ecos.fws.gov/ecp/species/1924">https://ecos.fws.gov/ecp/species/1924</a>          | Endangered                                       |
| Northern Aplomado Falcon <i>Falco femoralis septentrionalis</i><br>Population: U.S.A (AZ, NM)<br>No critical habitat has been designated for this species.<br>Species profile: <a href="https://ecos.fws.gov/ecp/species/1923">https://ecos.fws.gov/ecp/species/1923</a> | Experimental<br>Population,<br>Non-<br>Essential |

INSECTS

| NAME                                                                                                                                                                                                                                                                        | STATUS                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Monarch Butterfly <i>Danaus plexippus</i><br>There is <b>proposed</b> critical habitat for this species. Your location does not overlap the critical habitat.<br>Species profile: <a href="https://ecos.fws.gov/ecp/species/9743">https://ecos.fws.gov/ecp/species/9743</a> | Proposed<br>Threatened |

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS

Action 455961

QUESTIONS

|                                                                            |                                                                          |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Operator:<br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:<br>329487                                                         |
|                                                                            | Action Number:<br>455961                                                 |
|                                                                            | Action Type:<br>[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

QUESTIONS

|                  |                                               |
|------------------|-----------------------------------------------|
| Prerequisites    |                                               |
| Incident ID (n#) | nAPP2509976410                                |
| Incident Name    | NAPP2509976410 BAGLEY SWD #004 @ 30-025-01015 |
| Incident Type    | Produced Water Release                        |
| Incident Status  | Remediation Plan Received                     |
| Incident Well    | [30-025-01015] BAGLEY SWD #004                |

|                                                |                 |
|------------------------------------------------|-----------------|
| Location of Release Source                     |                 |
| Please answer all the questions in this group. |                 |
| Site Name                                      | BAGLEY SWD #004 |
| Date Release Discovered                        | 11/20/2024      |
| Surface Owner                                  | State           |

|                                                                                                      |                        |
|------------------------------------------------------------------------------------------------------|------------------------|
| Incident Details                                                                                     |                        |
| Please answer all the questions in this group.                                                       |                        |
| Incident Type                                                                                        | Produced Water Release |
| Did this release result in a fire or is the result of a fire                                         | No                     |
| Did this release result in any injuries                                                              | No                     |
| Has this release reached or does it have a reasonable probability of reaching a watercourse          | No                     |
| Has this release endangered or does it have a reasonable probability of endangering public health    | No                     |
| Has this release substantially damaged or will it substantially damage property or the environment   | No                     |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No                     |

|                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Nature and Volume of Release                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                  |
| Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission. |                                                                                                                                                                                                                                                                                                                                                                                                  |
| Crude Oil Released (bbls) Details                                                                                                                                                    | Not answered.                                                                                                                                                                                                                                                                                                                                                                                    |
| Produced Water Released (bbls) Details                                                                                                                                               | Cause: Corrosion   Flow Line - Injection   Produced Water   Released: 0 BBL (Unknown Released Amount)   Recovered: 0 BBL   Lost: 0 BBL.                                                                                                                                                                                                                                                          |
| Is the concentration of chloride in the produced water >10,000 mg/l                                                                                                                  | No                                                                                                                                                                                                                                                                                                                                                                                               |
| Condensate Released (bbls) Details                                                                                                                                                   | Not answered.                                                                                                                                                                                                                                                                                                                                                                                    |
| Natural Gas Vented (Mcf) Details                                                                                                                                                     | Not answered.                                                                                                                                                                                                                                                                                                                                                                                    |
| Natural Gas Flared (Mcf) Details                                                                                                                                                     | Not answered.                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Released Details                                                                                                                                                               | Not answered.                                                                                                                                                                                                                                                                                                                                                                                    |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)                                 | Upon request from the State Land Office (SLO) Environmental Compliance Office (ECO), a soil investigation was conducted in this barren area. Lab results received on 11/20/24 indicated that a historical release had occurred in this area. A Site Characterization Report and Remediation Workplan will be submitted that includes all historical releases on the Bagley SWD #004 State lease. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 455961

**QUESTIONS (continued)**

|                                                                            |                                                                          |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Operator:<br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:<br>329487                                                         |
|                                                                            | Action Number:<br>455961                                                 |
|                                                                            | Action Type:<br>[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

**QUESTIONS**

| <b>Nature and Volume of Release (continued)</b>                                                                                                         |                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Is this a gas only submission (i.e. only significant Mcf values reported)                                                                               | No, according to supplied volumes this does not appear to be a "gas only" report.                                                      |
| Was this a major release as defined by Subsection A of 19.15.29.7 NMAC                                                                                  | Yes                                                                                                                                    |
| Reasons why this would be considered a submission for a notification of a major release                                                                 | From paragraph A. "Major release" determine using:<br>(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more. |
| With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form. |                                                                                                                                        |

**Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

|                                                                                                                    |               |
|--------------------------------------------------------------------------------------------------------------------|---------------|
| The source of the release has been stopped                                                                         | True          |
| The impacted area has been secured to protect human health and the environment                                     | True          |
| Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices | True          |
| All free liquids and recoverable materials have been removed and managed appropriately                             | True          |
| If all the actions described above have not been undertaken, explain why                                           | Not answered. |

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|                                                    |                                                                                                    |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------|
| I hereby agree and sign off to the above statement | Name: Dillon Salas<br>Title: Operations Engineer<br>Email: aggie@penrocoil.com<br>Date: 04/27/2025 |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 455961

**QUESTIONS (continued)**

|                                                                            |                                                                          |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Operator:<br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:<br>329487                                                         |
|                                                                            | Action Number:<br>455961                                                 |
|                                                                            | Action Type:<br>[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

**QUESTIONS**

|                                                                                                                                                                                                                                                      |                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| <b>Site Characterization</b>                                                                                                                                                                                                                         |                         |
| <i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i> |                         |
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)                                                                                                                           | Between 26 and 50 (ft.) |
| What method was used to determine the depth to ground water                                                                                                                                                                                          | Direct Measurement      |
| Did this release impact groundwater or surface water                                                                                                                                                                                                 | No                      |
| <b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>                                                                                                                             |                         |
| A continuously flowing watercourse or any other significant watercourse                                                                                                                                                                              | Greater than 5 (mi.)    |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)                                                                                                                                                                    | Between ½ and 1 (mi.)   |
| An occupied permanent residence, school, hospital, institution, or church                                                                                                                                                                            | Between 1 and 5 (mi.)   |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes                                                                                                                            | Between 1 and 5 (mi.)   |
| Any other fresh water well or spring                                                                                                                                                                                                                 | Greater than 5 (mi.)    |
| Incorporated municipal boundaries or a defined municipal fresh water well field                                                                                                                                                                      | Greater than 5 (mi.)    |
| A wetland                                                                                                                                                                                                                                            | Between ½ and 1 (mi.)   |
| A subsurface mine                                                                                                                                                                                                                                    | Greater than 5 (mi.)    |
| An (non-karst) unstable area                                                                                                                                                                                                                         | Greater than 5 (mi.)    |
| Categorize the risk of this well / site being in a karst geology                                                                                                                                                                                     | Low                     |
| A 100-year floodplain                                                                                                                                                                                                                                | Between ½ and 1 (mi.)   |
| Did the release impact areas not on an exploration, development, production, or storage site                                                                                                                                                         | Yes                     |

|                                                                                                                                                                                                                                                                                                                                                                                       |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Remediation Plan</b>                                                                                                                                                                                                                                                                                                                                                               |            |
| <i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>                                                                                                                                                                                      |            |
| Requesting a remediation plan approval with this submission                                                                                                                                                                                                                                                                                                                           | Yes        |
| <i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>                                                                                                                                                                        |            |
| Have the lateral and vertical extents of contamination been fully delineated                                                                                                                                                                                                                                                                                                          | Yes        |
| Was this release entirely contained within a lined containment area                                                                                                                                                                                                                                                                                                                   | No         |
| <b>Soil Contamination Sampling:</b> (Provide the highest observable value for each, in milligrams per kilograms.)                                                                                                                                                                                                                                                                     |            |
| Chloride (EPA 300.0 or SM4500 Cl B)                                                                                                                                                                                                                                                                                                                                                   | 4040       |
| TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)                                                                                                                                                                                                                                                                                                                                           | 0          |
| GRO+DRO (EPA SW-846 Method 8015M)                                                                                                                                                                                                                                                                                                                                                     | 0          |
| BTEX (EPA SW-846 Method 8021B or 8260B)                                                                                                                                                                                                                                                                                                                                               | 0          |
| Benzene (EPA SW-846 Method 8021B or 8260B)                                                                                                                                                                                                                                                                                                                                            | 0          |
| <i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>                                                                        |            |
| On what estimated date will the remediation commence                                                                                                                                                                                                                                                                                                                                  | 08/04/2025 |
| On what date will (or did) the final sampling or liner inspection occur                                                                                                                                                                                                                                                                                                               | 08/18/2025 |
| On what date will (or was) the remediation complete(d)                                                                                                                                                                                                                                                                                                                                | 08/29/2025 |
| What is the estimated surface area (in square feet) that will be reclaimed                                                                                                                                                                                                                                                                                                            | 7506       |
| What is the estimated volume (in cubic yards) that will be reclaimed                                                                                                                                                                                                                                                                                                                  | 1112       |
| What is the estimated surface area (in square feet) that will be remediated                                                                                                                                                                                                                                                                                                           | 7506       |
| What is the estimated volume (in cubic yards) that will be remediated                                                                                                                                                                                                                                                                                                                 | 1112       |
| <i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>                                                                                                                                                                                |            |
| <i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i> |            |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 455961

**QUESTIONS (continued)**

|                                                                            |                                                          |
|----------------------------------------------------------------------------|----------------------------------------------------------|
| Operator:<br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:                                                   |
|                                                                            | 329487                                                   |
|                                                                            | Action Number:                                           |
|                                                                            | 455961                                                   |
|                                                                            | Action Type:                                             |
|                                                                            | [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

**QUESTIONS**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Remediation Plan (continued)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                             |
| <i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                             |
| <b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                             |
| <i>(Select all answers below that apply.)</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                             |
| (Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Yes                                                                                                                                         |
| Which OCD approved facility will be used for <b>off-site</b> disposal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TNM-55-95 [fAB0000000061]                                                                                                                   |
| <b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Not answered.                                                                                                                               |
| <b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Not answered.                                                                                                                               |
| <b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Not answered.                                                                                                                               |
| (Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Not answered.                                                                                                                               |
| (In Situ) Soil Vapor Extraction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Not answered.                                                                                                                               |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Not answered.                                                                                                                               |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Not answered.                                                                                                                               |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Not answered.                                                                                                                               |
| Ground Water Abatement pursuant to 19.15.30 NMAC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Not answered.                                                                                                                               |
| OTHER (Non-listed remedial process)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Not answered.                                                                                                                               |
| <i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                             |
| I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. |                                                                                                                                             |
| I hereby agree and sign off to the above statement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Name: Dillon Salas<br>Title: Operations Engineer<br>Email: <a href="mailto:aggie@penrocoil.com">aggie@penrocoil.com</a><br>Date: 04/27/2025 |
| <i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                             |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 455961

QUESTIONS (continued)

|                                                                                |                                                                              |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Operator:<br><br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:<br><br>329487                                                         |
|                                                                                | Action Number:<br><br>455961                                                 |
|                                                                                | Action Type:<br><br>[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

QUESTIONS

|                                                                                                                                                                                                |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Deferral Requests Only                                                                                                                                                                         |    |
| Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation. |    |
| Requesting a deferral of the remediation closure due date with the approval of this submission                                                                                                 | No |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 6  
  
Action 455961

QUESTIONS (continued)

|                                                                                |                                                                              |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Operator:<br><br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:<br><br>329487                                                         |
|                                                                                | Action Number:<br><br>455961                                                 |
|                                                                                | Action Type:<br><br>[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

QUESTIONS

|                                              |                |
|----------------------------------------------|----------------|
| Sampling Event Information                   |                |
| Last sampling notification (C-141N) recorded | {Unavailable.} |

|                                                                                                                                            |    |
|--------------------------------------------------------------------------------------------------------------------------------------------|----|
| Remediation Closure Request                                                                                                                |    |
| Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed. |    |
| Requesting a remediation closure approval with this submission                                                                             | No |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 455961

CONDITIONS

|                                                                            |                                                                          |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Operator:<br>BXP Operating, LLC<br>11757 KATY FREEWAY<br>HOUSTON, TX 77079 | OGRID:<br>329487                                                         |
|                                                                            | Action Number:<br>455961                                                 |
|                                                                            | Action Type:<br>[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan) |

CONDITIONS

| Created By | Condition                                                                                                            | Condition Date |
|------------|----------------------------------------------------------------------------------------------------------------------|----------------|
| amaxwell   | Remediation work plan approved.                                                                                      | 5/6/2025       |
| amaxwell   | Request to delineate via excavation is approved. However, delineation activities must include reclamation standards. | 5/6/2025       |
| amaxwell   | Submit a report via the OCD permitting portal by August 4, 2025.                                                     | 5/6/2025       |