



## CLOSURE REPORT

Property:

**Angel Peak 2C Site #1 (09/09/24) Release**

Unit Letter E, S17 T26N R07W  
Rio Arriba County, New Mexico

**New Mexico EMNRD OCD Incident ID No. NAPP2425328865**

**May 15, 2025**


Ensolum Project No. 05A12263337

Prepared for:

**Enterprise Field Services, LLC**

614 Reilly Avenue  
Farmington, NM 87401  
Attn: Mr. Thomas Long

Prepared by:

  
\_\_\_\_\_  
Landon Daniell  
Project Geologist  
\_\_\_\_\_  
Kyle Summers  
Senior Managing Geologist

## TABLE OF CONTENTS

<b>1.0</b>	<b>INTRODUCTION.....</b>	<b>1</b>
1.1	Site Description & Background .....	1
1.2	Project Objective .....	1
<b>2.0</b>	<b>CLOSURE CRITERIA.....</b>	<b>1</b>
<b>3.0</b>	<b>SOIL REMEDIATION ACTIVITIES .....</b>	<b>3</b>
<b>4.0</b>	<b>SOIL SAMPLING PROGRAM .....</b>	<b>3</b>
<b>5.0</b>	<b>SOIL LABORATORY ANALYTICAL METHODS.....</b>	<b>4</b>
<b>6.0</b>	<b>SOIL DATA EVALUATION .....</b>	<b>4</b>
<b>7.0</b>	<b>RECLAMATION.....</b>	<b>5</b>
<b>8.0</b>	<b>REVEGETATION .....</b>	<b>5</b>
<b>9.0</b>	<b>FINDINGS AND RECOMMENDATION .....</b>	<b>5</b>
<b>10.0</b>	<b>STANDARDS OF CARE, LIMITATIONS, AND RELIANCE .....</b>	<b>5</b>
10.1	Standard of Care .....	5
10.2	Limitations .....	5
10.3	Reliance.....	6

## LIST OF APPENDICES

### Appendix A – Figures

Figure 1: Topographic Map  
Figure 2: Site Vicinity Map  
Figure 3: Site Map with Soil Analytical Results

### Appendix B – Siting Figures and Documentation

Figure A: 1.0 Mile Radius Water Well/POD Location Map  
Figure B: Cathodic Protection Well Recorded Depth to Water  
Figure C: 300 Foot Radius Watercourse and Drainage Identification  
Figure D: 300 Foot Radius Occupied Structure Identification  
Figure E: Water Well and Natural Spring Location  
Figure F: Wetlands  
Figure G: Mines, Mills, and Quarries  
Figure H: 100-Year Flood Plain Map

### Appendix C – Executed C-138 Solid Waste Acceptance Form

### Appendix D – Photographic Documentation

### Appendix E – Regulatory Correspondence

### Appendix F – Table 1 - Soil Analytical Summary

### Appendix G – Laboratory Data Sheets & Chain of Custody Documentation

## 1.0 INTRODUCTION

### 1.1 Site Description & Background

<b>Operator:</b>	Enterprise Field Services, LLC / Enterprise Products Operating LLC (Enterprise)
<b>Site Name:</b>	Angel Peak 2C Site #1 (09/09/24) Release (Site)
<b>NM EMNRD OCD Incident ID No.</b>	NAPP2425328865
<b>Location:</b>	36.48832° North, 107.60704° West Unit Letter E, Section 17, Township 26 North, Range 07 West Rio Arriba County, New Mexico
<b>Property:</b>	Bureau of Land Management (BLM)
<b>Regulatory:</b>	New Mexico (NM) Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

On August 27, 2024, a potential release of natural gas from the Angel Peak 2C Site #1 pipeline was identified. Enterprise subsequently isolated and locked the pipeline out of service. On September 7, 2024, Enterprise initiated activities to remediate potential petroleum hydrocarbon impact. On September 9, 2024, Enterprise determined the release was “reportable” due to the potential volume of impacted soil. The NM EMNRD OCD was subsequently notified.

A **Topographic Map** depicting the location of the Site is included as **Figure 1**, and a **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

### 1.2 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the on-site soils to below the applicable NM EMNRD OCD closure criteria.

## 2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the NM EMNRD OCD. During the evaluation and remediation of the Site, Ensolum, LLC (Ensolum) referenced New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for oil and gas release sites that are subject to reporting and/or corrective action. The appropriate closure criteria for sites are determined using the siting requirements outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC. Ensolum utilized the general site characteristics and information available from NM state agency databases and federal agency geospatial databases to determine the appropriate closure criteria for the Site. Supporting figures and documentation associated with the following Siting bullets are provided in **Appendix B**.

- The NM Office of the State Engineer (OSE) tracks the usage and assignment of water rights and water well installations and records this information in the Water Rights Reporting System (WRRS) database. Water wells and other points of diversion (PODs) are each assigned POD numbers in the database (which is searchable and includes an interactive map). No PODs were identified in the same Public Land Survey System (PLSS) section as the Site or in the adjacent PLSS sections (**Figure A, Appendix B**).
- No cathodic protection wells (CPWs) were identified in the NM EMNRD OCD imaging database in this or the adjacent PLSS sections (**Figure B, Appendix B**).

- The Site is located within 300 feet of an NM EMNRD OCD-defined continuously flowing watercourse or significant watercourse (**Figure C, Appendix B**). As defined by the NM EMNRD OCD in their training seminar, a first order drainage to a “blue line” water course is considered a significant watercourse. Such a drainage is located approximately 90 feet west of the Site.
- The Site is not located within 200 feet of a lakebed, sinkhole, or playa lake.
- The Site is not located within 300 feet of a permanent residence, school, hospital, institution, or church (**Figure D, Appendix B**).
- No springs, or private domestic freshwater wells used by less than five households for domestic or stock watering purposes were identified within 500 feet of the Site (**Figure E, Appendix B**).
- No freshwater wells or springs were identified within 1,000 feet of the Site (**Figure E, Appendix B**).
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to New Mexico Statutes Annotated (NMSA) 1978, Section 3-27-3.
- Based on information identified in the U.S. Fish & Wildlife Service National Wetlands Inventory Wetlands Mapper, the Site is not within 300 feet of a wetland (**Figure F, Appendix B**). A riverine is located approximately 540 feet west of the Site. This riverine bears the “J” designation (intermittently flooded) that is generally not considered a wetland in this region. A manmade pond is located approximately 950 feet south-southwest of the Site.
- Based on information identified in the NM Mining and Minerals Division's Geographic Information System (GIS) Maps and Mine Data database, the Site is not within an area overlying a subsurface mine (**Figure G, Appendix B**).
- The Site is not located within an unstable area per Paragraph (6) of Subsection U of 19.15.2.7 NMAC.
- Based on information provided by the Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (NFHL) geospatial database, the Site is not within a 100-year floodplain (**Figure H, Appendix B**).

The Site is located within 300 feet of a NM EMNRD OCD-defined continuously flowing watercourse or significant watercourse, resulting in a Tier I ranking. The closure criteria for soils remaining in place at the Site include:

Tier I Closure Criteria for Soils Impacted by a Release		
Constituent <sup>1</sup>	Method	Limit
Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg
TPH (GRO+DRO+MRO) <sup>2</sup>	EPA SW-846 Method 8015	100 mg/kg
BTEX <sup>3</sup>	EPA SW-846 Method 8021 or 8260	50 mg/kg
Benzene	EPA SW-846 Method 8021 or 8260	10 mg/kg

<sup>1</sup> – Constituent concentrations are in milligrams per kilogram (mg/kg).

<sup>2</sup> – Total Petroleum Hydrocarbons (TPH). Gasoline Range Organics (GRO). Diesel Range Organics (DRO). Motor Oil/Lube Oil Range Organics (MRO).

<sup>3</sup> – Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX).



### 3.0 SOIL REMEDIATION ACTIVITIES

On September 7, 2024, Enterprise initiated activities to remediate potential petroleum hydrocarbon impact. During the remediation and corrective action activities, Sierra Oilfield Services, Inc., provided heavy equipment and labor support, while Ensolum provided environmental consulting support.

The excavation measured approximately 39 feet long and 15 feet wide at the maximum extents. The maximum depth of the excavation measured approximately 13 feet bgs, with an approximate 510 ft<sup>2</sup> footprint. The lithology encountered during the completion of remediation activities consisted primarily of Silty sand and silty clay.

Approximately 420 cubic yards (yd<sup>3</sup>) of petroleum hydrocarbon-affected soils were transported to the Envirotech, Inc., (Envirotech) landfarm in San Juan County, NM for disposal/remediation. The executed C-138 solid waste acceptance form is provided in **Appendix C**. Following permanent pipeline repairs, the excavation was backfilled with imported fill and then contoured to the surrounding grade on May 14, 2025.

**Figure 3** is a map that identifies approximate soil sample locations and depicts the approximate dimensions of the excavation with respect to the pipeline (**Appendix A**). Photographic documentation of the field activities is included in **Appendix D**.

### 4.0 SOIL SAMPLING PROGRAM

Ensolum field screened the soil samples from the excavation utilizing a calibrated Dexsil PetroFLAG<sup>®</sup> hydrocarbon analyzer system and a photoionization detector (PID) fitted with a 10.6 eV lamp to guide excavation extents.

Ensolum's soil sampling program included the collection of 12 composite soil samples (S-1 through S-11 and S-2a) from the excavation and one composite soil sample (BF-1) from the backfill for laboratory analysis. The composite samples from the excavation were comprised of five aliquots each and represent an estimated 200 square foot (ft<sup>2</sup>) or less sample area per guidelines outlined in Section D of 19.15.29.12 NMAC. The excavator bucket and/or hand tools were utilized to obtain fresh aliquots from each area of the excavation and backfill. Regulatory correspondence is provided in **Appendix E**.

#### First Sampling Event

On September 27, 2024, sampling was performed at the Site. The NM EMNRD OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil samples S-1 (10'), S-2 (12') and S-3 (12'), were collected from the floor of the excavation. Composite soil samples S-4 (0' to 12'), S-5 (0' to 12'), S-6 (0' to 12'), S-7 (0' to 10'), S-8 (0' to 10'), S-9 (0' to 10'), S-10 (0' to 12'), and S-11 (0' to 12'), were collected from the walls of the excavation. The analytical results for composite soil sample S-2 indicated an exceedance for the total combined TPH concentration.

#### Second Sampling Event

On October 1, 2024, sampling was performed at the Site. The NM EMNRD OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil sample S-2a (13') was collected from the floor of the excavation to replace composite soil sample S-2.

### **Third Sampling Event**

On January 21, 2024, sampling was performed at the Site. The NM EMNRD OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil sample BF-1 was collected from the imported fill.

All soil samples were collected and placed in laboratory-prepared glassware. The containers were labeled and sealed using the laboratory-supplied labels and custody seals and were stored on ice in a cooler. The samples were relinquished to the courier for Eurofins Environment Testing South Central, LLC (Eurofins) of Albuquerque, NM, under proper chain-of-custody procedures.

## **5.0 SOIL LABORATORY ANALYTICAL METHODS**

The composite soil samples were analyzed for BTEX using Environmental Protection Agency (EPA) SW-846 Method 8021; TPH GRO/DRO/MRO using EPA SW-846 Method 8015; and chlorides using EPA Method 300.0.

The laboratory analytical results are summarized in **Table 1 (Appendix F)**. The laboratory data sheets and executed chain-of-custody forms are provided in **Appendix G**.

## **6.0 SOIL DATA EVALUATION**

Ensolum compared the benzene, BTEX, TPH, and chloride laboratory analytical results or laboratory practical quantitation limits (PQLs) / reporting limits (RLs) associated with the composite soil samples (S-1, S-3 through S-11, S-2a, and BF-1) to the applicable NM EMNRD OCD closure criteria. Due to the high PQLs/RLs associated with the TPH MRO results when using EPA SW-846 Method 8015, Ensolum only compares the quantified TPH results to the New Mexico EMNRD OCD closure criteria. The results for composite soil sample S-2 are not included in the following discussion because the soils associated with S-2 were removed from the Site. The laboratory analytical results are summarized in **Table 1 (Appendix F)**.

- The laboratory analytical results for the composite soil samples indicate that benzene is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 10 mg/kg.
- The laboratory analytical results for the composite soil samples indicate that total BTEX is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 50 mg/kg.
- The laboratory analytical results for composite soil sample S-8 indicate a total combined TPH GRO/DRO/MRO concentration of 8.1 mg/kg which is less than the NM EMNRD OCD closure criteria of 100 mg/kg. The laboratory analytical results for the other composite soil samples collected from the soils remaining at the Site indicate total combined TPH GRO/DRO/MRO is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 100 mg/kg.
- The laboratory analytical results for the composite soil samples indicate that chloride is not present at concentrations greater than the laboratory PQLs/RLs, which is less than the NM EMNRD OCD closure criteria of 600 mg/kg.

## 7.0 RECLAMATION

The excavation was backfilled with imported fill and then contoured to the surrounding grade. The backfill and the upper four feet of the excavation have been analytically verified to be below the Tier I soil standards of 50 mg/kg BTEX, 10 mg/kg benzene, 100 mg/kg total combined TPH, and 600 mg/kg Chloride. See **APPENDIX D** and **APPENDIX F** for further documentation.

## 8.0 REVEGETATION

Revegetation will be addressed in accordance with 19.15.29.13 NMAC utilizing the recommended seed mix as described in guidance (Vegetation Community Descriptions and Seed Mixes) provided by the BLM Farmington Field Office. In this case the surrounding vegetation is predominantly of the Sagebrush/Grassland Vegetation Communities. Enterprise will reseed the area with the appropriate seed mix during the next favorable growing season. Enterprise will provide revegetation documentation under separate cover.

## 9.0 FINDINGS AND RECOMMENDATION

- Thirteen composite soil samples were collected from the Site. Based on laboratory analytical results, no benzene, BTEX, chloride, or total combined TPH GRO/DRO/MRO exceedances were identified in the soils remaining at the Site.
- Approximately 420 yd<sup>3</sup> of petroleum hydrocarbon-affected soils were transported to the Envirotech landfarm for disposal/remediation.

**Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.**

## 10.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

### 10.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties).

### 10.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-Site activities and other services performed under this scope of work, and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings and recommendation are based solely upon data available to Ensolum at the time of these services.

### 10.3 Reliance

This report has been prepared for the exclusive use of Enterprise, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of Enterprise and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions, and limitations stated in this report and Ensolum's Master Services Agreement. The limitation of liability defined in the agreement is the aggregate limit of Ensolum's liability to the client.




# APPENDIX A

## Figures

---





## Topographic Map

Enterprise Products Operating, LLC

Angel Peak 2C Site #1 (09/09/24)

Project Number: 05A1221337


Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE

1



Document Path: C:\Users\Patric Rodriguez\OneDrive - ENSOLUM\LLC\Desktop\PAR\_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221337 - Angel Peak 2C #11 - Project\Fig 1\_Template\Angel Peak 2C #11.aprx



## Site Vicinity Map

Enterprise Products Operating, LLC

Angel Peak 2C Site #1 (09/09/24)


Project Number: 05A1221337

Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE

2





## Site Map with Soil Analytical Results

Enterprise Products Operating, LLC  
 Angel Peak 2C Site #1 (09/09/24)  
 Project Number: 05A1221337  
 Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
 36.48832, -107.60704

FIGURE  
**3**




## APPENDIX B

### Siting Figures and Documentation

---



Document Path: C:\Users\Patric Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR\_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221337 - Angel Peak 2C #1 - Project\Fig 1\_Template\Angel Peak 2C #1.aprx



### 1.0 Mile Radius Water Well / POD Location Map

Enterprise Products Operating, LLC

Angel Peak 2C Site #1 (09/09/24)

Project Number: 05A1221337


Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE

A




Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR\_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LC\05A1221337 - Angel Peak 2C #11 - Project\Fig. 1\_Template\Angel Peak 2C #1.aprx

Environmental, Engineering and  
Hydrogeologic Consultants**Cathodic Protection Well  
Recorded Depth to Water**Enterprise Products Operating, LLC  
Angel Peak 2C Site #1 (09/09/24)  
Project Number: 05A1221337Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704**FIGURE  
B**



Document Path: C:\Users\Patric Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR\_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221337 - Angel Peak 2C #11 - Project\Fig. 1\_Template\Angel Peak 2C #1.aprx



### 300 Foot Radius Watercourse and Drainage Identification

Enterprise Products Operating, LLC

Angel Peak 2C Site #1 (09/09/24)

Project Number: 05A1221337


Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE

C



Document Path: C:\Users\Patric.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR\_GIS\File Path Structure\6 - Aztec\Enterprise Field Services, LLC\05A1221337 - Angel Peak 2C #1\1 - Project\Fig. 1\_Template\Angel Peak 2C #1.aprx



**300 Foot Radius Occupied  
Structure Identification**

Enterprise Products Operating, LLC

Angel Peak 2C Site #1 (09/09/24)


Project Number: 05A1221337

Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

**FIGURE  
D**



Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR\_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221337 - Angel Peak 2C #11 - Project\Fig 1\_Template\Angel Peak 2C #1.aprx




## Water Well and Natural Spring Location

Enterprise Products Operating, LLC  
Angel Peak 2C Site #1 (09/09/24)  
Project Number: 05A1221337  
Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE  
E






## Wetlands

Enterprise Products Operating, LLC  
Angel Peak 2C Site #1 (09/09/24)  
Project Number: 05A1221337  
Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE  
**F**



Document Path: C:\Users\Patric Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR\_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221337 - Angel Peak 2C #11 - Project\Fig 1\_Template\Angel Peak 2C #11.aprx



## Mines, Mills, and Quarries

Enterprise Products Operating, LLC

Angel Peak 2C Site #1 (09/09/24)


Project Number: 05A1221337

Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832, -107.60704

FIGURE

G





## 100-Year Flood Plain Map

Enterprise Products Operating, LLC  
Angel Peak 2C Site #1 (09/09/24)

Project Number: 05A1221337

Unit Letter E, S17 T26N R7W, Rio Arriba County, New Mexico  
36.48832 -107.60704

FIGURE  
H



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

---

No report data available.

### **Basin/County Search:**

**Basin:** SJ

### **PLSS Search:**

**Range:** 07W

**Township:** 26N

**Section:** 7,8,9,16,17,18,19,20,21

\* UTM location was derived from PLSS - see Help

---

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

---





## APPENDIX C

### Executed C-138 Solid Waste Acceptance Form

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-138  
Revised 08/01/11

\*Surface Waste Management Facility Operator  
and Generator shall maintain and make this  
documentation available for Division inspection.

## REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

<b>1. Generator Name and Address:</b> Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401	PayKey: AM14058 PM: Dwayne Dixon AFE: N74572
<b>2. Originating Site:</b> Angel Peak 2C #1	
<b>3. Location of Material (Street Address, City, State or ULSTR):</b> UL F Section 17 T26N R7W; 36.488320, -107.607040	
<b>4. Source and Description of Waste:</b> Source: Remediation activities associated with a natural gas pipeline leak. Description: Hydrocarbon/Condensate impacted soil associated natural gas pipeline release. Estimated Volume <u>50</u> yd <sup>3</sup> / bbls Known Volume (to be entered by the operator at the end of the haul) <u>420</u> yd <sup>3</sup> / bbls	
<b>5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS</b>  I, Thomas Long <i>Thomas Long</i> , representative or authorized agent for Enterprise Products Operating do hereby <b>Generator Signature</b> certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is: (Check the appropriate classification)  <input checked="" type="checkbox"/> RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. <u>Operator Use Only: Waste Acceptance Frequency</u> <input type="checkbox"/> Monthly <input type="checkbox"/> Weekly <input type="checkbox"/> Per Load  <input type="checkbox"/> RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)  <input type="checkbox"/> MSDS Information <input type="checkbox"/> RCRA Hazardous Waste Analysis <input type="checkbox"/> Process Knowledge <input type="checkbox"/> Other (Provide description in Box 4)	
<b>GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS</b>  I, Thomas Long <i>Thomas Long</i> 9-6-2024, representative for Enterprise Products Operating authorizes <u>Envirotech, Inc.</u> to complete <b>Generator Signature</b> the required testing/sign the Generator Waste Testing Certification.  I, <u>Greg Crabtree</u> , representative for <u>Envirotech, Inc.</u> do hereby certify that representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.	
<b>5. Transporter: TBD</b>	

### OCD Permitted Surface Waste Management Facility

Name and Facility Permit #: **Envirotech Inc. Soil Remediation Facility \* Permit #: NM 01-0011**

Address of Facility: **Hilltop, NM**

Method of Treatment and/or Disposal:

☐ Evaporation ☐ Injection ☐ Treating Plant ☒ Landfarm ☐ Landfill ☐ Other

### Waste Acceptance Status:

☐ APPROVED

☐ DENIED (Must Be Maintained As Permanent Record)

PRINT NAME: Greg Crabtree

SIGNATURE: *Greg Crabtree*

Surface Waste Management Facility Authorized Agent

TITLE: Enviro Manager

TELEPHONE NO.:

505-632-0615

DATE: 9/23/24



## APPENDIX D

# Photographic Documentation



## SITE PHOTOGRAPHS

Closure Report  
Enterprise Field Services, LLC  
Angel Peak 2C Site #1 (09/09/24)  
Ensolum Project No. 05A1226337

**Photograph 1**

Photograph Description: View of the in-process excavation activities.

**Photograph 2**

Photograph Description: View of the in-process excavation activities.

**Photograph 3**

Photograph Description: View of the in-process excavation activities.





## SITE PHOTOGRAPHS

Closure Report  
Enterprise Field Services, LLC  
Angel Peak 2C Site #1 (09/09/24)  
Ensolum Project No. 05A1226337

**Photograph 4**

Photograph Description: View of the in-process excavation activities.

**Photograph 5**

Photograph Description: View of the in-process excavation activities.

**Photograph 6**

Photograph Description: View of the in-process excavation activities.





## SITE PHOTOGRAPHS

Closure Report  
Enterprise Field Services, LLC  
Angel Peak 2C Site #1 (09/09/24)  
Ensolum Project No. 05A1226337

**Photograph 7**

Photograph Description: View of the in-process excavation activities.

**Photograph 7**

Photograph Description: View of S-2 removal and final excavation.

**Photograph 8**

Photograph Description: View of excavation after final restoration.





## APPENDIX E

### Regulatory Correspondence

**From:** [OCDOnline@state.nm.us](mailto:OCDOnline@state.nm.us)  
**To:** [Long, Thomas](#)  
**Subject:** [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 386975  
**Date:** Thursday, September 26, 2024 7:11:46 AM

---

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2425328865.

The sampling event is expected to take place:

**When:** 09/27/2024 @ 09:00

**Where:** F-17-26N-07W 0 FNL 0 FEL (36.48832,-107.60704)

**Additional Information:** Ensolum, LLC

**Additional Instructions:** 36.48832,-107.60704

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

**New Mexico Energy, Minerals and Natural Resources Department**  
1220 South St. Francis Drive  
Santa Fe, NM 87505

**From:** [OCDOnline@state.nm.us](mailto:OCDOnline@state.nm.us)  
**To:** [Long, Thomas](#)  
**Subject:** [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 388633  
**Date:** Tuesday, October 1, 2024 7:26:44 AM

---

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2425328865.

The sampling event is expected to take place:

**When:** 10/01/2024 @ 10:00

**Where:** F-17-26N-07W 0 FNL 0 FEL (36.48832,-107.60704)

**Additional Information:** Ensolum, LLC

**Additional Instructions:** 36.48832,-107.60704

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

**New Mexico Energy, Minerals and Natural Resources Department**  
1220 South St. Francis Drive  
Santa Fe, NM 87505

**From:** [Velez, Nelson, EMNRD](#)  
**To:** [Long, Thomas](#)  
**Cc:** [Stone, Brian](#)  
**Subject:** Re: [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;36.488320, -107.607040; NMOCD Incident # nAPP2425328865  
**Date:** Thursday, September 26, 2024 3:13:32 PM  
**Attachments:** [image001.jpg](#)  
[Outlook-emkhlsee.png](#)

---

[Use caution with links/attachments]

Good afternoon Tom,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

The OCD requires a copy of all correspondence relative to remedial activities be included in all proposals and/or final closure reports. Correspondence required to be included in reports may include, but not limited to, notifications for liner inspections, sample events, spill/release/fire, and request for time extensions or variances.

Regards,

**Nelson Velez** • Environmental Specialist - Adv  
Environmental Bureau | EMNRD - Oil Conservation Division  
1000 Rio Brazos Road | Aztec, NM 87410  
(505) 469-6146 | [nelson.velez@emnrd.nm.gov](mailto:nelson.velez@emnrd.nm.gov)  
<http://www.emnrd.nm.gov/oecd>





**From:** Long, Thomas <tjlong@eprod.com>  
**Sent:** Thursday, September 26, 2024 7:09 AM  
**To:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Cc:** Stone, Brian <bmstone@eprod.com>  
**Subject:** [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;36.488320, -107.607040;  
NMOCD Incident # nAPP2425328865

**CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.**

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48 hour notification per 19.15.29.12D (1a) NMAC. Enterprise would like to collect soil samples for laboratory analysis tomorrow, September 27, 2024 at 9:00 a.m. at the Angle Peak 2C #1 excavation. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Thomas J. Long  
Senior Environmental Scientist  
Enterprise Products Company  
614 Reilly Ave.  
Farmington, New Mexico 87401  
505-599-2286 (office)  
505-215-4727 (Cell)  
[tjlong@eprod.com](mailto:tjlong@eprod.com)

logo



---

This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.

**From:** [OCDOnline@state.nm.us](mailto:OCDOnline@state.nm.us)  
**To:** [Long, Thomas](#)  
**Subject:** [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 421731  
**Date:** Thursday, January 16, 2025 1:45:16 PM

---

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2425328865.

The sampling event is expected to take place:

**When:** 01/21/2025 @ 09:00

**Where:** F-17-26N-07W 0 FNL 0 FEL (36.48832,-107.60704)

**Additional Information:** Ensolum, LLC

**Additional Instructions:** 36.48832,-107.60704

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

**New Mexico Energy, Minerals and Natural Resources Department**  
1220 South St. Francis Drive  
Santa Fe, NM 87505

---

**From:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Sent:** Thursday, December 5, 2024 3:03 PM  
**To:** Long, Thomas <tjlong@eprod.com>  
**Cc:** Rodgers, Scott, EMNRD <Scott.Rodgers@emnrd.nm.gov>; Stone, Brian <bmstone@eprod.com>  
**Subject:** Re: [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;336.48832,-107.60704;  
NMOCD Incident # nAPP2425328865

[Use caution with links/attachments]

Good afternoon Tom,

Your 90-day time extension request is approved. Remediation Due date has been updated to March 6, 2025.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

The OCD requires a copy of all correspondence relative to remedial activities be included in all proposals and/or final closure reports. Correspondence required to be included in reports may include, but not limited to, notifications for liner inspections, sample events, spill/release/fire, and request for time extensions or variances.

ps - Scott Rodgers is the reviewer assigned to this.

Regards,

**Nelson Velez** • Environmental Specialist - Adv

Environmental Bureau | EMNRD - Oil Conservation Division

1000 Rio Brazos Road | Aztec, NM 87410

(505) 469-6146 | [nelson.velez@emnrd.nm.gov](mailto:nelson.velez@emnrd.nm.gov)

<http://www.emnrd.nm.gov/ocd>



---

**From:** Long, Thomas <[tjlong@eprod.com](mailto:tjlong@eprod.com)>

**Sent:** Thursday, December 5, 2024 1:26 PM

**To:** Velez, Nelson, EMNRD <[Nelson.Velez@emnrd.nm.gov](mailto:Nelson.Velez@emnrd.nm.gov)>

**Cc:** Stone, Brian <[bmstone@eprod.com](mailto:bmstone@eprod.com)>

**Subject:** [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;336.48832,-107.60704; NMOCD Incident # nAPP2425328865

**CAUTION:** This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

This email is a variance request for the 90-day closure report requirement submittal for the Angel Peak 2C#1 – UL F Section 17 T26N R7W;36.48832,-107.60704; NMOCD Incident # nAPP2425328865 release. The original due date for the closure report submittal is December 6, 2024. Enterprise requests time extension of an additional 90 days for a new submittal due date of March 6, 2025. The reason for the time extension request is that third party contractor preparing the report does not have all the disposal documentation from the land farm facility and Enterprise internal review is required. Please acknowledge acceptance of this request.

Thomas J. Long  
Senior Environmental Scientist



Enterprise Products Company  
614 Reilly Ave.  
Farmington, New Mexico 87401  
505-599-2286 (office)  
505-215-4727 (Cell)  
[tjlong@eprod.com](mailto:tjlong@eprod.com)



---

This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.

**From:** [Long, Thomas](#)  
**To:** [Velez, Nelson, EMNRD](#)  
**Cc:** [Stone, Brian](#)  
**Subject:** FW: [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;336.48832,-107.60704; NMOCD Incident # nAPP2425328865  
**Date:** Wednesday, March 5, 2025 12:51:00 PM  
**Attachments:** [Outlook-2ry0unwa.png](#)

---

Nelson,

This email is a variance request for the 90-day closure report requirement submittal for the Angel Peak 2C#1 - UL F Section 17 T26N R7W;36.48832,-107.60704; NMOCD Incident # nAPP2425328865 release. The original due date for the closure report submittal is December 6, 2024. A time extension was granted to March 6, 2025. Enterprise requests an additional 90-day extension. Currently, the excavation is open. Remediation is complete and the pipeline repair activities are scheduled later this month. The reason for the additional time extension is that it allows Enterprise time to complete the repairs, reclamation of the site and finalize the closure report. Please acknowledge acceptance of this request.

Thomas J. Long  
Senior Environmental Scientist  
Enterprise Products Company  
614 Reilly Ave.  
Farmington, New Mexico 87401  
505-599-2286 (office)  
505-215-4727 (Cell)  
[tjlong@eprod.com](mailto:tjlong@eprod.com)



---

**From:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Sent:** Thursday, December 5, 2024 3:03 PM  
**To:** Long, Thomas <tjlong@eprod.com>  
**Cc:** Rodgers, Scott, EMNRD <Scott.Rodgers@emnrd.nm.gov>; Stone, Brian <bmstone@eprod.com>  
**Subject:** Re: [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;336.48832,-107.60704; NMOCD Incident # nAPP2425328865

[Use caution with links/attachments]

Good afternoon Tom,

Your 90-day time extension request is approved. Remediation Due date has been updated to March 6, 2025.



Please keep a copy of this communication for inclusion within the appropriate report submittal.

The OCD requires a copy of all correspondence relative to remedial activities be included in all proposals and/or final closure reports. Correspondence required to be included in reports may include, but not limited to, notifications for liner inspections, sample events, spill/release/fire, and request for time extensions or variances.

ps - Scott Rodgers is the reviewer assigned to this.

Regards,

**Nelson Velez** • Environmental Specialist - Adv

Environmental Bureau | EMNRD - Oil Conservation Division

1000 Rio Brazos Road | Aztec, NM 87410

(505) 469-6146 | [nelson.velez@emnrd.nm.gov](mailto:nelson.velez@emnrd.nm.gov)

<http://www.emnrd.nm.gov/ocd>



---

**From:** Long, Thomas <[tjlong@eprod.com](mailto:tjlong@eprod.com)>

**Sent:** Thursday, December 5, 2024 1:26 PM

**To:** Velez, Nelson, EMNRD <[Nelson.Velez@emnrd.nm.gov](mailto:Nelson.Velez@emnrd.nm.gov)>

**Cc:** Stone, Brian <[bmstone@eprod.com](mailto:bmstone@eprod.com)>

**Subject:** [EXTERNAL] Angel Peak 2C#1 - UL F Section 17 T26N R7W;336.48832,-107.60704; NMOCD Incident # nAPP2425328865

**CAUTION:** This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

This email is a variance request for the 90-day closure report requirement submittal for the Angel Peak 2C#1 – UL F Section 17 T26N R7W;36.48832,-107.60704; NMOCD Incident # nAPP2425328865 release. The original due date for the closure report submittal is December 6, 2024. Enterprise requests time extension of an additional 90 days for a new

submittal due date of March 6, 2025. The reason for the time extension request is that third party contractor preparing the report does not have all the disposal documentation from the land farm facility and Enterprise internal review is required. Please acknowledge acceptance of this request.

**Thomas J. Long**  
**Senior Environmental Scientist**  
**Enterprise Products Company**  
**614 Reilly Ave.**  
**Farmington, New Mexico 87401**  
**505-599-2286 (office)**  
**505-215-4727 (Cell)**  
[tjlong@eprod.com](mailto:tjlong@eprod.com)



---

This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.





## APPENDIX F

### Table 1 – Soil Analytical Summary

---

**TABLE 1**  
**Angel Peak 2C Site #1 (09/09/24)**  
**SOIL ANALYTICAL SUMMARY**

Sample I.D.	Date	Sample Type C- Composite G - Grab	Sample Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX <sup>1</sup> (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total Combined TPH (GRO/DRO/MRO) <sup>1</sup> (mg/kg)	Chloride (mg/kg)
New Mexico Energy, Mineral & Natural Resources Department Oil Conservation Division Closure Criteria (Tier I)				10	NE	NE	NE	50	NE	NE	NE	100	600
Composite Soil Samples Removed by Excavation													
S-2	9.27.24	C	12	<0.020	<0.039	<0.039	<0.078	ND	<3.9	140	85	230	<60
Excavation Composite Soil Samples													
S-1	9.27.24	C	10	<0.020	<0.040	<0.040	<0.079	ND	<4.0	<9.9	<50	ND	<60
S-3	9.27.24	C	12	<0.021	<0.041	<0.041	<0.083	ND	<4.1	<9.6	<48	ND	<60
S-4	9.27.24	C	0 to 12	<0.023	<0.045	<0.045	<0.091	ND	<4.5	<9.5	<47	ND	<60
S-5	9.27.24	C	0 to 12	<0.019	<0.037	<0.037	<0.074	ND	<3.7	<9.9	<50	ND	<60
S-6	9.27.24	C	0 to 12	<0.020	<0.040	<0.040	<0.080	ND	<4.0	<9.8	<49	ND	<60
S-7	9.27.24	C	0 to 10	<0.021	<0.041	<0.041	<0.082	ND	<4.1	<9.5	<47	ND	<60
S-8	9.27.24	C	0 to 10	<0.019	<0.039	<0.039	<0.078	ND	8.1	<9.6	<48	8.1	<60
S-9	9.27.24	C	0 to 10	<0.019	<0.038	<0.038	<0.077	ND	<3.8	<9.5	<48	ND	<60
S-10	9.27.24	C	0 to 12	<0.020	<0.039	<0.039	<0.078	ND	<3.9	<9.5	<47	ND	<60
S-11	9.27.24	C	0 to 12	<0.021	<0.042	<0.042	<0.084	ND	<4.2	<9.6	<48	ND	<60
S-2a	10.01.24	C	13	<0.018	<0.035	<0.035	<0.071	ND	<3.5	<9.3	<46	ND	<60
Backfill Composite Soil Sample													
BF-1	1.21.25	C	BF	<0.023	<0.046	<0.046	<0.093	ND	<4.6	<9.8	<49	ND	<60

Note: Concentrations in **bold** and yellow exceed the applicable NM EMNRD Closure Criteria

<sup>1</sup> = Total combined concentrations are rounded to two (2) significant figures to match the laboratory resolution of the individual constituents.

ND = Not Detected above the Practical Quantitation Limits (PQLs) or Reporting Limits (RLs)

NE = Not established

NS = Not sampled

mg/kg = milligrams per kilogram

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

MRO = Motor Oil/Lube Oil Range Organics

BF = Backfill sample



## APPENDIX G

### Laboratory Data Sheets & Chain of Custody Documentation

---





Environment Testing

1

2

3

4

5

6

7

8

9

10

11

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kyle Summers  
Ensolum  
606 S Rio Grande  
Suite A  
Aztec, New Mexico 87410  
Generated 10/3/2024 3:43:44 PM

## JOB DESCRIPTION

Angel Peak 2C #1

## JOB NUMBER

885-12814-1

Eurofins Albuquerque  
4901 Hawkins NE  
Albuquerque NM 87109

# Eurofins Albuquerque

## Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

## Authorization



Generated  
10/3/2024 3:43:44 PM

Authorized for release by  
John Caldwell, Project Manager  
[john.caldwell@et.eurofinsus.com](mailto:john.caldwell@et.eurofinsus.com)  
(505)345-3975

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Laboratory Job ID: 885-12814-1

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	17
QC Association Summary . . . . .	21
Lab Chronicle . . . . .	24
Certification Summary . . . . .	28
Chain of Custody . . . . .	29
Receipt Checklists . . . . .	30





Definitions/Glossary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum  
Project: Angel Peak 2C #1

Job ID: 885-12814-1

Job ID: 885-12814-1Eurofins Albuquerque

Job Narrative  
885-12814-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 9/28/2024 6:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.1°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-1

Lab Sample ID: 885-12814-1

Date Collected: 09/27/24 10:00

Matrix: Solid

Date Received: 09/28/24 06:20

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.0	mg/Kg		09/30/24 08:34	09/30/24 10:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		35 - 166			09/30/24 08:34	09/30/24 10:46	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020	mg/Kg		09/30/24 08:34	09/30/24 10:46	1
Ethylbenzene	ND		0.040	mg/Kg		09/30/24 08:34	09/30/24 10:46	1
Toluene	ND		0.040	mg/Kg		09/30/24 08:34	09/30/24 10:46	1
Xylenes, Total	ND		0.079	mg/Kg		09/30/24 08:34	09/30/24 10:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		48 - 145			09/30/24 08:34	09/30/24 10:46	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		09/30/24 08:25	10/01/24 09:02	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		09/30/24 08:25	10/01/24 09:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	105		62 - 134			09/30/24 08:25	10/01/24 09:02	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 12:11	20

Eurofins Albuquerque



Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-2  
Date Collected: 09/27/24 10:05  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-2  
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		09/30/24 08:34	09/30/24 11:08	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	114		35 - 166			09/30/24 08:34	09/30/24 11:08	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.020	mg/Kg		09/30/24 08:34	09/30/24 11:08	1	
Ethylbenzene	ND		0.039	mg/Kg		09/30/24 08:34	09/30/24 11:08	1	
Toluene	ND		0.039	mg/Kg		09/30/24 08:34	09/30/24 11:08	1	
Xylenes, Total	ND		0.078	mg/Kg		09/30/24 08:34	09/30/24 11:08	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		48 - 145			09/30/24 08:34	09/30/24 11:08	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	140		10	mg/Kg		09/30/24 08:25	10/01/24 09:14	1	
Motor Oil Range Organics [C28-C40]	85		50	mg/Kg		09/30/24 08:25	10/01/24 09:14	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	118		62 - 134			09/30/24 08:25	10/01/24 09:14	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 12:24	20	

Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-3  
Date Collected: 09/27/24 10:10  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-3  
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.1	mg/Kg		09/30/24 08:34	09/30/24 11:29		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	112		35 - 166			09/30/24 08:34	09/30/24 11:29		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.021	mg/Kg		09/30/24 08:34	09/30/24 11:29		1
Ethylbenzene	ND		0.041	mg/Kg		09/30/24 08:34	09/30/24 11:29		1
Toluene	ND		0.041	mg/Kg		09/30/24 08:34	09/30/24 11:29		1
Xylenes, Total	ND		0.083	mg/Kg		09/30/24 08:34	09/30/24 11:29		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	106		48 - 145			09/30/24 08:34	09/30/24 11:29		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		09/30/24 08:25	10/01/24 09:26		1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		09/30/24 08:25	10/01/24 09:26		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	107		62 - 134			09/30/24 08:25	10/01/24 09:26		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 12:36		20



## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-4

Lab Sample ID: 885-12814-4

Date Collected: 09/27/24 10:15

Matrix: Solid

Date Received: 09/28/24 06:20

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.5	mg/Kg		09/30/24 08:34	09/30/24 11:51	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		35 - 166			09/30/24 08:34	09/30/24 11:51	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		09/30/24 08:34	09/30/24 11:51	1
Ethylbenzene	ND		0.045	mg/Kg		09/30/24 08:34	09/30/24 11:51	1
Toluene	ND		0.045	mg/Kg		09/30/24 08:34	09/30/24 11:51	1
Xylenes, Total	ND		0.091	mg/Kg		09/30/24 08:34	09/30/24 11:51	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		48 - 145			09/30/24 08:34	09/30/24 11:51	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		09/30/24 08:25	10/01/24 09:38	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		09/30/24 08:25	10/01/24 09:38	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	91		62 - 134			09/30/24 08:25	10/01/24 09:38	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 12:49	20

Eurofins Albuquerque

## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-5

Lab Sample ID: 885-12814-5

Date Collected: 09/27/24 10:20

Matrix: Solid

Date Received: 09/28/24 06:20

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.7	mg/Kg		09/30/24 08:34	09/30/24 12:13	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		35 - 166			09/30/24 08:34	09/30/24 12:13	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		09/30/24 08:34	09/30/24 12:13	1
Ethylbenzene	ND		0.037	mg/Kg		09/30/24 08:34	09/30/24 12:13	1
Toluene	ND		0.037	mg/Kg		09/30/24 08:34	09/30/24 12:13	1
Xylenes, Total	ND		0.074	mg/Kg		09/30/24 08:34	09/30/24 12:13	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145			09/30/24 08:34	09/30/24 12:13	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		09/30/24 08:25	10/01/24 09:50	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		09/30/24 08:25	10/01/24 09:50	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	104		62 - 134			09/30/24 08:25	10/01/24 09:50	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 13:02	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-6  
Date Collected: 09/27/24 10:25  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-6  
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.0	mg/Kg		09/30/24 08:34	09/30/24 12:34		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	100		35 - 166			09/30/24 08:34	09/30/24 12:34		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.020	mg/Kg		09/30/24 08:34	09/30/24 12:34		1
Ethylbenzene	ND		0.040	mg/Kg		09/30/24 08:34	09/30/24 12:34		1
Toluene	ND		0.040	mg/Kg		09/30/24 08:34	09/30/24 12:34		1
Xylenes, Total	ND		0.080	mg/Kg		09/30/24 08:34	09/30/24 12:34		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	99		48 - 145			09/30/24 08:34	09/30/24 12:34		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		09/30/24 08:25	10/01/24 10:03		1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		09/30/24 08:25	10/01/24 10:03		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	93		62 - 134			09/30/24 08:25	10/01/24 10:03		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 13:15		20



Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-7  
Date Collected: 09/27/24 10:30  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-7  
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.1	mg/Kg		09/30/24 08:34	09/30/24 12:56		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	103		35 - 166			09/30/24 08:34	09/30/24 12:56		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.021	mg/Kg		09/30/24 08:34	09/30/24 12:56		1
Ethylbenzene	ND		0.041	mg/Kg		09/30/24 08:34	09/30/24 12:56		1
Toluene	ND		0.041	mg/Kg		09/30/24 08:34	09/30/24 12:56		1
Xylenes, Total	ND		0.082	mg/Kg		09/30/24 08:34	09/30/24 12:56		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		48 - 145			09/30/24 08:34	09/30/24 12:56		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		09/30/24 08:25	10/01/24 10:15		1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		09/30/24 08:25	10/01/24 10:15		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	96		62 - 134			09/30/24 08:25	10/01/24 10:15		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 13:28		20

## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-8

Lab Sample ID: 885-12814-8

Date Collected: 09/27/24 10:35

Matrix: Solid

Date Received: 09/28/24 06:20

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	8.1		3.9	mg/Kg		09/30/24 08:34	09/30/24 13:18	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	178	S1+	35 - 166			09/30/24 08:34	09/30/24 13:18	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		09/30/24 08:34	09/30/24 13:18	1
Ethylbenzene	ND		0.039	mg/Kg		09/30/24 08:34	09/30/24 13:18	1
Toluene	ND		0.039	mg/Kg		09/30/24 08:34	09/30/24 13:18	1
Xylenes, Total	ND		0.078	mg/Kg		09/30/24 08:34	09/30/24 13:18	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	114		48 - 145			09/30/24 08:34	09/30/24 13:18	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		09/30/24 08:25	10/01/24 10:27	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		09/30/24 08:25	10/01/24 10:27	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Di-n-octyl phthalate (Surr)	94		62 - 134			09/30/24 08:25	10/01/24 10:27	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 13:41	20

Eurofins Albuquerque

## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-9

Lab Sample ID: 885-12814-9

Date Collected: 09/27/24 10:40

Matrix: Solid

Date Received: 09/28/24 06:20

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.8	mg/Kg		09/30/24 08:34	09/30/24 13:40	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		35 - 166			09/30/24 08:34	09/30/24 13:40	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		09/30/24 08:34	09/30/24 13:40	1
Ethylbenzene	ND		0.038	mg/Kg		09/30/24 08:34	09/30/24 13:40	1
Toluene	ND		0.038	mg/Kg		09/30/24 08:34	09/30/24 13:40	1
Xylenes, Total	ND		0.077	mg/Kg		09/30/24 08:34	09/30/24 13:40	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		48 - 145			09/30/24 08:34	09/30/24 13:40	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		09/30/24 08:25	10/01/24 10:39	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		09/30/24 08:25	10/01/24 10:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	94		62 - 134			09/30/24 08:25	10/01/24 10:39	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 14:19	20

Eurofins Albuquerque



Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-10  
Date Collected: 09/27/24 10:45  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-10  
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		09/30/24 08:34	09/30/24 14:01	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	109		35 - 166			09/30/24 08:34	09/30/24 14:01	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.020	mg/Kg		09/30/24 08:34	09/30/24 14:01	1	
Ethylbenzene	ND		0.039	mg/Kg		09/30/24 08:34	09/30/24 14:01	1	
Toluene	ND		0.039	mg/Kg		09/30/24 08:34	09/30/24 14:01	1	
Xylenes, Total	ND		0.078	mg/Kg		09/30/24 08:34	09/30/24 14:01	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	103		48 - 145			09/30/24 08:34	09/30/24 14:01	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		09/30/24 08:25	10/01/24 10:51	1	
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		09/30/24 08:25	10/01/24 10:51	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	101		62 - 134			09/30/24 08:25	10/01/24 10:51	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 14:32	20	

Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-11  
Date Collected: 09/27/24 10:50  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-11  
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.2	mg/Kg		09/30/24 08:34	09/30/24 14:45		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	108		35 - 166			09/30/24 08:34	09/30/24 14:45		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.021	mg/Kg		09/30/24 08:34	09/30/24 14:45		1
Ethylbenzene	ND		0.042	mg/Kg		09/30/24 08:34	09/30/24 14:45		1
Toluene	ND		0.042	mg/Kg		09/30/24 08:34	09/30/24 14:45		1
Xylenes, Total	ND		0.084	mg/Kg		09/30/24 08:34	09/30/24 14:45		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		48 - 145			09/30/24 08:34	09/30/24 14:45		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		09/30/24 08:25	10/01/24 11:03		1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		09/30/24 08:25	10/01/24 11:03		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	107		62 - 134			09/30/24 08:25	10/01/24 11:03		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/30/24 10:46	09/30/24 14:45		20

## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-13273/1-A

Matrix: Solid

Analysis Batch: 13299

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13273

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		09/30/24 08:34	09/30/24 10:24	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		35 - 166			09/30/24 08:34	09/30/24 10:24	1

Lab Sample ID: LCS 885-13273/2-A

Matrix: Solid

Analysis Batch: 13299

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13273

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	22.9		mg/Kg		92	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	215		35 - 166				

Lab Sample ID: 885-12814-1 MS

Matrix: Solid

Analysis Batch: 13299

Client Sample ID: S-1

Prep Type: Total/NA

Prep Batch: 13273

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		19.9	18.1		mg/Kg		91	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	211		35 - 166						

Lab Sample ID: 885-12814-1 MSD

Matrix: Solid

Analysis Batch: 13299

Client Sample ID: S-1

Prep Type: Total/NA

Prep Batch: 13273

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		19.9	17.5		mg/Kg		88	70 - 130	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	210		35 - 166								

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-13273/1-A

Matrix: Solid

Analysis Batch: 13300

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13273

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		09/30/24 08:34	09/30/24 10:24	1
Ethylbenzene	ND		0.050	mg/Kg		09/30/24 08:34	09/30/24 10:24	1
Toluene	ND		0.050	mg/Kg		09/30/24 08:34	09/30/24 10:24	1

Eurofins Albuquerque



## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-13273/1-A

Matrix: Solid

Analysis Batch: 13300

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13273

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.10	mg/Kg		09/30/24 08:34	09/30/24 10:24	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		48 - 145			09/30/24 08:34	09/30/24 10:24	1

Lab Sample ID: LCS 885-13273/3-A

Matrix: Solid

Analysis Batch: 13300

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13273

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	0.983		mg/Kg		98	70 - 130
Ethylbenzene	1.00	0.989		mg/Kg		99	70 - 130
Toluene	1.00	0.991		mg/Kg		99	70 - 130
Xylenes, Total	3.00	2.96		mg/Kg		99	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	108		48 - 145				

Lab Sample ID: 885-12814-2 MS

Matrix: Solid

Analysis Batch: 13300

Client Sample ID: S-2

Prep Type: Total/NA

Prep Batch: 13273

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		0.781	0.773		mg/Kg		99	70 - 130
Ethylbenzene	ND		0.781	0.801		mg/Kg		102	70 - 130
Toluene	ND		0.781	0.784		mg/Kg		100	70 - 130
Xylenes, Total	ND		2.34	2.37		mg/Kg		101	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	107		48 - 145						

Lab Sample ID: 885-12814-2 MSD

Matrix: Solid

Analysis Batch: 13300

Client Sample ID: S-2

Prep Type: Total/NA

Prep Batch: 13273

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	ND		0.781	0.773		mg/Kg		99	70 - 130	0	20
Ethylbenzene	ND		0.781	0.778		mg/Kg		99	70 - 130	3	20
Toluene	ND		0.781	0.774		mg/Kg		99	70 - 130	1	20
Xylenes, Total	ND		2.34	2.29		mg/Kg		98	70 - 130	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	104		48 - 145								

Eurofins Albuquerque

## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-13269/1-A

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13269

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		09/30/24 08:25	10/01/24 08:38	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		09/30/24 08:25	10/01/24 08:38	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	102		62 - 134			09/30/24 08:25	10/01/24 08:38	1

Lab Sample ID: LCS 885-13269/2-A

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13269

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	43.9		mg/Kg		88	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	90		62 - 134				

Lab Sample ID: 885-12814-11 MS

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: S-11

Prep Type: Total/NA

Prep Batch: 13269

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		46.9	42.7		mg/Kg		91	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	96		62 - 134						

Lab Sample ID: 885-12814-11 MSD

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: S-11

Prep Type: Total/NA

Prep Batch: 13269

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		46.4	44.7		mg/Kg		96	44 - 136	5	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	99		62 - 134								

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-13296/1-A

Matrix: Solid

Analysis Batch: 13313

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13296

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		09/30/24 10:46	09/30/24 11:45	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-13296/2-A				Client Sample ID: Lab Control Sample			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 13313				Prep Batch: 13296			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	30.0		mg/Kg		100	90 - 110



## QC Association Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## GC VOA

## Prep Batch: 13273

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	5035	
885-12814-2	S-2	Total/NA	Solid	5035	
885-12814-3	S-3	Total/NA	Solid	5035	
885-12814-4	S-4	Total/NA	Solid	5035	
885-12814-5	S-5	Total/NA	Solid	5035	
885-12814-6	S-6	Total/NA	Solid	5035	
885-12814-7	S-7	Total/NA	Solid	5035	
885-12814-8	S-8	Total/NA	Solid	5035	
885-12814-9	S-9	Total/NA	Solid	5035	
885-12814-10	S-10	Total/NA	Solid	5035	
885-12814-11	S-11	Total/NA	Solid	5035	
MB 885-13273/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-13273/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-13273/3-A	Lab Control Sample	Total/NA	Solid	5035	
885-12814-1 MS	S-1	Total/NA	Solid	5035	
885-12814-1 MSD	S-1	Total/NA	Solid	5035	
885-12814-2 MS	S-2	Total/NA	Solid	5035	
885-12814-2 MSD	S-2	Total/NA	Solid	5035	

## Analysis Batch: 13299

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	8015M/D	13273
885-12814-2	S-2	Total/NA	Solid	8015M/D	13273
885-12814-3	S-3	Total/NA	Solid	8015M/D	13273
885-12814-4	S-4	Total/NA	Solid	8015M/D	13273
885-12814-5	S-5	Total/NA	Solid	8015M/D	13273
885-12814-6	S-6	Total/NA	Solid	8015M/D	13273
885-12814-7	S-7	Total/NA	Solid	8015M/D	13273
885-12814-8	S-8	Total/NA	Solid	8015M/D	13273
885-12814-9	S-9	Total/NA	Solid	8015M/D	13273
885-12814-10	S-10	Total/NA	Solid	8015M/D	13273
885-12814-11	S-11	Total/NA	Solid	8015M/D	13273
MB 885-13273/1-A	Method Blank	Total/NA	Solid	8015M/D	13273
LCS 885-13273/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13273
885-12814-1 MS	S-1	Total/NA	Solid	8015M/D	13273
885-12814-1 MSD	S-1	Total/NA	Solid	8015M/D	13273

## Analysis Batch: 13300

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	8021B	13273
885-12814-2	S-2	Total/NA	Solid	8021B	13273
885-12814-3	S-3	Total/NA	Solid	8021B	13273
885-12814-4	S-4	Total/NA	Solid	8021B	13273
885-12814-5	S-5	Total/NA	Solid	8021B	13273
885-12814-6	S-6	Total/NA	Solid	8021B	13273
885-12814-7	S-7	Total/NA	Solid	8021B	13273
885-12814-8	S-8	Total/NA	Solid	8021B	13273
885-12814-9	S-9	Total/NA	Solid	8021B	13273
885-12814-10	S-10	Total/NA	Solid	8021B	13273
885-12814-11	S-11	Total/NA	Solid	8021B	13273
MB 885-13273/1-A	Method Blank	Total/NA	Solid	8021B	13273

Eurofins Albuquerque

## QC Association Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## GC VOA (Continued)

## Analysis Batch: 13300 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 885-13273/3-A	Lab Control Sample	Total/NA	Solid	8021B	13273
885-12814-2 MS	S-2	Total/NA	Solid	8021B	13273
885-12814-2 MSD	S-2	Total/NA	Solid	8021B	13273

## GC Semi VOA

## Prep Batch: 13269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	SHAKE	
885-12814-2	S-2	Total/NA	Solid	SHAKE	
885-12814-3	S-3	Total/NA	Solid	SHAKE	
885-12814-4	S-4	Total/NA	Solid	SHAKE	
885-12814-5	S-5	Total/NA	Solid	SHAKE	
885-12814-6	S-6	Total/NA	Solid	SHAKE	
885-12814-7	S-7	Total/NA	Solid	SHAKE	
885-12814-8	S-8	Total/NA	Solid	SHAKE	
885-12814-9	S-9	Total/NA	Solid	SHAKE	
885-12814-10	S-10	Total/NA	Solid	SHAKE	
885-12814-11	S-11	Total/NA	Solid	SHAKE	
MB 885-13269/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13269/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-12814-11 MS	S-11	Total/NA	Solid	SHAKE	
885-12814-11 MSD	S-11	Total/NA	Solid	SHAKE	

## Analysis Batch: 13333

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	8015M/D	13269
885-12814-2	S-2	Total/NA	Solid	8015M/D	13269
885-12814-3	S-3	Total/NA	Solid	8015M/D	13269
885-12814-4	S-4	Total/NA	Solid	8015M/D	13269
885-12814-5	S-5	Total/NA	Solid	8015M/D	13269
885-12814-6	S-6	Total/NA	Solid	8015M/D	13269
885-12814-7	S-7	Total/NA	Solid	8015M/D	13269
885-12814-8	S-8	Total/NA	Solid	8015M/D	13269
885-12814-9	S-9	Total/NA	Solid	8015M/D	13269
885-12814-10	S-10	Total/NA	Solid	8015M/D	13269
885-12814-11	S-11	Total/NA	Solid	8015M/D	13269
MB 885-13269/1-A	Method Blank	Total/NA	Solid	8015M/D	13269
LCS 885-13269/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13269
885-12814-11 MS	S-11	Total/NA	Solid	8015M/D	13269
885-12814-11 MSD	S-11	Total/NA	Solid	8015M/D	13269

## HPLC/IC

## Prep Batch: 13296

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	300_Prep	
885-12814-2	S-2	Total/NA	Solid	300_Prep	
885-12814-3	S-3	Total/NA	Solid	300_Prep	
885-12814-4	S-4	Total/NA	Solid	300_Prep	
885-12814-5	S-5	Total/NA	Solid	300_Prep	
885-12814-6	S-6	Total/NA	Solid	300_Prep	

Eurofins Albuquerque

## QC Association Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## HPLC/IC (Continued)

## Prep Batch: 13296 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-7	S-7	Total/NA	Solid	300_Prep	
885-12814-8	S-8	Total/NA	Solid	300_Prep	
885-12814-9	S-9	Total/NA	Solid	300_Prep	
885-12814-10	S-10	Total/NA	Solid	300_Prep	
885-12814-11	S-11	Total/NA	Solid	300_Prep	
MB 885-13296/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13296/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

## Analysis Batch: 13313

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12814-1	S-1	Total/NA	Solid	300.0	13296
885-12814-2	S-2	Total/NA	Solid	300.0	13296
885-12814-3	S-3	Total/NA	Solid	300.0	13296
885-12814-4	S-4	Total/NA	Solid	300.0	13296
885-12814-5	S-5	Total/NA	Solid	300.0	13296
885-12814-6	S-6	Total/NA	Solid	300.0	13296
885-12814-7	S-7	Total/NA	Solid	300.0	13296
885-12814-8	S-8	Total/NA	Solid	300.0	13296
885-12814-9	S-9	Total/NA	Solid	300.0	13296
885-12814-10	S-10	Total/NA	Solid	300.0	13296
885-12814-11	S-11	Total/NA	Solid	300.0	13296
MB 885-13296/1-A	Method Blank	Total/NA	Solid	300.0	13296
LCS 885-13296/2-A	Lab Control Sample	Total/NA	Solid	300.0	13296

Eurofins Albuquerque



Lab Chronicle

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-1  
Date Collected: 09/27/24 10:00  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-1  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 10:46
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 10:46
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 09:02
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 12:11

Client Sample ID: S-2  
Date Collected: 09/27/24 10:05  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-2  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 11:08
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 11:08
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 09:14
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 12:24

Client Sample ID: S-3  
Date Collected: 09/27/24 10:10  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-3  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 11:29
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 11:29
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 09:26
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 12:36

Client Sample ID: S-4  
Date Collected: 09/27/24 10:15  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-4  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 11:51

Lab Chronicle

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-4  
Date Collected: 09/27/24 10:15  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-4  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 11:51
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 09:38
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 12:49

Client Sample ID: S-5  
Date Collected: 09/27/24 10:20  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-5  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 12:13
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 12:13
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 09:50
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 13:02

Client Sample ID: S-6  
Date Collected: 09/27/24 10:25  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-6  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 12:34
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 12:34
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 10:03
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 13:15

Client Sample ID: S-7  
Date Collected: 09/27/24 10:30  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-7  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 12:56
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 12:56

## Lab Chronicle

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

## Client Sample ID: S-7

Lab Sample ID: 885-12814-7

Date Collected: 09/27/24 10:30

Matrix: Solid

Date Received: 09/28/24 06:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 10:15
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 13:28

## Client Sample ID: S-8

Lab Sample ID: 885-12814-8

Date Collected: 09/27/24 10:35

Matrix: Solid

Date Received: 09/28/24 06:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 13:18
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 13:18
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 10:27
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 13:41

## Client Sample ID: S-9

Lab Sample ID: 885-12814-9

Date Collected: 09/27/24 10:40

Matrix: Solid

Date Received: 09/28/24 06:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 13:40
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 13:40
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 10:39
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 14:19

## Client Sample ID: S-10

Lab Sample ID: 885-12814-10

Date Collected: 09/27/24 10:45

Matrix: Solid

Date Received: 09/28/24 06:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 14:01
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 14:01
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 10:51

Eurofins Albuquerque



Lab Chronicle

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Client Sample ID: S-10  
Date Collected: 09/27/24 10:45  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-10  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 14:32

Client Sample ID: S-11  
Date Collected: 09/27/24 10:50  
Date Received: 09/28/24 06:20

Lab Sample ID: 885-12814-11  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8015M/D		1	13299	AT	EET ALB	09/30/24 14:45
Total/NA	Prep	5035			13273	AT	EET ALB	09/30/24 08:34
Total/NA	Analysis	8021B		1	13300	AT	EET ALB	09/30/24 14:45
Total/NA	Prep	SHAKE			13269	EM	EET ALB	09/30/24 08:25
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 11:03
Total/NA	Prep	300_Prep			13296	EH	EET ALB	09/30/24 10:46
Total/NA	Analysis	300.0		20	13313	RC	EET ALB	09/30/24 14:45

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12814-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

same day

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-12814-1

Login Number: 12814  
List Number: 1  
Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	





Environment Testing

1

2

3

4

5

6

7

8

9

10

11

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kyle Summers  
Ensolum  
606 S Rio Grande  
Suite A  
Aztec, New Mexico 87410  
Generated 10/7/2024 4:20:15 PM

## JOB DESCRIPTION

Angel Peak 2C #1

## JOB NUMBER

885-12963-1

Eurofins Albuquerque  
4901 Hawkins NE  
Albuquerque NM 87109

# Eurofins Albuquerque

## Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

## Authorization



Generated  
10/7/2024 4:20:15 PM

Authorized for release by  
John Caldwell, Project Manager  
[john.caldwell@et.eurofinsus.com](mailto:john.caldwell@et.eurofinsus.com)  
(505)345-3975

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Laboratory Job ID: 885-12963-1

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	7
QC Association Summary . . . . .	10
Lab Chronicle . . . . .	11
Certification Summary . . . . .	12
Chain of Custody . . . . .	13
Receipt Checklists . . . . .	14



Definitions/Glossary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count



Case Narrative

Client: Ensolum  
Project: Angel Peak 2C #1

Job ID: 885-12963-1

Job ID: 885-12963-1Eurofins Albuquerque

Job Narrative  
885-12963-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 10/2/2024 7:04 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.6°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

Client Sample ID: S-2a

Lab Sample ID: 885-12963-1

Date Collected: 10/01/24 14:00

Matrix: Solid

Date Received: 10/02/24 07:04

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.5	mg/Kg		10/02/24 09:14	10/02/24 11:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		35 - 166			10/02/24 09:14	10/02/24 11:31	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.018	mg/Kg		10/02/24 09:14	10/02/24 11:31	1
Ethylbenzene	ND		0.035	mg/Kg		10/02/24 09:14	10/02/24 11:31	1
Toluene	ND		0.035	mg/Kg		10/02/24 09:14	10/02/24 11:31	1
Xylenes, Total	ND		0.071	mg/Kg		10/02/24 09:14	10/02/24 11:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145			10/02/24 09:14	10/02/24 11:31	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		10/02/24 09:26	10/02/24 10:54	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		10/02/24 09:26	10/02/24 10:54	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	93		62 - 134			10/02/24 09:26	10/02/24 10:54	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/02/24 09:55	10/02/24 12:10	20

Eurofins Albuquerque

## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

## Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-13492/1-A

Matrix: Solid

Analysis Batch: 13508

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13492

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		10/02/24 09:14	10/02/24 11:09	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			10/02/24 09:14	10/02/24 11:09	1

Lab Sample ID: LCS 885-13492/2-A

Matrix: Solid

Analysis Batch: 13508

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13492

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	23.4		mg/Kg		94	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	212		35 - 166				

Lab Sample ID: 885-12963-1 MS

Matrix: Solid

Analysis Batch: 13508

Client Sample ID: S-2a

Prep Type: Total/NA

Prep Batch: 13492

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		17.7	16.7		mg/Kg		95	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	207		35 - 166						

Lab Sample ID: 885-12963-1 MSD

Matrix: Solid

Analysis Batch: 13508

Client Sample ID: S-2a

Prep Type: Total/NA

Prep Batch: 13492

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		17.7	15.6		mg/Kg		88	70 - 130	7	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	200		35 - 166								

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-13492/1-A

Matrix: Solid

Analysis Batch: 13509

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13492

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/02/24 09:14	10/02/24 11:09	1
Ethylbenzene	ND		0.050	mg/Kg		10/02/24 09:14	10/02/24 11:09	1
Toluene	ND		0.050	mg/Kg		10/02/24 09:14	10/02/24 11:09	1

Eurofins Albuquerque

## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-13492/1-A

Matrix: Solid

Analysis Batch: 13509

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13492

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.10	mg/Kg		10/02/24 09:14	10/02/24 11:09	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		48 - 145			10/02/24 09:14	10/02/24 11:09	1

Lab Sample ID: LCS 885-13492/3-A

Matrix: Solid

Analysis Batch: 13509

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13492

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.01		mg/Kg		101	70 - 130
Ethylbenzene	1.00	1.04		mg/Kg		104	70 - 130
Toluene	1.00	1.03		mg/Kg		103	70 - 130
Xylenes, Total	3.00	3.08		mg/Kg		103	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	110		48 - 145				

Lab Sample ID: 885-12963-1 MS

Matrix: Solid

Analysis Batch: 13509

Client Sample ID: S-2a

Prep Type: Total/NA

Prep Batch: 13492

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		0.708	0.715		mg/Kg		101	70 - 130
Ethylbenzene	ND		0.708	0.712		mg/Kg		101	70 - 130
Toluene	ND		0.708	0.717		mg/Kg		101	70 - 130
Xylenes, Total	ND		2.12	2.11		mg/Kg		99	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	101		48 - 145						

Lab Sample ID: 885-12963-1 MSD

Matrix: Solid

Analysis Batch: 13509

Client Sample ID: S-2a

Prep Type: Total/NA

Prep Batch: 13492

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	ND		0.708	0.707		mg/Kg		100	70 - 130	1	20
Ethylbenzene	ND		0.708	0.713		mg/Kg		101	70 - 130	0	20
Toluene	ND		0.708	0.725		mg/Kg		103	70 - 130	1	20
Xylenes, Total	ND		2.12	2.10		mg/Kg		99	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	102		48 - 145								

Eurofins Albuquerque



## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

## Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-13493/1-A

Matrix: Solid

Analysis Batch: 13490

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13493

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		10/02/24 09:26	10/02/24 10:33	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		10/02/24 09:26	10/02/24 10:33	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	91		62 - 134			10/02/24 09:26	10/02/24 10:33	1

Lab Sample ID: LCS 885-13493/2-A

Matrix: Solid

Analysis Batch: 13490

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13493

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	39.0		mg/Kg		78	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	92		62 - 134				

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-13495/1-A

Matrix: Solid

Analysis Batch: 13517

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13495

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		10/02/24 09:39	10/02/24 11:44	1
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
Chloride	30.0		31.7	mg/Kg		106	90 - 110	

Eurofins Albuquerque

QC Association Summary

Client: Ensolum

Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

GC VOA

Prep Batch: 13492

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	5035	
MB 885-13492/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-13492/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-13492/3-A	Lab Control Sample	Total/NA	Solid	5035	
885-12963-1 MS	S-2a	Total/NA	Solid	5035	
885-12963-1 MS	S-2a	Total/NA	Solid	5035	
885-12963-1 MSD	S-2a	Total/NA	Solid	5035	
885-12963-1 MSD	S-2a	Total/NA	Solid	5035	

Analysis Batch: 13508

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	8015M/D	13492
MB 885-13492/1-A	Method Blank	Total/NA	Solid	8015M/D	13492
LCS 885-13492/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13492
885-12963-1 MS	S-2a	Total/NA	Solid	8015M/D	13492
885-12963-1 MSD	S-2a	Total/NA	Solid	8015M/D	13492

Analysis Batch: 13509

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	8021B	13492
MB 885-13492/1-A	Method Blank	Total/NA	Solid	8021B	13492
LCS 885-13492/3-A	Lab Control Sample	Total/NA	Solid	8021B	13492
885-12963-1 MS	S-2a	Total/NA	Solid	8021B	13492
885-12963-1 MSD	S-2a	Total/NA	Solid	8021B	13492

GC Semi VOA

Analysis Batch: 13490

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	8015M/D	13493
MB 885-13493/1-A	Method Blank	Total/NA	Solid	8015M/D	13493
LCS 885-13493/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13493

Prep Batch: 13493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	SHAKE	
MB 885-13493/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13493/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

HPLC/IC

Prep Batch: 13495

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	300_Prep	
MB 885-13495/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13495/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 13517

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12963-1	S-2a	Total/NA	Solid	300.0	13495
MB 885-13495/1-A	Method Blank	Total/NA	Solid	300.0	13495
LCS 885-13495/2-A	Lab Control Sample	Total/NA	Solid	300.0	13495

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

**Client Sample ID: S-2a**  
**Date Collected: 10/01/24 14:00**  
**Date Received: 10/02/24 07:04**

**Lab Sample ID: 885-12963-1**  
**Matrix: Solid**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13492	AT	EET ALB	10/02/24 09:14
Total/NA	Analysis	8015M/D		1	13508	AT	EET ALB	10/02/24 11:31
Total/NA	Prep	5035			13492	AT	EET ALB	10/02/24 09:14
Total/NA	Analysis	8021B		1	13509	AT	EET ALB	10/02/24 11:31
Total/NA	Prep	SHAKE			13493	EM	EET ALB	10/02/24 09:26
Total/NA	Analysis	8015M/D		1	13490	EM	EET ALB	10/02/24 10:54
Total/NA	Prep	300_Prep			13495	EH	EET ALB	10/02/24 09:55
Total/NA	Analysis	300.0		20	13517	EH	EET ALB	10/02/24 12:10

**Laboratory References:**  
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-12963-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11





# HALL ENVIRONMENTAL ANALYSIS LABORATORY

[www.hallenvironmental.com](http://www.hallenvironmental.com)

885-12963 COC

4901 Hawkins NE - Albuquerque, NM 87109

**Tel. 505-345-3975      Fax 505-345-4107**

# Chain-of-Custody Record

<b>Chain-of-Custody Record</b>		Turn-Around Time: <u>10/20</u>
Client: <u>Ensoluna LLC</u>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Rush <u>10-2-24</u>	
Mailing Address: <u>600 S Rio Grande</u>	Project Name: <u>Angel Peak 2C #1</u>	
<u>Suit A 87410</u>	Project #: _____	
Phone #: _____		

email or Fax#:	Project Manager:	
QA/QC Package:	<input type="checkbox"/> Standard <input type="checkbox"/> Level 4 (Full Validation)	
Accreditation:	<input type="checkbox"/> Az Compliance <i>K Sampras</i>	
<input type="checkbox"/> NELAC	<input type="checkbox"/> Other _____ <i>PD Agent;</i>	
<input type="checkbox"/> EDD (Type) _____	On Ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>yqji</i>	
	# of Coolers: <i>1</i>	
	Cooler Temp (Including CF): <i>5.0-0.2 = 5.4</i> (°C)	

Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.
10/1	1400	S	S-2a	4oz Jar	Cap	1

[illegible]

Date: 10/1/201	Time: 1638	Relinquished by: [Signature]	Received by: [Signature]	Via: [Signature]	Date: 10/1/24	Time: 1638
Date: 10/1/201	Time: 1717	Relinquished by: [Signature]	Received by: [Signature]	Via: [Signature]	Date: 10/2/24	Time: 7:04

## Analysis Request

[illegible]

Remarks: Tom Long  
Am 14 058  
\*IR gun from previous day  
used per analy-  
correction factor  
not verified the  
morning of 10/2 for  
this sample due to in hall ~~correction~~  
- 10/2 10/12

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-12963-1

Login Number: 12963

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Kyle Summers  
Ensolum  
606 S Rio Grande  
Suite A  
Aztec, New Mexico 87410  
Generated 1/24/2025 4:29:19 PM

## JOB DESCRIPTION

Angel Peak 2C #1

## JOB NUMBER

885-18698-1

Eurofins Albuquerque  
4901 Hawkins NE  
Albuquerque NM 87109

# Eurofins Albuquerque

## Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

## Authorization



Generated  
1/24/2025 4:29:19 PM

Authorized for release by  
John Caldwell, Project Manager  
[john.caldwell@et.eurofinsus.com](mailto:john.caldwell@et.eurofinsus.com)  
(505)345-3975



Client: Ensolum  
Project/Site: Angel Peak 2C #1

Laboratory Job ID: 885-18698-1

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	7
QC Association Summary . . . . .	10
Lab Chronicle . . . . .	11
Certification Summary . . . . .	12
Chain of Custody . . . . .	13
Receipt Checklists . . . . .	14



## Definitions/Glossary

Client: Ensolum

Job ID: 885-18698-1

Project/Site: Angel Peak 2C #1

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

**Case Narrative**

Client: Ensolum  
Project: Angel Peak 2C #1

Job ID: 885-18698-1

**Job ID: 885-18698-1**

**Eurofins Albuquerque**

**Job Narrative**  
**885-18698-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

**Receipt**

The sample was received on 1/22/2025 7:45 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.0°C.

**Gasoline Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**GC VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**Diesel Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**HPLC/IC**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

## Client Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

Client Sample ID: BF-1

Lab Sample ID: 885-18698-1

Date Collected: 01/21/25 09:00

Matrix: Solid

Date Received: 01/22/25 07:45

## Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	ND		4.6	mg/Kg		01/22/25 14:16	01/23/25 12:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166	01/22/25 14:16	01/23/25 12:06	1

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		01/22/25 14:16	01/23/25 12:06	1
Ethylbenzene	ND		0.046	mg/Kg		01/22/25 14:16	01/23/25 12:06	1
Toluene	ND		0.046	mg/Kg		01/22/25 14:16	01/23/25 12:06	1
Xylenes, Total	ND		0.093	mg/Kg		01/22/25 14:16	01/23/25 12:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		48 - 145	01/22/25 14:16	01/23/25 12:06	1

## Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		01/23/25 08:19	01/23/25 10:26	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		01/23/25 08:19	01/23/25 10:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	97		62 - 134	01/23/25 08:19	01/23/25 10:26	1

## Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		01/23/25 08:40	01/23/25 10:41	20

Eurofins Albuquerque



## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

## Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	ND		5.0	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166			01/22/25 14:16	01/23/25 11:19	1

Lab Sample ID: LCS 885-19692/2-A

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
GRO (C6-C10)	25.0	25.5		mg/Kg		102	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	208		35 - 166					

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Toluene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Xylenes, Total	ND		0.10	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		48 - 145			01/22/25 14:16	01/23/25 11:19	1

Lab Sample ID: LCS 885-19692/3-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Benzene	1.00	1.21		mg/Kg		121	70 - 130	
Ethylbenzene	1.00	1.23		mg/Kg		123	70 - 130	
Toluene	1.00	1.22		mg/Kg		122	70 - 130	
Xylenes, Total	3.00	3.64		mg/Kg		121	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	114		48 - 145					

Eurofins Albuquerque

## QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

## Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-19717/1-A

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19717

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		01/23/25 08:19	01/23/25 09:55	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		01/23/25 08:19	01/23/25 09:55	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	93		62 - 134			01/23/25 08:19	01/23/25 09:55	1

Lab Sample ID: LCS 885-19717/2-A

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19717

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	49.3		mg/Kg		99	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	88		62 - 134				

Lab Sample ID: 885-18698-1 MS

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: BF-1

Prep Type: Total/NA

Prep Batch: 19717

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		49.3	47.8		mg/Kg		97	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	92		62 - 134						

Lab Sample ID: 885-18698-1 MSD

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: BF-1

Prep Type: Total/NA

Prep Batch: 19717

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		48.2	46.9		mg/Kg		97	44 - 136	2	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	93		62 - 134								

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-19720/1-A

Matrix: Solid

Analysis Batch: 19721

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19720

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		01/23/25 08:40	01/23/25 10:03	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-19720/2-A				Client Sample ID: Lab Control Sample			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 19721				Prep Batch: 19720			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	30.3		mg/Kg		101	90 - 110

## QC Association Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

## GC VOA

## Prep Batch: 19692

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	5030C	
MB 885-19692/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-19692/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-19692/3-A	Lab Control Sample	Total/NA	Solid	5030C	

## Analysis Batch: 19723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	8015M/D	19692
MB 885-19692/1-A	Method Blank	Total/NA	Solid	8015M/D	19692
LCS 885-19692/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19692

## Analysis Batch: 19724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	8021B	19692
MB 885-19692/1-A	Method Blank	Total/NA	Solid	8021B	19692
LCS 885-19692/3-A	Lab Control Sample	Total/NA	Solid	8021B	19692

## GC Semi VOA

## Analysis Batch: 19714

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	8015M/D	19717
MB 885-19717/1-A	Method Blank	Total/NA	Solid	8015M/D	19717
LCS 885-19717/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19717
885-18698-1 MS	BF-1	Total/NA	Solid	8015M/D	19717
885-18698-1 MSD	BF-1	Total/NA	Solid	8015M/D	19717

## Prep Batch: 19717

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	SHAKE	
MB 885-19717/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-19717/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-18698-1 MS	BF-1	Total/NA	Solid	SHAKE	
885-18698-1 MSD	BF-1	Total/NA	Solid	SHAKE	

## HPLC/IC

## Prep Batch: 19720

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	300_Prep	
MB 885-19720/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-19720/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

## Analysis Batch: 19721

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18698-1	BF-1	Total/NA	Solid	300.0	19720
MB 885-19720/1-A	Method Blank	Total/NA	Solid	300.0	19720
LCS 885-19720/2-A	Lab Control Sample	Total/NA	Solid	300.0	19720

Eurofins Albuquerque



Lab Chronicle

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

Client Sample ID: BF-1

Lab Sample ID: 885-18698-1

Date Collected: 01/21/25 09:00

Matrix: Solid

Date Received: 01/22/25 07:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 12:06
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 12:06
Total/NA	Prep	SHAKE			19717	EM	EET ALB	01/23/25 08:19
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 10:26
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 10:41

Laboratory References:  
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: Angel Peak 2C #1

Job ID: 885-18698-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-25-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11



## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-18698-1

Login Number: 18698

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 463754

**QUESTIONS**

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2425328865
Incident Name	NAPP2425328865 ANGEL PEAK 2C#1 @ 0
Incident Type	Natural Gas Release
Incident Status	Reclamation Report Received

**Location of Release Source***Please answer all the questions in this group.*

Site Name	ANGEL PEAK 2C#1
Date Release Discovered	09/07/2024
Surface Owner	Federal

**Incident Details***Please answer all the questions in this group.*

Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

**Nature and Volume of Release***Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Corrosion   Pipeline (Any)   Condensate   Released: 5 BBL   Recovered: 0 BBL   Lost: 5 BBL.
Natural Gas Vented (Mcf) Details	Cause: Corrosion   Pipeline (Any)   Natural Gas Vented   Released: 4 MCF   Recovered: 0 MCF   Lost: 4 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 463754

**QUESTIONS (continued)**

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	<b>Yes, according to supplied volumes this will be treated as a "gas only" report.</b>
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	<b>No</b>
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

The source of the release has been stopped	<b>True</b>
The impacted area has been secured to protect human health and the environment	<b>True</b>
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	<b>True</b>
All free liquids and recoverable materials have been removed and managed appropriately	<b>True</b>
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 09/11/2024
--	---

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 463754

**QUESTIONS (continued)**

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Site Characterization</b>	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 100 and 200 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 300 and 500 (ft.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 300 and 500 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	No

<b>Remediation Plan</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
<b>Soil Contamination Sampling:</b> (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	60
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	8.1
GRO+DRO (EPA SW-846 Method 8015M)	8.1
BTEX (EPA SW-846 Method 8021B or 8260B)	0.1
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	09/07/2024
On what date will (or did) the final sampling or liner inspection occur	10/01/2024
On what date will (or was) the remediation complete(d)	10/01/2024
What is the estimated surface area (in square feet) that will be reclaimed	510
What is the estimated volume (in cubic yards) that will be reclaimed	420
What is the estimated surface area (in square feet) that will be remediated	510
What is the estimated volume (in cubic yards) that will be remediated	420
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 463754

**QUESTIONS (continued)**

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Remediation Plan (continued)</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
<b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	ENVIROTECH LANDFARM #1 [FEEM0112334691]
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 05/15/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5  
  
Action 463754

QUESTIONS (continued)

Operator:  Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID:  241602
	Action Number:  463754
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 463754

**QUESTIONS (continued)**

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	421731
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	01/21/2025
What was the (estimated) number of samples that were to be gathered	1
What was the sampling surface area in square feet	200

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	510
What was the total volume (cubic yards) remediated	420
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	510
What was the total volume (in cubic yards) reclaimed	420
Summarize any additional remediation activities not included by answers (above)	None
<p><i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i></p>	
<p>I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.</p>	
I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 05/15/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 463754

**QUESTIONS (continued)**

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Reclamation Report</b>	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	510
What was the total volume of replacement material (in cubic yards) for this site	420
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseedling commence(d)	07/01/2025
Summarize any additional reclamation activities not included by answers (above)	None
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseedling plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 05/15/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 8  
  
Action 463754

QUESTIONS (continued)

Operator:  Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID:  241602
	Action Number:  463754
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

<b>Revegetation Report</b>	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 463754

CONDITIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 463754
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	5/20/2025