

RICE *Operating Company*

112 West Taylor • Hobbs, New Mexico 88240

Phone: (575) 393-9174 • Fax: (575) 397-1471

April 1, 2025

Michael Buchanan

Environmental Bureau, Oil Conservation Division

New Mexico Energy, Minerals, & Natural Resources Department

1220 S. St. Francis Drive

Santa Fe, New Mexico 87505

RE: 2024 Annual Groundwater Report

Rice Operating Company – BD SWD System

BD F-29 (1R426-16) and F-29-1 (1R426-15): UL/F, Sec. 29, T21S, R37E

NMOCD Incident ID: nAPP2109649080, nAPP2109650082

Mr. Buchanan:

ROC is the service provider (agent) for the BD SWD System and has no ownership of any portion of the pipeline, well, or facility. The system is owned by a consortium of oil producers, System Parties, who provide all operating capital on a percentage ownership/usage basis.

Background and Previous Work

The BD F-29 site is located 25 ft south from the BD F-29-1 site. These sites are located approximately 1.5 miles northwest of Eunice, New Mexico at UL/F, Sec. 29, T21S, R37E as shown on the Geographical Location Map. Groundwater sampling at the site indicated the depth to groundwater is approximately 99 feet below ground surface (bgs).

BD F-29 Backhoe Delineation

In 2003, ROC initiated work on the former BD F-29 junction box. The site was delineated using a backhoe to form a 25x10x14-ft deep excavation and soil samples were screened at regular intervals for both hydrocarbon and chloride. From the excavation, the four-wall composite and the bottom composite were sent to a commercial laboratory for analysis. Laboratory tests of the four-wall composite and the bottom composite resulted in elevated chloride concentrations. TPH concentrations were low and BTEX concentrations were below detectable limits. The site was backfilled, the area was contoured to the surrounding area, and an identification plate was placed on the surface of the site to mark its location for future environmental considerations. NMOCD was notified of potential groundwater impact on March 26th, 2003 and a junction box disclosure report was submitted to NMOCD with all the 2003 junction box closures and disclosures.

BD F-29-1 Backhoe Delineation

In 2003, ROC initiated work on the former BD F-29-1 junction. The site was delineated using a backhoe to form a 20x10x6-ft deep excavation and soil samples were screened at regular intervals for both hydrocarbon and chloride. From the excavation, the bottom composite was

taken to a commercial laboratory for analysis. Laboratory testing on the bottom composite showed a chloride laboratory reading of 1,060 mg/kg, a GRO reading of non-detect and a DRO reading of 26.6 mg/kg. BTEX readings returned a result of non-detect. The site was backfilled, the area was contoured to the surrounding area, and an identification plate was placed on the surface of the site to mark its location for future environmental considerations. NMOCD was notified of potential groundwater impact on March 26th, 2003 and a junction box closure report was submitted to NMOCD with all the 2003 junction box closures and disclosures.

An Investigation and Characterization Plan (ICP) was submitted to NMOCD July 2nd, 2013. According to the ICP, a total of 18 soil bores were drilled at the two sites. As the bores were advanced, soil samples were collected at regular intervals and field tested for chloride and hydrocarbon. Representative samples from each bore were sent to a commercial laboratory for analysis. The interior bores (soil bores 1-10, 11 and 14-16) located close to the former boxes, showed evidence of elevated chlorides throughout each bore. The most outer bores (soil bores 12, 13, 17 and SB-18) showed laboratory chloride readings that decrease to below 250 mg/kg before reaching the capillary fringe. GRO and DRO readings were non-detect in all bores at all depths. All borings were plugged with bentonite to ground surface.

According to a Corrective Action Plan (CAP) approved by the NMOCD on October 30th, 2013, ROC installed a 20-mil reinforced liner measuring 247x106-ft at a depth of 4.5 ft bgs. The liner extended 5 ft beyond the furthest soil bores and will provide a barrier that will inhibit the downward migration of residual chloride to the groundwater. The soils placed above the liner had a laboratory chloride reading of 240 mg/kg and 320 mg/kg, and field PID readings of 0.4 ppm and 1.2 ppm. Imported soil resulted in a laboratory chloride reading below detectable limit, and field PID reading of 0.5 ppm. Upon completion of backfilling, the site was seeded with a native vegetative mix and soil amendments. A CAP Report and Soil Closure Request summarizing this work was submitted to NMOCD on July 23rd, 2014, and NMOCD granted Soil Closure on September 18th, 2014.

On November 13th, 2018, a near-source monitor well (MW-1) was installed approximately 70 ft southeast of the former junction boxes. On December 10th, 2018, an up-gradient well (MW-2) was installed approximately 133 ft northwest and a down-gradient well (MW-3) was installed approximately 170 ft southeast of the former junction boxes. These wells were developed and have been sampled regularly. The most recent sampling event resulted in a chloride concentration of 610 mg/L in MW-1, 156 mg/L in MW-2, and 228 mg/L in MW-3. BTEX concentrations remained below detectable limits since the wells were installed. In 2020, ROC received NMOCD approval to cease BTEX sampling. On February 4th, 2022, and again on December 13th, 2022, NMOCD granted approval to cease sampling in the up-gradient well, MW-2. NMOCD also granted approval to cease sulfate analysis in MW-1, MW-2, and MW-3. ROC will continue to grab samples from MW-2, as needed, to ensure there are no non-ROC, up-gradient sources contributing to the degradation of groundwater quality. ROC will continue quarterly sampling in 2025.

Attached is the Appendix, which contains:

1. NMOCD response to the 2023 Annual Report.
2. A Geographical Location Map.
3. An Area Map.
4. A map showing monitoring well locations and estimated groundwater gradient (generated by Peter Galusky of Terrae LLC).
5. A graph showing laboratory results, and a table presenting all laboratory results and depth to groundwater for each well at the site.
6. The laboratory analytical results for 2024.

Rice Operating Company appreciates the opportunity to work with you on this project. Please contact me at (575) 393-9174 if you have any questions or wish to further discuss this site. Thank you for your time and consideration.

Sincerely,

A handwritten signature in black ink that reads "Katie Davis". The signature is written in a cursive, flowing style.

Katie Davis
Environmental Manager
RICE Operating Company (ROC)

appendix

From: OCDOnline@state.nm.us
To: [Katie Jones](#)
Subject: The Oil Conservation Division (OCD) has approved the application, Application ID: 327828
Date: Friday, August 9, 2024 3:05:19 PM

To whom it may concern (c/o Katie Davis for RICE OPERATING COMPANY),

The OCD has approved the submitted *Ground Water Abatement* (GROUND WATER ABATEMENT), for incident ID (n#) nAPP2109649080, with the following conditions:

- **Review of the 2023 Annual Groundwater Report for ROC--BD SWD System BD F-29 (1R426-16) and F-29-1 (1R426-15): content satisfactory 1. Continue quarterly groundwater monitoring as planned for MW-2 2. Submit the next annual report to OCD by April 1, 2025.**


The signed GROUND WATER ABATEMENT can be found in the OCD Online: Imaging under the incident ID (n#).

If you have any questions regarding this application, please contact me.

Thank you,
Michael Buchanan
Environmental Specialist
505-490-0798
Michael.Buchanan@emnrd.nm.gov

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Geographical Location Map




BD F-29 JCT
 1R426-16
BD F-29-1 JCT
 1R426-15
 UL F SECTION 29
 T-21-S R-37-E
 LEA COUNTY, NM

GPS:
 F-29 JCT: 32.450545 -103.185153
 F-29-1 JCT: 32.450619 -103.185157
 NAD 83 STATE PLANE PROJ.
 NM EAST ZONE
 0 1,000 2,000
 Feet
 Drawing date: 1/28/20
 Drafted by: T. Grieco



Area Map



BD F-29 JCT
1R426-16
BD F-29-1 JCT
1R426-15
UL F SECTION 29
T-21-S R-37-E
LEA COUNTY, NM


GPS:
F-29 JCT: 32.450545 -103.185153
F-29-1 JCT: 32.450619 -103.185157
NAD 83 STATE PLANE PROJ.
NM EAST ZONE

0 500 1,000
Feet

Drawing date: 1/28/20
Drafted by: T. Grieco



Groundwater Flow Direction




BD
F-29 & F-29-1 JCT
 1R426-16 & 1R426-15
 UL F & G SECTION 29
 T-21-S R-37-E
 LEA COUNTY, NM

GPS: 32.450619 -103.185159
 NAD83 STATE PLANE PROJECTION
 NEW MEXICO EAST ZONE

0 25 50
 Feet

Drawing date: 1/17/24
 Drafted by: T. Grieco





ROC - BD F-29 (1R426-16) & F-29-1 (1R426-15)**Unit Letter F, Section 29, T21S, R37E**

MW	Depth to Water	Total Depth	Well Volume	Volume Purged	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Sulfate	Comments
1	99.48	116.15	10.9	35	12/26/2018	484	1,300	<0.001	<0.001	<0.001	<0.003	278	Clear No odor
1	99.45	116.15	10.9	35	2/25/2019	500	1,230	<0.001	<0.001	<0.001	<0.003	251	Clear No odor
1	99.44	116.15	10.9	35	5/6/2019	468	976	<0.001	<0.001	<0.001	<0.003	238	Clear No odor
1	99.42	116.15	10.9	35	8/20/2019	468	1,300	<0.001	<0.001	<0.001	<0.003	211	Clear No odor
1	99.44	116.15	10.9	35	11/6/2019	400	1,200	<0.001	<0.001	<0.001	<0.003	208	Clear No odor
1	99.43	116.15	10.9	35	2/21/2020	416	1,140	<0.0005	<0.0005	<0.0005	<0.002	125	Clear No odor
1	99.4	116.15	10.9	35	8/28/2020	440	1,290	XXX	XXX	XXX	XXX	218	Clear No odor
1	99.37	116.15	10.9	35	3/2/2021	424	1,250	XXX	XXX	XXX	XXX	234	Clear No odor
1	99.4	116.15	10.9	35	5/28/2021	364	1,140	XXX	XXX	XXX	XXX	216	Clear No odor
1	99.38	116.15	10.9	35	8/31/2021	368	1,200	XXX	XXX	XXX	XXX	303	Clear No odor
1	99.37	116.15	10.9	35	11/1/2021	360	1,160	XXX	XXX	XXX	XXX	301	Clear No odor
1	99.41	116.15	10.9	35	2/21/2022	424	918	XXX	XXX	XXX	XXX	294	Clear No odor
1	99.32	116.15	10.9	35	5/20/2022	416	1,230	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.34	116.15	10.9	35	8/26/2022	432	1,230	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.35	116.15	10.9	35	11/8/2022	500	1,340	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.4	116.15	10.9	35	3/9/2023	470	1,290	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.35	116.15	10.9	35	5/16/2023	530	1,380	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.35	116.15	10.9	35	8/3/2023	456	1,240	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.39	116.15	10.9	35	10/17/2023	480	1,350	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.4	116.15	10.9	35	2/5/2024	530	1,390	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.38	116.15	10.9	35	5/22/2024	500	1,610	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.39	116.15	10.9	35	7/31/2024	730	1,940	XXX	XXX	XXX	XXX	XXX	Clear No odor
1	99.45	116.15	10.9	35	10/17/2024	610	1,760	XXX	XXX	XXX	XXX	XXX	Clear No odor

MW	Depth to Water	Total Depth	Well Volume	Volume Purged	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Sulfate	Comments
2	98.22	102.98	0.7	3	12/26/2018	120	550	<0.001	<0.001	<0.001	<0.003	153	Clear No odor

ROC - BD F-29 (1R426-16) & F-29-1 (1R426-15)**Unit Letter F, Section 29, T21S, R37E**

MW	Depth to Water	Total Depth	Well Volume	Volume Purged	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Sulfate	Comments
2	98.2	102.98	0.7	3	2/25/2019	128	470	<0.001	<0.001	<0.001	<0.003	134	Clear No odor
2	98.18	102.98	0.7	3	5/6/2019	116	616	<0.001	<0.001	<0.001	<0.003	116	Clear No odor
2	98.13	102.98	0.7	3	8/20/2019	120	570	<0.001	<0.001	<0.001	<0.003	119	Clear No odor
2	98.19	102.98	0.7	3	11/6/2019	116	596	<0.001	<0.001	<0.001	<0.003	121	Clear No odor
2	98.16	102.48	0.7	3	2/21/2020	108	538	<0.0005	<0.0005	<0.0005	<0.002	146	Clear No odor
2	98.14	102.48	0.7	3	8/28/2020	104	617	XXX	XXX	XXX	XXX	109	Clear No odor
2	98.11	102.98	0.7	3	3/2/2021	108	598	XXX	XXX	XXX	XXX	109	Clear No odor
2	98.11	102.98	0.7	3	5/28/2021	96	607	XXX	XXX	XXX	XXX	120	Clear No odor
2	98.1	102.98	0.7	3	8/31/2021	112	620	XXX	XXX	XXX	XXX	167	Clear No odor
2	98.11	102.98	0.7	3	11/1/2021	144	674	XXX	XXX	XXX	XXX	145	Clear No odor
2	98.15	102.98	0.7	3	2/21/2022	116	520	XXX	XXX	XXX	XXX	143	Clear No odor
2	98.08	102.98	0.7	3	5/20/2022	132	634	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.1	102.98	0.7	3	8/26/2022	100	585	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.12	102.98	0.7	3	11/8/2022	210	576	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.14	102.48	0.7	3	3/9/2023	172	642	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.1	102.48	0.7	3	5/16/2023	180	625	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.12	102.48	0.7	3	8/3/2023	200	657	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.15	102.48	0.7	3	10/17/2023	108	613	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.16	102.48	0.7	3	2/5/2024	128	648	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	99.17	102.48	0.5	3	5/22/2024	160	634	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.2	102.48	0.7	3	7/31/2024	136	658	XXX	XXX	XXX	XXX	XXX	Clear No odor
2	98.22	102.48	0.7	3	10/17/2024	156	671	XXX	XXX	XXX	XXX	XXX	Clear No odor

MW	Depth to Water	Total Depth	Well Volume	Volume Purged	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Sulfate	Comments
3	99.88	108.83	1.4	5	12/26/2018	292	978	<0.001	<0.001	<0.001	<0.003	298	Clear No odor
3	99.87	108.83	1.4	5	2/25/2019	276	991	<0.001	<0.001	<0.001	<0.003	245	Clear No odor

ROC - BD F-29 (1R426-16) & F-29-1 (1R426-15)**Unit Letter F, Section 29, T21S, R37E**

MW	Depth to Water	Total Depth	Well Volume	Volume Purged	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene	Total Xylenes	Sulfate	Comments
3	99.88	108.83	1.4	5	5/6/2019	264	936	<0.001	<0.001	<0.001	<0.003	240	Clear No odor
3	99.9	108.83	1.4	5	8/20/2019	252	964	<0.001	<0.001	<0.001	<0.003	227	Clear No odor
3	100.03	108.83	1.4	3	11/6/2019	264	871	<0.001	<0.001	<0.001	<0.003	238	Clear No odor
3	99.99	108.83	1.4	3	2/21/2020	252	1,080	<0.0005	<0.0005	<0.0005	<0.002	242	Clear No odor
3	99.97	108.83	1.4	3	8/28/2020	240	1,080	XXX	XXX	XXX	XXX	219	Clear No odor
3	99.96	108.63	1.4	5	3/2/2021	220	994	XXX	XXX	XXX	XXX	316	Clear No odor
3	99.91	108.63	1.4	5	5/28/2021	228	1,070	XXX	XXX	XXX	XXX	292	Clear No odor
3	99.9	108.63	1.4	5	8/31/2021	340	1,130	XXX	XXX	XXX	XXX	301	Clear No odor
3	99.9	108.63	1.4	5	11/1/2021	188	726	XXX	XXX	XXX	XXX	153	Clear No odor
3	99.99	108.63	1.4	5	2/21/2022	308	803	XXX	XXX	XXX	XXX	250	Clear No odor
3	99.94	108.63	1.4	5	5/20/2022	252	868	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.96	108.63	1.4	5	8/26/2022	320	983	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.97	108.63	1.4	5	11/8/2022	332	1,000	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.98	108.83	1.4	3	3/9/2023	252	861	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.96	108.83	1.4	3	5/16/2023	224	846	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.97	108.83	1.4	3	8/3/2023	160	738	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.99	108.83	1.4	3	10/17/2023	84	515	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.94	108.83	1.4	3	2/5/2024	268	736	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.95	108.83	1.4	3	5/22/2024	328	949	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	99.96	108.83	1.4	3	7/31/2024	300	1,040	XXX	XXX	XXX	XXX	XXX	Clear No odor
3	100	108.83	1.4	3	10/17/2024	228	998	XXX	XXX	XXX	XXX	XXX	Clear No odor



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 16, 2024

KATIE JONES

Rice Operating Company

112 W. Taylor

Hobbs, NM 88240

RE: BD JUNCTION F29 & F-29-1

Enclosed are the results of analyses for samples received by the laboratory on 02/07/24 8:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Rice Operating Company
 KATIE JONES
 112 W. Taylor
 Hobbs NM, 88240
 Fax To: (575) 397-1471

Received: 02/07/2024
 Reported: 02/16/2024
 Project Name: BD JUNCTION F29 & F-29-1
 Project Number: NONE GIVEN
 Project Location: T21S R37E SEC29 F ~ LEA CO, NM

Sampling Date: 02/05/2024
 Sampling Type: Water
 Sampling Condition: Cool & Intact
 Sample Received By: Dionica Hinojos

Sample ID: MONITOR WELL #1 (H240569-01)

Chloride, SM4500Cl-B		mg/L		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	530	4.00	02/08/2024	ND	104	104	100	3.92		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	1390	5.00	02/12/2024	ND	833	83.3	1000	1.18		

Sample ID: MONITOR WELL #2 (H240569-02)

Chloride, SM4500Cl-B		mg/L		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	128	4.00	02/08/2024	ND	104	104	100	3.92	
TDS 160.1		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS*	648	5.00	02/12/2024	ND	833	83.3	1000	1.18	

Sample ID: MONITOR WELL #3 (H240569-03)

Chloride, SM4500Cl-B		mg/L		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	268	4.00	02/08/2024	ND	104	104	100	3.92		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	736	5.00	02/12/2024	ND	833	83.3	1000	1.18		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Cardinal Laboratories, Inc.

Company Name: RICE Operating Company	BILL TO Company: RICE Operating Company	PO#
Project Manager: Katie Jones	Address: 122 W Taylor Street ~ Hobbs, New Mexico 88240	(Street, City, Zip)
Address: 122 W Taylor Street ~ Hobbs, New Mexico 88240	Phone#: (575) 393-9174	Fax#: (575) 397-1471
Phone #: (575) 393-9174	Fax #: (575) 397-1471	

Project #:	Project Name:
	BD Junction F29 & F-29-1

Project Location: T21S R37E Sec29 F~ Lea County New Mexico

[illegible]

Relinquished by: Suzanne Johnson Date: 2/7/2024 Time: 7:15

Relinquished by: [Signature] Date: 2/7/2024 Time:

Delivered By: (Circle One) -3.700

amplifier - UPS - Bus - Other: #140

Received by: *[Signature]* Date: 2/7/2024 Time: 7:11

Received By: (Laboratory Staff) Date: 2/7/21 Time: 8:30

Sample Condition	CHECKED BY:
------------------	-------------

Yes ☒ Cool ☒ Intact (Initials) WJ

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

LAB Order ID # _____

ANALYSIS REQUEST

(Circle or Specify Method No.)

MTBE	8021B/602		
BTEX	8021B/602		
TPH	418.1/TX1005 / TX1005 Extended (C35)		
PAH	8270C		
Total Metals	Ag As Ba Cd Cr Pb Se Hg 6010B/200.7		
TCLP Metals	Ag As Ba Cd Cr Pb Se Hg		
TCLP Volatiles			
TCLP Semi Volatiles			
TCLP Pesticides			
RCI			
GC/MS Vol.	8260B/624		
GC/MS Semi. Vol.	8270C/625		
PCB's	8082/608		
Pesticides	8081A/608		
BOD, TSS, pH			
Moisture Content			
Cations (Ca, Mg, Na, K)			
Anions (Cl, SO4, CO3, HCO3)			
Sulfates			
Total Dissolved Solids		X	X
Chlorides		X	X
Turn Around Time ~ 24 Hours			

Phone Results	Yes	No
---------------	-----	----

Fax Results	Yes	No
-------------	-----	----

REMARKS:

Email Results: kjones@riceswd.com
rozanne@sdacres.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 30, 2024

KATIE JONES

Rice Operating Company

112 W. Taylor

Hobbs, NM 88240

RE: BD JUNCTION F29 & F-29-1

Enclosed are the results of analyses for samples received by the laboratory on 05/23/24 11:02.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Rice Operating Company
 KATIE JONES
 112 W. Taylor
 Hobbs NM, 88240
 Fax To: (575) 397-1471

Received: 05/23/2024
 Reported: 05/30/2024
 Project Name: BD JUNCTION F29 & F-29-1
 Project Number: NONE GIVEN
 Project Location: T21S R37E SEC29 F ~ LEA CO, NM

Sampling Date: 05/22/2024
 Sampling Type: Water
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: MONITOR WELL #1 (H242870-01)

Chloride, SM4500Cl-B		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	500	4.00	05/23/2024	ND	104	104	100	3.77		
TDS 160.1		mg/L		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	1610	10.0	05/29/2024	8.00	843	84.3	1000	0.716		

Sample ID: MONITOR WELL #2 (H242870-02)

Chloride, SM4500Cl-B		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	160	4.00	05/23/2024	ND	104	104	100	3.77		
TDS 160.1		mg/L		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	634	10.0	05/30/2024	8.00	843	84.3	1000	0.716		

Sample ID: MONITOR WELL #3 (H242870-03)

Chloride, SM4500Cl-B		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	328	4.00	05/23/2024	ND	104	104	100	3.77		
TDS 160.1		mg/L		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	949	10.0	05/30/2024	8.00	843	84.3	1000	0.716		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Cardinal Laboratories, Inc.

LAB Order ID # _____

ANALYSIS REQUEST
(Circle or Specify Method No.)Turn Around Time ~ 24 Hours

Phone Results	Yes	No
Fax Results	Yes	No Additional Fax Number:

REMARKS:

Email Results: kjones@riceswd.com
rozanne@sdacres.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 14, 2024

KATIE JONES

Rice Operating Company

112 W. Taylor

Hobbs, NM 88240

RE: BD JUNCTION F29 & F-29-1

Enclosed are the results of analyses for samples received by the laboratory on 08/07/24 9:11.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Rice Operating Company
 KATIE JONES
 112 W. Taylor
 Hobbs NM, 88240
 Fax To: (575) 397-1471

Received:	08/07/2024	Sampling Date:	07/31/2024
Reported:	08/14/2024	Sampling Type:	Water
Project Name:	BD JUNCTION F29 & F-29-1	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	T21S R37E SEC29 F ~ LEA CO, NM		

Sample ID: MONITOR WELL #1 (H244737-01)

Chloride, SM4500Cl-B (Water)		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	730	4.00	08/12/2024	ND	104	104	100	0.00		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	1940	5.00	08/08/2024	ND	862	86.2	1000	0.0896		

Sample ID: MONITOR WELL #2 (H244737-02)

Chloride, SM4500Cl-B (Water)		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	136	4.00	08/12/2024	ND	104	104	100	0.00	
TDS 160.1		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS*	658	5.00	08/08/2024	ND	862	86.2	1000	0.0896	

Sample ID: MONITOR WELL #3 (H244737-03)

Chloride, SM4500Cl-B (Water)		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	300	4.00	08/12/2024	ND	104	104	100	0.00		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	1040	5.00	08/08/2024	ND	862	86.2	1000	0.0896		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Cardinal Laboratories, Inc.

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

LAB Order ID # _____

ANALYSIS REQUEST

(Circle or Specify Method No.)

[illegible]

Phone Results	Yes	No
Fax Results	Yes	No Additional Fax Number:
REMARKS:		
Email Results: kjones@riceswd.com rozanne@sdacres.com		



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 28, 2024

KATIE JONES

Rice Operating Company

112 W. Taylor

Hobbs, NM 88240

RE: BD JUNCTION F-29 & F-29-1

Enclosed are the results of analyses for samples received by the laboratory on 10/22/24 10:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Rice Operating Company
 KATIE JONES
 112 W. Taylor
 Hobbs NM, 88240
 Fax To: (575) 397-1471

Received:	10/22/2024	Sampling Date:	10/17/2024
Reported:	10/28/2024	Sampling Type:	Water
Project Name:	BD JUNCTION F-29 & F-29-1	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	T21S R37E SEC 29 F ~ LEA COUNTY, NM		

Sample ID: MONITOR WELL #1 (H246422-01)

Chloride, SM4500Cl-B (Water)		mg/L		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	610	4.00	10/23/2024	ND	104	104	100	0.00		
TDS 160.1		mg/L		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	1760	5.00	10/24/2024	ND	830	83.0	1000	1.41		

Sample ID: MONITOR WELL #2 (H246422-02)

Chloride, SM4500Cl-B (Water)		mg/L		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	156	4.00	10/23/2024	ND	104	104	100	0.00	
TDS 160.1		mg/L		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS*	671	5.00	10/24/2024	ND	830	83.0	1000	1.41	

Sample ID: MONITOR WELL #3 (H246422-03)

Chloride, SM4500Cl-B (Water)		mg/L		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	228	4.00	10/23/2024	ND	104	104	100	0.00		
TDS 160.1		mg/L		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	998	5.00	10/24/2024	ND	830	83.0	1000	1.41		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 447028

CONDITIONS

Operator: RICE OPERATING COMPANY PO Box 5630 Hobbs, NM 88241	OGRID: 19174
	Action Number: 447028
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
jburdine	Review of the 2024 Annual Groundwater Report for ROC BD F-29 and F-29-1: approved 1. Continue to groundwater sample quarterly. 2. Submit the 2025 Annual Groundwater Report by April 1, 2025.	7/17/2025