Remediation Summary & Closure Request

Goodnight Midstream Permian, LLC Fenway Tank 113

Lea County, New Mexico
Unit Letter "F", Section 28, Township 21 South, Range 36 East
Latitude 32.45038 North, Longitude 103.27493 West
NMOCD Reference No. nAPP2428552848

Prepared By:

Etech Environmental & Safety Solutions, Inc.

6309 Indiana Ave, Ste. D Lubbock, Texas 79413

Ben Arguijo

Joel W. Lowry



Midland • San Antonio • Lubbock • Hobbs • Lafayette

TABLE OF CONTENTS

	Section
PROJECT INFORMATION	1.0
SITE CHARACTERIZATION	2.0
CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE	3.0
INITIAL SITE ASSESSMENT AND BACKGROUND INFORMATION	4.0
PROPOSED REMEDIATION PLAN	5.0
REMEDIATION ACTIVITIES SUMMARY	6.0
SOIL CLOSURE REQUEST	7.0
RESTORATION, RECLAMATION, AND RE-VEGETATION PLAN	8.0
LIMITATIONS	
DISTRIBUTION	10.0

FIGURES

Figure 1 - Site Location Map

Figure 2A - Site Characterization Map (0.5-Mile Radius)

Figure 2B - Site Characterization Map (5-Mile Radius)

Figure 3 - Site and Sample Location Map

TABLES

Table 1 - Concentrations of BTEX, TPH & Chloride in Soil

APPENDICES

Appendix A - Depth to Groundwater and NMOCD Siting Information

Appendix B - Field Data

Appendix C - Photographic Log

Appendix D - Laboratory Analytical Reports

Appendix E - Regulatory Correspondence

1.0 PROJECT INFORMATION

Etech Environmental & Safety Solutions, Inc. (Etech), on behalf of Goodnight Midstream Permian, LLC, has prepared this *Remediation Summary & Closure Request* for the release site known as the Fenway Tank 113 (henceforth, "Site"). Details of the release are summarized below:

		Location of Release S	Source					
Latitude:	32.45038	Longitud	e:	-103.27493				
		Provided GPS are in WGS84 for	ormat.					
Site Name: Fenway Tank 113 Site Type: SWD								
Date Release Discovere	ed: 10/10/2	2024 API # (if app	licable):	N/A				
	ction Towns	<u> </u>	County					
F	28 21S	36E	Lea					
Surface Owner: St	ate Federal	Tribal X Private (N	lame	Atlee Snyder				
	Na	ture and Volume of	f Release					
Crude Oil	Volume Released (bbls)	Volume Recover	ed (bbls)				
X Produced Water	Volume Released (bbls) 228	Volume Recover	ed (bbls) 0				
	Is the concentration the produced water	n of dissolved chloride in > 10,000 mg/L?	X Yes No N/A					
Condensate	Volume Released (bbls)	Volume Recover	ed (bbls)				
Natural Gas	Volume Released (Mcf)	Volume Recover	ed (Mcf)				
Other (describe)	Volume/Weight Re	eleased	Volume/Weight R	Recovered				
Cause of Release: The release was attrib	uted to the failure of	a high pressure hose.	•					
		Initial Respons	e					
X The source of the	release has been stopp	ped.						
X The impacted area	has been secured to p	protect human health and th	e environment.					
X Release materials	have been contained v	via the use of berms or dike	s, absorbent pad, or	other containment devices				
X All free liquids and	d recoverable material	ls have been removed and r	nanaged appropriate	ely.				

Previously submitted portions of the New Mexico Oil Conservation Division (NMOCD) Form C-141 are available in the NMOCD Permitting System.

2.0 SITE CHARACTERIZATION

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (bgs)?	Between 100 and 500 (ft.)			
What method was used to determine the depth to groundwater?	Direct Measurement			
Did the release impact groundwater or surface water?	Yes X No			
What is the minimum distance between the closest lateral extents of the release and the following surface areas?				
A continuously flowing watercourse or any other significant watercourse?	Between 1 and 5 (mi.)			
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Between 1 and 5 (mi.)			
An occupied permanent residence, school, hospital, institution or church?	Between 1 and 5 (mi.)			
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Between 1 and 5 (mi.)			
Any other fresh water well or spring?	Between 1000 (ft.) and ½ (mi.)			
Incorporated municipal boundaries or a defined municipal fresh water well field?	Between 1 and 5 (mi.)			
A wetland?	Between ½ and 1 (mi.)			
A subsurface mine?	Greater than 5 (mi.)			
A (non-karst) unstable area?	Between 1000 (ft.) and ½ (mi.)			
Categorize the risk of this well/site being in a karst geology.	Low			
A 100-year floodplain?	Greater than 5 (mi.)			
Did the release impact areas not on an exploration, development, production or storage site?	Yes X No			

A search of groundwater databases maintained by the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) was conducted in an effort to determine the horizontal distance to known water sources within a half-mile radius of the Site. Probable groundwater depth was determined using data generated by numeric models based on available water well data and published information. Depth to groundwater and NMOCD siting information is provided as Appendix A.

Additional NMOCD Siting Criteria data was gathered from available resources including Bureau of Land Management (BLM) and Fish and Wildlife Services (FWS) shapefiles; topographic maps; NMOSE and USGS databases; and aerial imagery. The results are depicted in Figures 1, 2A, 2B, and 4.

3.0 CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE

Based on the volume and nature of the release, inferred depth to groundwater, and NMOCD Siting Criteria, the NMOCD Closure Criteria, and NMOCD Reclamation Standards for the Site are as follows:

Probable Depth to Groundwater	Constituent	Laboratory Analytical Method	Closure Criteria*†	Reclamation Standard*‡
Between 100 and 500 (ft.)	Chloride (Cl-)	EPA** 300.0 or SM4500 Cl B	20,000	600
	Total Petroleum Hydrocarbons (TPH)	EPA SW-846 Method 8015M Ext	2,500	100
	Gas Range Organics + Diesel Range Organics (GRO+DRO)	EPA SW-846 Method 8015M	1,000	N/A
	Benzene	EPA SW-846 Methods 8021b or 8260b	10	10
	Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA SW-846 Methods 8021b or 8260b	50	50

^{*} Measured in milligrams per kilogram (mg/kg)

^{**} Environmental Protection Agency

[†] Table I, Section 19.15.29.12 of the New Mexico Administrative Code (NMAC).

[‡] The NMOCD Reclamation Standard applies only to the top 4' of soil in non-production areas. Section 19.15.29.13 D.(1) NMAC.

4.0 INITIAL SITE ASSESSMENT AND BACKGROUND INFORMATION

Following the discovering the release, an alternative environmental contractor conducted an initial release assessment at the Site. During the initial release assessment, 36 soil samples (SP-1 through SP-36) were collected from zero (0) to one (1) ft within and adjacent to the margins of the release. The collected soil samples were submitted to a certified, commercial laboratory (henceforth, "the laboratory") for analysis of BTEX, TPH, and chloride concentrations. Laboratory analytical results indicated BTEX concentrations were below the laboratory method detection limit (MDL) in each of the submitted soil samples, with the exception of soil sample SP-18 (0.597 mg/kg). TPH concentrations were below the laboratory MDL in each of the submitted soil samples, with the exception of soil samples SP-2 (1,162 mg/kg), SP-5 (34.7 mg/kg), and SP-9 (11.4 mg/kg). Chloride concentrations ranged from 32.0 mg/kg in soil samples SP-18 and SP-21 to 18,000 mg/kg in soil sample SP-2. BTEX, TPH and chloride concentrations were below the NMOCD Closure Criteria in each of the submitted soil samples, with the exception of soil sample SP-2, which exhibited a GRO+DRO concentration of 1,110 mg/kg. A "Site and Sample Location Map" is provided as Figure 3. Concentrations of BTEX, TPH and chloride are summarized in Table 1. Laboratory analytical reports are provided as Appendix D.

On October 21, 2024, upon receiving laboratory analytical results from soil samples collected during the initial investigation, remediation activities were initiated by an alternative environmental contractor. Initial remediation activities targeted impacted material containing over 100 mg/kg TPH and 600 mg/kg (i.e., the NMOCD Reclamation Standards), even though impacts were limited to an active facility where a depth to groundwater determination boring had been recently drilled demonstrating that groundwater was greater than 105 ft bgs.

Between November 15 and December 10, 2024, approximately 59 additional delineation soil samples and 133 excavation confirmation soil samples were collected and submitted to the laboratory for analysis of BTEX, TPH and chloride concentrations. Laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Reclamation Standards in each of the submitted soil samples, with the exception of soil samples CS-3 (103 mg/kg TPH), CS-23 North Wall (182 mg/kg TPH), CS-24 (589 mg/kg TPH), CS-29 (12,600 mg/kg TPH) and CS-32 (1,170 mg/kg chloride). Impacted areas characterized by soil samples CS-3, CS-23 North Wall, CS-24, CS-29, and CS-32 were excavated and resampled until laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Reclamation Standards. Upon receiving laboratory analytical results from confirmation soil samples, the excavated areas were backfilled with locally sourced, non-impacted backfill characterized by backfill characterization soil samples (North and South).

During the course of remediation activities, approximately 750 cubic yards of impacted material was excavated from depths ranging from 2 to 4 ft bgs then transported to an NMOCD-permitted surface waste facility for disposal. Upon completion of remediation activities, several *Closure Requests* were submitted to the NMOCD describing field activities and laboratory analytical results from soil sampling activities. The *Closure Requests* were subsequently denied as they were incomplete and included incorrect information.

On March 24, 2025, Etech assumed remediation oversight of the project. Upon assuming remediation responsibilities, Etech conducted a review of available information and laboratory analytical results from delineation and excavation confirmation soil samples. Review of available information indicated that during assessment and remediation activities, two (2) soil samples (SP-2 @ 0-1' and CS-29 @ 2') exhibited BTEX, TPH, and/or chloride concentrations above the NMOCD Closure Criteria. The area characterized by soil sample CS-29 @ 2' appeared to have been excavated and resampled, as necessary. The area characterized by soil sample SP-2 appeared to have been excavated but lacked the necessary excavation confirmation soil samples.

In addition, it was determined that the subject release affected an area measuring approximately 8,000 sq. ft., while the excavation measured approximately 24,000 sq. ft. Connecting the nearest clean composite soil samples (i.e. those exhibiting BTEX, TPH and chloride concentrations below the NMOCD Reclamation Standards) collected outside the margins of the release to serve as proxy sidewall samples, resulted in an area measuring approximately 10,500 sq. ft. with the necessary horizontal control. While a considerable amount of clean excavation confirmation soil samples were collected within this 10,500 sq. ft. zone, approximately fifteen (15) locations were identified wherein additional confirmation soil sampling (proxy floors) was warranted. Also, additional horizontal sampling was warranted from six (6) locations around the release margins (proxy sidewalls).

5.0 PROPOSED REMEDIATION PLAN

On May 28, 2025, a *Site Characterization and Proposed Remediation Workplan* (Workplan) was submitted to the NMOCD proposing the following field activities designed to advance the Site toward closure:

- •Advance a series of investigative trenches in the area characterized by soil sample SP-2 in an effort to determine if impacted material affected above the NMOCD Closure Criteria remained in-situ and to collect the necessary proxy excavation confirmation soil samples. It was anticipated that at least one (1) proxy floor sample and two (2) proxy sidewall samples would be necessary.
- •Advance a series of investigative trenches in the area characterized by the 15 under-sampled areas within/proximate to the margins of the subject release, along with the six (6) under-sampled areas outside the release margins (proxy sidewalls), in an effort to determine if impacted material affected above the NMOCD Closure Criteria remains in-situ and to collect the necessary proxy excavation floor and sidewall confirmation soil samples.
- •Submit the collected soil samples to the laboratory for analysis of BTEX, TPH, and chloride.
- •In the event impacted material affected above the NMOCD Closure Criteria is encountered, excavated the affected areas until laboratory analytical results from excavation confirmation soil samples indicate concentrations of BTEX, TPH, and chloride are below the NMOCD Closure Criteria.
- •In the event excavation of impacted material affected above the NMOCD Closure Criteria encroaches to within an unsafe distance to the active tank battery facility and/or active on-site equipment, collect additional deferral characterization and delineation soil samples, as necessary.
- •Upon receiving laboratory analytical results from confirmation soil samples, restore the Site to the condition that existed prior to the release, to the extent practicable. Backfill the excavated areas with locally sourced, non-impacted "like" material placed at or near original relative positions. Compact and contour the affected area to achieve erosion control, stability, and preservation of surface water flow, to the extent practicable.
- •Upon completion of remediation activities, prepare *Remediation Summary and Soil Closure* (or *Deferral Request*) detailing field activities and laboratory analytical results from the collected soil samples.

The Workplan was subsequently approved with the condition that an additional proxy sidewall sample be collected west of sample point SP #2 and on both sides of sample point ASW-8.

6.0 REMEDIATION ACTIVITIES SUMMARY

Requesting a remediation plan approval with this submission?	X Yes No
Have the lateral and vertical extents of contamination been fully delineated?	X Yes No
Was this release entirely contained within a lined containment area?	Yes X No
On what estimated date will (or did) the remediation commence?	10/21/2024
On what date will (or did) the final sampling or liner inspection occur?	6/6/2025
On what date will (or was) the remediation complete(d)?	6/6/2025
What is the total surface area (sq. ft.) in need of or that will eventually be reclaimed?	24,000
What is the total volume (cy) in need of or that will <i>eventually</i> be reclaimed?	860
What was the total surface area (sq. ft.) that has or will be remediated?	10,500
What was the total volume (cy) that has or will be remediated?	750
This remediation utilized the following processes to remediate/reduce contaminants: (Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	X Yes No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Yes X No
(In Situ) Soil Vapor Extraction	Yes X No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Yes X No
(In Situ) Biological processing (i.e. Microbes/Fertilizer, etc.)	Yes X No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Yes X No

Ground Water Abatement pursuant to 19.15.30 NMAC	Yes X No
Other (Non-listed remedial process)	Yes X No
Which OCD approved facility was or will be used for off-site disposal?	Northern Delaware Basin Landfill
NMOCD Disposal Facility ID?	fJEG1635837366
Summarize any additional remediation activities not included by answers above.	Completed Per Approved Workplan

In accordance with the approved Workplan and NMOCD, on June 6, 2025, Etech collected eighteen (18) proxy floor samples (AFL 1 @ 1', AFL 2 @ 2', AFL 3 @ 2', AFL 4 @ 2', AFL 5 @ 2', AFL 6 @ 2', AFL 7 @ 2', AFL 8 @ 2', AFL 9 @ 2', AFL 10 @ 2', AFL 11 @ 2', AFL 12 @ 2', AFL 12 @ 3', AFL 13 @ 2', AFL 13 @ 3', AFL 14 @ 2', AFL 15 @ 2' and AFL 16 @ 2') from the approximate base of the previous environmental excavation in the identified under-sampled areas. The collected soil samples were submitted to the laboratory for analysis of BTEX, TPH and chloride concentrations. Laboratory analytical results indicated BTEX and TPH concentrations were below the applicable laboratory MDL in each of the submitted soil samples, with the exception of soil sample, AFL 15 @ 2' and AFL 16 @ 2', which exhibited TPH concentrations of 93.3 mg/kg and 550 mg/kg, respectively. Chloride concentrations ranged from less than the laboratory MDL in soil sample AFL 8 @ 2' to 2,440 mg/kg in soil sample AFL 15 @ 2'.

In addition, Etech collected twelve (12) proxy sidewall samples (ASW 1 @ 0.5', ASW 2 @ 1', ASW 3 @ 1', ASW 4 @ 2', ASW 5 @ 2', ASW 6 @ 2', ASW 7 @ 1', ASW 8 @ 1', ASW 9 @ 2', ASW 10 @ 1', ASW 11 @ 1' and ASW 12 @ 1') from the approximate horizontal margins of the previous environmental excavation in the identified under-sampled areas. The collected soil samples were submitted to the laboratory for analysis of BTEX, TPH and chloride concentrations. Laboratory analytical results indicated BTEX and TPH concentrations were below the applicable laboratory MDL in each of the submitted soil samples. Chloride concentrations ranged from less than the laboratory MDL in soil samples ASW 4 @ 2' and ASW 5 @ 2' to 1,680 mg/kg in soil sample ASW 12 @ 1'. A summary of soil sampling events is provided below:

Constituent	Highest Observable Concentration	Sample ID	Sample Date	Sample Depth (ft bgs)	Soil Status
Chloride	18,000	SP-2	10/11/2024	1	Excavated
ТРН	12,600	SP-2	11/1/2024	1	Excavated
GRO+DRO	12,600	CS-29	11/15/2024	2	Excavated
BTEX	3.930	CS-29	11/15/2025	2	Excavated
Benzene	0.0530	SP-18	10/11/2024	1	Excavated

Please reference Table 1 for additional information.

Prior to backfilling, the final dimensions of the excavated area were approximately 150 feet in length, 40 to 80 feet in width, and two (2) to four (4) feet in depth. During the course of remediation activities, approximately 750 cubic yards of impacted soil was transported to an NMOCD-permitted surface waste facility for disposal, and a commensurate volume of non-impacted material was imported to the Site for use as backfill.

Soil sample locations and the extent of the excavated area are depicted in Figure 3, "Site & Sample Location Map". Soil chemistry data is summarized in Table 1. Field data is provided in Appendix B. General photographs of the Site are provided in Appendix C. Laboratory analytical reports are provided in Appendix D. Copies of regulatory correspondence are provided in Appendix E.

7.0 SOIL CLOSURE REQUEST

Requesting a deferral of remediation closure due date with the approval of this submission?	Yes X No
Requesting a remediation closure approval with this submission?	X Yes No
Have the lateral and vertical extents of contamination been fully delineated?	X Yes No

Was this release entirely contained within a lined containment area?	Yes X No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the site's existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion.	X Yes No
What was the total surface area (sq. ft.) remediated?	10,500
What was the total volume (cy) remediated?	750

Remediation activities were conducted in accordance with an NMOCD-approved workplan. Impacted soil affected above the NMOCD Closure Criteria and/or NMOCD Reclamation Standards was excavated and transported to an NMOCD-permitted disposal facility. Laboratory analytical results from confirmation soil samples indicate in-situ concentrations of BTEX, TPH, and chloride are below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards.

Based on laboratory analytical results and field activities conducted to date, Etech recommends Goodnight Midstream Permian, LLC, provide a copy of this *Remediation Summary & Closure Request* to the NMOCD and request remediation closure approval be granted to the Site.

8.0 RESTORATION, RECLAMATION & RE-VEGETATION PLAN

Requesting a reclamation approval with this submission?	Yes X No
Requesting a restoration complete approval with this submission?	Yes X No
What was the total surface area (in square feet) reclaimed?	0
What was the total volume (in cubic yards) reclaimed?	0

The release was limited to the production pad of an active tank battery and did not impact the adjacent pasture. Final reclamation will be conducted upon decommissioning and abandonment of the facility. The reclaimed area will be revegetated with a landowner approved, certified weed-free seed mix during the first favorable growing season following closure of the facility. The seed will be installed at the prescribed rate utilizing either a seed drill or a broadcaster and harrow. Upon completion of reclamation activities a *Reclamation Activities Summary* will be prepared and submitted to the NMOCD.

9.0 LIMITATIONS

Etech Environmental & Safety Solutions, Inc., has prepared this *Remediation Summary & Closure Request* to the best of its ability. No other warranty, expressed or implied, is made or intended. Etech has examined and relied upon documents referenced in the report and on oral statements made by certain individuals. Etech has not conducted an independent examination of the facts contained in referenced materials and statements. Etech has presumed the genuineness of these documents and statements and that the information provided therein is true and accurate. Etech has prepared the report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. Etech notes that the facts and conditions referenced in this report may change over time, and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of Goodnight Midstream Permian, LLC. Use of the information contained in this report is prohibited without the consent of Etech and/or Goodnight Midstream Permian, LLC.


10.0 DISTRIBUTION

Goodnight Midstream Permian, LLC 5910 N Central Expy Suite 800 Dallas, TX 75206


New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division, District 1 1220 South St. Francis Drive Santa Fe, NM 87505

(Electronic Submission)

Figure 1 Site Location Map



Figures 2A & 2B Site Characterization Maps






Figure 3 Site and Sample Location Map




Table 1 Concentrations of BTEX, TPH, and Chloride in Soil

NMOCD Ref. #: nAPP2428552848											
	CD Closure C			10	50	-	-	1,000	-	2,500	20,000
NMOCD	NMOCD Reclamation Standard			10	50	-				100	600
				SW 840	5 8021B		SW	846 8015M	Ext.	ı	4500 Cl
Sample ID	Date	Depth	Soil Status	Benzene	BTEX	GRO	DRO	GRO + DRO	ORO	TPH	Chloride
		(Feet)	Status	(mg/kg)	(mg/kg)	C ₆ -C ₁₀ (mg/kg)	C ₁₀ -C ₂₈ (mg/kg)	C ₆ -C ₂₈ (mg/kg)	C_{28} - C_{36} (mg/kg)	C ₆ -C ₃₆ (mg/kg)	(mg/kg)
SP-1	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	2,000
SP-2	10/11/2024	1	Excavated	ND	ND	ND	1,110	1,110	52.1	1,162	18,000
SP-3	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	1,470
SP-4	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	3,960
SP-5	10/11/2024	1	In-Situ	ND	ND	34.7	ND	34.7	ND	34.7	4,400
SP-6	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	11,600
SP-7	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	2,360
SP-8	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	432
SP-9	10/11/2024	1	In-Situ	ND	ND	11.4	ND	11.4	ND	11.4	160
SP-10	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	528
SP-11	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	1,800
SP-12	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	400
SP-13	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	8,400
SP-14	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	10,200
SP-15	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	528
SP-16	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	1,230
SP-16	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0
SP-17	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	64.0
SP-17	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	256
SP-18	10/11/2024	1	Excavated	0.0530	0.597	ND	ND	ND	ND	ND	80.0
SP-18	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0
SP-19	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	272
SP-19	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0
SP-20	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	400
SP-21	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	128
SP-21	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0
SP-22	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	48.0
SP-23	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	2,800
SP-24	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	8,000
SP-25	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	7,680
SP-26	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	2,480
SP-27	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	1,760
SP-28	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	2,960
SP-29	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	3,680
SP-30	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	3,800
SP-30	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	496
SP-31	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	7,440
SP-31	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	208
SP-32	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	4,080
SP-32	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0
SP-33	10/11/2024	1	In-Situ	ND	ND	ND	ND	ND	ND	ND	6,160

NMOCD Ref. #: nAPP2428552848											
	CD Closure C			10	50	-	-	1,000	-	2,500	20,000
NMOCE	Reclamation	Standard		10	50			- 100		600	
				SW 840	6 8021B		SW	846 8015M	Ext.	1	4500 Cl
Sample ID	Date	Depth	Soil	Benzene	BTEX	GRO	DRO	GRO + DRO	ORO	ТРН	Chloride
•		(Feet)	Status	(mg/kg)	(mg/kg)	C ₆ -C ₁₀	C ₁₀ -C ₂₈	C ₆ -C ₂₈	C ₂₈ -C ₃₆	C ₆ -C ₃₆	(mg/kg)
						(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
SP-33	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	240
SP-34	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	5,760
SP-34	10/21/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0
SP-35	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	4,800
SP-36	10/11/2024	1	Excavated	ND	ND	ND	ND	ND	ND	ND	2,400
SP-34A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	19.9
SP-35A	2/3/2025	2	Excavated	ND	ND	ND	ND	ND	ND	ND	46.4
SP-36A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	113
SP-37A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	ND
SP-38A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	40.8
SP-39A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	224
SP-40A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	52.2
SP-41A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	49.3
SP-42A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	21.9
SP-43A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	105
SP-44A	2/3/2025	2	Excavated	ND	ND	ND	ND	ND	ND	ND	271
SP-45A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	145
SP-46A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	20.5
SP-47A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	15.4
SP-48A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	18.9
SP-49A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	47.4
SP-50A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	19.4
SP-51A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	78.9
SP-52A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	130
SP-53A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	33.0
SP-54A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	17.4
SP-55A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	45.8
SP-56A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	310
SP-57A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	40.6
SP-58A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	128
SP-59A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	36.3
SP-60A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	30.1
SP-61A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	70.3
SP-62A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	33.1
SP-63A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	33.4
SP-64A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	28.8
SP-65A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	56.5
SP-66A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	19.1
SP-67A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	27.4
SP-68A	2/3/2025	2	Excavated	ND	ND	ND	ND	ND	ND	ND	19.8
SP-69A	2/3/2025	2	Excavated	ND	ND	ND	ND	ND	ND	ND	84.9
51 07/1	21312023	4		עויו	עויו	עויו	ייי	110	110	1110	07.7

NMO	CD Closure C	riteria		10	50	-	-	1,000	_	2,500	20,000
NMOCD	Reclamation	Standard		10	50	_	_	-	_	100	600
				SW 840	6 8021B		SW	846 8015M	Ext.		4500 Cl
Sample ID	Date	Depth (Feet)	Soil Status	Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)
SP-70A	2/3/2025	2	Excavated	ND	ND	ND	ND	ND	ND	ND	21.4
SP-71A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	15.6
SP-72A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	18.9
SP-73A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	26.1
SP-74A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0
SP-75A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	61.4
SP-76A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	13.2
SP-77A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	23.8
SP-78A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	224
SP-79A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	14.7
SP-80A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	14.9
SP-81A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	44.3
SP-82A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	16.9
SP-83A SP-84A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	13.6
SP-85A	2/3/2025 2/3/2025	2 2	In-Situ In-Situ	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	22.4 11.7
SP-86A	2/3/2025	2	In-Situ	ND	ND	ND	ND ND	ND ND	ND	ND ND	50.9
SP-87A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	17.9
SP-88A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	47.6
SP-89A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	0.00
SP-90A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	12.6
SP-91A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	42.5
SP-92A	2/3/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	10.4
CS-1	11/15/2024	4	In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0
CS-1	11/15/2024	East Wall	In-Situ	ND	ND	ND	56.1	56.1	ND	56.4	240
CS-1	11/15/2024	North Wall	In-Situ	ND	ND	ND	92.6	92.6	ND	92.6	208
CS-2	11/15/2024	3	Excavated	ND	ND	ND	ND	ND	ND	ND	ND
CS-2	11/15/2024			ND	ND	ND	103	103	ND	103	224
CS-2	12/10/2024			ND	ND	ND	ND	ND	ND	ND	16.0
CS-2	11/15/2024			ND	ND	ND	94.3	94.3	ND	94.3	208
CS-3	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0
CS-3	11/15/2024			ND	ND	ND	69.4	69.4	ND	69.4	176
CS-3	11/15/2024			ND	ND	ND	102	102	ND	102	208
CS-4	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	16.0
CS-4	11/15/2024			ND	ND	ND	76.2	76.2	ND	76.2	224
CS-4	11/15/2024			ND	ND	ND	121	121	ND	121	240
CS-4	12/10/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0
CS-5	11/15/2024		In-Situ	ND	ND	ND 24.0	ND ND	ND 24.0	ND	ND 24.0	400
CS-5	11/15/2024 11/15/2024			ND	ND	24.9	ND ND	24.9	ND	24.9	192
CS-5	11/15/2024			ND	ND ND	60.1	ND ND	60.1	ND ND	60.1	208
C9-3	11/13/2024	west Wall	111-51TU	ND	ND	37.1	ND	37.1	ND	37.1	192

NMOCD Ref. #: hAPP2428552848 NMOCD Closure Criteria 10 50 1,000 - 2,500 20,0												
	Reclamation			10	50	-	-	1,000	-		20,000	
NMOCE	Rectalitation	Standard		-		-	- CM	- 7 0 4 C 0 0 1 E M 1	- E4	100	600	
Sample ID	Date	Depth (Feet)	Soil Status	Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)	
CS-6	11/15/2024	2	In-Situ	ND	ND	ND	ND	(mg/kg) ND	ND	ND	336	
CS-6	11/15/2024		In-Situ	ND ND	ND	ND ND	ND	ND ND	ND ND	ND ND	48.0	
CS-6	11/15/2024			ND	ND	ND	67.3	67.3	ND	67.3	192	
CS-7	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	288	
CS-7	11/15/2024	_	In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-7	11/15/2024	West Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0	
CS-8	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-8	11/15/2024	East Wall		ND	ND	ND	ND	ND	ND	ND	80.0	
CS-8	11/15/2024			ND	ND	ND	ND	ND	ND	ND	64.0	
CS-9	11/15/2024	2	In-Situ	ND	ND	ND	30.8	30.8	ND	30.8	176	
CS-9	11/15/2024	East Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-10	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	128	
CS-11	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	272	
CS-11	11/15/2024	South Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-12	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	320	
CS-12	11/15/2024	East Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-12	11/15/2024	North Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-13	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	352	
CS-13	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-14	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	336	
CS-15	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	256	
CS-15	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-15	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-16	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	272	
CS-16	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-16	11/15/2024	West Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-17	11/15/2024	2	In-Situ	ND	ND	ND	ND 40.1	ND 40.1	ND	ND 40.1	256	
CS-17 CS-17	11/15/2024 11/15/2024			ND	ND ND	ND ND	40.1 ND	40.1 ND	ND ND	40.1	208 64.0	
CS-17 CS-18	11/15/2024	2	Excavated	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	400	
CS-18	11/15/2024			ND ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND	64.0	
CS-18	11/15/2024			ND	ND	ND ND	38.6	38.6	ND ND	38.6	192	
CS-16 CS-19	11/15/2024	2	Excavated	ND	ND	ND	531	531	ND	531	704	
CS-19	12/10/2024	3	In-Situ	ND	ND	ND ND	ND	ND	ND ND	ND	48.0	
CS-19	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-19 CS-20	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	336	
CS-20	11/15/2024		In-Situ	ND	ND	ND	62.0	62.0	ND	62.0	176	
CS-20		West Wall		ND	ND	ND	56.1	56.1	ND	56.1	144	
CS-21	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	288	
CS-22	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	208	
CS-22	11/15/2024			ND	ND	ND	76.0	76.0	ND	76.0	192	

Table 1
Concentrations of BTEX, TPH, and Chloride in Soil
Goodnight Midstream Permian, LLC
Fenway Tank 113
NMOCD Ref. #: nAPP2428552848

NMOCD Ref. #: nAPP2428552848 NMOCD Closure Criteria 10 50 1.000 - 2.500 20.00												
				10	50	-	-	1,000	-	2,500	20,000	
NMOCD	Reclamation	Standard		10	50	-	-	-	-	100	600	
				SW 840	6 8021B		SW	846 8015M	Ext.	1	4500 Cl	
Sample ID	Date	Depth (Feet)	Soil Status	Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)	
CS-23	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	224	
CS-23	11/15/2024	North Wall	Excavated	ND	ND	ND	182	182	ND	182	144	
CS-23	12/10/2024	North Wall Advanced	In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0	
CS-24	11/15/2024	2	Excavated	ND	ND	ND	589	589	ND	589	304	
CS-24	12/10/2024	3	In-Situ	ND	ND	ND	ND	ND	ND	ND	32.0	
CS-24	11/15/2024		In-Situ	ND	ND	ND	43.4	43.4	ND	43.4	208	
CS-25	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	368	
CS-25	11/15/2024	North Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-26	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	320	
CS-26	11/15/2024	East Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0	
CS-27	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	400	
CS-27	11/15/2024	North Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-28	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	416	
CS-29	11/15/2024	2	Excavated	< 0.050	3.93	467	12,100	12,600	< 50.0	12,600	432	
CS-29	12/10/2024	3	In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0	
CS-30	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	496	
CS-30	11/15/2024	West Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-31	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	272	
CS-32	11/15/2024	2	Excavated	ND	ND	ND	ND	ND	ND	ND	1,170	
CS-32	12/10/2024	3	In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0	
CS-32	11/15/2024	West Wall	In-Situ	ND	ND	ND	49.7	49.7	ND	49.7	160	
CS-33	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	400	
CS-33	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	400	
CS-33	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-34	11/15/2024	2	In-Situ	ND	ND	ND	24.3	24.3	ND	24.3	192	
CS-34	11/15/2024		In-Situ	ND	ND	ND	79.2	79.2	ND	79.2	208	
CS-35	11/15/2024	2	In-Situ	ND	ND	ND	11.5	11.5	ND	11.5	192	
CS-35	11/15/2024			ND	ND	ND	ND	ND	ND	ND	48.0	
CS-36	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	192	
CS-36	11/15/2024			ND	ND	ND	ND	ND	ND	ND	48.0	
CS-36	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-37	11/15/2024		In-Situ	ND	ND	ND	42.4	42.4	ND	42.4	224	
CS-37	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-37	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-38	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	224	
CS-38	11/15/2024			ND	ND	ND	ND	ND	ND	ND	96.0	
CS-38	11/15/2024			ND	ND	ND	ND	ND	ND	ND	96.0	
CS-39	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	336	
CS-39	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-39	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-40	11/15/2024	4	Excavated	ND	ND	ND	ND	ND	ND	ND	720	


Table 1
Concentrations of BTEX, TPH, and Chloride in Soil
Goodnight Midstream Permian, LLC
Fenway Tank 113
NMOCD Ref. #: nAPP2428552848

NMOCD Ref. #: nAPP2428552848												
NMO	CD Closure C	riteria		10	50	-	-	1,000	-	2,500	20,000	
NMOCD	Reclamation	Standard		10	50	-	-	-	-	100	600	
				SW 840	6 8021B		SW	846 8015M	Ext.	1	4500 Cl	
Sample ID	Date	Depth	Soil	Benzene	BTEX	GRO	DRO	GRO + DRO	ORO	ТРН	Chloride	
		(Feet)	Status	(mg/kg)	(mg/kg)	C ₆ -C ₁₀	C ₁₀ -C ₂₈	C_6 - C_{28}	C ₂₈ -C ₃₆	C ₆ -C ₃₆	(mg/kg)	
				· · · · · · · ·	. 0 0	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)		
CS-40	12/10/2024	4	In-Situ	ND	ND	ND	ND	ND	ND	ND	16.0	
CS-40	11/15/2024	North Wall	In-Situ	ND	ND	ND	ND	ND	ND	ND	96.0	
CS-40	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-41	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-41	11/15/2024			ND	ND	ND	ND	ND	ND	ND	64.0	
CS-41	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-42	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	48.0	
CS-42	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-42	11/15/2024	_	In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-43	11/15/2024	4	In-Situ	ND	ND	ND	ND	ND	ND	ND	192	
CS-43	11/15/2024			ND	ND	ND	ND	ND	ND	ND	96.0	
CS-43	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-43	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-44	11/15/2024	4	In-Situ	ND	ND	ND	16.0	ND	ND	16.0	336	
CS-44	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-44	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	64.0	
CS-45	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	560	
CS-45	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-45	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-45	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
CS-46	11/15/2024	4	In-Situ	ND	ND	ND	ND	ND	ND	ND	480	
CS-46	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-46	11/15/2024			ND	ND	ND	ND	ND	ND	ND	80.0	
CS-46	11/15/2024			ND	ND	ND	ND	ND	ND	ND	64.0	
CS-47	11/15/2024	2	In-Situ	ND	ND	ND	ND	ND	ND	ND	192	
CS-48	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	592	
CS-49	11/15/2024		In-Situ	ND	ND	ND	36.5	36.5	ND	36.5	208	
CS-49	11/15/2024			ND	ND	ND	58.2	58.2	ND	58.2	144	
CS-49	11/15/2024			ND	ND	ND	35.6	35.6	ND	35.6	160	
CS-49	11/15/2024			ND	ND	ND	ND	ND	ND	ND	64.0	
CS-50	11/15/2024		In-Situ	ND	ND	ND	50.5	50.5	ND	50.5	160	
CS-50	11/15/2024			ND	ND	ND	75.3	75.3	ND	75.3	240	
CS-50	11/15/2024			ND	ND	ND	18.5	18.5	ND	18.5	64.0	
BG#1	11/15/2024		In-Situ	ND	ND	ND	ND	ND	ND	ND	80.0	
BG#2	11/15/2024	_	In-Situ	ND	ND	ND	ND	ND	ND	ND	160	
BG#3	11/15/2024	_	In-Situ	ND	ND	ND	ND	ND	ND	ND	192	
BG#4	11/15/2024		In-Situ	ND	ND	ND	ND	ND 20.0	ND	ND	192	
AFL 1 @ 1'	6/6/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,040	
AFL 2 @ 2'	6/6/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	720	
AFL 3 @ 2'	6/6/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0	
AFL 4 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208	

Table 1
Concentrations of BTEX, TPH, and Chloride in Soil
Goodnight Midstream Permian, LLC
Fenway Tank 113
NMOCD Ref. #: nAPP2428552848

NMO	CD Closure C	riteria		10	50	-	-	1,000	-	2,500	20,000
NMOCD	Reclamation	Standard		10	50	-	-	-	-	100	600
				SW 840	6 8021B		SW	846 8015M	Ext.		4500 Cl
Sample ID	Date	Depth (Feet)	Soil Status	Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)
AFL 5 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
AFL 6 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
AFL 7 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	< 20.0	<10.0	<30.0	32.0
AFL 8 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
AFL 9 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
AFL 10 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
AFL 11 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
AFL 12 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
AFL 12 @ 3'	6/6/2025	3	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
AFL 13 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,090
AFL 13 @ 3'	6/6/2025	3	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,150
AFL 14 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
AFL 15 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	93.3	93.3	<10.0	93.3	2,440
AFL 16 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	464	464	86.4	550	1,840
ASW 1 @ 0.5'	6/6/2025	0.5	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,060
ASW 2 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,380
ASW 3 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
ASW 4 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
ASW 5 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
ASW 6 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
ASW 7 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,300
ASW 8 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
ASW 9 @ 2'	6/6/2025	2	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	512
ASW 10 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	352
ASW 11 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	224
ASW 12 @ 1'	6/6/2025	1	In-Situ	< 0.050	< 0.300	<10.0	<10.0	<20.0	<10.0	<30.0	1,680
South	6/21/2024	N/A	Backfill	-		-	-	-	-	-	304
North	6/21/2024	N/A	Backfill	-	-	-	-	-	-	-	400

Appendix A Depth to Groundwater and NMOCD Siting Information





Soil Boring/Temporary Monitor Well BH-1

Company: Goodnight Midstream Permian, LLC

Site: Fenway Tank 113

NMOCD Reference #: nAPP2309535706

Location: Lea Co., NM

PLSS: U/L "E", Sec. 28, T21S, R36E

Well/Borehole ID: BH-1

Coordinates (NAD 83): 32.450909,-103.275875

Drilling Date: 11/29/2023
Depth of Boring (ft): 105
Depth to Groundwater (ft): >105

Drilling Company: H&R Enterprises, LLC

Driller: Nathan Smelcer
Drilling Method: Air Rotary
Logged By: Nathan Smelcer
Drafted By: Ben J. Arguijo
Draft Date: 12/7/2023

Completion: N/A Casing: 2" PVC Screen: 0.020" Slotted

Plugging Date: 12/4/2023

Comments: The borehole was advanced in the NW corner of the Fenway CRP production pad.

0011111		. THE BOIL	enoie was advanced in the NW comer of the Penway CRP production pad.				
Depth (ft)	Groundwater	Lithology	Material Description	Petroleum Odor	Petroleum Stain	PID Reading	Well Construction
0		0000	Caliche	N	N	-	
5		0000		N	N	-	
10		000000000000000000000000000000000000000		N	N	_	
15		2000	Red clay	l N	N	_	
20			Caliche with red sand	N N			
25					N	-	
30				N	N	-	
35				N	N	-	
40		3.0		N	N	-	
45			Red sandstone	N	N	-	ar Fill
_ _ 50				N	N	-	Open Hole, No Annular Fill
55				N	N	-	No. '
E				N	N	-	
60				N	N	-	Open
65				N	N	-	
- 70				N	N	-	
- 75			Beige/tan sandstone	N	N	_	
80				N	N	_	
85				N	N	_	
90						-	
95				N	N	=	
100				N	N	-	
105				N	N	-	
110			Notes: • Lines between material types represent approximate boundaries. Actual transitions				
115			may be gradual. • The exploratory soil boring was left open for over 72 hours. No indications of inflow and/or accumulation of water were noted during the advancement of the soil boring or prior to plugging and abandonment.				

Disclaimer This bore log is intended for environmental not geotechnical purposes.

Point of Diversion Summary

			quarters are 1=NW 2=NE 3=SW 4=SE quarters are smallest to largest					NAD83 UTM in meters						
Well Tag	POD	Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Υ	Мар			
NA	CP 01	983 POD1	SE	SW	NW	28	21S	36E	662091.5	3591715.0	•			
UTM locatio	on was de	erived from PL	SS - see Hel	р										
riller Lice	ense:	1862	Drille	er Company:	: Н8	kr ente	RPRISES	, LLC						
riller Naı	me:	HAWLEY, J	iames co	DYELALL OFF	=									
ill Start	Date:	2023-11-2	9 Drill	Finish Date:	20	23-11-29	9		Plug Date:					
og File Da	ate:	2023-12-0	6 PCW	Rcv Date:					Source:					
ump Typ	e:	Pipe Discharge Size:			ize:				Estimated \	/ield:				
Casing Siz	ing Size:		Dept	h Well:	10	5			Depth Wate	er:				

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/24/25 1:02 PM MST Point of Diversion Summary

©2024 New Mexico Office of the State Engineer, All Rights Reserved. | <u>Disclaimer</u> | <u>Contact Us</u> | <u>Help</u> | <u>Home</u> |

PAGE 1 OF 2

WELL TAG ID NO.



OSE POD NO. (Pod 1	WELL NO.)		WELL TAG ID NO),		OSE FILE NO(S). CP-01983						
WELL OWNER		m Permian, LLC					PHONE (OPTIO	ONAL)					
WELL OWNER							CITY Lubbock		STATE TX	79413	ZI		
WELL LOCATION	LAT	DE	GREES 32	MINUTES 27	SECON 2.9		* ACCURACY REQUIRED: ONE TENTH OF A SECOND						
(FROM GPS		14 11441110	-103	16	32.0) w	* DATUM REC	QUIRED: WGS 84					
DESCRIPTION	N RELATIN	IG WELL LOCATION TO	STREET ADDRE	ESS AND COMMO	N LANDMA	RKS – PLS	S (SECTION, TO	WNSHJIP, RANGE) WH	IERE AVA	ILABLE			
LICENSE NO. WD-18	362	NAME OF LICENSED		ames Hawley				NAME OF WELL DR		OMPANY ises, LLC			
DRILLING STA		DRILLING ENDED 11/29/23	DEPTH OF COM	PLETED WELL (FT)		LE DEPTH (FT) 105'	DEPTH WATER FIR	ST ENCOU		Š.		
COMPLETED	WELL IS:	ARTESIAN	P DRY HOLE	E SHALL	OW (UNCO	NFINED)		STATIC WATER LEV			LL (I		
DRILLING FLU	ЛD:	✓ AIR	MUD.	ADDITI	VES – SPEC	IFY:							
DRILLING ME	THOD:	✓ ROTARY	☐ HAMMER	CABLE	TOOL	ОТНЕ	R - SPECIFY:						
DEPTH (feet bgl) FROM TO		BORE HOLE DIAM	CASING MATERIAL AND/OR GRADE (include each casing string, and			CON	ASING NECTION TYPE	CASING INSIDE DIAM.	12000000000000000000000000000000000000				
0'	105'	(inches)		ections of screen asing left in hole			ing diameter)	(menes)		inclies)	(i		
											\vdash		
											L		
DEPTH (f	feet bgl)	BORE HOLE	LIS	T ANNULAR S	SEAL MA	TERIAL A	AND	AMOUNT		метно	DO		
FROM	то	DIAM. (inches)		EL PACK SIZ				(cubic feet)	-	PLACEN			
					27.52								
											_		
								OSE OIL DEC	6 202	3 AM LUSS			

	DEPTH (eet bgl)	THICKNESS	COLOR A	ND TYPE OF MA	TERIAL E	NCOUNT	TERED -		WAT	(622.6)	ESTIMATED YIELD FOR
	FROM	то	(feet)	SOUND SERVICE SERVICES	TER-BEARING C				S	BEAR (YES	120000000000000000000000000000000000000	WATER- BEARING ZONES (gpm)
	0'	15'	15"		cal	iche				Y	✓ N	
	15'	20'	5'		red	clay				Y	✓ N	
	20'	40'	20'		caliche wi	th red sand				Y	✓ N	
	40'	75'	35'		red sa	ndstone				Y	✓ N	
	75'	105'	30'		beige/tan	sandstone				Y	✓ N	
T										Y	N	
HYDROGEOLOGIC LOG OF WELL										Y	N	
OF										Y	N	
00										Y	N	
2										Y	N	
00										Y	N	
EO										Y	N	
5										Y	N	
										Y	N	
4										Y	N	
										Y	N	
										Y	N	
		-								Y	N	
										Y	N	
			+							Y	N	
									-	Y	N	
	METHOD I	SED TO E	STIMATE VIELD	OF WATER-BEARI	NG STRATA				TOTAL	-		
	□ PUM:				OTHER - SPECIF	Y: dry hole					(gpm):	0.00
N.	WELL TES	T TEST	FRESULTS - ATT RT TIME, END TI	ACH A COPY OF DA	ATA COLLECTEI SHOWING DISCI	DURING HARGE AN	WELL T	ESTING, INC	LUDING	G DISC TESTIN	HARGE I	METHOD, DD.
S. LEST; RIG SUPERVISION	MISCELLA	NEOUS IN	W	(ell was gauged for as backfilled to 10') rrface.	water on 12/4/23 BGS with drill co	, well bore	e was dr n hydrat	ed bentonite	chips w	ere po	ured froi	red, bore hole in 10' BGS to
151	PRINT NAM	ME(S) OF I	DRILL RIG SUPER	RVISOR(S) THAT PR	OVIDED ONSITI	E SUPERVI	SION OF	WELL CON	STRUCT	TION O	THER TE	HAN LICENSEI
5. I	Nathan Sme	20	OKIEL KIG BUTE	(VIDORIS) IIII I I	O VIDED ONOTI	JOHER						
SIGNATURE	RECORD O	F THE AB	OVE DESCRIBED	MAT TO THE BEST WELL I ALSO CEE WITH THE PERMIT	TIFY THAT THE	WELL TA	G, IF RE	QUIRED, HA	S BEEN	INSTA	LLED A	ND THAT THIS
6. SIGN	(/6	nes	Dew	ly	James Hawley		_	-		12/	4/23	
	7	SIGNA	TURE OF DRILLE	ER / PRINT SIGNE	E NAME						DATE	
FO	R OSE INTER	NAL USE						WR-20 WE	LL RECO	ORD &	LOG (Ve	rsion 04/30/201
	ENO. C	7-19	83	120	POD NO.	+		TRN NO.	75	29	+-	-3
LO	CATION	15	36E.	28 42	71		WELL	TAG ID NO.				PAGE 2 OF

Appendix B Field Data and Soil Profile Logs



Soil Profile

					Date:	7/24/2025
Project:	Fenway Tank 113					
Project Num	nber:	22076	Latitude:	32.45038	Longitude:	-103.27493
Depth (ft. bgs)		Description				
, , ,	1	Imported	Fill/Caliche Pad		,	
	2	Brown To				
	3	Calcreat/	Caliche			
	4					
	5	TD				
	6					
	7					
	8					
	9					
1	10					
1	11					
1						
1	13					
1	L4 					
1	15					
1	16					
1	17					
1	18					
	20					
	21					
	23					
	24					
	25					
	26					
	27					
	28 29					
	32					
	33					
	 34					
	35					
	36					
	37 37					
	38					
	39					
	10					
	-					


Appendix C Photographic Log


Goodnight Midstream Permian, LLC Fenway Facility



Leak Source







Goodnight Midstream Permian, LLC Fenway Facility




Excavation west side pad





Impacted area, containment exterior



Pad area backfilled-compacted to grade

Photographic Log

Photo Number:

1
Photo Direction:
South
Photo Description:

View of sample collection activities.




Photo Number:
2
Photo Direction:
Northwest
Photo Description:

View of sample collection activities.



Photographic Log

Photo Number:

3

Photo Direction:

Northwest

Photo Description:

View of sample collection activities.



Photo Number:

4

Photo Direction:

Northwest

Photo Description:

View of sample collection activities.



Appendix D Laboratory Analytical Resports



October 23, 2024

PHILLIP SANDERS
NIGHTHAWK ENVIRONMENTAL
203 W WALL, #514
MIDLAND, TX 79701

RE: GOODNIGHT HOSE RUPTURE

Enclosed are the results of analyses for samples received by the laboratory on 10/22/24 16:31.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: **NOT GIVEN** Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 1 (H246449-01)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2000	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/22/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/22/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	113 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	135 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Applyzod By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 2 (H246449-02)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	18000	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/22/2024	ND	233	117	200	1.55	
DRO >C10-C28*	1110	10.0	10/22/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	52.2	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	121	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	294	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kreine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 3 (H246449-03)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1470	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/22/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/22/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	122	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	146	% 49.1-14	8						

Cardinal Laboratories

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

*=Accredited Analyte



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 4 (H246449-04)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3960	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/22/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/22/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	105	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	123	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 5 (H246449-05)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4400	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	34.7	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	117	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	108	% 49.1-14	8						

Cardinal Laboratories

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

*=Accredited Analyte



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 6 (H246449-06)

BTEX 8021B

	9/	9	7	7 5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	11600	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	116	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	136	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 7 (H246449-07)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2360	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	124 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	145	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 8 (H246449-08)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	129	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	117	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 9 (H246449-09)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	11.4	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	106	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	94.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 10 (H246449-10)

RTFY 8021R

Analyte	Result	Reporting Limit							
			Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	< 0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	233	117	200	1.55	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	127	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	113	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 NA

Fax To:

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 11 (H246449-11)

RTFY 8021R

B1EX 8021B	mg,	кg	Апануге	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1800	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	233	117	200	1.55	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	124	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	113	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 12 (H246449-12)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	113	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	131	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 13 (H246449-13)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8400	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	120	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	138	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 14 (H246449-14)

BTEX 8021B

	9/	9	7	7 5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/22/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	10200	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	114 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	131	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 15 (H246449-15)

RTFY 8021R

B1EX 8021B	mg/	кg	Апануге	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/23/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	10/23/2024	ND	416	104	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	233	117	200	1.55	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	128 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	117 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kreene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 16 (H246449-16)

RTFY 8021R

B1EX 8021B	mg,	кg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/23/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1230	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	116	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	130	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 17 (H246449-17)

BTEX 8021B

DILX GOZID	iiig/	, kg	Allulyzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/23/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	120	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	136	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 18 (H246449-18)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.053	0.050	10/23/2024	ND	2.10	105	2.00	2.76	
Toluene*	0.360	0.050	10/23/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	0.068	0.050	10/23/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.42	107	6.00	8.92	
Total BTEX	0.597	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104 9	71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	109 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	114 9	6 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 19 (H246449-19)

BTEX 8021B

DILX GOZID	11197	K9	Alldiyzo	.u Dy. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/23/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	'kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	124	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	142	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 20 (H246449-20)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.10	105	2.00	2.76	
Toluene*	<0.050	0.050	10/23/2024	ND	2.09	104	2.00	6.47	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	108	2.00	7.79	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.42	107	6.00	8.92	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	233	117	200	1.55	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	209	104	200	1.28	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	114 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	130 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 21 (H246449-21)

RTFY 8021R

B1EX 8021B	mg/	кg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/22/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/22/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	93.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 22 (H246449-22)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/22/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/22/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	90.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	94.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil
Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact

Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 23 (H246449-23)

BTEX 8021B

DIEX GOZID	iiig/	ng .	Alldiyzo	.u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2800	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/22/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/22/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/22/2024	ND					
Surrogate: 1-Chlorooctane	98.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	104	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 24 (H246449-24)

BTEX 8021B

	9/	9	7	w = y : 5 : :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8000	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	111 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	117	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 25 (H246449-25)

RTFY 8021R

B1EX 8021B	mg/	ky	Allalyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7680	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	112 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	120 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 26 (H246449-26)

RTFY 8021R

B1EX 8021B	mg/	ку	Allalyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2480	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	111 9	26 48.2-13	4						
Surrogate: 1-Chlorooctadecane	118 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Shalyn Rodriguez Project Number: NOT GIVEN Sample Received By:

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 27 (H246449-27)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106 %	71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1760	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	112 %	6 48.2-13	4						
Surrogate: 1-Chlorooctadecane	118 9	6 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 28 (H246449-28)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/22/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/22/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/22/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/22/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/22/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2960	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	115	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	122	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 29 (H246449-29)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3680	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	118 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	126	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: SP - 30 (H246449-30)

RTFY 8021R

B1EX 8021B	mg,	кg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3800	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	109	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	116	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kreine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 31 (H246449-31)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7440	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	103 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	110 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 32 (H246449-32)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4080	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	108	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	120	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 33 (H246449-33)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6160	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	109 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	116 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: 10/23/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP - 34 (H246449-34)

BTEX 8021B

DIEX GOZID	mg/	ng .	Alldiyzo	a by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5760	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	204	102	200	4.34	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	91.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 35 (H246449-35)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	< 0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106 9	71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4800	16.0	10/23/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	111 9	6 48.2-13	4						
Surrogate: 1-Chlorooctadecane	116 9	6 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/22/2024 Sampling Date: 10/11/2024

Reported: Sampling Type: Soil 10/23/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP - 36 (H246449-36)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	2.14	107	2.00	0.180	
Toluene*	<0.050	0.050	10/23/2024	ND	2.21	110	2.00	0.952	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	2.17	109	2.00	1.33	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	6.72	112	6.00	1.63	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2400	16.0	10/23/2024	ND	432	108	400	0.00	QM-07
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<20.0	20.0	10/23/2024	ND	204	102	200	4.34	R-07
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	207	103	200	5.30	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	105 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	110 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

S-05



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely

3-03	affected.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
R-07	The Reporting Limit for this analyte has been raised to account for target analyte concentration in the solvent.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(575) 393-2326 FAX (575) 393-2476	76				1
ompany Name: 1/2/+//// Envision on enviol	il Solvices	BILL TO		ANALYSIS KEWUESI	
De Ilis Sand		P.O. #:			
ddress: 201 W Wall #802		Company Cook pight mission	Trans		
Widherd State: 1X	Zip: 74701	Attn: Kalph Tisorina	8		
9		Address: 596 N. Congral Exitos win	FX-JOB MIN SOLX		
		city: Dallas		_	
roject Name: Good night Hose Rupture		State: 7X Zip: /5206			
in: Lear (a		Phone #: 214-347-4450	88		
sampler Name: D. Senders		1	<u></u>	3	
	MATRIX	PRESERV. SAMPLING	G		
Lab I.D. Sample I.D.	AB OR (C)OMP ONTAINERS DUNDWATER STEWATER L	HER: D/BASE: / COOL HER:	EL BTEX TPH		
Partition (So-1	# (GF	× 10 0	×		
52-7		× 10/11/08 8	8:10 A= X X		
< \P2			X		
h-45 h		12/11/0)	(X		
5 52-5		10/11/01	(0		
6 SP-6		10/11/10	۲)		
2 52-7			() ()		
\$7-8		X IOUND X	_		
9-72		-	か イ メ 人 メ		
PLEASE NOTE: Lability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be limited to the amount paid by the client for the applicable transplant or tort, shall be determined to the amount paid by the client for the applicable transplant or tort, shall be determined to the amount paid by the client for the applicable transplant or tort, shall be determined to the amount paid by the client for the applicable transplant or to the amount paid by the client for the amount paid by the client for the applicable transplant or tort, shall be determined to the amount paid by the client for the amount paid by t	ny claim arising whether based in contra deemed waived unless made in writing a	act or tort, shall be limited to the amount paid by the and received by Cardinal within 30 days after company to the street of profits incurred by client in	e client for the pletion of the applicable ts subsidiaries.		
Relinquished By: Relinquished By: Results a location of the above stated reasons or otherwise. Results a location of the above stated reasons or otherwise. Received By: All Results a	Received By:	regardless of whether such claim is based upon any of the above stated reasons or otherw Verbal R All Result	ons or otherwise. Verbal Result: □ Yes □ No All Results are emailed. Please pro	Sons or otherwise. Verbal Result: □ Yes □ No □ Add'l Phone #: All Results are emailed. Please provide Email address: 5 D ~ 5 h avn 9 d 5 €	Shavn9350 and
Time; 02	Stadio	red	michaetalves@alvesolifie	michaetalves@alvesolffieldsolutioons.org/deshaun@alvesoiffieldsolutions.org-	soilfieldsolutions.org
	Received By:	RE	REMARKS:	\$ /	
Time:			Standa	Bacteria (only) S	le Condition
Delivered By: (Circle One)		CHECKED BY:	1	Cool Intact	Observed Temp. °C
Sampler - UPS - Bus - Other:	1.42 Pres Pres	72	Correction Factor -0.5°C	No D No	Corrected Temp. °C
				chone com	

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Sampler - UPS - Bus - Other:	Delivered By: (Circle One)		Relinquished By:	0.500	Relinquisned by:	affiliates or successors arising out of or related to the perfo	analyses. All claims including those for negligence and service. In no event shall Cardinal be liable for incidenta	PLEASE NOTE: Liability and Damages. Cardinal's liabil	30 SP-26	b)-25 6	81-45	17-	\$ 1	S	10 -d>	-G2	10 52-12	11-05	Short St			D. 5m	on: Lea	Project Name: GOOD ANG NO		e#: 210-966 -	idlema	1	16.C	Company Name: Allahathank	(575) 393-2320
Corrected Temp. °C/.4 HYBS TYES	Observed Temp: COO Sample	Time:	Date: Received By:	1000 O FOOT	2	erformance of services hereunder by Cardinal, regardless of whether su	analyses. All claims including those for negligence and any other cause whatsoever snaue to be determined where unless interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, service. In no event shall Cardinal be liable for incidental or consequential damages, including without manufacture of whether such claim is based upon any of the above stated reasons or otherwise.	PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the											# C GR WA SO			ds	Courty	Hose Ruphure	Project Owner:	3551 Fax#:	State: X Zip: 74 701	# 802	Sanders	Emilian mental School	(575) 393-2326 FAX (5/5) 353-24/6
88	CHECKED BY:		O KENERAZO	TREE	D	regardless of whether such claim is based upon any or size. Verbal	ruptions, loss of use, or loss of profits incurred by client, its subsi- inch daim is based upon any of the above stated reasons or othe	a contract or tort, shall be limited to the amount paid by the client within and received by Cardinal within 30 days after completion or	WY 01/11/12/11/01 Y	W 10/11/10/11/10/ Y	1 10/11/24 10:50xin	x 10/1/1/1 10:10 x	X 10/11/14/10184m	X 10/11/24 10: 70 mm	Y 10/11/24 10:10H	X 10/11/34/0:00xm	X 10/11/24 4/50Am	WW 01/1/10 X	OT AC ICE OT DATE	JDGE HER: ID/BASE: E/COOL HER:	IX PRESERV. SAMPLING	1	Phone #: 24-347-450	12	city: Dallas	Address: 5410 N. Levator Ex	Attn: KyPh Tisonina	Company: Good Might and Stream	P.O. #:	BILL TO	
The Momente'r ID #115 Vec Yes Correction Fector #5°C INO INO INO	me: Standard Rush	#		michaelalves@alvesoffieldsolutioons.org / desnaun@alvesoffieldsolutions.org	All Results are emailed. Please provide cinal address: \$17% \$77 30 52 %	Verbal Result: ☐ Yes ☐ No Add'I Phone #:		t for the of the applicable		X	X	X	X	X	X	X	(X	X	i	CL BTAX TPH						A Lags May Son agon				ANALTSIS KE	
es No Corrected Temp. °C	Bacteria (only) Sample Condition Cool Intact Observed Temp. °C	O LANGE		aun@alvesolitieldsolutions.org	A Charleston Land a 420 s	Completion of the mail																								REGOEST	OLIECT

·com

Sampler - UPS - Bus - Other:

Delivered By: (Circle One)

Observed Temp. °C

aboratories ARDINAL

101 East Marland, Hobbs, NM 88240

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Relinquished By: Project Manager: 613, 11:0 Phone #: 7/0-904city: M, flant Address: 🔍 💇 Company Name: No ha hawk environments / Sci vices Sampler Name: Project Location: 124 Project Name: 9201 nisht Project #: affiliates or successors arising Relinquished By: 子でたる ervice. In no event shall Cardinal be liable Lab I.D. Star Kils B 5023 5,24 5,25 5030 Le 05 Spar Spap 2021 3505 (575) 393-2326 FAX (575) 393-2476 M Wall 3551 KLUNDS Sample I.D. Sourchis Hose Rupture to8 # Fax #: State: +X Project Owner: Time: Zip: 79701 (G)RAB OR (C)OMP de Received By: Received By: # CONTAINERS GROUNDWATER unless made in writing and received by Cardinal Sample Condition
Cool Intact WASTEWATER MATRIX SOIL OIL SLUDGE P.O. #: loss of use, or loss of profits State: 4X Company: goaniant mastre Phone #: 2/9 - 347 - 448 city: Vallas Attn: Ralph Ti Sorina OTHER Address: 5910 o central Fax #: ACID/BASE PRESERV ICE / COOL BILL OTHER Zip: 10/11/24 11.40 10/1/14 11:30 10/11/24 12:30 1011/24 19:10 10/11/27 11:50 02:11 H711/01 10/11/24 12:90 00,11 12/11/00 DATE 0 75206 SAMPLING ed by client, its subsidiaries All Results are emailed. Please provide Email address: Spesh on 925 Ofra Cox TIME etion of the applicable 0 Strikes ve 30/8 7 ON D ANALYSIS Add'l Phone #: Bacterjá (only) Sample Condition REQUEST

CHECKED BY:

eter ID

#113

Cool Intact
Pres Pres
No No

Corrected Temp. °C Observed Temp. °C

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Delivered By: (Circle One) Sampler - UPS - Bus - Other: Cor	N. 647945 Relinquished By:	affiliates or successors arising out of or related to the performance or Relinquished By:	PLEASE NOTE: Liability and Damages, Cardinal's liability and client analyses. All claims including those for negligence and any other caservice, in no event shall Cardinal be liable for incidental or consequence.	36 5036	24 Jo 25	25 xp 33	5032	2/ 5034		Sample I D	Sampler Name: 1/1/2017	Filler Location, J. Co. C.	5	ame: asstnight Ho		06-3257		Address: 201 w wall #802	Project Manager: 0 1110 Sander'S	Company Name: Nicht how 10	(575) 393-2326 FAX (575) 393-2476
Sample Condition Cool Intact Corrected Temp. °C (-4): No No	2	Date: Received By:	PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the applicable analyses. All claims including those for inegligence and any other cause whatsoever shall be deemed waved unless made in writing and necked by Cardinal within 30 days after completion of the applicable analyses. All claims including those for inegligence and any other cause whatsoever shall be deemed waved unless interruptions, loss of use, or loss of profits incurred by plent, its subsidiaries, service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by plent, its subsidiaries, service.		>		××	X	(G)RAB C # CONTA GROUND WASTEW SOIL OIL SLUDGE OTHER: ACID/BA	OR (C)OMP. INERS OWATER WATER SE:	MATRIX PRE	Fax#:		Ruphurc	Project Owner: City: Day las	Fax #: Address	te: +x zip: 79701	7		entitomental	(575) 393-2476
(Initials) Thermometer ID #443. Correction Factor 0.8°C	REMARK	Verbal Result: ☐ Yes ☐ No All Results are emailed. Please pr	pplicable	7	10:11:24	10/11/21/11/20	X X X X X X X X X X X X X X X X X X X	10/1/24 1:00	OTHER TIME CL OF TPH		PRESERV. SAMPLING		Phone #: 2/9-347-4450	Zip:75201	1 las	Address: 5910 m Control topon 35 456	Attn: Rapph HIS WIRE	Company: 900 by for the 25kg		BILL TO	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	24 HC & SUMPLES 35	Add i Filorie #. ovide Email address: Ś ひっとった ベッパ タ より そ dsortutioons.org + deshaun@alvesoilfieldsolutions.	1																	ANALTSIS REGOEST	

(Com

Released to Imaging: 8/25/2025 11:28:56 AM



October 24, 2024

PHILLIP SANDERS
NIGHTHAWK ENVIRONMENTAL
203 W WALL, #514
MIDLAND, TX 79701

RE: GOODNIGHT HOSE RUPTURE

Enclosed are the results of analyses for samples received by the laboratory on 10/23/24 16:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: 10/24/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NONE GIVEN Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP 16 @ 2' (H246462-01)

BTEX 8021B

DILX 0021D	ilig	r Kg	Allalyze	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/24/2024	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	96.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	97.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: Sampling Type: Soil 10/24/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NONE GIVEN Alyssa Parras

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP 17 @ 2' (H246462-02)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106 %	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	10/24/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	105 %	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	109 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: Sampling Type: Soil 10/24/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NONE GIVEN Alyssa Parras

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP 18 @ 2' (H246462-03)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	101 %	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	104 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: 10/24/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NONE GIVEN Sample Received By: Alyssa Parras

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP 19 @ 2' (H246462-04)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/24/2024	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	102	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	103	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: Sampling Type: Soil 10/24/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NONE GIVEN Alyssa Parras

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP 21 @ 2' (H246462-05)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107 5	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/24/2024	ND	464	116	400	3.51	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	105 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	108 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024

Reported: 10/24/2024
Project Name: GOODNIGHT HOSE RUPTURE

Project Number: NONE GIVEN

Project Location: GOODNIGHT - LEA COUNTY

Sampling Date: 10/21/2024

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SP 31 @ 2' (H246462-06)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	10/24/2024	ND	464	116	400	3.51	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	97.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	101	% 49.1-14	8						

Applyzod By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: Sampling Type: Soil 10/24/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NONE GIVEN Alyssa Parras

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP 32 @ 2' (H246462-07)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103 %	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/24/2024	ND	464	116	400	3.51	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	99.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	102 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: 10/24/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NONE GIVEN Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: SP 33 @ 2' (H246462-08)

BTEX 8021B

DIEX GOZID	mg/ kg		Allulyzed by: 511						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	10/24/2024	ND	464	116	400	3.51	
TPH 8015M	mg/	kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/23/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/23/2024	ND					
Surrogate: 1-Chlorooctane	91.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 10/23/2024 Sampling Date: 10/21/2024

Reported: 10/24/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NONE GIVEN Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: SP 34 @ 2' (H246462-09)

RTFY 8021R

BIEX 8021B	тд/кд		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/23/2024	ND	1.84	92.1	2.00	3.29	
Toluene*	<0.050	0.050	10/23/2024	ND	1.85	92.5	2.00	3.74	
Ethylbenzene*	<0.050	0.050	10/23/2024	ND	1.90	94.9	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/23/2024	ND	5.65	94.2	6.00	1.54	
Total BTEX	<0.300	0.300	10/23/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	10/24/2024	ND	464	116	400	3.51	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	225	112	200	3.47	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	221	110	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					
Surrogate: 1-Chlorooctane	95.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(575) 393-2326 FAX (575) 393-2476

D				
6hT	hawk environmental sorvices	SILL TO	ANALYSIS REQUEST	
61114	Sanders	P.O. #:		, .
Address: 202 w vall	11 11301	Company & ording in the star	Klass	
city: midlany	State: 4 Zip: 79701			
Phone #: \$10 - 906 - 355 1	Fax #:	0	expass Jany	
Project #:	Project Owner:	City: Dallas		
Project Name: 9000 might +	HOSE RUPTURE	State: +x Zip:		
Project Location: 126 (000)+6	and the second	Phone #: 2/9-347-4450	50	
Sampler Name:) , Sando		Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING		
	R (C)OMP NERS VATER			
Hauriga samp	(G)RAB OF # CONTAIN GROUNDW WASTEWA SOIL	SLUDGE OTHER: ACID/BASE ICE / COOL OTHER: DATE		
1 501600	4-	×	× × ×	\perp
ं ८ ७२१७२ ^१	× 1 8	of 8 60118/101 X	× × × × ×	
3 361803	×	04:4 KIMM X)	
(5019 02)	×	X 10/21/24 8:30	× × × ×	
1, retreds 5	× ×	CHIS HILLENI X	× × ×	
1632635	X	06:3 HT/18/01 X	XXX	
7 503502	2	X [WALTER] X	**************************************	
x 503301	×	OIL B HOTCON X	× × ×	
1 Sp34 mg/	9 - X	Otib Hellen X	X X X	
PLEASE NOTE: Liability and Damages, Cardinal's liability and cli- analyses, All claims including those for negligence and any other service. In no event shall Cardinal be liable for incidental or coases affiliates or successors arisin nut of or related to the another money.	PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicab service. In no event shall Cardinal be liable for incidental or consequental damages, including which include the consequental damages, including which includes the consequent of the consequent and damages, including which includes the consequent of the consequent and the consequent and the consequent of the consequent and the co	ct or tort, shall be limited to the amount paid by the citen and received by Cardinal within 30 days after completion s, loss of use, or loss of profils incurred by citent, its subs	tor the of the applicable distances.	
Relinquished By:			Verbal Result: ☐ Yes ☐ No Add'I Phone #: All Results are emailed. Please provide Email address:	
Relinquished By:	Date: Received By:	2) Speshau REMARKS	Beshava 9 25 0g mg"1, COM	
	Time:			
Delivered By: (Circle One)	Observed Temp. °C Sample Condition	CHECKED BY:	lard Bacteria (only) S	
Sampler - UPS - Bus - Other:	Corrected Temp. °C	as (IIIIIdas)	Thermometer ID #113 # 140 Correction Factor -0.5°C O . C 24/05. No No Corrected Temp. °C	., .

ON | ON | Salte

Corrected Temp. °C



November 22, 2024

PHILLIP SANDERS
NIGHTHAWK ENVIRONMENTAL
203 W WALL, #514
MIDLAND, TX 79701

RE: GOODNIGHT HOSE RUPTURE

Enclosed are the results of analyses for samples received by the laboratory on 11/18/24 16:18.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keene

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Applyand By 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 1 (H247031-01)

DTEV 0021D

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	98.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	85.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 2 (H247031-02)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	107	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	94.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 3 (H247031-03)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	106	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	93.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 4 (H247031-04)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	101	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	88.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 5 (H247031-05)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	90.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	77.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 6 (H247031-06)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	88.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	75.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 7 (H247031-07)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	99.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 8 (H247031-08)

BTEX 8021B

DILX OUZID	mg/	ng .	Allulyzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	106	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	89.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 9 (H247031-09)

BTEX 8021B

DIEX GOZID	ıııg,	rkg	Allulyzo	.u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	30.8	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	109	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	96.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 10 (H247031-10)

RTFY 8021R

B1EX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	105	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	88.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 11 (H247031-11)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	11/19/2024	ND	400	100	400	3.92	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	107	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	93.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 12 (H247031-12)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	76.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	65.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 13 (H247031-13)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	78.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	66.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 14 (H247031-14)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	102 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	87.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 15 (H247031-15)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	< 0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104 %	71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	90.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	76.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 16 (H247031-16)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	99.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.0	% 49.1-14	18						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 17 (H247031-17)

BTEX 8021B	mg,	кд	Anaiyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 5	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	102	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	87.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 NA

Fax To:

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 18 (H247031-18)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.72	86.0	2.00	12.8	
Toluene*	<0.050	0.050	11/19/2024	ND	1.77	88.5	2.00	12.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.77	88.3	2.00	11.8	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.24	87.4	6.00	11.6	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	93.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 19 (H247031-19)

RTFY 8021R

BS7277777777	% Recovery 86.0 88.5 88.3 87.4	True Value QC 2.00 2.00 2.00 6.00	RPD 12.8 12.1 11.8	Qualifier
77 77	88.5 88.3	2.00 2.00	12.1 11.8	
77	88.3	2.00	11.8	
5.24	87.4	6.00		
			11.6	
BS	% Recovery	True Value QC	RPD	Qualifier
132	108	400	3.64	
BS	% Recovery	True Value QC	RPD	Qualifier
194	97.2	200	1.94	
192	95.8	200	0.978	
LS	94	94 97.2	94 97.2 200	94 97.2 200 1.94

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Shalyn Rodriguez Project Number: NOT GIVEN Sample Received By:

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 20 (H247031-20)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	QR-03
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	QR-03
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	QR-03
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	118	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	97.2	200	1.94	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	192	95.8	200	0.978	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	99.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 21 (H247031-21)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	80.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 22 (H247031-22)

BTEX 8021B

	9/	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	83.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	87.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 23 (H247031-23)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	81.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 24 (H247031-24)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	589	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	82.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 25 (H247031-25)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	368	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	74.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 26 (H247031-26)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	123	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	82.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	85.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 27 (H247031-27)

RTFY 8021R

B1EX 8021B	mg,	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	81.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 28 (H247031-28)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	118	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	83.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 29 (H247031-29)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/20/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	0.165	0.050	11/20/2024	ND	2.07	104	2.00	15.2	GC-NC1
Total Xylenes*	3.77	0.150	11/20/2024	ND	6.25	104	6.00	16.4	
Total BTEX	3.93	0.300	11/20/2024	ND					GC-NC1
Surrogate: 4-Bromofluorobenzene (PID	194	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	467	50.0	11/20/2024	ND	203	101	200	0.103	
DRO >C10-C28*	12100	50.0	11/20/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<50.0	50.0	11/20/2024	ND					
Surrogate: 1-Chlorooctane	561	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	211 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 30 (H247031-30)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	496	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	73.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	76.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 31 (H247031-31)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105 9	71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	73.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	75.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 32 (H247031-32)

BTEX 8021B	mg,	/kg	Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1170	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	80.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	88.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 33 (H247031-33)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	115	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	82.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	85.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 34 (H247031-34)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	24.3	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	82.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 35 (H247031-35)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	11.5	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	87.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	90.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 36 (H247031-36)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	75.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 37 (H247031-37)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	42.4	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	87.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 38 (H247031-38)

BTEX 8021B

	9/	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	83.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	86.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 39 (H247031-39)

BTEX 8021B

DILX GOZID	11197	K9	Alldiyzo	.u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.86	93.2	2.00	3.76	
Toluene*	<0.050	0.050	11/19/2024	ND	1.91	95.5	2.00	11.2	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.07	104	2.00	15.2	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.25	104	6.00	16.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	'kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	80.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	82.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 40 (H247031-40)

BTEX 8021B

	9/	9	7						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	720	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	203	101	200	0.103	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	181	90.7	200	1.55	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	81.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	85.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 41 (H247031-41)

BTEX 8021B

	9/	9	7	,					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	120	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	90.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	85.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 42 (H247031-42)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	102	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	97.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 43 (H247031-43)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	123	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	103	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	101	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 44 (H247031-44)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109 5	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	16.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	107 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	105	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 45 (H247031-45)

RTFY 8021R

B1EX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	121	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	560	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	101	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 46 (H247031-46)

RTFY 8021R

B1EX 8021B	mg/	кg	Апануге	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	480	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	102 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 47 (H247031-47)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	104 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	100 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 48 (H247031-48)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	592	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	105	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	101	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 49 (H247031-49)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	36.5	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	104	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	103	% 49.1-14	8						

Cardinal Laboratories

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

*=Accredited Analyte



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

ma/ka

Sample ID: CS - 50 (H247031-50)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	115	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	50.5	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	103	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	100	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 1 EAST WALL (H247031-51)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 %	6 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	56.1	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	109 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	108 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 1 NORTH WALL (H247031-52)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg/	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	92.6	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	108 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	107 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

FdX 10: 1

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 2 NORTH WALL (H247031-53)

RTFY 8021R

Result	Reporting Limit	Analyzed	M // 18/ /					
< 0.050		,	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
<0.300	0.300	11/19/2024	ND					
110 9	% 71.5-13	4						
mg/	/kg	Analyze	d By: KV					
Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
224	16.0	11/19/2024	ND	448	112	400	7.41	
mg/kg		Analyzed By: MS						
Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
103	10.0	11/19/2024	ND	182	91.1	200	2.81	
<10.0	10.0	11/19/2024	ND					
105 9	% 48.2-13	4						
104 9	% 49.1-14	8						
	<0.050 <0.150 <0.300 110 9 mg/ Result 224 mg/ Result <10.0 103 <10.0	<0.050 <0.050 <0.050 <0.150 <0.300 110 % 71.5-13 mg/kg Result Reporting Limit 224 16.0 mg/kg Result Reporting Limit <10.0 103 10.0 <10.0 10.0 48.2-13	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 2 WEST WALL (H247031-54)

Benzene* < 0.050	Recovery True Value QC RPD Qualifies 110 2.00 0.611 109 2.00 0.593 115 2.00 1.72
Toluene* <0.050 0.050 11/19/2024 ND 2.18 10 Ethylbenzene* <0.050 0.050 11/19/2024 ND 2.30 1 Total Xylenes* <0.150 0.150 11/19/2024 ND 6.74 1 Total BTEX <0.300 0.300 11/19/2024 ND Surrogate: 4-Bromofluorobenzene (PID 109 % 71.5-134 Chloride, SM4500Cl-B mg/kg Analyzed By: KV Analyte Result Reporting Limit Analyzed Method Blank BS % Re Chloride 208 16.0 11/19/2024 ND 448 1	109 2.00 0.593 115 2.00 1.72
Ethylbenzene* <0.050	115 2.00 1.72
Total Xylenes* <0.150 0.150 11/19/2024 ND 6.74 1 Total BTEX <0.300	
Total BTEX <0.300 0.300 11/19/2024 ND Surrogate: 4-Bromofluorobenzene (PID 109 % 71.5-134 Chloride, SM4500Cl-B mg/kg Analyzed By: KV Analyte Result Reporting Limit Analyzed Method Blank BS % Re Chloride 208 16.0 11/19/2024 ND 448 1	440 600 000
Surrogate: 4-Bromofluorobenzene (PID 109 % 71.5-134 Chloride, SM4500Cl-B mg/kg Analyzed By: KV Analyte Result Reporting Limit Analyzed Method Blank BS % Re Chloride 208 16.0 11/19/2024 ND 448 1	112 6.00 3.09
Chloride, SM4500Cl-B mg/kg Analyzed By: KV Analyte Result Reporting Limit Analyzed Method Blank BS % Re Chloride 208 16.0 11/19/2024 ND 448 1	
Analyte Result Reporting Limit Analyzed Method Blank BS % Re Chloride 208 16.0 11/19/2024 ND 448 1	
Chloride 208 16.0 11/19/2024 ND 448 1	
	Recovery True Value QC RPD Qualifie
TPH 8015M mg/kg Analyzed By: MS	112 400 7.41
Analyte Result Reporting Limit Analyzed Method Blank BS % Re	Recovery True Value QC RPD Qualifie
GRO C6-C10* <10.0 10.0 11/19/2024 ND 199 99	99.4 200 2.01
DRO >C10-C28* 94.3 10.0 11/19/2024 ND 182 91	91.1 200 2.81
EXT DRO >C28-C36 <10.0 10.0 11/19/2024 ND	
Surrogate: 1-Chlorooctane 110 % 48.2-134	
Surrogate: 1-Chlorooctadecane 107 % 49.1-148	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 3 SOUTH WALL (H247031-55)

RTFY 8021R

B1EX 8021B	mg,	rky	Апануге	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	102	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	120	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	118	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 3 EAST WALL (H247031-56)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	69.4	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	106	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	104	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 4 SOUTH WALL (H247031-57)

BTEX 8021B	mg/kg		Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 %	6 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg/	kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	76.2	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	109 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	108 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 4 WEST WALL (H247031-58)

DTEV 0021 B

Result <0.050 <0.050 <0.050 <0.050 <0.150 <0.300	0.050 0.050 0.050 0.050 0.150 0.300	Analyzed 11/19/2024 11/19/2024 11/19/2024 11/19/2024 11/19/2024	Method Blank ND ND ND ND ND ND ND	BS 2.21 2.18 2.30 6.74	% Recovery 110 109 115 112	2.00 2.00 2.00 2.00 6.00	RPD 0.611 0.593 1.72	Qualifier
<0.050 <0.050 <0.150 <0.300	0.050 0.050 0.150 0.300	11/19/2024 11/19/2024 11/19/2024	ND ND ND	2.18 2.30	109 115	2.00 2.00	0.593 1.72	
<0.050 <0.150 <0.300	0.050 0.150 0.300	11/19/2024 11/19/2024	ND ND	2.30	115	2.00	1.72	
<0.150 <0.300	0.150 0.300	11/19/2024	ND					
<0.300	0.300			6.74	112	6.00		
		11/19/2024	ND			0.00	3.09	
108								
- 50	% 71.5-13	4						
mg,	/kg	Analyze	d By: KV					
Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
240	16.0	11/19/2024	ND	448	112	400	7.41	
mg/kg		Analyzed By: MS						
Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
121	10.0	11/19/2024	ND	182	91.1	200	2.81	
<10.0	10.0	11/19/2024	ND					
109	% 48.2-13	4						
108	% 49.1-14	8						
	Result 240 mg, Result <10.0 121 <10.0	mg/kg Result Reporting Limit 240 16.0 mg/kg Result Reporting Limit <10.0 10.0 121 10.0 <10.0 10.0 48.2-13	mg/kg Analyzed Result Reporting Limit Analyzed 240 16.0 11/19/2024 mg/kg Analyzed Result Reporting Limit Analyzed <10.0	108 % 71.5-134 mg/kg Analyzed By: KV Result Reporting Limit 11/19/2024 ND Analyzed By: MS Result Reporting Limit Analyzed Method Blank <10.0	108 % 71.5-134 mg/kg Analyzed By: KV Result Reporting Limit Analyzed Method Blank BS Result Reporting Limit Analyzed Method Blank BS <10.0	108 % 71.5-134 mg/kg Analyzed By: KV Result Reporting Limit Analyzed ND 448 112 mg/kg Analyzed By: MS Result Reporting Limit Analyzed Method Blank BS % Recovery <10.0	108 % 71.5-134 mg/kg Analyzed By: KV Result Reporting Limit Analyzed ND 448 112 400 mg/kg Analyzed By: MS Result Reporting Limit Analyzed Method Blank BS % Recovery True Value QC <10.0 10.0 11/19/2024 ND 199 99.4 200	108 % 71.5-134 mg/kg Analyzed By: KV Result Reporting Limit Analyzed ND 16.0 11/19/2024 ND 448 112 400 7.41 mg/kg Analyzed By: MS Result Reporting Limit Analyzed Method Blank BS % Recovery True Value QC RPD <10.0 10.0 11/19/2024 ND 199 99.4 200 2.01

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 20 NORTH WALL (H247031-59)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.21	110	2.00	0.611	
Toluene*	<0.050	0.050	11/19/2024	ND	2.18	109	2.00	0.593	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.30	115	2.00	1.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.74	112	6.00	3.09	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	62.0	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	98.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	95.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 20 WEST WALL (H247031-60)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	199	99.4	200	2.01	
DRO >C10-C28*	56.1	10.0	11/19/2024	ND	182	91.1	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	108	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	105	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 22 SOUTH WALL (H247031-61)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (F	PID 106	% 71.5-13	34						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	76.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	86.2	% 48.2-13	14						
Surrogate: 1-Chlorooctadecane	76.8	% 49.1-14	18						
Surrogate: 1-Chlorooctadecane	76.8	% 49.1-14	18						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 23 NORTH WALL (H247031-62)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	182	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	83.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 24 SOUTH WALL (H247031-63)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	43.4	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	78.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	68.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Shalyn Rodriguez Project Number: NOT GIVEN Sample Received By:

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 25 NORTH WALL (H247031-64)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	94.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	81.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 26 EAST WALL (H247031-65)

BTEX 8021B

DILX GOZID	ıııg,	, kg	Andryzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 27 NORTH WALL (H247031-66)

BTEX 8021B

DIEX GOZID	11197	ng .	Alldiyzo	.u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	89.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	76.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 9 EAST WALL (H247031-67)

BTEX 8021B

	<u> </u>			• •					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	93.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 30 WEST WALL (H247031-68)

BTEX 8021B

	9/	9	7	,					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	< 0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	< 0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	95.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	82.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 13 EAST WALL (H247031-69)

BTEX 8021B

DILX GOZID	ıııg,	, kg	Andryzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/20/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	96.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	83.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 12 EAST WALL (H247031-70)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	77.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

S-06



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or

5-06	ne recovery or this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Drainet M		1000		
rioject manager: phillip	Sanders	P.O. #:	-	ארויסוס ארשטבטן
Address: 201 W	LOB + inv + 5 112m	Company: Special Cont	Prire	
dan	State: 🛠 Zip: 79767	Attn: Ralph +i) of he	30	
710-406-	3551 Fax#:	Address: 59 lo north	4	
Project #:	Project Owner: Ralph Hit		Svite Sony	
Project Name: Foot night	Hose Ruprice			
n: 165	country	141	0544	
Sampler Name: D. Sandu	S		· ·	
FOR LAB USE ONLY	MA	MATRIX PRESERV. SAMPLING	LING	
	s ER			
Lab I.D. Sar	Sample I.D. OR (C)(AINERS DWATER VATER	SE:		
Dunezi	CONTA ROUNI ASTEV	HER:		
	# Gi	AC	TIME CL Breatth	
		6 4251/11 X	250 X X X	
200	· · ·	S hersyll X	X X X 65.6	
U (3-3	`\C	5 ht/5/11) X	9:56 × × × ×	
	\(\text{\chi}\)	08:01 HR/S//II X	X X X	
	Ç. I	X:11/146/24/11:35	XXX ST.	
7 (67		05:11 H(51/1) X	1:30 X X K	
; 6) C	× 1/15/24/101/15	×	
0 15-0		1) W15/24/10	10:85 X X X	
10 00 10 00 V	X	X 11/15/24	XX	
PLEASE NOTE: Liability and Damages, Cardinal's liability and cli	billy and client's evolution remode for	1 1/5/24 10	10:08 × × ×	
yses. All claims including those for negligence an ice. In no event shall Cardinal be liable for inciden	analyses. All claims including those for negligence and any other causes without a received up to a received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages including without the received by Cardinal within 30 days after completion of the applicable	contract or tort, shall be limited to the amount paid by writing and received by Cardinal within 30 days after con	the client for the mpletion of the applicable	
Relinquished By:	performance of services hereunder by Cardinal, regardless of whether su	her such claim is based upon any of the above stated reason.	nt, its subsidiaries, ons or otherwise.	
	Time: Neceived by:	All	Verbal Result: ☐ Yes ☐ No ☐ Add'l Phone #: All Results are emailed. Please provide Email address:	Add'l Phone #:
Relinguished By:	8101	vergrant.	SDESHOWN OLE DEM	
iniquisited by.	Date: Received By:	RI	ĝ	
divored By: (Circle Co.)	iii.			
C	Cool	CHECKED BY:	Turnaround Time: Standard	Bacteria (only) S
mpro - or o - ous - other:		Yes	Thermometer ID #13-#140	

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

The state of the s	Carlotto Carlotto	DIE IC		
8		P.O. #:		אואאר יטיס אבעטבט
Address: 101 w way	fast the to	Company:	3	
	te:†X Zip:	- 1	Chasal C	
Phone #: 2 10 - 906 - 355 2	Fax #:	Area Maxissa	Ø S	
Project #:	Project Owner: Ralph Libering	City: Day 165	Carried CXPLOSCOCY	
Project Name: Goodnight		_		
Project Location: / e a	,	Phone # 2 (4) 24 / 40	100	
,	K	Frione #:ナーリングイング	150	
Sampler Name: D 1 Sen 201	5	Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	_	
	s ER			
Lab I.D. Sample I.D.	OR (C)(ANNERS			
	RAB (DNTA DUNE STEW	ER: D/BAS COC ER:		
197.0S	# C GR WA SO OIL	ACI ICE	ECL BY TPH	
(1) (3-1)	X (1)		×	
13 (8-1)	X		XXXX	
13 (5-13	X	11/15/11	\(\frac{1}{5}\)	
14 (3-14	7	54:01 AT/S//11 X	X X	
-	() X	W(S/)/4		
16 15-16	C - X	-	XXX	
17 65-17	2	1//5/74	X > < < <	
18 (5-18	× ×		X	
14 00-19	X		XX	
PLEASE NOTE: Links and Document		_	× × ×	
allyses. All claims including those for negligence and any other rice. In no event shall Cardinal he liable for including those for negligence and any other	analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the annount paid by the client for the Service. In no event shall Cardinal he links to re-in-center of the annount paid by the client for the Service.	or tort, shall be limited to the amount paid by the client received by Cardinal within 30 days after completion or	for the	
affiliates or successors arising out of or related to the perform Relinguished By:	affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Relinguished By:	ss of use, or loss of profils incurred by client, its subsidiaries based upon any of the above stated reasons or otherwise.	diaries,	
	Time: 24 Received By:		☐ Yes ☐ No emailed. Please provi	Add'I Phone #: de Email address:
Relinquished By:	Date: Received By:	REMARKS:	Shown 9 JS & gtmc	Strail 10m
	Time:	•		
Delivered By: (Circle One)	Observed Temp. °C/, U Sample Condition	CHECKED BY:	Turnaround Time: Standard	Ractoria (only) Comple Condition
Sampler - UPS - Bus - Other:	Cool Inta	(Initials) Thermometer ID	#413-#	Cool Intact Observed Temp. °C ☐ Yes ☐ Yes
FURM-006 R 3.2 10/0/1/21	Cannot accept works of	Correction Faci	n Factor o.src + 1000	☐ Nc ☐ No Corrected Temp. °C

(), Sound S Relinquished By:

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:

Observed Temp. °C/. 42

Time:

Received By:

Received By:

REMARKS:

Corrected Temp.

Sample Condition
Cool Intact
Pres Pres

CHECKED BY:

Turnaround Time:

Standard -

Cool Intact

Corrected Temp. °C

Bacteria (only) Sample Condition Cool Intact Observed Temp. °C

Correction Factor 4.5°C

Relinquished By:

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



)1 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

company name: night how p - chilifo	SAVINO MENTE I SOVIETO	BILL TO	ANALYSIS REQUEST
te		P.O. #:	- 1
wall St	10% + 1/V	Company: 9001m SA+ mix SHacms	
City: Million* State: X	Zip: 79701		
-066-3551 Fax#:	70	Address: 5910 ADPH cuntral	TO TO SERVICE STATE OF THE SER
Project #: Project Owner: Ralph			Dr. 2014 200
Project Name: Goodnight Hose Rup	Rupture	State: + Zip: 75 20%	
Project Location: lea county	7	Phone #: 7/4-347-4486	
Sampler Name: Discorper's		Fax #:	
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	
	s ER		
Lab I.D. Sample I.D.	AB OR (C NTAINER JNDWAT TEWATE	BASE:	
H24703/	# CC GRC		C. BAZTON
21 66-21			× × × × ×
33 CS-22		X 11/15/24 (7:15	× × ×
0	×	× 11/15/24 12:15	大 大 大 大 大
84 0-24	<u> </u>	84:18 ht/8/111 7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
25 W-25	(' x	X 11/15/24 12:30	X1 X
06 CI-31	× 1)	× 11/5/24 12:25	X
27 65-27	<u>C </u>	X: (1 + X (5))[: X	4
38 (5-28	X))	-7	X - X - X - X - X - X - X - X - X - X -
25-29	<u>(</u>	-	X17 X
30 (5-30	C11 X	56:1/x/3//l/ X	K - K - K - K - K - K - K - K - K - K -
**************************************	claim arising whether based in contract or	r tort, shall be limited to the amount paid by the client for the	he /

Relinquished By:

Sampler - UPS - Bus - Other: Delivered By: (Circle One)

Observed Temp. °C/. U Corrected Temp. °C

Cool Intact
HYES | Yes
No | No Sample Condition

CHECKED BY:

Turnaround Time:

Standard

Thermometer ID #143 # 140 Correction Factor 49.5°C

Bacteria (only) Sample Condition
Cool Intact Observed Temp.

Yes Yes
No Corrected Temp.

Corrected Temp. °C Observed Temp. °C REMARKS:

All Results are emailed. Please provide Email address:

Time:

Received By:

Received By

ed by client, its subsidiaries

Verbal Result:

□ Yes

□ No

Add'l Phone #:

Relinquished By:

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Company Name: nighthowb environental	2	BILL TO		ANALYSIS REQUEST
Project Manager: phillip Som Jeus	+	~ + 25, 1 400 D :# .0.4	M. K. Same	- 1
C	408 +10		1000	
City: Midland State: +X	Zip: 79707	Attn: Ralph tivering		
210-906-3551 Fax #:		Address: 5910 ADC+4 CMA +CAL	81 CMS 635 Ment	
Project #: Project Owner	Project Owner: Ralph +3-Clina C	City: Dallas		
Project Name: Good night hose fup.		State: +x Zip: 75 206		
Project Location: I-ea County		~	0.54	
Sampler Name: 10 2560 2665	71	Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	_	
	ER			
Lab I.D. Sample I.D.	RAB OR (CONTAINER DUNDWATE LEGGE LEGGE)	D/BASE: / COOL ER :		
3000	- # G W - S0 OI SL	AC IC		
33 (-3)	· · ×	11/5/27 12:40	X	
		CL (01 1/2/5//U) Y	\ \ \ \ \	
34 (5-34	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	C3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	X >	
35 W-38	× ,	K (5(/)1	X	
6	8	X 11/15/14 11:05	\ \ \	
37 W-37	C - ×	X W/(2/1/W X	X X X	
38 05-38	C 1 ×	V 11/15/24 13/10	XXX	
30 13-39	~	00:11 HPS1/11 X	XXX	
40 CS-40 C) X W/JS/24 6:30	() ×	x M/15/24 6:20	X	

Delivered By: (Circle One)

Observed Temp. °9,4

Time: Date:

Received By:

Speshaun

945 & GMail 1 COM

REMARKS:

All Results are emailed. Please provide Email address:

O No

Add'l Phone #:

Verbal Result:

HP-Shill

Received By:

Corrected Temp.

Sample Condition
Cool Intact
Yes Yes

CHECKED BY:

Turnaround Time:

1000 th Standard

Bacteria (only) Sample Condition
Cool Intact Observed Temp.

Yes Yes
No Corrected Temp.

Observed Temp. °C Corrected Temp. °C

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Project Manager - 111 ght hawk environments	Services	BILL TO	ANALYSIS REQUEST
Santaser phillip santas	P.O. #:		- 1
2	Company:	Company desto dest miles	
City: Mid land State: +X	Zip: 79 70.71 Attn:		
Phone #: 30 - 966 - 3552 Fax #:		Address: 5910 north (2006)	
Project #: Project Owner:		Solte Sw	
Project Name: good night Hose Rul	Rvphy State: +x	Zin: 75791	
, , , , , , , , , , , , , , , , , , , ,		A 0.5 C/ 10 101	
Some Contractions (for Court of	Phone #: 7	Phone #: 247-347-4450	
Sampler Name: 0.5000	Fax #:		
FOR LAB USE ONLY	MATRIX PRESERV.	SAMPLING	
	R		
Lab I.D. Sample I.D.	RAB OR (C) ONTAINERS OUNDWATE STEWATER L IDGE HER: D/BASE: / COOL HER:		
W (5-42	× S C S S C S	MIC THE CT DIEK INT	
they sh	Y	_	
43 (3-43	X X	11/5/2° 11/63	
44-82 614	C X	11/11/18 11/15 X X X	
45 (J-1)5		X X III AVIA	
46 (5-46	C X	X X 11/11/11	
47 (3-47	X	WENT SELL OF THE S	
8h-5) 8h	× ,,	× × × 0000 HV(1)/11/11/11/11/11/11/11/11/11/11/11/11/1	
	C - X	NOW YOUR YOUR YOUR YOUR YOUR YOUR YOUR YOUR	
C(1) γ γ γ γ γ γ γ γ γ	C)	X X X CC: 1 HE/5///	

Sampler - UPS - Bus - Other: Delivered By: (Circle One)

Corrected Temp. °CO Observed Temp. °C

Cool Intact
Yes Yes Sample Condition

CHECKED BY:

Turnaround Time:

Standard

Bacteria (only) Sample Condition
Cool Intact Observed Temp. °C

Yes Yes
No Corrected Temp. °C

Corrected Temp. °C

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Wight Howk covingmolal	Service BILL TO ANALYSIS DECLIEST
	P.O. #:
address: 202 W Wall St Unit 862	Company: Cobo high + VIA Sheno
State: TX Zip:	
hone #: (10 - 406 - 357) Fax #:	Address 54 0 (central express
Project #: Project Owner:	City Dellas
roject Name: GOST NIGHT HOSE RPKING	Zip: 75 206
roject Location: (CA COUN)	#214-34
iampler Name: 5 SOCCES	Fax#:
FOR LAB USE ONLY	MATRIX PRESERV. SAMPLING
Lab I.D. Sample I.D.	R: BASE: OOL
(G)RA	-
AS CS Trast wall	a 11-15 12:36 A
CC 3 NOCHON	a 11-15 12:35 0 a
03 (3-6 NO) +5 Well	
55 (5.2 Smill wall (1)	2 17-15 12:35 Q Q
Se Common	11-15 12:43 2 0
52 CS-U SOUTH ()	2 11-15 12.16 X X X X
58 CS-4 mest mol 1 C1	8 11-15 12:53 A Q
ST CS-X CO NORTH WOLL CIT	9 11-15 12:56 0 2
ASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract as Lat Julius 1. 1. 1. 1. 1. 1. 2.1. 3.	8 11-15 12:59 Q Q Q
yses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable ice. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, also or successors arising out of or related to the performance of services thereunder by Cardinal reparatless of whether much or successors arising out of or related to the performance of services thereunder by Cardinal reparatless of whether much or successors.	enter based in contract or fort, shall be limited to the amount paid by the client for the fless made in whiting and received by Cardinal within 30 days after completion of the applicable business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, of whether ever helping is bounded by the contract of whether ever helping is bounded.
linguished By: Date: 7-24 Received By:	Pal Dalvor and of the lind above a line apple stated is
Justan Stand	All Results are emailed. Please provide Email address:
linquished By: Date: Received By:	
Time:	

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



Uight H	awk environmental source	BILL TO		ANALYSIS REQUEST
Project Manager: Jan 1				
Address: LOC W Wall	St Unit 802	Company: GOOD NIGHT	What show	
City: MIDIONC	State: TX Zip: 7976	Attn:	(
Phone #: 20-406 - 35	S Fax #:	Address: JG ON CENHER	- EXOR	
Project #:	Project Owner:		S	
Project Name: Spod night	+ Hose rupture	State: X Zip: 7520	8	
Project Location: ICG COUNTY	F	# 214-347	JShn-	
Sampler Name: 15 SonderS			7	
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING		
	(C)OMP ERS ATER			
Sample I.D.	RAB OR DNTAINI DUNDW. BTEWAT)/BASE:	<u>\$</u>	
KAYO31	# CC	ICE /	THE CANADA	
0 C3-22	Southwell Cily	No:1 S(-11 N	2	
	COPHO UCI)	N 11-15 1:16	9 2	
(S-24)	SOUTH WELL CI	x //-15 :10	7 2 2 9	
1000 P	COPHO (WAI) CI	N 11-18 1	ー タ タ	
2000	ast well Cli	01:151:10	Q Q	
3000			2 2 2	
	-	8 11-15 1.2°	N 20 20	
B CS TO		82: 5:1	25	
7 (15) 04	ast wall all a	2 1-15 1:30	9:9	
analyses. All claims including those for negligence and any service. In no event shall Cardinal he liable for incidental or	analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable.	sed in contract or tort, shall be limited to the amount paid by the clier e in writing and received by Cardinal within 30 days after completion	nt for the	
affiliates or successors arising out of or related to the perform	affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.	ng without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiarie Cardinat, regardless of whether such claim is based upon any of the above stated reasons or otherwise	sidiaries, erwise.	
	35	Verbal All Res	Verbal Result: ☐ Yes ☐ No	o Add'I Phone #:
Relinquished By:	Time US STOOK	igner So	Speshern 975 22 Mail "OM	15 38 Mail "COM
	Time:	REMAR		
Delivered By: (Circle One)	Observed Temp. °C Sample Condition	CHECKED BY:	Turnaround Time: Standard	
Sampler - UPS - Bus - Other:	Corrected Temp. °CA. Q'= Tes. Tyes		neter ID #443 # (40	
FUKM-006 K 3.2 10/07/21	+ Couling	Correction	Correction Factor esc	UC



November 22, 2024

PHILLIP SANDERS
NIGHTHAWK ENVIRONMENTAL
203 W WALL, #514
MIDLAND, TX 79701

RE: GOODNIGHT HOSE RUPTURE

Enclosed are the results of analyses for samples received by the laboratory on 11/18/24 16:18.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keene

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 12 NORTH WALL (H247032-01)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	448	112	400	7.41	
TPH 8015M	mg/	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	76.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	64.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 15 NORTH WALL (H247032-02)

BTEX 8021B

DILX GOZID	mg/ kg		Alldiyzo	.u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	72.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 16 WEST WALL (H247032-03)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	107 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	95.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 17 WEST WALL (H247032-04)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	94.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	79.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 16 EAST WALL (H247032-05)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	76.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 15 SOUTH WALL (H247032-06)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	89.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	77.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 17 SOUTH WALL (H247032-07)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	106	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	40.1	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	72.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 18 SOUTH WALL (H247032-08)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/19/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	38.6	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	93.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 18 NORTH WALL (H247032-09)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.98	98.8	2.00	9.72	
Toluene*	<0.050	0.050	11/20/2024	ND	2.04	102	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	1.95	97.6	2.00	11.9	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.31	105	6.00	10.4	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	96.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	83.3	% 49.1-14	18						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Freene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 19 SOUTH WALL (H247032-10)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	211	106	200	1.25	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	194	96.9	200	1.43	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	97.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	81.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celecy D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 38 SOUTH WALL (H247032-11)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	78.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	71.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Fax Io: N

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 39 NORTH WALL (H247032-12)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	79.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	73.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 39 SOUTH WALL (H247032-13)

BTEX 8021B

	9/	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	77.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 40 SOUTH WALL (H247032-14)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	77.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 40 NORTH WALL (H247032-15)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	88.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	81.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 41 SOUTH WALL (H247032-16)

BTEX 8021B

DIEX GOZID	1119/	- Kg	Allulyzo	.u by. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	85.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 41 NORTH WALL (H247032-17)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	88.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	82.4	% 49.1-14	18						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 42 NORTH WALL (H247032-18)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	86.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 42 SOUTH WALL (H247032-19)

BTEX 8021B

	9/	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	86.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	79.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keens



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

FdX 10: 1

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 43 NORTH WALL (H247032-20)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	84.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Fax Io:

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 43 WEST WALL (H247032-21)

RTFY 8021R

B1EX 8021B	mg/	кg	Апануге	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	81.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	79.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 43 SOUTH WALL (H247032-22)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 44 SOUTH WALL (H247032-23)

BTEX 8021B

DIEX GOZID	1119/	<u>ng</u>	Allulyzo	.u by. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	76.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	69.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 44 NORTH WALL (H247032-24)

BTEX 8021B	mg,	'kg	Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 45 WEST WALL (H247032-25)

DTEV 0021D

BIEX 8021B	mg,	кg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	80.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	74.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 45 NORTH WALL (H247032-26)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	81.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	75.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 45 EAST WALL (H247032-27)

BTEX 8021B

DILX GOZID	ilig/	, kg	Allulyzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	88.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	81.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 46 SOUTH WALL (H247032-28)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/19/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	84.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 46 NORTH WALL (H247032-29)

BTEX 8021B

	9/	9	7.1.4.7.2	w = y : 5 : :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.77	88.6	2.00	7.54	
Toluene*	<0.050	0.050	11/20/2024	ND	1.83	91.3	2.00	7.80	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	1.81	90.6	2.00	8.22	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	5.39	89.9	6.00	7.95	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	74.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	68.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 46 EAST WALL (H247032-30)

BTEX 8021B

DILX GOZID	ilig/	, kg	Allulyzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	194	96.8	200	0.993	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	189	94.4	200	4.70	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	81.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	74.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 8 WEST WALL (H247032-31)

BTEX 8021B	mg/	kg	Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 %	6 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	82.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	91.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 8 EAST WALL (H247032-32)

BTEX 8021B

DILX GOZID	ıııg,	ng .	Allulyzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	86.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701

Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 7 WEST WALL (H247032-33)

BTEX 8021B

	9/	9	7.1.4.7.2						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	115	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	87.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	94.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 7 EAST WALL (H247032-34)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	87.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	95.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 6 EAST WALL (H247032-35)

BTEX 8021B

DILX GOZID	ıııg,	, kg	Andryzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	118	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	88.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 6 WEST WALL (H247032-36)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	67.3	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	90.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 5 WEST WALL (H247032-37)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	37.1	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	88.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	97.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 NA

Fax To:

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Analyzed By: 14

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 5 EAST WALL (H247032-38)

DTEV 0021D

B1EX 8021B	mg,	r Kg	Апатуге	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	24.9	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	68.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	73.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: Sample Received By: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 5 SOUTH WALL (H247032-39)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	'kg	Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	60.1	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 49 SOUTH WALL (H247032-40)

BTEX 8021B

DILX GOZID	ıııg,	, kg	Andryzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	86.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 49 NORTH WALL (H247032-41)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	11/19/2024	ND	432	108	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	35.6	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	74.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	79.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kune



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 50 SOUTH WALL (H247032-42)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/19/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	117 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	18.5	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	89.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	94.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 50 NORTH WALL (H247032-43)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/20/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	75.3	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 49 EAST WALL (H247032-44)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/20/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	126	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	58.2	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	95.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	105	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: BG # 1 (H247032-45)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/20/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	116	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: BG # 2 (H247032-46)

BTEX 8021B

DILX GOZID	ILX 0021B IIIg/ kg		Analyzea by: 511						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/20/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	111	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Sample Received By: Project Number: NOT GIVEN Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: BG # 3 (H247032-47)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/20/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	118	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	85.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/18/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: BG # 4 (H247032-48)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	1.88	93.9	2.00	9.20	
Toluene*	<0.050	0.050	11/20/2024	ND	2.02	101	2.00	3.55	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	106	2.00	7.72	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.40	107	6.00	8.02	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	116 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	186	92.8	200	2.84	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	191	95.6	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	87.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	95.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: Wight How Confront Service	BILL TO
Address: Low way St unit 802	Company: Coopt Might wild strom
16	,
(10-906-355)	Address: Jalo No ankar Burks
	2000
and right Hose ruphing	Zip: KZOK
Project Location: \Ch. COUN+V	# 212-221-124
Sampler Name: U. SONONS	5
FOR LAB USE ONLY MATRIX	PRESERV. SAMPLING
RS FER	
RAB OR (CONTAINER OUNDWATE STEWATE L	D/BASE: // COOL ER:
(G GF W/A SO OIL	OTI-
CS A North CD	11-15 1:40 0
7	1-15 Ch: 5-12
CSIT west wall	
CS 16 East (mil) (1	2 - 2 - 2 - 2 - 2
2 (5) S SOUTH WELL (1)	11-15 1: 59 1 0
S CSI SOUTH WELL OF	,
CSIQ Non Mall CI	A 11-15 2:10 X V M
10 (5/4 SM) HI WELL CILLY	
yses. All claims including those for negligence and any other cause whatsoever shall be deemed waived indees made in contract or tort, shall be limited to the amount paid by the client for the	r tort, shall be limited to the amount paid by the client for the
ce. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiates as successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.	versived by Additinal within 30 days after completion of the applicable so fuse, or loss of profits incurred by client, its subsidiaries, based upon any of the above stated reasons or otherwise.
	_
linquished By: Date: Received By:	MOL) SOUShown 915 Osmail , com
Time:	
(Circle One) Observed Temp. °C /. (L) Samp	CHECKED BY: Turnaround Time: Standard
mpler - UPS - Bus - Other: Corrected Temp. °CO. 8 - Corrected Temp. °CO	Rush
5	The Place ampiliation rection - USE VIII No I No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Project Manager: Phillip Spore S	Services	BILL TO A	ANALYSIS REQUEST
Address: 202 W Wall St Unit	862	. 1	
10	X zip: 7970 Attn:	Attn:	
C10-406-3551		Address 5010 Ivoth control	
	Project Owner: 2(1/Ph Tigerina City: Dellas	SUITE OF SUITE OF	
Project Name: GOO: 1,9ht HUSE	UPTURE State-TX	J0257:101	
7 5	Phone #: 2	14-347-4456	
FOR LAB USE ONLY	- (
ON LAB USE UNLY	MATRIX	SAMPLING	
	RS TER		
Lab I.D. Sample I.D.	R: ASE:	Me	
847032	CON ROUI		
(1 CS 38 SOUTH WOLL	2	1-15 3.W / 7 %	
100 San Al	2	1-15 3:14 2 0 0	
CS US SOUTH OF		17 217 2 2 2	
5 CS 40 North well	2 2 2	3:20	
CSUI Southwell	2	2000	
CSU North		1 × × × × ×	
19 CS47 South wall	2 2 2	1-15 3:39 2 2	
AD CS U3 NOTH (WE) CASE NOTE: Lability and Damages. Cardinal's liability and client's activation accorded.	2 2	1-13 3:43 8 8 8 8	
those for negligence and any other cause wi final be liable for incidental or consequental out of or related to the performance of service.	be deemed waived unless made in contract or tort, shall be limited to the deemed waived unless made in writing and received by Cardinal with lifing without limitation, business interruptions, loss of use, or loss of profit.	applicable	
Date 8.5	Received By:	ove stated reasons or otherwise. Verbal Result: Yes No Add	Add'l Phone #:
linguished By:	SPOOLDONE	mailed. Please provi	mail address:
Time:		REMARKS:	7
elivered By: (Circle One) Observed Temp. °C/. L	Sample Condition CHECKED BY.	-	
npler - UPS - Bus - Other: Corrected Temp. %	Cool Intact Pesd Yes	Thermometer In The	Bacteria (only) Sample Condition Cool Intact Observed Temp. °C
† Cardinal	Cardinal cannot accept verbal changes. Please email cha	3	Nc No Corrected Temp. °C



(575) 393-2326 FAX (575) 393-2476

company Name: Dight Howk environmental Service	BILL TO	
inject manager: phillip sonders		AWALISIS REQUEST
SSe	Company: Control with sment	
City: Mich On C State: TX Zip: 79701	Attn:	
C10-406-3551	Address Salo worthoon of express wat	
Project #: Project Owner: RCIPA TIGENING	city: \c\\c\	
pad right Hose right	State: Zip: 1576	
Project Location: PCA COUNTY	Phone #:7 14 - 21 - 44 56	
Sampler Name: D. JCACLAS	Ç	
MATRIX	PRESERV. SAMPLING	
(C)OMF		
Sample I.D. RAB OR (ONTAINE OUNDWA STEWATI	DGE HER: D/BASE: / COOL ER:	
(G) # C GR WA	ACI ICE	
Well C	11-17 4:00 Q	
mwell (1	125 HOUSE	
I When	1/212 1/21	
(5115 (mes-ma)) C1	4:10	
05 051 Call Call	a 11-154:12 x x x	
& CS-46 SOUTH INELL CITY	8 8 11.17 11.17 12	
hack CI	9 17 17 17 18 9 9 9	
ASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim administration.	2	
Inose for negligence and any other cause whatsoever shall be de final be liable for incidental or consequental damages, including w out of or related to the performance of services here under by Cor	No. or wit, shall be limited to the amount paid by the client for the and received by Cardinal within 30 days after completion of the applicable s, loss of use, or loss of profits incurred by client, its subsidiaries.	
Pate: Pate: Received By:	Received By: Verbal Result: Yes Verbal Result: Yes	□ No Add'l Phone #-
De Sanson Time 18 Stone 121	e	e provide Email address:
	REMARKS:	agma; 1. com
Time:		
elivered By: (Circle One) Observed Temp. °C , 4 Sample Condition	CHECKED BY: Turnaround Time:	7
Cool Intac	(Initials) # I + O Thermometer ID #143	_Ω.
† Cardinal cannot accept verbal changes. Please email changes to co	Inges. Please email changes to coloubone and the	No No Corrected Temp. °C

CARDINA Laboratorie 101 East Marland, Hobbs, NM

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Project Manager: NAMI O SCONO	environental sovice BILL TO	ANALYSIS REQUEST
202 W Wall St	Unit 802 Company Andrid L	
dland sta	X Zip:7970) Attn:	
Phone #: 010-906-3551 Fax #:		
		S 2
pact night Hose	c	
ii.	Phone #: 2/4-347-4436	98
FOR LARTISE ONLY	Fax #:	
COL CARL	MATRIX PRESERV. SAMPLING	
	RS TER	
Lab I.D. Sample I.D.	R: BASE:	
7	# CO GRO WAS SOIL OIL SLUD	E C BES
CO-0 WST CO		2 2 2
33 CS-7 (1115) CM		7 9 9
(S-1 FC)	2:0 0:2	2
12 9-CD		999
7	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	1/-	2 9 9
59 CS-3 South wall	> >	2
40 C5-49 South well	7 11-12 4:00	29
All claims including those for negligence and any other cause whatsoevers in no event shall cardinat be liable for incidental or consequental damages, is successors and no cut of	yes. All claims including those for negligence and any other cause whitsover shall be deemed waived unless made in writing and received by Cardinal be liable for incidental or consequential damages, including without limitation, business inferruptions have a limited within 30 days after completion of the applicable	applicable
linquished By: Pate:	nereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise Received By:	
7	Se La Consol	verbal Result: ☐ Yes ☐ No Add'I Phone #: All Results are emailed. Please provide Email address:
(June	eshan 975 Damail 100m
Time:		
slivered By: (Circle One) Observed Temp. °C	Sample Condition CHECKED BY:	
mpler - UPS - Bus - Other: Corrected Temp.	Cool Intact (Initials)	Rush
† Cardin	ccept verbal changes Please amail change	Correction Factor +5°C _ O. O. No No Corrected Temp. °C



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

REST	Haul environental Service	BILL TO	A	ANALYSIS REQUEST
) 27 PM		P.O. #:		- 1
38: 6	1 St wit 802	Company: GOOMIGH	The stream	_
TIVE OF OF	State: TX Zip: 7676	Attn:	-	
hone #: 40-406-35	55/ Fax #:	Address 50 0 0 conum	- CANA	
roject #:	Project Owner:	8	Soli de	
roject Name: GOOD nig	IN HER ROKEN	Į	8	
, <u>C</u>	¥	Phone #: 214-347-	788	
ampler Name: 1), SGNd		_		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING		
	RS TER			
Lab I.D. Sam	DGE	/BASE:		
24/050	# CO GRO WAS SOIL OIL		#42 K& C	
1 C. 12		N 11-15 5:00		
10 10 10 10 10 10 10 10 10 10 10 10 10 1		4 11-15 5:10	2 2 2	
10 CO OO N	` (-	_	
	The well	8 11-18 8:36	000	
	X	2016 SIN X	X	
47 De #2	7 7	811	XXX	
18 BS#4	C ()	x 1/15 17.12	X	
SE NOTE: Liability and Damages, Cardinal's liability and	V and client's exclusive remode for another.	01/4/ (1/11	8	
ses. All claims including those for negligence and a e. In no event shall Cardinal be liable for incidental es or successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the pool of the successors arising out of or related to the successors are successors.	er cau	rt, shall be limited to the amount paid by the client sived by Cardinal within 30 days after completion of use, or loss of profits incurred by client its subsidiary.	for the of the applicable	
inquished By:	Date: Received By:	sed upon any of the above stated reasons or otherwise. Verbal Result:	llt: □ Yes □ No	Add'l Phone #-
Sandyes	Timbers Singuin	All Resu	ed. Pleas	Email address:
	Time: Received By:	REMARI	5	AUNT & COL
ivered By: (Circle One)				
pler - UPS - Bus - Other:	Corrected Temp. °CO Q. Tyes Tyes	CHECKED BY: Turmarou	Turnaround Time: Standard	Bacteria (only) Sample Condition Cool Intact Observed Temp. °C
FURM-006 R 3.2 10/07/21	No	Correction	Factor_0.5°C	☐ No ☐ No Corrected Temp. °C
		C Diococ sancil - I		



November 22, 2024

PHILLIP SANDERS
NIGHTHAWK ENVIRONMENTAL
203 W WALL, #514
MIDLAND, TX 79701

RE: GOODNIGHT HOSE RUPTURE

Enclosed are the results of analyses for samples received by the laboratory on 11/19/24 10:13.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS 11 S. WALL (H247036-01)

BTEX 8021B

DILX 0021D	ilig	/ Ng	Allalyze	u by. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/19/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/19/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/19/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/19/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	95.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	91.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: Sampling Type: Soil 11/22/2024

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS 32 W. WALL (H247036-02)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	116 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	11/19/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	49.7	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	72.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	67.9	% 49.1-14	8						

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Cardinal Laboratories



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS 33 E. WALL (H247036-03)

BTEX 8021B

	9/	9	7						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	83.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	79.5	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS 34 E. WALL (H247036-04)

BTEX 8021B

DILX GOZID	ıııg,	ng .	Alldiyzo	.u Dy. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	79.2	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	91.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	89.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS 35 S. WALL (H247036-05)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	97.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	93.3	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS 36 S. WALL (H247036-06)

BTEX 8021B

	9/	9	7						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	122 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	97.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	94.8	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS 36 N. WALL (H247036-07)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	97.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	93.2	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS 37 N. WALL (H247036-08)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	89.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	85.1	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS 37 S. WALL (H247036-09)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	85.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	80.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 11/19/2024 Sampling Date: 11/15/2024

Reported: 11/22/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS 38 N. WALL (H247036-10)

BTEX 8021B

	<u> </u>			• •					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/20/2024	ND	2.06	103	2.00	7.15	
Toluene*	<0.050	0.050	11/20/2024	ND	2.01	101	2.00	9.34	
Ethylbenzene*	<0.050	0.050	11/20/2024	ND	2.13	107	2.00	10.4	
Total Xylenes*	<0.150	0.150	11/20/2024	ND	6.30	105	6.00	11.7	
Total BTEX	<0.300	0.300	11/20/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	111	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/19/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/19/2024	ND	204	102	200	0.234	
DRO >C10-C28*	<10.0	10.0	11/19/2024	ND	182	91.0	200	0.705	
EXT DRO >C28-C36	<10.0	10.0	11/19/2024	ND					
Surrogate: 1-Chlorooctane	96.5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.6	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

101 East Marland, Hobbs, NM 88240 aboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

(575) 393-2326 FAX (575) 393-2476

Company Name: night have be environment	services lose	BILL TO	A	ANALYSIS REQUEST
مرا ا		P.O. #:		
· wall	408 + W	Company: \$10 kg : 5 57	+ n-Streams	
City: midland State: +X	702	Attn:		
Phone #: 210 -906-3552 Fax #:	AC CONTRACTOR CONTRACTOR AND ACCORDANCE OF THE PARTY OF T	Address: 50/0 narth conte	28.82	
Project #: Project Owner:		city: Dallas	3036	
Project Name: 9002 Might Hose RUP	RUPHINE	State: +X Zip: 75206		
2		Phone #: 214-347-4450	THISO	
Sampler Name: 0, Sources		Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	NG	
Lab I.D. Sample I.D.	PRAB OR (C)OMP CONTAINERS ROUNDWATER ASTEWATER DIL L UDGE	THER: CID/BASE: E / COOL THER:		
1 (S) S, WE!	~# v × s	7	X	
C532 W.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X X	× × ×	
() () () () () () () () () () () () () (\ C		×	
1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27	5 F	×××	
187 7 781	X	X 1/5	XXX	
1 36 0	X	×	XXX	
8 CS 37 11, Wall	C X	Silv x	XXX	
(53) 5.		47	< X X	
PLEASE NOTE: Lackly and Damages Conductive lackly and client's exclusive remedy for pullying the Actions in Producting Strate for repligators and any other cause whatever extract pullyings. Actions in Producting Strate for repligators and any other causes whatever extract principles.	r any claim sirising whether based in contra se deemed waived unless made in willing a lins wathout limitation, business internuplion	and for any claim and whether below to contract or tort, shall be intract to the amount peak by the claims for it adult for any claim and whether below to contract or tort, shall be intract to the amount peak by the claims to the peaks to a depended wished unless made in writing and received by Credicial within 10 doys a time competition of the personne without limitation, business interruptions, loss of use, or beat of profits incurred by claim, its substitution personne without limitation, business interruptions, loss of use, or beat of profits incurred by claim, its substitution personne without limitation.	by the client for the 5 completion of the applicable jest, its subsidiaries.	
ablasses or successors arising out of or related to the performance of services hereunder by Relinquished By:	Received By:	to any over the control of the standard of the control of the cont	Verbal Result: ☐ Yes ☐ No All Results are emailed. Please pro	□ No Add'l Phone #: Please provide Email address:
0,5an1155 Time:0/3	Received By:	Regney		nail con
Time:				
Delivered By: (Circle One) Observed Temp. *	°C .4 Sample Condition	ition CHECKED BY:	Turnaround Time: Standard	Bacteria Cool In
Sampler - UPS - Bus - Other: Corrected Temp *CO.	No No	es	Correction Factor 4113 # 1 70. Q	() No No Corrected Temp. °C



December 11, 2024

PHILLIP SANDERS
NIGHTHAWK ENVIRONMENTAL
203 W WALL, #514
MIDLAND, TX 79701

RE: GOODNIGHT HOSE RUPTURE

Enclosed are the results of analyses for samples received by the laboratory on 12/10/24 12:58.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 19 @ 3' (H247481-01)

BTEX 8021B

DILX 6021D	ilig	r kg	Allalyze	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	88.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	92.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 24 @ 3' (H247481-02)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.8	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	94.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.7	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 29 @ 3' (H247481-03)

BTEX 8021B

	<u> </u>	<u> </u>							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.0	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	95.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	101	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 32 @ 3' (H247481-04)

BTEX 8021B

	<u> </u>								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.6	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	93.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.4	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 40 @ 4' (H247481-05)

BTEX 8021B

	9	9	7	7 5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.5	% 71.5-13-	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	96.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	101	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

mg/kg

Sample ID: CS - 2 N WALL (H247481-06)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.3	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	92.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	96.9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 4 W WALL (H247481-07)

BTEX 8021B

	91	9	71.14.1,20	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.0	% 71.5-13-	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	ed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg/	kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	93.9	% 48.2-13-	4						
Surrogate: 1-Chlorooctadecane	97.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

NIGHTHAWK ENVIRONMENTAL PHILLIP SANDERS 203 W WALL, #514 MIDLAND TX, 79701 Fax To: NA

Received: 12/10/2024 Sampling Date: 12/10/2024

Reported: 12/11/2024 Sampling Type: Soil

Project Name: GOODNIGHT HOSE RUPTURE Sampling Condition: Cool & Intact
Project Number: NOT GIVEN Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: GOODNIGHT - LEA COUNTY

Sample ID: CS - 23 N WALL (H247481-08)

BTEX 8021B

	<u> </u>			• •					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2024	ND	1.92	96.0	2.00	4.60	
Toluene*	<0.050	0.050	12/10/2024	ND	1.94	97.1	2.00	3.56	
Ethylbenzene*	<0.050	0.050	12/10/2024	ND	1.97	98.4	2.00	2.47	
Total Xylenes*	<0.150	0.150	12/10/2024	ND	5.89	98.2	6.00	2.21	
Total BTEX	<0.300	0.300	12/10/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	100	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/10/2024	ND	216	108	200	0.482	
DRO >C10-C28*	<10.0	10.0	12/10/2024	ND	211	105	200	0.802	
EXT DRO >C28-C36	<10.0	10.0	12/10/2024	ND					
Surrogate: 1-Chlorooctane	95.8	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.0	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: night have	B early rupsel solvices	BILL TO			ANALYSIS REQUEST
Project Manager: ph. 111 p		P.O. #:	-		- 1
Address: A PI W	wall st unit #801	Company: 6001 x 12 52 60	3.76		
City: Milalens	2	Attn: Dcion will	A Decline		
Phone #: 210 - 40 6-3551	Fax #:	0		3	
Project #:	Project Owner:	City: Balla \$	5	400	
Project Name: 3000 might	those aupture	State: Tx Zip: 75 20 b	-	9	
Project Location: 100 County	1	Phone #: \14 - 26.	7 4.5.		
Sampler Name: 0, Sans		Fax #:	100		
FOR LAB USE ONLY	MATRIX	PRESERV SAMPLING	NO.		
	R		ENG		
Lab I.D. Sample I.D.	B OR (C)O ITAINERS NDWATER EWATER	R: BASE:	. v .		
H347481	¢ CON	OTHER CID/B CE / C THER	TWE	}	
1 (5-190)	×	× III	× 5	_ [3	
S 645-53	X 1 2	12/10	*	* ?	
15-29	x) Vio	Χ.		
5 (5-13) 65	_	12/10	~	×	
100000	X		Κ.	×	
1 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		X 12/10 1	101.33 X	×	3
W C		X WAS		X	
13m 11 ct		× 1/41	× (510)	X	
E FACE NOTE: L'ESTRE L					
nalyses. All claims including those for negligence and any ervice. In no event shall Cardinal be liable for incidental or	analyses. All claims including those for negligence and any other cause whatsoever shall be demend waived unless made in writing and received by Cardinal within 30 deep the claim to the amount paid by the client for the service. In no event shall be demended to the consequent of the applicable of the policable of the service. In no event shall be demended to consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client as shadowing affiliation.	t or tort, shall be limited to the amount paid by id received by Cardinal within 30 days after co loss of use, or loss of profits incurred by clien	y the client for the ompletion of the applicable		
Relinquished By:	Date: Received By:	Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise Received By: Verbal Res	#	□ Yes □ No	Add'l Phone #-
D. Sames	158 Shade	A COLLAR	II Results are ema	ailed. Please pr	All Results are emailed. Please provide Email address:
Relinquished By:	Date: Received By:	Q	REMARKS:	15 6 smail , com	W . COM
	Time:				
Delivered By: (Circle One)	Observed Temp. °C Sample Condition	CHECKED BY:	Turnaround Time:	Standard	Bacteria (only) Sample Condition
Sampler - UPS - Bus - Other:	Corrected Temp. °C/. 3 2 Pres Types	S P IIII	Thermometer ID #113	2 CXUSIN 2	FA
FORM-006 R 3.2 10/07/21			on ection ractor -0.5	2	No No Corrected Temp. °C

Page 11 of 11



June 16, 2025

JOEL LOWRY

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: FENWAY TANK 113

Enclosed are the results of analyses for samples received by the laboratory on 06/10/25 14:13.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Applyand By 14

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: AFL 1 @ 1' (H253454-01)

DTEV 0021D

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1040	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	217	109	200	5.93	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	199	99.5	200	4.93	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	95.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	101	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 2 @ 2' (H253454-02)

BTEX 8021B

	<u> </u>								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.8	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	720	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	217	109	200	5.93	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	199	99.5	200	4.93	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	90.4	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	92.8	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 3 @ 2' (H253454-03)

BTEX 8021B

	9/	9	7	<u></u>					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	217	109	200	5.93	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	199	99.5	200	4.93	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	94.1	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	96.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 4 @ 2' (H253454-04)

BTEX 8021B

	9/	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	100	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	217	109	200	5.93	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	199	99.5	200	4.93	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	91.5	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	93.8	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 5 @ 2' (H253454-05)

BTEX 8021B

	<u> </u>								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	112	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	106	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: GOODNIGHT 32.45038-103.27493

ma/ka

Sample ID: AFL 6 @ 2' (H253454-06)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	109	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	103	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 7 @ 2' (H253454-07)

BTEX 8021B

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	96.1	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 8 @ 2' (H253454-08)

BTEX 8021B

DIEX GOZID	1119/	<u>ng</u>	Allulyzo	.u by. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	98.5	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	95.2	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	92.1	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 9 @ 2' (H253454-09)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	113	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	108	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 10 @ 2' (H253454-10)

BTEX 8021B

	9/	9	7	7 5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	94.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	88.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: AFL 11 @ 2' (H253454-11)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	94.6	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	104	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	100	% 40.6-15	3						
Surrogate: 1-Chlorooctadecane	100	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Applyzod By: 14

Reported: 06/16/2025

Project Name: FENWAY TANK 113

Project Number: 22076

Project Location: GOODNIGHT 32.45038-103.27493

06/10/2025

Sampling Date: 06/06/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: AFL 12 @ 2' (H253454-12)

Received:

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.9	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	97.2	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	90.4	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Alyssa Parras

Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Analyzed By: JH

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil
Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact

Project Number: 22076 Sample Received By:

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 12 @ 3' (H253454-13)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.7	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	105	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	98.1	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 13 @ 2' (H253454-14)

BTEX 8021B

	<u> </u>								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	98.5	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1090	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	109	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	103	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: AFL 13 @ 3' (H253454-15)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1150	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	107	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	105	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Frence



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: AFL 14 @ 2' (H253454-16)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	110	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	105	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: **FENWAY TANK 113** Sampling Condition: Cool & Intact Sample Received By: Project Number: 22076 Alyssa Parras

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: AFL 15 @ 2' (H253454-17)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	93.3	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	109 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	109	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: AFL 16 @ 2' (H253454-18)

RTFY 8021R

B1EX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1840	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	464	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	86.4	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	106	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	112	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Applyzod By: 14

Reported: 06/16/2025

Project Name: FENWAY TANK 113

Project Number: 22076

Received:

RTFY 8021R

Project Location: GOODNIGHT 32.45038-103.27493

06/10/2025

Sampling Date: 06/06/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact

Sample Received By: Alyssa Parras

Sample ID: ASW 1 @ 0.5' (H253454-19)

BIEX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	101	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1060	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	99.2	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Alyssa Parras

Sample Received By:

Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil
Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact

Project Number: 22076

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 2 @ 1' (H253454-20)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2025	ND	1.80	90.1	2.00	14.0	
Toluene*	<0.050	0.050	06/10/2025	ND	1.81	90.4	2.00	10.1	
Ethylbenzene*	<0.050	0.050	06/10/2025	ND	1.87	93.3	2.00	8.41	
Total Xylenes*	<0.150	0.150	06/10/2025	ND	5.75	95.9	6.00	7.91	
Total BTEX	<0.300	0.300	06/10/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1380	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	98.0	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	92.4	% 40.6-15	3						

Cardinal Laboratories

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager

*=Accredited Analyte



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: **FENWAY TANK 113** Sampling Condition: Cool & Intact Sample Received By: Project Number: 22076 Alyssa Parras

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 3 @ 1' (H253454-21)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	76.0	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	72.3	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: **FENWAY TANK 113** Sampling Condition: Cool & Intact Sample Received By: Project Number: 22076 Alyssa Parras

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 4 @ 2' (H253454-22)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	98.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	94.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 5 @ 2' (H253454-23)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	75						
Surrogate: 1-Chlorooctadecane	101	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: ASW 6 @ 2' (H253454-24)

BTEX 8021B

DILX GOZID	ilig/	, kg	Andryzo	u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102 5	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	211	105	200	2.18	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	194	97.1	200	2.08	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	92.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	88.0	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: ASW 7 @ 1' (H253454-25)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1300	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	215	108	200	2.34	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	206	103	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	96.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	96.9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: ASW 8 @ 1' (H253454-26)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	215	108	200	2.34	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	206	103	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	93.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	91.2	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

mg/kg

Sample ID: ASW 9 @ 2' (H253454-27)

BTEX 8021B

DIEX GOZID	1119/	rkg	Allulyzo	.u by. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	512	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	215	108	200	2.34	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	206	103	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	96.6	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	93.3	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240

Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 10 @ 1' (H253454-28)

BTEX 8021B

	<u> </u>			• •					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	215	108	200	2.34	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	206	103	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	100	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	97.4	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 11 @ 1' (H253454-29)

BTEX 8021B

	9/	9	7	,					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	102	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	215	108	200	2.34	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	206	103	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	101	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	97.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

Etech Environmental & Safety Solutions JOEL LOWRY 2617 W MARLAND HOBBS NM, 88240 Fax To:

Received: 06/10/2025 Sampling Date: 06/06/2025

Reported: 06/16/2025 Sampling Type: Soil

Project Name: FENWAY TANK 113 Sampling Condition: Cool & Intact
Project Number: 22076 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: GOODNIGHT 32.45038-103.27493

Sample ID: ASW 12 @ 1' (H253454-30)

RTFY 8021R

BIEX 8021B	mg,	^и кд	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.82	91.0	2.00	4.55	
Toluene*	<0.050	0.050	06/11/2025	ND	1.98	99.1	2.00	5.82	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.7	2.00	7.02	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.51	91.8	6.00	7.29	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1680	16.0	06/11/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/10/2025	ND	215	108	200	2.34	
DRO >C10-C28*	<10.0	10.0	06/10/2025	ND	206	103	200	2.37	
EXT DRO >C28-C36	<10.0	10.0	06/10/2025	ND					
Surrogate: 1-Chlorooctane	94.4	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	91.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene



		ardinallab	ene@ca	eley.k	hanges to c	Cardinal cannot accept verbal changes. Please email changes to	es. Plea	chang	verba	ccept	not a	al ca	† Cardin		FORM-006 R 3.5 08/05/24	FORM-006	
	~ e		さるじ	#140 -0.6°C+7-	9	Cor	7		No	No s		7	1	Confected fellip. C	L		
	Bacteria (only) Sai	lard	Standard Rush	ē:	Turnaround Time:		CHECKED BY: (Initials)		Sample Condition Cool Intact	iple Co	Sam	7	ال ا	Observed Temp.		Delivered By: (Circle One)	Delivered By:
														Time:			
					REMARKS:	70			60	>	Received By:	eceiv	J	Date:		Relinquished By:	elinqui
	pm@etechenv.com	provide E	i. Flease	ellalle	vesules are	2					}		N		Ma	1000	1
	Verbal Result: ☐ Yes ☐ No Add'I Phone #:	No	Yes [Prbal Result:						Received By:	eceiv	35	O,	/	Nemidulsing BY:	/ ellildu
					on of the applicable ubsidiaries, herwise.	e in writing and received by Cardinal within 30 days after completic interruptions, loss of use, or loss of profits incurred by client, its su er such claim is based upon any of the above stated reasons or ot	nal within 30 of profits income some of the above s	ed by Cardii use, or loss d upon any o	and receiv ns, loss of im is based	in writing interruption	business of wheth	limitatior egardles	ncluding without ter by Cardinal,	sequental damages, including without limitation, sequental damages, including without limitation, se of services hereunder by Cardinal, regardless	ervice. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, filliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.	event shall Cardina	vice. In no lliates or su
			×	>	lient for the	nount paid by the c	nited to the a	, shall be lin	tract or tort	sed in conf	hether ba	arising v	edy for any clair	dient's exclusive rem	**************************************	TE: Liability and Dar	EASE NOT
				+	< >	6/6/25				× >		-	0		AFL 10 @ 2'		S
			+	+	< >	CZIOIO				× ;		-	0		AFL 9 @ 2'		0
				+	< >	8/8/25	×			×			C		AFL 8 @ 2'		D
				-	× ;	6/6/25	×			×		7	C		L 7 @ 2'	AFL	J
			-		×	6/6/25	×			×		C 1			AFL 6 @ 2'	AF	5
			-		×	6/6/25	×			×		0			AFL 5 @ 2'	AF	S
					×	6/6/25	×			×		0			AFL 4 @ 2'	AF	عا
					×	6/6/25	×			×		0 1			(8)	AFL	W
-			-		×	6/6/25	×			×		0 1			2@	AF	U
1			×	×	×	6/6/25	×			×		0			(8)	AF	+
					TIME	DATE	-	AC	-	sc	+	-	10			MShp sca	200
							E / COOL	THER : CID/BASE:	LUDGE	OIL	ROUNDWATER /ASTEWATER	G)RAB OR (C)OMF		ī.D.	Sample I.D.		Lab I.D.
				_		SAMPLING	PRESERV.	PRE	_ 2	MATRIX						FOR LAB USE ONLY	FOR LAB
					`hl			Fax #:						Ш	Martin Sepulveda	Sampler Name:	ample
			801 (80		orio		#	Phone						7493	32.45038, -103.27493	Project Location:	roject
					do	Zip:		State:							Fenway Tank 113	Project Name: Fe	roject
			_					City:		dstrea	ight M	oodn	Project Owner: Goodnight Midstream Per	Project		#: 22076	Project #:
							SS:	Address:						Fax #:	(575) 264-9884		Phone #:
					D	Ralph Tijerina		Attn:		0	88240	Zip:	MN	State:		Hobbs	City:
					lidstream	Goodnight Midstream	any:	Company:							2617 West Marland		Address:
+			-	-				P.O. #:							Joel Lowry	Project Manager:	roject
	ANALYSIS REQUEST					T 10	BILL					s, Inc.	Solution	ental & Safet	Etech Environmental & Safety Solutions, Inc.	Company Name:	Compa
, age 33												0, 0	M 8824 393-247	, Hobbs, N FAX (575)	101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476	1 1	
of 3	AND ANALYSIS REQUEST	YUO	CO		CHAIN-OF-COSTODY AND							N	TE	alones	מטטרי		
5		7)	5) L N I									\ - 		_	

Relinquished By:

Sampler - UPS - Bus - Other: Delivered By: (Circle One)

Observed Temp. °C Corrected Temp. °C

サート

Cool Intact
Yes Yes Sample Condition

> CHECKED BY: (Initials)

Turnaround Time: Stand

AP 4.2.3 S

Thermometer ID #140

Correction Factor 4.6°C+2.3

Standard Rush

Bacteria (only) Sample Condition
Cool Intact Observed Temp
Yes Yes
No No Corrected Temp

Observed Temp. °C Corrected Temp. °C

Time: Date:

Received By:

REMARKS:

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



2	aboratories	0	J1 1										CHAIN		F-C	JST	YGO	AN	D AN	-OF-CUSTODY AND ANALYSIS	SIS	REQUEST	TS	f 35
	101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476	76																						ge 34 (
Company Name:	Etech Environmental & Safety Solutions, Inc.	ns, I	nc.		-		- 1	2.20			BIL	BILL TO							V010		100	rage z or	2 01 3	Pa
Project Manager:	Joel Lowry							7	P.O. #:	#					1	1			AINALIOIO		XEQUED!			_
Address: 2617	2617 West Marland								Company:	lpa	nv:	Goodnight Midstream	Midstream											
City: Hobbs	State: NM	Zip:		88240	40			>	Attn:			Ralph Tijerina	ina											
Phone #: (575)	(575) 264-9884 Fax #:			93				D	Address:	res														
Project #: 22076	6 Project Owner: Goodnight Midstream Per	Goo	odnic	ht N	lids	real	n P		City:)	3)								
Project Name:	Fenway Tank 113							CO	State:	9	2	Zip:		le	5M	21E								
Project Location:	32.45038, -103.27493							70	Phone #:	ne #				oric	301	80								
Sampler Name:	Martin Sepulveda							TI	Fax #:	#				hlo	3) H	X (
FOR LAB USE ONLY					3	MATRIX	×		P	R	PRESERV.	SAMPLING	LING	C	ГРΙ	TE								
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	# CONTAINERS	GROUNDWATER	WASTEWATER	OIL	SLUDGE	OTHER:	ACID/BASE:	Control of the Contro	OTHER:	DATE	TIME			Е								
	AFL 11 @ 2'	C	_						ALC: UNKNOWN			6/6/25		×	×	×							1	1
ū	AFL 12 @ 2'	C	_			×					×	6/6/25		×	×	×								
N	AFL 12 @ 3'	C	_			×	150		-		×	6/6/25		×	×	×								
	AFL 13 @ 2'	C	_			×			-		×	6/6/25		×	×	×								
	AFL 13 @ 3'	C				×					×	6/6/25		×	×	×								
16	AFL 14 @ 2'	C	_		~	×					×	6/6/25		×	×	×								
	AFL 15 @ 2'	C	_		×	^					×	6/6/25		×	×	×								_
8	AFL 16 @ 2'	C	_	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	×						×	6/6/25		×	×	× :								
	ASW 1 @ 0.5'	C	_		×							6/6/25		×	×	× :								
2)	ASW 2 @ 1'	C	_		×					_	×	6/6/25		×	×	× :								
PLEASE NOTE: Liability and I analyses. All claims including the project. In no event shall Card efficiency arising the project of the project	PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the application in one of the completion of the application	laim ari led waiv lout limi	sing whe	ether l ess ma busine:	based in vide in viss inter	n cont riting ruption	ract or and re as, los	ceive	shall by by C	e lim ardin loss c	ited to the ar al within 30 of profits incu	nount paid by th days after compl irred by client, it	e client for the etion of the application subsidiaries,	able									-	L
Relinquished By:	ansing out or or related to the performance of services hereunder by Gardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise By: Date: Received By:	nal, rega	Received By:	of where	ther su	ch clai	m is b	ased	nodr	any of	f the above s	tated reasons or	Vorhal Bosi	÷	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \									(0.0
1	1 10.035	1	2	7	*								All Results are emailed. Please provide Email address:	ire ema	iled. P	lease	No	Add'l P	Add'l Phone #:					
11/11/11	1 Ma Time:		Q		Ž	þ	U						•				pn	@etec	pm@etechenv.com	om				
				1	(l																	-

FORM-006 R 3.5 08/05/24

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

	abora	ratories	S							CHAIN	우	-CU	IN-OF-CUSTODY AND ANALYSIS REQUEST	OY AN	ID A	NALY	SIS	REQ	UES	1	~f 0E
4	101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476	Hobbs, NM 88240 FAX (575) 393-2476	40																3		25
Company Name:	Etech Environmental & Safety Solutions,	tal & Safety Solution	ns, Inc.					BILL	70					ANA	ANAI YSIS		RECHEST		rage 3 of 3		Da
Project Manager:	Joel Lowry					P.O.	#				4			-						1	
Address: 2617 V	2617 West Marland					Cor	Company:		Goodnight Midstream	idstream											
City: Hobbs		State: NM	Zip:	88	88240	Attn:			Ralph Tijerina	ω I											
Phone #: (575) 2	(575) 264-9884	Fax #:				Adc	Address:														
Project #: 22076		Project Owner: Goodnight Midstream Per	Good	night I	Midstream F	er City:	.7				VIII.)	3)								
Project Name: Fe	Fenway Tank 113					State:	e:	Zip:				5M	21E								
Project Location:	32.45038, -103.27493	193				Phone	ne #:				orio	301	(80								
Sampler Name:	Martin Sepulveda					Fax #:	#:					H (8	X								
FOR LAB USE ONLY			ИP.		MATRIX		PRESERV.	RV.	SAMPLING			TP	ВТЕ								
Lab I.D.	Sample I.D.	.D.	(G)RAB OR (C)OI	GROUNDWATER	WASTEWATER SOIL OIL	SLUDGE OTHER:	ACID/BASE:	OTHER:	DATE	TIME											
O A	ASW 3 @ 1'		C 1		×		×	6	6/6/25		×	×	×		1			1		-	
D) AS	ASW 4 @ 2'		C 1		×		×	6	6/6/25		×	×	×								
SA.	ASW 5 @ 2'		0		×		×	6,	6/6/25		×	×	×								
A!	ASW 6 @ 2'		C 1		×		×	6/	6/6/25		×	×	×								
·	ASW 7 @ 1'		C 1		×		×	g)	6/6/25		×	×	×								
	ASW 8 @ 1'		C 1		×		×	0	6/6/25		×	×	×								
	ASW 9 @ 2'		0		×		×	0	6/6/25		×	×	×								
	ASW 10 @ 1'		-		×		×	6/	6/6/25		×	×	×								
700	10W 10 @ -		-		· >		×	6/	6/6/25		×	×	×								
PLEASE NOTE: Liability and Da analyses. All claims including the service. In no event shall Cardini	PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall cardinal be liable for incidental or consequental damages, including without limitation business intermedians, loss of use or loss of received by Cardinal within 30 days after completion of the applicable	Coordinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the regiligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the before incidental or consequental damages, including without limitation, brisiness inherentings and received by Cardinal within 30 days after completion of the processor of the consequent and damages. Including without limitation, brisiness inherentings and received by Cardinal writing in the consequence of the consequ	laim arising ned waived	g whether unless m	based in contract of ade in writing and reast interruptions. In	or tort, shall eceived by	be limited Cardinal wi	to the amou	mount paid by the days after completi	plicab	>	>	×	-				L	-	-	
Relinguished By:	SV: Performance of the performan	Date:	Received By:	ived E	regardless of whether such claim is based Received By:	based upor	any of the	above stated reasons	ed reasons or o	yerbal Result: ☐ Yes ☐ No Add'l Phone #:		Yes	□ No	Add'l	Phone #						
Relinquished By:	7 Mu	Time:	Recei	VE C	Received By:				70 P	REMARKS:	e email	ed. Pie	ase prov	pm@etechenv.com	echeny.	com s:					
		Time:																			
Delivered By: (Circle One)		Observed Temp. °C	1.	•	Sample Condition	tion	CHE	CHECKED BY:		Turnaround Time:	ime:	S	Standard	×	Bacter	Bacteria (only) Sample Condition	Sample	Condition	on		
Sampler - UPS - Bus -	Other:	Corrected Temp. °C		1	No D	Yes	-		응국:	タイリル・かる Thermometer ID #140 Correction Factor も6°C ナンスー	or 4.6°	043			Cool Intact	ol Intact] Yes ☐ Yes] No ☐ No	Obse	Observed Temp. °C Corrected Temp. °C	mp. °C		
																					l



June 24, 2024

DOM TELLEZ
OWL LANDFILL SERVICES, LLC
2029 W HWY 128
JAL, NM 88232

RE: CELL 1/2 B BACKFILL

Enclosed are the results of analyses for samples received by the laboratory on 06/21/24 11:36.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

OWL LANDFILL SERVICES, LLC DOM TELLEZ 2029 W HWY 128 JAL NM, 88232 Fax To:

 Received:
 06/21/2024
 Sampling Date:
 06/21/2024

 Reported:
 06/24/2024
 Sampling Type:
 Soil

Project Name: CELL 1/2 B BACKFILL Sampling Condition: ** (See Notes)
Project Number: NONE GIVEN Sample Received By: Tamara Oldaker

Project Location: NOT GIVEN

Result

400

Reporting Limit

16.0

Sample ID: SOUTH (H243694-01)

Analyte

Chloride

Chi--id- CM4E00CL B

Chioride, SM4500CI-B	mg,	/ Kg	Anaiyze	а ву: нм					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	06/24/2024	ND	464	116	400	7.14	
Sample ID: NORTH (H243	694-02)								
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: HM					

Method Blank

ND

464

% Recovery

116

True Value QC

400

RPD

7.14

Qualifier

A ... - I. ... - - - I D. .. 1154

Analyzed

06/24/2024

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

Sampler - UPS - Bus - Other:

Corrected Temp.

Cool Intact
Yes 7 Yes

☐ Yes ☐ Yes ☐ No ☐ No

Corrected Temp. °C Observed Temp. °C

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



101 East Marland, Hobbs, NM 88240

O No.	(3/3) 393-2320 FAX (3/3) 393-24/6	24/0			
company Name:	6115	cruics LLC	BILL TO		ANALYSIS REQUEST
Project Manager:	Dom Tellez		P.O. #:		
Address: 20	29 W. HWY 128		Company:		
city: Ja	State: N M	(Zip: 88 25)	Attn:		
Phone #: 565	-d31-1217 Fax #:		Address:		
Project #:	Project Owner:	er:	City:		
Project Name:	Cell 1/2 B Back 641	IK	State: Zip:		
Project Location:			Phone #:		
Sampler Name:			Fax #:		
FOR LAB USE ONLY		MATRIX	ESERV	SAMPLING	
Lab I.D.	Sample I.D.	RAB OR (C)OMP. ONTAINERS OUNDWATER STEWATER IL JDGE		22	
	South	-	16/91	10:39/	
2	North	-	6/21	10:394	
EASE NOTE: Liability and Da	mages. Cardinal's liabilay and client's exclusive remedy for	DV claim prising whather heard is construct			
nalyses. All claims including the invice. In no event shall Cardina filiates or successors arising ou	lalyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in cuttact or ior, saal be imited to the amount pad by the client for the invice. In no event shall Cardinal he liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, and including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, and its subsidiaries,	in y deimi ansing mirenier based in contract, o y deemed walved unless made in writing and ; ig without limitation, business interruptions, to Cardinal, regardless of whether such claim is	reasing wreuer based in contract or fort, small be limited to the amount paid by the client for it waived unless made in writing and received by Cardinal within 30 days after completion of the limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries regardless of whether such claim is based upon any of the above stated reasons or otherwise.	by the client for the completion of the applicable ant, its subsidiaries, and or otherwise.	
Celinquished By:	Date: 1-24	Received/By:	11100	Verbal Result: ☐ Yes ☐ No ☐ Add'I Phone #: All Results are emailed. Please provide Email address:	Add'I Phone #: vide Email address:
elinquished By:	Date:	Received By:	Mayou	REMARKS:	
Cinquisited by.		Neceived by:		atelleze nd	2@ ndblandfill.com
Delivered By: (Circle One)	Observed Temp. °C 3),	3. / Sample Condition	CHECKED BY: (Initials)	Turnaround Time: Standard Rush	Bacteria (only) Sample Condition Cool Intact Observed Temp. C
				IICHAI	Cool Intact

Appendix E Regulatory Correspondence

Joel Lowry

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>

Sent: Wednesday, June 4, 2025 2:50 PM

To: Joel Lowry
Cc: Ralph Tijerina

Subject: RE: [EXTERNAL] FW: nAPP2428552848 - The Oil Conservation Division (OCD) has

approved the application, Application ID: 463767

Good afternoon Joel,

The variance is approved to collect these requested delineation/confirmation samples without providing the two business' day prior notification. Please still submit a C-141N for the date(s) you end up collecting the samples. I will put a note in incident event details that documents this.

Kind regards,

Shelly

Shelly Wells * Environmental Specialist-Advanced Environmental Bureau EMNRD-Oil Conservation Division 1220 S. St. Francis Drive|Santa Fe, NM 87505 (505)469-7520 Shelly.Wells@emnrd.nm.gov http://www.emnrd.state.nm.us/OCD/

From: Joel Lowry <joel@etechenv.com> Sent: Wednesday, June 4, 2025 2:39 PM

To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>; Ralph Tijerina <rtijerina@goodnightmidstream.com> **Subject:** RE: [EXTERNAL] FW: nAPP2428552848 - The Oil Conservation Division (OCD) has approved the application,

Application ID: 463767

Shelly,

Pleasure speaking to you and thank you for your quick and thorough review. I believe I can have everything prepared to begin the advancement of the test trenches on Friday; I expect the work/sampling to take two days. I have advised my guys to leave the backhoe out there so that we can address any hotspots and/or further characterize/delineate any areas that may result in a deferral proximate to the on-site equipment.

If it is ok with you, I would like a variance from the traditional 48hr electronic sampling notification.

Sample Notification

6/6/2025 beginning @ ~830 AM

Martin Sepulveda (432-305-7322) will be the sample technician.

The GPS for the Site is 32.35762, -103.73682

We anticipate collecting a minimum of 16 floors and 12 walls samples characterizing approximately 5,000 sq. ft.

Respectfully,

Joel Lowry

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>

Sent: Wednesday, June 4, 2025 2:43 PM

To: Ralph Tijerina <rtijerina@goodnightmidstream.com>; Joel Lowry <joel@etechenv.com>

Subject: RE: [EXTERNAL] FW: nAPP2428552848 - The Oil Conservation Division (OCD) has approved the application,

Application ID: 463767

Hi Ralph and Joel,

I just spoke with Joel regarding the submitted plan and the additional sample locations are approved. OCD however would like to see three more sidewall samples collected, at 1' depth. One should be to the west of SP #2 and one sample on either side of ASW-8 just to ensure a deferral did not need to be requested in this area, due to the infrastructure.

Thanks for getting on this,

Shelly

Shelly Wells * Environmental Specialist-Advanced Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive|Santa Fe, NM 87505
(505)469-7520 Shelly.Wells@emnrd.nm.gov
http://www.emnrd.state.nm.us/OCD/

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>

Sent: Tuesday, June 3, 2025 9:13 AM

To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>

Cc: Joel Lowry < joel@etechenv.com>

Subject: [EXTERNAL] FW: nAPP2428552848 - The Oil Conservation Division (OCD) has approved the application,

Application ID: 463767

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Please see below response and attached documents I received from our consultant. I understand that the two of you may have discussed this project in detail not long ago.

I hope that this meets the objectives you were seeking, please advise if any additional information may be required. Feel free to contact myself or Joel Lowry with ETech for anything additional you may need.

From: Joel Lowry < joel@etechenv.com > Sent: Monday, June 2, 2025 12:19 PM

To: Ralph Tijerina < rtijerina@goodnightmidstream.com>

Subject: nAPP2428552848 - The Oil Conservation Division (OCD) has approved the application, Application ID: 463767

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

Mr. Tijerina,

Please find attached a modified "Proposed Sample Location Map" from the *Workplan* that was submitted for the Fenway CRP Tank 113. Also attached is the original *Workplan* that was submitted to the NMOCD that includes the original "Site and Sample Location Map" and "Chemistry Table" that might be useful in conducting the review.

Based on field activities conducted to date, review of analytical data and Site conditions Etech proposes the collection of eighteen (18) additional proxy floor samples along with nine (9) additional proxy sidewall samples as depicted on the attached map and described below:

Additional Floors

- AFL-1 1'
- AFL-2 2'
- AFL-3-2'
- AFL-4 2'
- AFL-5-2
- AFL-6 2'
- AFL-7 2'
- AFL-8 2'
- AFL-9 2'
- AFL-10 2'
- AFL-11 2'
- AFL-12 2'
- AFL-12 3'
- AFL-13 2'
- AFL-13 3'
- AFL-14-2'
- AFL-15 2'
- AFL-16 2'

Additional Sidewalls

- ASW-1 0.5'
- ASW-2 1'
- ASW-3 1'
- ASW-4 2'
- ASW-5 2'
- ASW-6 2'
- ASW-7 1'
- ASW-8 1'
- ASW-9 2'

Each of the collected soil samples will be analyzed for concentrations of BTEX, TPH and chloride. BTEX, TPH and chloride concentrations will be compared to the applicable Table 1 Closure Criteria. In the event BTEX, TPH and/or chloride concentrations exceed the NMOCD Table 1 Closure Criteria, impacted material affected above the

NMOCD Closure Criteria will be excavated and transported to and NMOCD-permitted surface waste facility for disposal. In the event excavation of impacted material affected above the NMOCD Table 1 Closure Criteria encroached to within an unsafe distance to the active tank battery facility and/or active on-site equipment, additional deferral characterization and delineation soil samples will be collected as described in the approved *Workplan*.

It should be noted the need for two (2) confirmation soil samples from the area characterized by AFL-12 and AFL-13 is spawned by a discrepancy between the original contractor's map (2') and reported sample depth (3') of soil sample CS-29. All remaining proposed sample depths are designed to ensure that we are sampling the shallowest material remaining in-situ as opposed to imported fill material. Should field observations indicate that the proposed depths are not representative of the shallowest in-situ material, the may be modified to within reason. If you have any questions or need any additional information, please feel free to contact me by phone or email. Thanks.

Respectfully,

Joel Lowry

From: Ralph Tijerina < rtijerina@goodnightmidstream.com>

Sent: Thursday, May 29, 2025 4:52 PM **To:** Joel Lowry < <u>joel@etechenv.com</u>>

Subject: FW: The Oil Conservation Division (OCD) has approved the application, Application ID: 463767

FYI

From: OCDOnline@state.nm.us < OCDOnline@state.nm.us>

Sent: Wednesday, May 28, 2025 11:30 AM

To: Ralph Tijerina <rtijerina@goodnightmidstream.com>

Subject: The Oil Conservation Division (OCD) has approved the application, Application ID: 463767

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has approved the submitted *Application for administrative approval of a release notification and corrective action* (C-141), for incident ID (n#) nAPP2428552848, with the following conditions:

 Remediation plan approved with conditions. Prior to collection of the proxy confirmation samples, email a sampling plan including exact location of sample points and intended depths of collection for each sample point so that OCD may review first.

The signed C-141 can be found in the OCD Online: Imaging under the incident ID (n#).

If you have any questions regarding this application, please contact me.

Thank you, Shelly Wells Environmental Specialist-A 505-469-7520 Shelly.Wells@emnrd.nm.gov

New Mexico Energy, Minerals and Natural Resources Department 1220 South St. Francis Drive Santa Fe, NM 87505 Sante Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 498342

QUESTIONS

Operator:	OGRID:
GOODNIGHT MIDSTREAM PERMIAN, LLC	372311
5910 North Central Expressway	Action Number:
Dallas, TX 75206	498342
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2428552848
Incident Name	NAPP2428552848 FENWAY @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fNV2402651550] FENWAY TANK 113

Location of Release Source	
Please answer all the questions in this group.	
Site Name	FENWAY
Date Release Discovered	10/10/2024
Surface Owner	Private

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release		
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.		
Crude Oil Released (bbls) Details	Not answered.	
Produced Water Released (bbls) Details	Cause: Equipment Failure Other (Specify) Produced Water Released: 228 BBL Recovered: 0 BBL Lost: 228 BBL.	
Is the concentration of chloride in the produced water >10,000 mg/l	No	
Condensate Released (bbls) Details	Not answered.	
Natural Gas Vented (Mcf) Details	Not answered.	
Natural Gas Flared (Mcf) Details	Not answered.	
Other Released Details	Not answered.	
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Equipment failure was high pressure hose	

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 2

Action 498342

Santa	Fe, NM 8/505
QUESTI	ONS (continued)
Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID:
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.
Initial Response The responsible party must undertake the following actions immediately unless they could create a second content of the country of the cou	rafety hazard that would result in injury.
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are require asses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Ralph Tijerina Title: Director of EH&S Email: rtijerina@goodnightmidstream.com Date: 05/15/2025

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116 Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 498342

QUESTIONS (continued)

Operator:	OGRID:
GOODNIGHT MIDSTREAM PERMIAN, LLC	372311
5910 North Central Expressway	Action Number:
Dallas, TX 75206	498342
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Direct Measurement
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1000 (ft.) and ½ (mi.)
Categorize the risk of this well / site being in a karst geology	None
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	18000
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	12600
GRO+DRO (EPA SW-846 Method 8015M)	12600
BTEX (EPA SW-846 Method 8021B or 8260B)	3.9
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
On what estimated date will the remediation commence	10/21/2024
On what date will (or did) the final sampling or liner inspection occur	07/14/2025
On what date will (or was) the remediation complete(d)	08/13/2025
What is the estimated surface area (in square feet) that will be reclaimed	25600
What is the estimated volume (in cubic yards) that will be reclaimed	770
What is the estimated surface area (in square feet) that will be remediated	10500
What is the estimated volume (in cubic yards) that will be remediated	770
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.	

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 498342

QUESTIONS (continued)

Operator:	OGRID:
GOODNIGHT MIDSTREAM PERMIAN, LLC	372311
5910 North Central Expressway	Action Number:
Dallas, TX 75206	498342
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	OWL LANDFILL JAL [fJEG1635837366]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Name: Ralph Tijerina
Title: Director of EH&S
Email: rtijerina@goodnightmidstream.com
Date: 05/15/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 5

Action 498342

QUESTIONS (continued)

Operator:	OGRID:
GOODNIGHT MIDSTREAM PERMIAN, LLC	372311
5910 North Central Expressway	Action Number:
Dallas, TX 75206	498342
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 498342

QUESTIONS (continued)

I	Operator:	OGRID:	
	GOODNIGHT MIDSTREAM PERMIAN, LLC	372311	
	5910 North Central Expressway	Action Number:	
	Dallas, TX 75206	498342	
		Action Type:	
		[C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

QUESTIONS

Sampling Event Information		
Last sampling notification (C-141N) recorded	470825	
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	06/06/2025	
What was the (estimated) number of samples that were to be gathered	28	
What was the sampling surface area in square feet	5000	

Remediation Closure Request		
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.		
Requesting a remediation closure approval with this submission Yes		
Have the lateral and vertical extents of contamination been fully delineated	Yes	
Was this release entirely contained within a lined containment area	No	
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes	
What was the total surface area (in square feet) remediated	10500	
What was the total volume (cubic yards) remediated	750	
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes	
What was the total surface area (in square feet) reclaimed	0	
What was the total volume (in cubic yards) reclaimed	0	
Summarize any additional remediation activities not included by answers (above)	Remediation activities were conducted in accordance with an approved Workplan.	

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement

I hereby agree and sign off to the above statement

Title: Director of EH&S
Email: rtijerina@goodnightmidstream.com
Date: 08/22/2025

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 498342

QUESTIONS (continued)

Operator:	OGRID:
GOODNIGHT MIDSTREAM PERMIAN, LLC	372311
5910 North Central Expressway	Action Number:
Dallas, TX 75206	498342
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 498342

CONDITIONS

Operator:	OGRID:
GOODNIGHT MIDSTREAM PERMIAN, LLC	372311
5910 North Central Expressway	Action Number:
Dallas, TX 75206	498342
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

C	reated By		Condition Date
	scwells	None	8/25/2025