PERMIAN RESOURCES

DONKEY KONG 1 CTB 1 SWD LINE

Remediation Completion Report

NAPP2212742533

I-01-23S-34E

NMSLO Lease #E019320001

32.33094,-103.41872 NAD83

DiamondBack Disposal Services, Inc.

2525 NW County Rd
Hobbs, NM 88240
(575) 392-9996

Executive Summary

This Executive Summary provides a concise overview of the remediation activities conducted at the Donkey Kong CTB 1 SWD Line in response to Incident NAPP2212742533. On May 6, 2022, a fusion weld failure along the SWD polyline released approximately 450 barrels of produced water and 5 barrels of crude oil, of which 380 barrels of produced water and 3 barrels of crude oil were recovered. The release occurred offsite, triggering remediation and closure activities under NMOCD and NMSLO oversight.

Diamondback Disposal Services, Inc. assumed responsibility for final closure efforts on behalf of Permian Resources Operating, LLC after a previous contractor partially excavated and removed approximately 4,000 cubic yards of impacted soil. Upon mobilization, Diamondback identified residual contamination requiring further remediation. Targeted excavation and field screening were conducted, resulting in the removal and disposal of an additional 884 cubic yards of impacted soil. Confirmation sampling was performed across excavation floor and sidewall grids no larger than 200 square feet, using five-point composite methodology under full chain of custody. Laboratory results confirmed compliance with the most stringent NMAC 19.15.29.12 Table 1 closure criteria for groundwater depths less than 50 feet.

Following confirmation, 3,440 cubic yards of clean fill were imported and placed to restore the excavation areas, graded to pre-disturbance contours and contoured to promote stormwater runoff and minimize erosion. Final grading was completed in preparation for seeding; however, prior to seeding a new release (NAPP2520950540) was reported at the same location. In coordination with Permian Resources, it was determined that seeding for both incidents will be completed following remediation of the subsequent release, at which time a single revegetation report will be submitted to NMOCD and NMSLO.

Diamondback Disposal Services, Inc. respectfully submits this report for consideration and formally requests remediation closure approval for Incident NAPP2212742533, based on completion of excavation, confirmation sampling results, placement of clean fill, and full compliance with applicable regulations including NMAC 19.15.29, NMAC 19.2.24, the Endangered Species Act (ESA), and the Migratory Bird Treaty Act (MBTA).

Table of Contents

Introduction 1

Site Characterization 1

Biological and Environmental Factors 1

Soil and Pad Construction 2

Water Resources and Remediation Considerations 2

Soil Remediation Standards 3

Remediation Activities 3

Conclusion 4

Appendix A – Site Characterization

Appendix B – Depth to Groundwater and Topographical Information

Appendix C – Site Delineation Mapping and Summary Report

Appendix D – Site Photography and Field Notes

Appendix E – Communications

Appendix F – Lab Results Originals

Introduction

This report documents the remediation activities conducted at the DONKEY KONG 1 CTB 1 SWD LINE. On behalf of Permian Resources Operating, LLC, Diamondback Disposal Services, Inc. prepared this report to document completion of site remediation and to support closure of release number NAPP2212742533. On May 6 2022 a fusion weld on the SWD polyline failed due to over pressure, releasing approximately 450 barrels of produced water and 5 barrels of crude oil. Approximately 380 barrels of produced water and 3 barrels of crude oil were recovered, with 70 barrels of produced water and 2 barrels of crude oil lost. All impacts occurred offsite beyond the facility boundary. Remediation was initiated under a Soil Investigation Summary and Proposed Remediation Workplan prepared by TRC Environmental Corporation. Diamondback completed remaining remediation tasks, final verification sampling, and closure documentation in coordination with Permian Resources.

The site, located in Unit Letter I Section 1 Township 23 South Range 34 East at coordinates 32.33094, -103.41872 NAD83, lies approximately 16.8 miles west of Eunice New Mexico within an active oil and gas operations area and native pasture rangeland. The location is situated on New Mexico State Land Office lease E019320001 and falls under NMSLO jurisdiction. Remediation and reclamation activities were conducted in accordance with New Mexico Oil Conservation Division regulations 19.15.29 and 19.2.100.67 of the New Mexico Administrative Code effective August 14 2018, as well as applicable NMSLO standards and requirements.

The site can be accessed from the intersection of Delaware Basin Road and CR-32 (San Simon Road):

- Head north on San Simon Road for 0.2 miles
- Turn right onto the lease road and continue east for 1 mile
- The project site will be located on the left

A map is included in Appendix B.

Site Characterization

The release occurred entirely offsite beyond the facility boundary. Several environmental and regulatory considerations were reviewed in advance to ensure compliance with applicable regulations and surface owner requirements.

Biological and Environmental Factors

- The USFWS IPaC review, including the CHAT layer (rating of 4) and BLM sensitive receptor data, confirmed that no designated critical habitat exists within the project area. The review identified three federally recognized species for the project area: the Lesser Prairie-chicken (Endangered, Southern DPS), Northern Aplomado Falcon (Experimental Population, Non-Essential), and Monarch Butterfly (Proposed Threatened) (see Appendix A).

- A field assessment confirmed no active burrows, nests, or evidence of federally or state-protected species within the project area.
- Although the release extended off-pad, all activities remained within the boundaries of the original ARMS survey, and the Cultural Properties Protection Rule (NMAC 19.2.24) was followed
- All reclamation activities were conducted in compliance with the Endangered Species Act (ESA), the Migratory Bird Treaty Act (MBTA), and applicable state wildlife regulations to avoid impacts to sensitive species and their habitats. No protected species were encountered during remediation; however, had any been identified, work would have been halted and the appropriate regulatory agencies contacted for guidance on mitigation measures.

Soil and Pad Construction

- The impacted area consisted of native rangeland soils with no pad construction present at the release location.
- The Web Soil Survey (see Appendix A) identifies the native soil in the project area as Ratliff-Wink fine sandy loam, with sandy surface texture to a depth of approximately 3 inches, underlain by finer-textured loam subsoils.
- Reseeding will utilize the NMSLO-approved Loamy "L" seed mix.

Water Resources and remediation considerations

- A freshwater emergent wetland was identified within a one-mile radius, located approximately .5 miles southwest of the site.
- The New Mexico Office of the State Engineer (NMOSE) records identify three points of diversion (PODs) within a two-mile radius of the release area. The nearest is POD CP-02004 (Pod 1), located 0.9 miles north, drilled to a depth of 105 feet with no groundwater encountered. POD CP-01839 is located approximately 1.2 miles southwest with a total depth of 860 feet and static water level measured at 286 feet. A third POD, CP-00751, is located approximately 1.9 miles west and is the nearest confirmed potable water source. See Appendix B for maps and POD details.
- Based on these well records, groundwater in the area is considered to occur at significant depths. The site was remediated to the most stringent NMOCD closure criteria; therefore, groundwater depth verification was not required.
- The site is located in an area with low karst potential.
- The nearest residence is approximately 5.5 miles north of the site.

Soil Remediation Standards

Based on site characterization results, groundwater in the area is known to occur at significant depths. However, groundwater depth was not formally qualified for regulatory purposes, as the site was remediated to the most stringent soil remediation standards from Table 1 of NMAC 19.15.29.12, applying the criteria for groundwater depths less than 50 feet. The applicable closure criteria are as follows:

Table 1: NMAC 19.15.29.12 Closure Criteria for Soils Impacted by a Release

Groundwater Depth	Chloride (mg/kg)	TPH (GRO+DRO+MRO) (mg/kg)	GRO+DRO (mg/kg)	BTEX (mg/kg)	Benzene (mg/kg)
<50 feet	600	100	N/A	50	10
>100 feet	20,000	2,500	1,000	50	10

*Standards for groundwater greater than 100 feet are provided for reference only.

Per NMAC 19.15.29.13, the top four feet below ground surface (bgs) were remediated to meet the most stringent reclamation standards. Any impacts requiring remediation below four feet bgs would have been addressed in accordance with the Table 1 closure criteria for groundwater depths greater than 100 feet.

As detailed in subsequent sections, the remedial activities achieved concentrations below the applicable closure criteria.

Remediation Activities

The release associated with Incident NAPP2212742533 at the Donkey Kong CTB location was initially addressed by a different contractor, TRC, who performed the majority of the excavation and early delineation sampling. No excavation records from TRC have been located, but aerial drone surveys conducted by Diamondback after taking over the project measured the depression left from excavation and confirmed that approximately 4,000 cubic yards of material had been removed during their work. When Diamondback began field activities, large volumes of impacted soil were still present onsite.

Diamondback assumed responsibility for completing the remediation on behalf of Permian Resources. Field screening was conducted on May 9, 2025 (20 samples), May 10, 2025 (50 samples), May 11, 2025 (100 samples), May 12, 2025 (134 samples), and May 14, 2025 (80 samples). Screening results identified multiple areas of residual contamination that required additional removal before confirmation sampling could be completed.

Follow-up excavation and haul-off occurred on June 12, 2025 (20 belly dump loads removed), June 13, 2025 (23 belly dump loads removed), and July 12, 2025 (2 dump truck loads removed), totaling 884 cubic yards of impacted soil transported offsite for disposal.

After excavation was completed, confirmation soil samples were collected from the excavation floor and sidewalls on a grid not exceeding 200 square feet per section. Each section was sampled using a five-point composite method under full chain of custody and submitted to an accredited laboratory for analysis. Sampling notifications were provided to the New Mexico Oil Conservation Division on May 7, 2025, covering scheduled sampling dates of May 9, 12, 13, 14, and 16, 2025. A subsequent notification was filed on June 18, 2025, with confirmation sampling conducted on June 20, 2025. Copies of these notifications are included in Appendix E – Communications. Analytical results for all samples were below the most stringent NMAC 19.15.29.12 Table 1 closure criteria for groundwater less than 50 feet, thereby meeting the applicable regulatory requirements for site closure.

Once laboratory results confirmed that the site met closure criteria, clean fill was imported on July 11, 2025 (192 dump truck loads) and July 12, 2025 (95 dump truck loads), totaling 3,440 cubic yards placed and compacted to restore the excavation areas. The material was placed in a manner consistent with the pre-disturbance grade and contoured to promote proper stormwater runoff and minimize the potential for erosion. Final grading was completed at this time in preparation for seeding.

Before seeding could occur, a new release was reported under Incident NAPP2520950540 at coordinates 32.330897, -103.419449 NAD83. Seeding for the NAPP2212742533 release area will be completed after remediation and reclamation of the subsequent NAPP2520950540 release. A single revegetation report will then be prepared and submitted to cover both incidents.

Conclusion

This report documents the completion of remediation activities for the release associated with Incident NAPP2212742533 at the Donkey Kong CTB location, situated in Unit Letter A, Section 32, Township 23S, Range 33E (coordinates 32.330951, -103.419535 NAD83) on New Mexico State Land Office (NMSLO) lease PRS-121. The release involved impacted material along the SWD line, which had been partially addressed by a previous contractor prior to Diamondback Disposal Services, Inc. assuming responsibility for final closure on behalf of Permian Resources Operating, LLC.

Upon mobilization, Diamondback identified large volumes of impacted soil remaining onsite from prior excavation efforts. Aerial drone survey data confirmed that approximately 4,000 cubic yards of material had already been removed by the previous contractor; however, further excavation was required to address residual contamination. Diamondback conducted detailed field screening and targeted excavation, ultimately removing and hauling an additional 884 cubic yards of impacted material. Confirmation sampling was performed within excavation floor and sidewall grids not exceeding 200 square feet, utilizing a five-point composite methodology under full chain of custody. Laboratory analysis verified that all results were below the most stringent NMAC 19.15.29.12 Table 1 closure criteria applicable to groundwater depths of less than 50 feet.

Following confirmation of compliance, 3,440 cubic yards of clean fill were imported and placed to restore the excavation areas. The material was graded to match pre-disturbance contours, shaped to promote proper stormwater runoff, and compacted to minimize erosion potential. Final grading was completed in preparation for seeding. Prior to seeding, however, a subsequent release was reported under Incident NAPP2520950540 at the same location. In coordination with Permian Resources, it was determined that seeding for the NAPP2212742533 release would be postponed until remediation and reclamation of the subsequent release are completed. A single revegetation report will then be prepared and submitted to both the NMOCD and NMSLO covering both incidents.

Based on the foregoing, Diamondback Disposal Services, Inc. formally requests remediation closure approval for Incident NAPP2212742533. This request is supported by the following:

1. Completion of excavation and removal of all impacted material.
2. Analytical confirmation of compliance with the most stringent closure criteria under NMAC 19.15.29.12.
3. Import, placement, and grading of 3,440 cubic yards of clean fill consistent with pre-disturbance contours.
4. Postponement of seeding, coordinated with Permian Resources, to be addressed under a combined revegetation report covering Incidents NAPP2212742533 and NAPP2520950540.
5. Adherence to all applicable environmental and cultural protection regulations, including NMAC 19.15.29, NMAC 19.2.24, the Endangered Species Act (ESA), and the Migratory Bird Treaty Act (MBTA).

Diamondback Disposal Services, Inc. appreciates your consideration of this request and remains available to provide any additional information or clarification necessary to facilitate final approval.

Appendix A
Site Characterization

Received by OCD: 8/21/2025 10:15:07 AM

National Flood Hazard Layer FIRMette

FEMA

103°25'29"W 32°20'7"N



103°24'52"W 32°19'36"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 / 17.5 Cross Sections with 1% Annual Chance / Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N


The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/8/2025 at 4:15 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.


This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 9/8/2025 8:38:59 AM




Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

United States Department of the Interior

FISH AND WILDLIFE SERVICE
New Mexico Ecological Services Field Office
2105 Osuna Road Ne
Albuquerque, NM 87113-1001
Phone: (505) 346-2525 Fax: (505) 346-2542

In Reply Refer To: 08/15/2025 19:59:53 UTC
Project Code: 2025-0136751
Project Name: Donkey Kong CTB #1

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

Thank you for your recent request for information on federally listed species and important wildlife habitats that may occur in your project area. The U.S. Fish and Wildlife Service (Service) has responsibility for certain species of New Mexico wildlife under the Endangered Species Act (ESA) of 1973 as amended (16 USC 1531 et seq.), the Migratory Bird Treaty Act as amended (16 USC 701-715), and the Bald and Golden Eagle Protection Act as amended (16 USC 668-668(c)). We are providing the following guidance to assist you in determining which federally imperiled species may or may not occur within your project area, and to recommend some conservation measures that can be included in your project design.

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the ESA of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the ESA, the accuracy of this species list should be verified after 90 days. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the ESA is to provide a means whereby threatened and endangered species and

the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the ESA and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (NEPA; 42 USC 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf.

Candidate Species and Other Sensitive Species

A list of candidate and other sensitive species in your area is also attached. Candidate species and other sensitive species are species that have no legal protection under the ESA, although we recommend that candidate and other sensitive species be included in your surveys and considered for planning purposes. The Service monitors the status of these species. If significant declines occur, these species could potentially be listed. Therefore, actions that may contribute to their decline should be avoided.

Lists of sensitive species including State-listed endangered and threatened species are compiled by New Mexico State agencies. These lists, along with species information, can be found at the following websites.

Biota Information System of New Mexico (BISON-M): www.bison-m.org

New Mexico State Forestry. The New Mexico Endangered Plant Program: https://www.emnrd.nm.gov/sfd/rare-plants/

New Mexico Rare Plant Technical Council, New Mexico Rare Plants: nmrareplants.unm.edu

Natural Heritage New Mexico, online species database: nhnm.unm.edu

WETLANDS AND FLOODPLAINS

Under Executive Orders 11988 and 11990, Federal agencies are required to minimize the destruction, loss, or degradation of wetlands and floodplains, and preserve and enhance their natural and beneficial values. These habitats should be conserved through avoidance, or mitigated to ensure that there would be no net loss of wetlands function and value.

We encourage you to use the National Wetland Inventory (NWI) maps in conjunction with ground-truthing to identify wetlands occurring in your project area. The Service's NWI program website, www.fws.gov/wetlands/Data/Mapper.html, integrates digital map data with other resource information. We also recommend you contact the U.S. Army Corps of Engineers for permitting requirements under section 404 of the Clean Water Act if your proposed action could impact floodplains or wetlands.

MIGRATORY BIRDS

In addition to responsibilities to protect threatened and endangered species under the ESA, there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the Service (50 CFR 10.12 and 16 USC 668(a)). For more information regarding these Acts, see https://www.fws.gov/program/migratory-bird-permit/what-we-do.

It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a Federal nexus) or a Bird/Eagle Conservation Plan (when there is no Federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures, see https://www.fws.gov/library/collections/threats-birds. We also recommend review of the Birds of Conservation Concern list (https://www.fws.gov/media/birds-conservation-concern-2021) to fully evaluate the effects to the birds at your site. This list identifies migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent top conservation priorities for the Service, and are potentially threatened by disturbance, habitat impacts, or other project development activities.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 thereby provides additional protection for both migratory birds and migratory bird habitat. Please visit https://www.fws.gov/partner/council-conservation-migratory-birds for information regarding the implementation of Executive Order 13186.

We suggest you contact the New Mexico Department of Game and Fish, and the New Mexico

Energy, Minerals, and Natural Resources Department, Forestry Division for information regarding State protected and at-risk species fish, wildlife, and plants.

For further consultation with the Service we recommend submitting inquiries or assessments electronically to our incoming email box at nmesfo@fws.gov, where it will be more promptly routed to the appropriate biologist for review.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List
- Bald & Golden Eagles
- Migratory Birds

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New Mexico Ecological Services Field Office
2105 Osuna Road Ne
Albuquerque, NM 87113-1001
(505) 346-2525

PROJECT SUMMARY

Project Code: 2025-0136751
Project Name: Donkey Kong CTB #1
Project Type: Non-NPL Site Remediation
Project Description: Soil Remediation
Project Location:

The approximate location of the project can be viewed in Google Maps: https://www.google.com/maps/@32.3307604,-103.41931665767498,14z



Counties: Lea County, New Mexico

ENDANGERED SPECIES ACT SPECIES

There is a total of 3 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries[1], as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

---

1. NOAA Fisheries, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

BIRDS

NAME	STATUS
Lesser Prairie-chicken *Tympanuchus pallidicinctus* Population: Southern DPS No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1924 General project design guidelines: https://ipac.ecosphere.fws.gov/project/MM6JPCDCUFDFZNRLNLL6POWXXI/documents/generated/9126.pdf	Endangered
Northern Aplomado Falcon *Falco femoralis septentrionalis* Population: U.S.A (AZ, NM) No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1923 General project design guidelines: https://ipac.ecosphere.fws.gov/project/MM6JPCDCUFDFZNRLNLL6POWXXI/documents/generated/8928.pdf	Experimental Population, Non-Essential

INSECTS

NAME	STATUS
Monarch Butterfly *Danaus plexippus* There is **proposed** critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/9743	Proposed Threatened

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

BALD & GOLDEN EAGLES

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act [2] and the Migratory Bird Treaty Act (MBTA) [1]. Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their habitats, should follow appropriate regulations and consider implementing appropriate avoidance and minimization measures, as described in the various links on this page.

---

1. The Bald and Golden Eagle Protection Act of 1940.
2. The Migratory Birds Treaty Act of 1918.
3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act and the Migratory Bird Treaty Act (MBTA). Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their nests, should follow appropriate regulations and implement required avoidance and minimization measures, as described in the various links on this page.

The data in this location indicates that no eagles have been observed in this area. This does not mean eagles are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the Supplemental Information on Migratory Birds and Eagles document to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine if eagles may be present (e.g. your local FWS field office, state surveys, your own surveys).

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

MIGRATORY BIRDS

The Migratory Bird Treaty Act (MBTA) [1] prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species without prior authorization by the Department of Interior U.S. Fish and Wildlife Service (Service).

---

1. The Migratory Birds Treaty Act of 1918.
2. The Bald and Golden Eagle Protection Act of 1940.
3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

THERE ARE NO FWS MIGRATORY BIRDS OF CONCERN WITHIN THE VICINITY OF YOUR PROJECT AREA.

IPAC USER CONTACT INFORMATION

Agency: Private Entity
Name: Jason Owsley
Address: 2525 NW County Road
City: Hobbs
State: NM
Zip: 88240
Email jasono@diamondbacknm.com
Phone: 5756025998

Custom Soil Resource Report
Soil Map



MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 21, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
MN	Ratliff-Wink fine sandy loams	1.4	100.0%
Totals for Area of Interest		**1.4**	**100.0%**

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Lea County, New Mexico

MN—Ratliff-Wink fine sandy loams

Map Unit Setting

National map unit symbol: dmqf
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Farmland of statewide importance

Map Unit Composition

Ratliff and similar soils: 45 percent
Wink and similar soils: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Ratliff

Setting

Landform: Plains
Landform position (three-dimensional): Dip
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Calcareous alluvium and/or calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 4 inches: fine sandy loam
Bw - 4 to 22 inches: clay loam
Bk - 22 to 60 inches: clay loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 50 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Moderate (about 8.1 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 6c
Hydrologic Soil Group: B
Ecological site: R070BC007NM - Loamy
Hydric soil rating: No

Description of Wink

Setting

Landform: Plains
Landform position (three-dimensional): Dip
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Calcareous sandy alluvium and/or calcareous sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 12 inches: fine sandy loam
Bk - 12 to 23 inches: sandy loam
BCk - 23 to 60 inches: sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 30 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 4.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: A
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 6 percent
Ecological site: R070BC022NM - Sandhills
Hydric soil rating: No

Maljamar


Percent of map unit: 5 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Palomas

Percent of map unit: 4 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No


Appendix B
Depth to Groundwater
Topographical Information

NAPP2212742533




Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996




Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION

OSE POD NO. (WELL NO.)	WELL TAG ID NO.	OSE FILE NO(S).
Pod-1		CP-2004

WELL OWNER NAME(S)	PHONE (OPTIONAL)
Permian Resources	575-605-3471

WELL OWNER MAILING ADDRESS	CITY	STATE	ZIP
PO 3641	Hobbs	NM	88241

WELL LOCATION (FROM GPS)		DEGREES	MINUTES	SECONDS	
	LATITUDE	32	20	31.41	N
	LONGITUDE	-103	25	35.31	W

* ACCURACY REQUIRED: ONE TENTH OF A SECOND
* DATUM REQUIRED: WGS 84

DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHJIP, RANGE) WHERE AVAILABLE

SWSW S-36 T-22S R-34E Lea County NM

2. DRILLING & CASING INFORMATION

LICENSE NO.	NAME OF LICENSED DRILLER	NAME OF WELL DRILLING COMPANY
WD-1862	James Hawley	H&R Enterprises, LLC

DRILLING STARTED	DRILLING ENDED	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)
7/9/24	7/9/24	105	105	dry hole

COMPLETED WELL IS: ☐ ARTESIAN *add Centralizer info below ☑ DRY HOLE ☐ SHALLOW (UNCONFINED)

STATIC WATER LEVEL IN COMPLETED WELL (FT):

DATE STATIC MEASURED: 7/16/24

DRILLING FLUID: ☑ AIR ☐ MUD ADDITIVES – SPECIFY:

DRILLING METHOD: ☑ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER – SPECIFY:

CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
0	95	6	2" SCH 40 FJ Blank	FJ thread 2.38"	2.0	0.19	
95	105	6	2" SCH 40 FJ 0.10 perf	FJ Thread 2.38"	2.0	0.19	0.10

OSE DII JUL 26 2024 PM1:31

3. ANNULAR MATERIAL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL *(if using Centralizers for Artesian wells- indicate the spacing below)	AMOUNT (cubic feet)	METHOD OF PLACEMENT
			N/A		

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO. CP-2004	POD NO. 1	TRN NO. 762432	
LOCATION 22S.34E.36 433		WELL TAG ID NO. NA	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES **(attach supplemental sheets to fully describe all units)**	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
0	5	5	red clay	Y ✓ N	
5	20	15	light tan blow sand	Y ✓ N	
20	35	15	white sandy caliche	Y ✓ N	
35	40	5	brown sand and clay	Y ✓ N	
40	60	20	light red sand and clay	Y ✓ N	
60	65	5	gray sandy clay	Y ✓ N	
65	105	40	hard red clay	Y ✓ N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	

METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:

☐ PUMP ☐ AIR LIFT ☐ BAILER ☐ OTHER – SPECIFY:

TOTAL ESTIMATED WELL YIELD (gpm): N/A

5. TEST; RIG SUPERVISION

WELL TEST: TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.

MISCELLANEOUS INFORMATION: Well was installed at the Permian Resources Pac Man CTB to determine depth of groundwater, casing was left in the hole until 7/16/24, gauged, pulled, and well bore was plugged.

OCD DH JUL 26 2024 PM1:31

PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:

Nathan Smelcer

6. SIGNATURE

THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:

James Hawley — 7/19/24

SIGNATURE OF DRILLER / PRINT SIGNEE NAME — DATE

FOR OSE INTERNAL USE — WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO. CP-2004	POD NO. 1	TRN NO. 762432	
LOCATION 225.34E.36 433		WELL TAG ID NO. NA	PAGE 2 OF 2

WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION

OSE POD NO. (WELL NO.)	WELL TAG ID NO.	OSE FILE NO(S).
CP-1839	ID 211FA	

WELL OWNER NAME(S)	PHONE (OPTIONAL)
Limestone Basin Properties Ranch	

WELL OWNER MAILING ADDRESS	CITY	STATE	ZIP
6 Desta Drive, Ste 2725	Midland	TX	79705

WELL LOCATION (FROM GPS)		DEGREES	MINUTES	SECONDS	
	LATITUDE	32	19	0.60	N
	LONGITUDE	-103	25	55.50	W

* ACCURACY REQUIRED: ONE TENTH OF A SECOND

* DATUM REQUIRED: WGS 84

DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHJIP, RANGE) WHERE AVAILABLE

2. DRILLING & CASING INFORMATION

LICENSE NO.	NAME OF LICENSED DRILLER	NAME OF WELL DRILLING COMPANY
WD-1706	Bryce Wallace	Elite Drillers Corporation

DRILLING STARTED	DRILLING ENDED	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)
11/27/23	11/30/23	860	860	286

COMPLETED WELL IS: ☐ ARTESIAN ☐ DRY HOLE ☑ SHALLOW (UNCONFINED)

STATIC WATER LEVEL IN COMPLETED WELL (FT): 286

DATE STATIC MEASURED: 11/30/23

DRILLING FLUID: ☐ AIR ☑ MUD ADDITIVES – SPECIFY:

DRILLING METHOD: ☑ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER – SPECIFY:

CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
0	120	26	A53 GRADE B	WELD	19.3	.337	
0	460	17.5	A53 GRADE B	WELD	10.02	.365	
460	860	17.5	A53 GRADE B/SS 304 WIRE WRAP	WELD	10.02	.365	.020

OSE DII JAN 2 2024 PM1:37

3. ANNULAR MATERIAL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT
0	120	26	CEMENT	190	TREMIE
0	320	17.5	BENTONITE HOLE PLUG	335	GRAVITY
350	860	17.5	12/20 SILICA SAND	540	TREMIE

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 01/28/2022)

FILE NO. CP-01839	POD NO. 1	TRN NO. 672385	
LOCATION 23S.34E.12.313		WELL TAG ID NO. 211FA	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
0	10	10	WHITE/BROWN CLAY	Y ✓ N	
10	70	60	SANDY CALICHE	Y ✓ N	
70	260	190	BROWN SANDY CLAY	Y ✓ N	
260	300	40	RED SANDY CLAY	✓ Y N	50.00
300	510	210	GRAY/RED SAND	✓ Y N	50.00
510	640	130	GRAY CLAY	✓ Y N	50.00
640	700	60	GRAY SAND	✓ Y N	50.00
700	820	120	WHITE/GRAY SAND	✓ Y N	50.00
820	860	40	WHITE SANDSTONE	✓ Y N	50.00
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	

METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:

☐ PUMP ☑ AIR LIFT ☐ BAILER ☐ OTHER – SPECIFY:

TOTAL ESTIMATED WELL YIELD (gpm): 300.00

5. TEST; RIG SUPERVISION

WELL TEST — TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.

MISCELLANEOUS INFORMATION:

OSE DII JAN 2 2024 PM1:37

PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:

6. SIGNATURE

THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:

Bryce Wallace — SIGNATURE OF DRILLER / PRINT SIGNEE NAME

12/05/23 — DATE

FOR OSE INTERNAL USE — WR-20 WELL RECORD & LOG (Version 01/28/2022)

FILE NO. CP-01839	POD NO. 1	TRN NO. 672385	
LOCATION 23S. 34E. 12. 313		WELL TAG ID NO. 211FA	PAGE 2 OF 2

Appendix C
Site Delineation Mapping and Summary Report

DONKEY KONG 1 CTB 1 SWD LINE Incident #NAPP2212742533
Wall Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
W1	H252891-01	0-1'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192	In-Situ
W2	H252891-02	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	400	In-Situ
W3	H252891-03	0-2'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	480	In-Situ
W4	H252891-04	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
W5	H252891-05	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
W6	H252891-06	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
W7	H252891-07	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
W8	H252891-08	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
W9	H252891-09	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
W10	H252891-10	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
W11	H252891-11	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
W12	H252891-12	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
W13	H252891-13	0-3'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208	In-Situ
W14	H252891-14	0-3'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
W15	H252891-15	0-3'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
W16	H252891-16	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
W17	H252891-17	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
W18	H252891-18	0-4'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
W19	H252891-19	0-5'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
W20	H252891-20	0-3'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
W21	H252891-21	0-3'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
W22	H252891-22	0-4'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
W23	H252891-23	1'6"-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
W24	H252891-24	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
W25	H252891-25	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192	In-Situ
W26	H252891-26	0-3'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	384	In-Situ
W27	H252891-27	0-3'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240	In-Situ
W28	H252891-28	0-3'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
W29	H252891-29	0-1'6"	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
W30	H252891-30	0-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
W31	H252891-31	0-5'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
W32	H252891-32	0-6'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
W33	H252891-33	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
W34	H252891-34	1-2'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
W35	H252891-35	2-4'	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
W36	H252891-36	3-5'		<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ

DONKEY KONG 1 CTB 1 SWD LINE Incident #NAPP2212742533
Floor Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
B1	H252791-01	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B2	H252791-02	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B3	H252791-03	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B4	H252791-04	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B5	H252791-05	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B6	H252791-06	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B7	H252791-07	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B8	H252791-08	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B9	H252791-09	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	10.1	<10.0	10.1	<16.0	In-Situ
B10	H252791-10	1'	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	11.1	<10.0	11.1	32	In-Situ
B11	H252791-11	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B12	H252791-12	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
B13	H252791-13	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B14	H252791-14	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B15	H252791-15	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B16	H252791-16	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B17	H252791-17	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B18	H252791-18	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ

B19	H252791-19	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B20	H252791-20	1'6"	5/9/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B21	H252808-01	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B22	H252808-02	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B23	H252808-03	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B24	H252808-04	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B25	H252808-05	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B26	H252808-06	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B27	H252808-07	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B28	H252808-08	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B29	H252808-09	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112	In-Situ
B30	H252808-10	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B31	H252808-11	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B32	H252808-12	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B33	H252808-13	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B34	H252808-14	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B35	H252808-15	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B36	H252808-16	4'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B37	H252808-17	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B38	H252808-18	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B39	H252808-19	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B40	H252808-20	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B41	H252808-21	1'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B42	H252808-22	1'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
B43	H252808-23	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B44	H252808-24	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B45	H252808-25	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B46	H252808-26	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B47	H252808-27	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B48	H252808-28	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B49	H252808-29	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B50	H252808-30	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B51	H252808-31	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B52	H252808-32	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B53	H252808-33	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B54	H252808-34	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	480	In-Situ
B55	H252808-35	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192	In-Situ
B56	H252808-36	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B57	H252808-37	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B58	H252808-38	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1170	Excavated
B58	H253711-01	3'	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B59	H252808-39	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B60	H252808-40	2'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B61	H252808-41	2'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B62	H252808-42	2'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112	In-Situ
B63	H252808-43	2'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	448	In-Situ
B64	H252808-44	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1720	Excavated
B64	H253711-02	2'	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B65	H252808-45	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	2040	Excavated
B65	H253711-03	2'	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B66	H252808-46	1'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	3200	Excavated
B66	H253711-04	2'	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B67	H252808-47	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	2080	Excavated
B67	H253711-05	3'6"	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B68	H252808-48	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	2280	Excavated
B68	H253711-06	3'6"	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B69	H252808-49	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B70	H252808-50	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B71	H252808-51	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B72	H252808-52	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B73	H252808-53	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B74	H252808-54	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B75	H252808-55	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	288	In-Situ
B76	H252808-56	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	592	In-Situ

B77	H252808-57	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B78	H252808-58	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B79	H252808-59	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
B80	H252808-60	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
B81	H252808-61	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B82	H252808-62	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B83	H252808-63	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B84	H252808-64	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B85	H252808-65	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
B86	H252808-66	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	256	In-Situ
B87	H252808-67	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B88	H252808-68	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B89	H252808-69	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B90	H252808-70	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B91	H252808-71	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B92	H252808-72	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B93	H252808-73	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B94	H252808-74	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B95	H252808-75	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B96	H252808-76	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B97	H252808-77	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B98	H252808-78	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B99	H252808-79	5’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B100	H252808-80	5’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B101	H252809-01	5’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B102	H252809-02	4’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B103	H252809-03	4’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B104	H252809-04	4’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B105	H252809-05	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B106	H252809-06	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B107	H252809-07	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B108	H252809-08	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B109	H252809-09	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
B110	H252809-10	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
B111	H252809-11	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B112	H252809-12	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B113	H252809-13	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B114	H252809-14	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B115	H252809-15	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B116	H252809-16	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B117	H252809-17	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B118	H252809-18	2’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B119	H252809-19	2’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B120	H252809-20	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B121	H252809-21	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224	In-Situ
B122	H252809-22	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
B123	H252809-23	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
B124	H252809-24	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B125	H252809-25	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B126	H252809-26	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B127	H252809-27	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B128	H252809-28	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B129	H252809-29	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B130	H252809-30	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B131	H252809-31	3’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B132	H252809-32	3’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B133	H252809-33	3’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B134	H252809-34	2’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80	In-Situ
B135	H252809-35	2’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112	In-Situ
B136	H252809-36	3’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B137	H252809-37	3’6”	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B138	H252809-38	5’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B139	H252809-39	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B140	H252809-40	3’	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ

B141	H252809-41	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B142	H252809-42	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B143	H252809-43	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224	In-Situ
B144	H252809-44	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
B145	H252809-45	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B146	H252809-46	3'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96	In-Situ
B147	H252809-47	6'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B148	H252809-48	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B149	H252809-49	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B150	H252809-50	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B151	H252809-51	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B152	H252809-52	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B153	H252809-53	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B154	H252809-54	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B155	H252809-55	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B156	H252809-56	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B157	H252809-57	6'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B158	H252809-58	6'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B159	H252809-59	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B160	H252809-60	5'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B161	H252809-61	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48	In-Situ
B162	H252809-62	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B163	H252809-63	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B164	H252809-64	3'6"	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B165	H252809-65	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	2220	Excavated
B165	H253711-07	2'6"	6/20/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B166	H252809-66	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B167	H252809-67	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B168	H252809-68	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B169	H252809-69	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B170	H252809-70	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B171	H252809-71	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B172	H252809-72	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B173	H252809-73	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B174	H252809-74	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B175	H252809-75	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B176	H252809-76	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
B177	H252809-77	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B178	H252809-78	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B179	H252809-79	2'	5/12/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ

DONKEY KONG 1 CTB 1 SWD LINE Incident #NAPP2212742533
Horizontal Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
H1	H252892-01	Surface	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	22.1	<10.0	22.1	240	In-Situ
H2	H252892-02	Surface	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16	In-Situ
H3	H252892-03	Surface	5/14/25	<0.050	<0.050	<0.050	0.176	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
H4	H252892-04	Surface	5/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ

DONKEY KONG 1 CTB 1 SWD LINE Incident #NAPP2212742533
Backfill Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
Backfill 1	H253938-01	Surface	6/30/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0
Backfill 2	H253938-02	Surface	6/30/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0



Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996




Permian Resources Operating, LLC
DONKEY KONG 1 CTB 1 SWD LINE
Incident #NAPP2212742533
32.33094,-103.41872 NAD83
Lease# E019320001

Diamondback Disposal Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Appendix D
Site Photography
And Field Notes

DONKEY KONG 1 CTB 1 SWD LINE
Final Excavation Photos



DONKEY KONG 1 CTB 1 SWD LINE
Final Excavation Photos



Appendix E
Communications

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 105039

QUESTIONS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 105039
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source *Please answer all of the questions in this group.*	
Site Name	Donkey Kong 1 CTB 1 SWD Line
Date Release Discovered	05/06/2022
Surface Owner	State

Incident Details *Please answer all of the questions in this group.*	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release *Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*	
Crude Oil Released (bbls) Details	Cause: Equipment Failure | Pipeline (Any) | Crude Oil | Released: 5 BBL | Recovered: 3 BBL | Lost: 2 BBL]
Produced Water Released (bbls) Details	Cause: Equipment Failure | Pipeline (Any) | Produced Water | Released: 450 BBL | Recovered: 380 BBL | Lost: 70 BBL]
Is the concentration of dissolved chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	*Not answered.*
Natural Gas Vented (Mcf) Details	*Not answered.*
Natural Gas Flared (Mcf) Details	*Not answered.*
Other Released Details	*Not answered.*
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	*Not answered.*

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 105039
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	**No, according to supplied volumes this does not appear to be a "gas only" report.**
Was this a major release as defined by 19.15.29.7(A) NMAC	**Yes, major release.**
Reasons why this would be considered a submission for a notification of a major release	• Unauthorized release of a volume, excluding gases, of 25 barrels or more
If YES, was immediate notice given to the OCD, by whom	Nikki Mishler
If YES, was immediate notice given to the OCD, to whom	OCD Permitting - NOR
If YES, was immediate notice given to the OCD, when	05/07/2022
If YES, was immediate notice given to the OCD, by what means (phone, email, etc.)	OCD Permitting - NOR
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response	
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	*Not answered.*
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 105039
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

☑	I acknowledge that I am authorized to submit notification of a releases on behalf of my operator.
☑	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
☑	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
☑	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
☑	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
☑	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	372165
	Action Number: 105039
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
ngreen	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	5/7/2022

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2212742533
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Centennial Resource Production, Inc	OGRID: 372165
Contact Name: Nikki Mishler	Contact Telephone: 432-634-8722
Contact email: Nikki.Mishler@cdevinc.com	Incident # nAPP2212742533
Contact mailing address: 500 W. Illinois Ave, Suite 500, Midland Texas 79705	

Location of Release Source

Latitude 32.33094 Longitude -103.41872
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Donkey Kong 1 CTB SWD Line	Site Type: Production Facility
Date Release Discovered: 5/6/2022	API# *(if applicable)*

Unit Letter	Section	Township	Range	County
I	01	23S	34E	Lea

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (*Name:* _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls) 0	Volume Recovered (bbls) 0
☒ Produced Water	Volume Released (bbls) 450	Volume Recovered (bbls) 380
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☒ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release:
Due to the poly line being over pressured, a fusion on the line parted which resulted in the release of produced water. Please note, the release was initially reported to have contained crude oil but was later determined to not be present in the released fluids.
Based on the square footage of the impacted soil (approximately 25,000 sq. ft.) and an estimated average depth of impact of approximately 2', accounting for porosity and saturation % of the soils, and based on the amount of recovered fluid (approximately 380 bbls) an estimated total volume of 450 bbls of produced water was released.

Received by OCD: 5/17/2022 2:42:28 PM
Released to Imaging: 5/17/2022 3:36:47 PM
Released to Imaging: 9/8/2025 8:38:59 AM

Form C-141
Page 2

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2212742533
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☒ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? Release volume was greater than 25 bbls.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Notification was given by Nikki Mishler on 5/7/2022 via the OCD Permitting Portal through the NOR Form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped.
☒ The impacted area has been secured to protect human health and the environment.
☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
☒ All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Nikki Mishler Title: Sr. Environmental Representative

Signature: Nikki Mishler Date: 5/17/22

email: Nikki.Mishler@cdevinc.com Telephone: 432-634-8722

OCD Only

Received by: Jocelyn Harimon Date: 05/17/2022

Received by OCD: 5/17/2022 2:42:28 PM
Released to Imaging: 5/17/2022 3:36:47 PM
Released to Imaging: 9/8/2025 8:38:59 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 107818

CONDITIONS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 107818
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimon	None	5/17/2022

December 29, 2022

Nikki Mishler
Centennial Resource Production, Inc.
500 W. Illinois Ave. Suite 500
Midland, TX 79701
Nikki.Mishler@cdevinc.com

Re: Soil Investigation Summary and Proposed Remediation Workplan
Donkey Kong 1 CTB SWD Line Release (nAPP2212742533)
GPS: N 32.33094° W 103.41872°
Unit Letter "I", Section 01, Township 23 South, Range 34 East
Lea County, New Mexico

Dear Ms. Mishler,

TRC Environmental Corporation (TRC), on behalf of Centennial Resource Production, Inc. (Centennial), has prepared this Soil Investigation Summary and Proposed Remediation Workplan (Workplan) for the Donkey Kong 1 CTB SWD Line Release Site (Release Site). The purpose of this Workplan is to propose remediation activities designed to advance the Release Site toward a New Mexico Oil and Conservation District (NMOCD) approved Site Closure Status. The legal description of the Release Site is Unit Letter "I", Section 01, Township 23 South, Range 34 East, in Lea County, New Mexico. The subject property is administered by the New Mexico State Land Office (NMSLO). The GPS coordinates for the site are N 32.33094° W 103.41872°. A Site Location Map and Site Details and Soil Sample Location Map are provided as Figure 1 through Figure 6, respectively.

On May 6, 2022, a produced water release occurred at the Donkey Kong 1 CTB. A fusion weld on the SWD polyline failed due to over pressure, resulting in the release. On May 7, 2022, Centennial reported the release to the NMOCD District 1 Office located in Hobbs, New Mexico and the release was assigned the incident number nAPP2212742533. A Release Notification and Corrective Action Form (Form C-141) was subsequently submitted to the NMOCD on May 17, 2022. The release was reported as approximately four hundred and fifty (450) barrels of produced water released with approximately three hundred and eighty (380) barrels of produced water recovered, resulting in a net loss of approximately seventy (70) barrels. A copy of the NMOCD Release Notification and Corrective Action Form C-141 is attached to this Workplan.

A search of the groundwater database maintained by the United States Geological Survey (USGS) did not identify any registered water wells within a quarter (1/4) mile of the Release Site. An expanded search of the groundwater database maintained by the USGS identified the closest registered water well USGS Site #: 321924103245501 located approximately one half (0.5) of a mile southeast of the Release Site. The average depth to groundwater for USGS Site #: 321924103245501 is reported at

approximately one hundred thirty-five (135) feet below ground surface (bgs). No water wells were observed within one-thousand feet of the Release Site. No surface water was observed within one thousand (1,000) feet of the Release Site. However, the Release Site is located within the native pasture. Based on the NMOCD site classification system, the following soil remediation levels will be assigned to the Release Site as a result of this criterion.

Based on the NMOCD Site Classification criteria, the Release Site remediation levels for the first four (4) feet bgs will be remediated to the following standards are 10 mg/kg for benzene, 50 mg/kg for benzene, toluene, ethylbenzene and xylenes (BTEX), 100 mg/kg for total petroleum hydrocarbons (TPH), and 600 mg/kg for chloride concentrations.

Based on the NMOCD Site Classification criteria, the Release Site remediation levels for excavation greater than four (4) feet bgs will be remediated to the following standards are 10 mg/kg for benzene, 50 mg/kg for benzene, toluene, ethylbenzene and xylenes (BTEX), 2,500 mg/kg for total petroleum hydrocarbons (TPH), and 10,000 mg/kg for chloride concentrations.

Initial response activities were conducted by a Centennial second party contractor. From June 1 through June 20, 2022, and August 1, through August 3, 2022, following initial response activities, TRC utilized a loader and excavator to conduct excavation activities to address the impacted soil within the native pasture. Excavated soil was placed on a 6-mil polyethylene liner on site awaiting disposal. Following excavation activities, approximately 1,908 cubic yards of impacted material was transported to an NMOCD approved disposal.

On August 3, 2022 and August 17, 2022 confirmation soil sampling events were conducted at the Release Site. Due to the overall size and scale of the excavated area, the excavation was divided into four (4) sections during sampling activities.

- **Section 1 Sample Collection:** On August 3, 2022, TRC collected five (5) composite confirmation soil samples from the base of the excavated area in Section 1. In addition, twelve (12) composite confirmation soil samples were collected from the sidewalls of the excavated area in Section 1. Soil samples were submitted to Permian Basin Environmental Lab, LP. (PBELAB) in Midland, Texas for determination of concentrations of BTEX using Method SW 846-8021B, TPH using Method SW 846-8015M and chloride using Method E-300.0. Analytical results indicated the composite soil samples were below the applicable NMOCD remediation levels with the exception of BH-4 @ 2', and SW-5 @ 1' which exhibited chloride concentrations above NMOCD remediation levels of 600 mg/kg. Laboratory analytical results are provided as an attachment (Table 1 Concentrations of Benzene, BTEX, TPH, and Chloride in Soil). Please refer to Figure 3 for sample location details.

- **Section 2 Sample Collection:** On August 3, 2022, TRC collected six (6) composite confirmation soil samples from the base of the excavated area in Section 2. In addition, seven (7) composite confirmation soil samples were collected from the sidewalls of the excavated area in Section 2. Soil samples were submitted to PBELAB in Midland, Texas for determination of BTEX, TPH, and chloride concentrations. Analytical results indicated the composite soil samples were below the applicable NMOCD remediation levels with the exception of BH-1 @ 2', BH-6 @ 2', EW-1 @ 1', EW-2 @ 1', and NW-2 @ 1' which exhibited chloride concentrations above NMOCD remediation levels of 600 mg/kg. Laboratory analytical results are provided as an attachment (Table 1

Concentrations of Benzene, BTEX, TPH, and Chloride in Soil). Please refer to Figure 4 for sample location details.

- **Section 3 Sample Collection:** On August 17, 2022, TRC collected three (3) composite confirmation soil samples from the base of the excavated area in Section 3. In addition, five (5) composite confirmation soil samples were collected from the sidewalls of the excavated area in Section 3. Soil samples were submitted to PBELAB in Midland, Texas for determination of BTEX, TPH, and chloride concentrations. Analytical results indicated the composite soil samples were below the applicable NMOCD remediation levels with the exception of BH-2 @ 1.5', BH-3 @ 1.5', NW-1 @ 1', NW-2 @ 1', and EW-1 @ 1' which exhibited chloride concentrations above NMOCD remediation levels of 600 mg/kg. Laboratory analytical results are provided as an attachment (Table 1 Concentrations of Benzene, BTEX, TPH, and Chloride in Soil). Please refer to Figure 5 for sample location details.

- **Section 4 Sample Collection:** On August 17, 2022, TRC collected ten (10) composite confirmation soil samples from the base of the excavated area in Section 4. In addition, twenty (20) composite confirmation soil samples were collected from the sidewalls of the excavated area in Section 4. Soil samples were submitted to PBELAB in Midland, Texas for determination of BTEX, TPH, and chloride concentrations. Analytical results indicated the composite soil samples were below the applicable NMOCD remediation levels with the exception of BH-1 @ 3.5', BH-2 @ 2', BH-4 @ 2', BH-5 @ 2', BH-6 @ 1.5', BH-9 @ 1.5', SW-1 @ 1', SW-3 @ 1', SW-4 @ 1', SW-5 @ 1', SW-7 @ 1', EW-1 @ 1', EW-2 @ 1', NW-1 @ 1', NW-5 @ 1', and NW-6 @ 1' which exhibited chloride concentrations above NMOCD remediation levels of 600 mg/kg. In addition, composite soil samples BH-4 @ 2' and NW-6 @ 1' exhibited TPH concentrations above NMOCD remediation levels. Laboratory analytical results are provided as an attachment (Table 1 Concentrations of Benzene, BTEX, TPH, and Chloride in Soil). Please refer to Figure 6 for sample location details.

Based on the analytical results of the soil samples collected on August 3, and August 17, 2022, in addition to research and field observations TRC proposes the following field activities designed to complete remediation activities at the Donkey Kong 1 CTB SWD Line Release Site:

- **Section 1:** The area represented by soil samples BH-4 @ 2', and SW-5 @ 1' is anticipated to be excavated an additional two (2) feet horizontally and vertically or until field screening activities indicate chloride concentrations are below NMOCD remediation levels.

- **Section 2:** The areas represented by soil samples BH-1 @ 2', BH-6 @ 2' EW-1 @ 1', EW-2 @ 1', and NW-2 @ 1' is anticipated to be excavated an additional two (2) feet horizontally and vertically or until field screening activities indicate chloride concentrations are below NMOCD remediation levels.

- **Section 3:** The areas represented by soil samples BH-2 @ 1.5', BH-3 @ 1.5', NW-1 @ 1', NW-2 @ 1', and EW-1 @ 1' is anticipated to be excavated an additional two (2) to three (3) feet horizontally and vertically or until field screening activities indicate chloride concentrations are below NMOCD remediation levels.

- **Section 4:** The areas represented by soil samples BH-1 @ 3.5', BH-2 @ 2', BH-4 @ 2', BH-5 @ 2', BH-6 @ 1.5', BH-9 @ 1.5', SW-1 @ 1', SW-3 @ 1', SW-4 @ 1', SW-5 @ 1', SW-7 @ 1', EW-1 @ 1', EW-2 @ 1', NW-1 @ 1', NW-5 @ 1', and NW-6 @ 1' is anticipated to be excavated an additional two (2) to three (3) feet horizontally and vertically or until field screening activities indicate chloride and/or TPH concentrations are below NMOCD remediation levels.

- Confirmation composite soil samples will be collected from the base and sidewalls areas that exhibited concentrations above NMOCD remediation levels. Samples will be submitted for TPH and/or chloride analysis based on initial sample results.

- Upon receipt of analytical results below NMOCD remediation levels, TRC will backfill the excavation with locally purchased non-impacted "like" soil or caliche. Impacted soil (Approximately 450 cubic yards) from the additional excavation activities will be transported under manifest to an NMOCD approved disposal facility (Sundance Facility).

- The backfilled areas will be seeded during the spring monsoon season in Southeastern New Mexico to aid in revegetation. The USDA Soil Map describes the soil at the Release Site as the Ratliff-Wink fine sandy loam. Based on this description, the NMSLO Shallow (SH) Seed Mixture will be used to revegetate the Release Site. A seed drill will be utilized to plant the amount specified in the pounds pure live seed (PLS) per acre. Site inspections will be performed to assess the revegetation progress and evaluate the site for the presence of primary or secondary noxious weeds. If noxious weeds are identified, the NMSLO will be contacted to determine an effective method for eradication. If the site does not show revegetation after one growing season, the area will be reseeded as appropriate.

- Prepare and submit a "Remediation Summary and Site Closure Request" to the NMOCD and NMSLO.

TRC recommends submitting this work plan to the NMOCD and NMSLO. TRC is prepared to begin the activities outlined in this Proposed Remediation Workplan within 90 days of NMOCD and NMSLO approval.

If you have any questions, or if additional information is required, please feel free to call me at 432-520-7720 (office) or 432-230-3763 (cell).

Thank you,




Matthew Green, P.G.
Senior Project Manager
TRC Environmental Corporation

Attachments:

Figure 1 - Site Location Map
Figure 2 - Site Details and Soil Sample Location Map
Figure 3 – Section 1 Site Details and Soil Sample Location Map
Figure 4 – Section 2 Site Details and Soil Sample Location Map
Figure 5 – Section 3 Site Details and Soil Sample Location Map
Figure 6 – Section 4 Site Details and Soil Sample Location Map
Table 1 - Concentrations of Benzene, BTEX, TPH and Chloride in Soil
Photographic Documentation
Laboratory Analytical Results
Release Notification and Corrective Action (Form C-141)

cc: File



LEGEND:

Native Grassland


1500 750 0 750 1500

Distance in Feet

Figure 1
Site Location Map
Centennial Resource Production, Inc.
Donkey Kong 1 CTB SWD Line
Township 23S, Section 01, Range 34E
Lea County, NM

Scale: 1" = 1500'
CAD By: JPR
Checked By: MKG
Draft: September 14, 2022
Lat. N 32.33094° Long. W 103.41872°

TRC




LEGEND:

- Impacted Area
- Composite Soil Sample Location (Section 1)
- Composite Soil Sample Location (Section 2)
- Composite Soil Sample Location (Section 3)
- Composite Soil Sample Location (Section 4)

Figure 2
Site Details & Soil Sample Location Map
Centennial Resource Production, Inc.
Donkey Kong 1 CTB SWD Line
Township 23S, Section 01, Range 34E
Lea County, NM

Scale: 1" = 100'
Map By: MKG
Checked By: JPR
Draft: December 18, 2022
Lat. N 32.33094° Long. W 103.41872°

TRC



LEGEND:

- Impacted Area
- Bottom Hole Composite Soil Sample Location
- Sidewall Composite Soil Sample Location


Denotes Sample Exceeds NMOCD Site Specific Limits

* Denotes sample eliminated due to excavation of Section 3

Figure 3
Section 1 Site Details & Soil Sample Location Map
Centennial Resource Production, Inc.
Donkey Kong 1 CTB SWD Line
Township 23S, Section 01, Range 34E
Lea County, NM

Scale:	1" = 50'
Map By:	MKG
Checked By:	JPR
Draft:	December 18, 2022
Lat. N 32.33094°	Long. W 103.41872°

TRC



LEGEND:


- Impacted Area
- Bottomhole Composite Soil Sample Location
- Sidewall Composite Soil Sample Location

Denotes Sample Exceeds NMOCD Site Specific Limits

Figure 4
Section 2 Site Details & Soil Sample Location Map
Centennial Resource Production, Inc.
Donkey Kong 1 CTB SWD Line
Township 23S, Section 01, Range 34E
Lea County, NM

Scale: 1" = 50'
Map By: MKG
Checked By: JPR
Draft: December 18, 2022
Lat. N 32.33094° Long. W 103.41872°

TRC



LEGEND:


- Impacted Area
- Bottomhole Composite Soil Sample Location
- Sidewall Composite Soil Sample Location

Denotes Sample Exceeds NMOCD Site Specific Limits

Figure 5
Section 3 Site Details & Soil Sample Location Map
Centennial Resource Production, Inc.
Donkey Kong 1 CTB SWD Line
Township 23S, Section 01, Range 34E
Lea County, NM

Scale:	1" = 50'
Map By:	MKG
Checked By:	JPR
Draft:	December 18, 2022
Lat. N 32.33094°	Long. W 103.41872°

TRC



LEGEND:

- Impacted Area
- Bottomhole Composite Soil Sample Location
- Sidewall Composite Soil Sample Location

Denotes Sample Exceeds NMOCD Site Specific Limits

Figure 6
Section 4 Site Details & Soil Sample Location Map
Centennial Resource Production, Inc.
Donkey Kong 1 CTB SWD Line
Township 23S, Section 01, Range 34E
Lea County, NM

Scale: 1" = 50'
Map By: MKG
Checked By: JPR
Draft: December 18, 2022
Lat. N 32.33094° Long. W 103.41872°

TRC

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 1/25/2023 11:07:03 AM
Received by OCD: 12/29/2022 12:02:19 PM

TABLE 1

CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL

CENTENNIAL RESOURCE PRODUCTION, INC.
DONKEY KONG 1 FED COM 501H 502H 503H
LEA COUNTY, NEW MEXICO
CDEVID #: 96048

All concentrations are reported in mg/kg

SAMPLE LOCATION	SAMPLE DATE	METHODS: SW 846-8021b						METHOD: SW 8015M				E 300
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL BTEX	TPH GRO C_6-C_{12}	TPH DRO C_{12}-C_{28}	TPH ORO C_{28}-C_{35}	TOTAL TPH C_6-C_{35}	CHLORIDE
NMOCD Limits		**10**					**50**				**100**	**600**
Section 1 Bottomhole Sample Results												
BH-1 @ 2' Section 1	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	14.7
BH-2 @ 2' Section 1	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	21.6
BH-3 @ 2' Section 1	08/03/22	<0.00101	<0.00100	<0.00101	<0.00202	<0.00100	<0.00202	<25.3	<25.3	<25.3	<25.3	3.67
BH-4 @ 2' Section 1	08/03/22	<0.00108	<0.00108	<0.00108	<0.00215	<0.00108	<0.00215	<26.9	<26.9	<26.9	<26.9	**2,370**
BH-5 @ 2' Section 1	08/03/22	<0.00104	<0.00104	<0.00104	<0.00208	<0.00140	<0.00208	<26.0	<26.0	<26.0	<26.0	46.1
Section 1 Sidewall Sample Results												
SW-1 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	86.6
SW-2 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	23.2
SW-3 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	60.3
SW-4 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	79.4
SW-5 @ 1' Section 1	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**1,920**
NW-1 @ 1' Section 1	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	2.94
NW-2 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	48.0
NW-3 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	29.8
NW-4 @ 1' Section 1	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	24.9
NW-5 @ 1' Section 1	08/03/22	<0.00100	0.00110	<0.00100	<0.00200	<0.00100	0.00110	<25.0	<25.0	<25.0	<25.0	46.4
WW-1 @ 1' Section 1	08/03/22	<0.00104	<0.00104	<0.00104	<0.00208	<0.00104	<0.00200	<26.0	<26.0	<26.0	<26.0	10.3
WW-2 @ 1' Section 1 *	08/03/22	<0.00100	0.00170	<0.00100	<0.00200	<0.00100	0.00170	<25.0	<25.0	<25.0	<25.0	30.7
Section 2 Bottomhole Sample Results												
BH-1 @ 2' Section 2	08/03/22	<0.00108	<0.00108	<0.00108	<0.00215	<0.00108	<0.00215	<26.9	<26.9	<26.9	<26.9	**1,730**
BH-2 @ 1' Section 2	08/03/22	<0.00103	<0.00103	<0.00103	<0.00206	<0.00103	<0.00206	<25.8	<25.8	<25.8	<25.8	7.08
BH-3 @ 2' Section 2	08/03/22	<0.00109	<0.00109	<0.00109	<0.00217	<0.00109	<0.00217	<27.2	<27.2	<27.2	<27.2	128
BH-4 @ 2' Section 2	08/03/22	<0.00103	<0.00103	<0.00103	<0.00206	<0.00103	<0.00206	<25.8	<25.8	<25.8	<25.8	373
BH-5 @ 2' Section 2	08/03/22	<0.00110	<0.00110	<0.00110	<0.00220	<0.00110	<0.00220	<27.5	<27.5	<27.5	<27.5	423
BH-6 @ 2' Section 2	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	63.1	<25.3	63.1	**1,120**
Section 2 Sidewall Sample Results												
WW-1 @ 1' Section 2	08/03/22	0.00226	0.0104	0.00256	0.00441	0.00144	0.02107	<25.0	<25.0	<25.0	<25.0	273
WW-2 @ 1' Section 2	08/03/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	242
EW-1 @ 1' Section 2	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**6,950**

Released to Imaging: 9/8/2025 8:38:59 AM

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 1/25/2023 11:07:03 AM
Received by OCD: 12/29/2022 12:02:19 PM

TABLE 1

CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL

CENTENNIAL RESOURCE PRODUCTION, INC.
DONKEY KONG 1 FED COM 501H 502H 503H
LEA COUNTY, NEW MEXICO
CDEVID #: 96048

All concentrations are reported in mg/kg

SAMPLE LOCATION	SAMPLE DATE	METHODS: SW 846-8021b						METHOD: SW 8015M				E 300
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL BTEX	TPH GRO C_6-C_{12}	TPH DRO C_{12}-C_{28}	TPH ORO C_{28}-C_{35}	TOTAL TPH C_6-C_{35}	CHLORIDE
NMOCD Limits		**10**					**50**				**100**	**600**
EW-2 @ 1' Section 2	08/03/22	<0.00102	<0.00102	<0.00102	<0.00204	<0.00102	<0.00204	<25.5	46.6	<25.5	46.6	**1,290**
EW-3 @ 1' Section 2	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	68.3	<25.3	68.3	259
NW-1 @ 1' Section 2	08/03/22	<0.00101	0.00332	<0.00101	<0.00202	<0.00101	0.00332	<25.3	<25.3	<25.3	<25.3	109
NW-2 @ 1' Section 2	08/03/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	49.5	<25.3	49.5	**1,620**
Section 3 Bottomhole Sample Results												
BH-1 @ 1.5' Section 3	08/17/22	<0.00102	<0.00102	<0.00102	<0.00204	<0.00102	<0.00204	<25.5	<25.5	<25.5	<25.5	217
BH-2 @ 1.5' Section 3	08/17/22	<0.00106	<0.00106	<0.00106	<0.00213	<0.00106	<0.00213	<26.6	<26.6	<26.6	<26.6	**15,400**
BH-3 @ 1.5' Section 3	08/17/22	<0.00103	<0.00103	<0.00103	<0.00206	<0.00103	<0.00206	<25.8	<25.8	<25.8	<25.8	**5,410**
Section 3 Sidewall Sample Results												
NW-1 @ 1' Section 3	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	79.6	<25.3	79.6	**3,060**
NW-2 @ 1' Section 3	08/17/22	<0.00102	<0.00102	<0.00102	<0.00204	<0.00102	<0.00204	<25.5	<25.5	<25.5	<25.5	**18,600**
SW-1 @ 1' Section 3	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	170
SW-2 @ 1' Section 3	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	359
EW-1 @ 1' Section 3	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	47.2	<25.3	47.2	**1,760**
Section 4 Bottomhole Sample Results												
BH-1 @ 3.5' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**1,170**
BH-2 @ 2' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**2,790**
BH-3 @ 1.5' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	61.0
BH-4 @ 2' Section 4	08/17/22	<0.00101	<0.00100	<0.00101	<0.00202	<0.00100	<0.00202	<25.3	265	50.1	**315**	**3,370**
BH-5 @ 2' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**6,120**
BH-6 @ 1.5' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**1,380**
BH-7 @ 1.5' Section 4	08/17/22	<0.00101	<0.00100	<0.00101	<0.00202	<0.00100	<0.00202	<25.3	<25.3	<25.3	<25.3	138
BH-8 @ 1.5' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	54.6
BH-9 @ 1.5' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**1,030**
BH-10 @ 1' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	120
Section 4 Sidewall Sample Results												
SW-1 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**1,180**
SW-2 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	47.3
SW-3 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**3,190**
SW-4 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**830**

Released to Imaging: 9/8/2025 8:38:59 AM

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 1/25/2023 11:07:03 AM
Received by OCD: 12/29/2022 12:02:19 PM

TABLE 1

CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL

CENTENNIAL RESOURCE PRODUCTION, INC.
DONKEY KONG 1 FED COM 501H 502H 503H
LEA COUNTY, NEW MEXICO
CDEVID #: 96048

All concentrations are reported in mg/kg

SAMPLE LOCATION	SAMPLE DATE	METHODS: SW 846-8021b						METHOD: SW 8015M				E 300
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL BTEX	TPH GRO C_6-C_{12}	TPH DRO C_{12}-C_{28}	TPH ORO C_{28}-C_{35}	TOTAL TPH C_6-C_{35}	CHLORIDE
NMOCD Limits		**10**					**50**				**100**	**600**
SW-5 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**923**
SW-6 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	553
SW-7 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**612**
WW-1 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	72.9
WW-2 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	20.0
WW-3 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	470
WW-4 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	30.2
EW-1 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**5,380**
EW-2 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	**2,130**
NW-1 @ 1' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	**1,480**
NW-2 @ 1' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00201	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	156
NW-3 @ 1' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	<25.3	<25.3	<25.3	195
NW-4 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	39.4
NW-5 @ 1' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	58.6	<25.3	58.6	**4,320**
NW-6 @ 1' Section 4	08/17/22	<0.00101	<0.00101	<0.00101	<0.00202	<0.00101	<0.00202	<25.3	83.1	28.4	**111**	**7,450**
NW-7 @ 1' Section 4	08/17/22	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100	<0.00200	<25.0	<25.0	<25.0	<25.0	29.1

* Denotes Sample Eliminated Due To Further Excavation of Section 3

Yellow Highlighted and Bold Indicates Analyte above NMOCD Standards

Released to Imaging: 9/8/2025 8:38:59 AM

Photographic Documentation

Client: *Centennial Resources Development, LLC.* **CDEV ID #:** *96048*
Project Name: *Donkey Kong 1 Fed COM 501H, 502H, 503H* **Location:** *Lea County, NM*

Photograph No. 1 **Date:** **May 11, 2022** **Direction:** **South** **Description:** **View of impacted area.**	
Photograph No. 2 **Date:** **May 11, 2022** **Direction:** **West** **Description:** **View of impacted area.**	


Photographic Documentation

Client: *Centennial Resources Development, LLC.* **CDEV ID #:** *96048*
Project Name: *Donkey Kong 1 Fed COM 501H, 502H, 503H* **Location:** *Lea County, NM*

Photograph No. 3 **Date:** **May 11, 2022** **Direction:** **South** **Description:** **View of impacted area.**	
Photograph No. 4 **Date:** **May 11, 2022** **Direction:** **North** **Description:** **View of impacted area.**	


Photographic Documentation

Client: *Centennial Resources Development, LLC.* **CDEV ID #:** *96048*
Project Name: *Donkey Kong 1 Fed COM 501H, 502H, 503H* **Location:** *Lea County, NM*

Photograph No. 5 **Date:** **May 11, 2022** **Direction:** **West** **Description:** **View of impacted area.**	
Photograph No. 6 **Date:** **May 11, 2022** **Direction:** **Southwest** **Description:** **View of impacted area.**	

Photographic Documentation

Client: *Centennial Resources Development, LLC.* **CDEV ID #:** *96048*
Project Name: *Donkey Kong 1 Fed COM 501H, 502H, 503H* **Location:** *Lea County, NM*

Photograph No. 7 **Date:** **May 11, 2022** **Direction:** **East** **Description:** **View of impacted area.**	
Photograph No. 8 **Date:** **May 11, 2022** **Direction:** **North** **Description:** **View of impacted area.**	

Photographic Documentation

Client: *Centennial Resources Development, LLC.* **CDEV ID #:** *96048*
Project Name: *Donkey Kong 1 Fed COM 501H, 502H, 503H* **Location:** *Lea County, NM*

Photograph No. 9 **Date:** **May 11, 2022** **Direction:** **Northeast** **Description:** **View of impacted area.**	
Photograph No. 10 **Date:** **May 11, 2022** **Direction:** **Northwest** **Description:** **View of impacted area.**	

Photographic Documentation

Client: *Centennial Resources Development, LLC.* **CDEV ID #:** *96048*
Project Name: *Donkey Kong 1 Fed COM 501H, 502H, 503H* **Location:** *Lea County, NM*

Photograph No. 11 **Date:** **May 11, 2022** **Direction:** **Southwest** **Description:** **View of impacted area.**	
Photograph No. 12 **Date:** **May 11, 2022** **Direction:** **East** **Description:** **View of impacted area around the camel back.**	

PERMIAN BASIN
ENVIRONMENTAL LAB, LP
1400 Rankin Hwy
Midland, TX 79701

PBELAB

Analytical Report

Prepared for:

Matthew Green

TRC Solutions- Midland, Texas

10 Desta Dr STE 150E

Midland, TX 79705

Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project Number: 96048

Location: Lea County, NM

Lab Order Number: 2H05013

NELAP ACCREDITED TNI LABORATORY

Current Certification

Report Date: 08/15/22

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-1 @ 2' Section 1	2H05013-01	Soil	08/03/22 12:00	08-05-2022 12:47
SW-1 @ 1' Section 1	2H05013-02	Soil	08/03/22 12:05	08-05-2022 12:47
NW-1 @ 1' Section 1	2H05013-03	Soil	08/03/22 12:10	08-05-2022 12:47
WW-1 @ 1' Section 1	2H05013-04	Soil	08/03/22 12:15	08-05-2022 12:47
BH-2 @ 2' Section 1	2H05013-05	Soil	08/03/22 12:20	08-05-2022 12:47
SW-2 @ 1' Section 1	2H05013-06	Soil	08/03/22 12:25	08-05-2022 12:47
NW-2 @ 1' Section 1	2H05013-07	Soil	08/03/22 12:30	08-05-2022 12:47
WW-2 @ 1' Section 1	2H05013-08	Soil	08/03/22 12:35	08-05-2022 12:47
BH-3 @ 2' Section 1	2H05013-09	Soil	08/03/22 12:40	08-05-2022 12:47
SW-3 @ 1' Section 1	2H05013-10	Soil	08/03/22 12:45	08-05-2022 12:47
NW-3 @ 1' Section 1	2H05013-11	Soil	08/03/22 12:50	08-05-2022 12:47
BH-4 @ 2' Section 1	2H05013-12	Soil	08/03/22 12:55	08-05-2022 12:47
SW-4 @ 1' Section 1	2H05013-13	Soil	08/03/22 13:00	08-05-2022 12:47
NW-4 @ 1' Section 1	2H05013-14	Soil	08/03/22 13:05	08-05-2022 12:47
BH-5 @ 2' Section 1	2H05013-15	Soil	08/03/22 13:10	08-05-2022 12:47
SW-5 @ 1' Section 1	2H05013-16	Soil	08/03/22 13:15	08-05-2022 12:47
NW-5 @ 1' Section 1	2H05013-17	Soil	08/03/22 13:20	08-05-2022 12:47
BH-1 @ 2' Section 2	2H05013-18	Soil	08/03/22 13:30	08-05-2022 12:47
WW-1 @ 1' Section 2	2H05013-19	Soil	08/03/22 13:35	08-05-2022 12:47
EW-1@ 1' Section 2	2H05013-20	Soil	08/03/22 13:40	08-05-2022 12:47
NW-1 @ 1' Section 2	2H05013-21	Soil	08/03/22 13:45	08-05-2022 12:47
BH-2 @ 1' Section 2	2H05013-22	Soil	08/03/22 13:50	08-05-2022 12:47
WW-2 @ 1' Section 2	2H05013-23	Soil	08/03/22 13:55	08-05-2022 12:47
EW-2 @ 1' Section 2	2H05013-24	Soil	08/03/22 14:00	08-05-2022 12:47
NW-2 @ 1' Section 2	2H05013-25	Soil	08/03/22 14:05	08-05-2022 12:47
BH-3 @ 2' Section 2	2H05013-26	Soil	08/03/22 14:10	08-05-2022 12:47
EW-3 @ 1' Section 2	2H05013-27	Soil	08/03/22 14:15	08-05-2022 12:47
BH-4 @ 2' Section 2	2H05013-28	Soil	08/03/22 14:20	08-05-2022 12:47
BH-5 @ 2' Section 2	2H05013-29	Soil	08/03/22 14:25	08-05-2022 12:47
BH-6 @ 2' Section 2	2H05013-30	Soil	08/03/22 14:30	08-05-2022 12:47

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-1 @ 2' Section 1

2H05013-01 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:35	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:35	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:35	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:35	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:35	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*182 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 17:35*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*81.0 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 17:35*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**14.7**	1.01	mg/kg dry	1	P2H1011	08/10/22 10:30	08/10/22 23:48	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 21:44	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 21:44	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 21:44	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 21:44*	*TPH 8015M*	
Surrogate: o-Terphenyl		*111 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 21:44*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 11:00	08/11/22 21:44	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-1 @ 1' Section 1

2H05013-02 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:56	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:56	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:56	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:56	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 17:56	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.9 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 17:56*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*199 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 17:56*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**86.6**	1.00	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 00:03	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 22:52	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 22:52	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 22:52	TPH 8015M	
Surrogate: 1-Chlorooctane		*104 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 22:52*	*TPH 8015M*	
Surrogate: o-Terphenyl		*103 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 22:52*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/11/22 22:52	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-1 @ 1' Section 1

2H05013-03 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:17	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:17	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:17	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:17	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:17	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*84.6 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 18:17*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*201 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 18:17*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**2.94**	1.01	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 00:47	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 23:15	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 23:15	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 23:15	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 23:15*	*TPH 8015M*	
Surrogate: o-Terphenyl		*108 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 23:15*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 11:00	08/11/22 23:15	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-1 @ 1' Section 1

2H05013-04 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00104	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:39	EPA 8021B	
Toluene	ND	0.00104	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:39	EPA 8021B	
Ethylbenzene	ND	0.00104	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:39	EPA 8021B	
Xylene (p/m)	ND	0.00208	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:39	EPA 8021B	
Xylene (o)	ND	0.00104	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 18:39	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*85.6 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 18:39*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*198 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 18:39*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**10.3**	1.04	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 01:31	EPA 300.0	
% Moisture	**4.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	26.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 23:37	TPH 8015M	
>C12-C28	ND	26.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 23:37	TPH 8015M	
>C28-C35	ND	26.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/11/22 23:37	TPH 8015M	
Surrogate: 1-Chlorooctane		*104 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 23:37*	*TPH 8015M*	
Surrogate: o-Terphenyl		*116 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/11/22 23:37*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	26.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/11/22 23:37	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-2 @ 2' Section 1

2H05013-05 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 19:43	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 19:43	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 19:43	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 19:43	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 19:43	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*83.6 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 19:43*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*151 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 19:43*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**21.6**	1.01	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 01:46	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:00	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:00	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:00	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 00:00*	*TPH 8015M*	
Surrogate: o-Terphenyl		*106 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 00:00*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 00:00	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-2 @ 1' Section 1

2H05013-06 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:04	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:04	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:04	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:04	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:04	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.0 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 20:04*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*200 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 20:04*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**23.2**	1.00	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 02:01	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:22	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:22	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:22	TPH 8015M	
Surrogate: 1-Chlorooctane		*98.9 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 00:22*	*TPH 8015M*	
Surrogate: o-Terphenyl		*78.2 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 00:22*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 00:22	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-2 @ 1' Section 1

2H05013-07 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:25	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:25	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:25	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:25	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:25	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*197 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 20:25*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*81.1 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 20:25*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**48.0**	1.00	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 02:16	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:45	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:45	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 00:45	TPH 8015M	
Surrogate: 1-Chlorooctane		*107 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 00:45*	*TPH 8015M*	
Surrogate: o-Terphenyl		*105 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 00:45*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 00:45	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-2 @ 1' Section 1

2H05013-08 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:46	EPA 8021B	
Toluene	**0.00170**	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:46	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:46	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:46	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 20:46	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.8 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 20:46*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*192 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 20:46*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**30.7**	1.00	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 02:30	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:07	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:07	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:07	TPH 8015M	
Surrogate: 1-Chlorooctane		*95.5 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 01:07*	*TPH 8015M*	
Surrogate: o-Terphenyl		*56.1 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 01:07*	*TPH 8015M*	*S-GC*
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 01:07	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-3 @ 2' Section 1

2H05013-09 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:08	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:08	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:08	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:08	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:08	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*85.8 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 21:08*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*202 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 21:08*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**3.67**	1.01	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 08:35	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:30	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:30	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:30	TPH 8015M	
Surrogate: 1-Chlorooctane		*104 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 01:30*	*TPH 8015M*	
Surrogate: o-Terphenyl		*114 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 01:30*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 01:30	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-3 @ 1' Section 1

2H05013-10 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:29	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:29	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:29	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:29	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:29	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*193 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 21:29*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*82.5 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 21:29*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**60.3**	1.00	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 08:50	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:52	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:52	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 01:52	TPH 8015M	
Surrogate: 1-Chlorooctane		*99.3 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 01:52*	*TPH 8015M*	
Surrogate: o-Terphenyl		*84.3 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 01:52*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 01:52	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-3 @ 1' Section 1

2H05013-11 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Permian Basin Environmental Lab, L.P.									
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:50	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:50	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:50	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:50	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 21:50	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*194 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 21:50*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*84.3 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 21:50*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**29.8**	1.00	mg/kg dry	1	P2H1011	08/10/22 10:30	08/11/22 09:04	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 02:15	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 02:15	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0908	08/09/22 11:00	08/12/22 02:15	TPH 8015M	
Surrogate: 1-Chlorooctane		*100 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 02:15*	*TPH 8015M*	
Surrogate: o-Terphenyl		*77.3 %*	*70-130*		*P2H0908*	*08/09/22 11:00*	*08/12/22 02:15*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 11:00	08/12/22 02:15	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-4 @ 2' Section 1

2H05013-12 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00108	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:11	EPA 8021B	
Toluene	ND	0.00108	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:11	EPA 8021B	
Ethylbenzene	ND	0.00108	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:11	EPA 8021B	
Xylene (p/m)	ND	0.00215	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:11	EPA 8021B	
Xylene (o)	ND	0.00108	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:11	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*200 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 22:11*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*91.6 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 22:11*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**2370**	5.38	mg/kg dry	5	P2H1011	08/10/22 10:30	08/11/22 09:19	EPA 300.0	
% Moisture	**7.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	26.9	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:08	TPH 8015M	
>C12-C28	ND	26.9	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:08	TPH 8015M	
>C28-C35	ND	26.9	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:08	TPH 8015M	
Surrogate: 1-Chlorooctane		*100 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 15:08*	*TPH 8015M*	
Surrogate: o-Terphenyl		*110 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 15:08*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	26.9	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 15:08	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-4 @ 1' Section 1

2H05013-13 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:32	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:32	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:32	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:32	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:32	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*197 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 22:32*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*87.2 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 22:32*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**79.4**	1.00	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 10:48	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:31	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:31	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:31	TPH 8015M	
Surrogate: 1-Chlorooctane		*99.2 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 15:31*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 15:31*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 15:31	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-4 @ 1' Section 1

2H05013-14 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:53	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:53	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:53	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:53	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0510	08/05/22 15:17	08/06/22 22:53	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*85.8 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 22:53*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*198 %*	*80-120*		*P2H0510*	*08/05/22 15:17*	*08/06/22 22:53*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**24.9**	1.00	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 11:33	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:53	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:53	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 15:53	TPH 8015M	
Surrogate: 1-Chlorooctane		*96.8 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 15:53*	*TPH 8015M*	
Surrogate: o-Terphenyl		*64.4 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 15:53*	*TPH 8015M*	*S-GC*
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 15:53	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-5 @ 2' Section 1

2H05013-15 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00104	mg/kg dry	1	P2H0804	08/08/22 14:04	08/08/22 23:45	EPA 8021B	
Toluene	ND	0.00104	mg/kg dry	1	P2H0804	08/08/22 14:04	08/08/22 23:45	EPA 8021B	
Ethylbenzene	ND	0.00104	mg/kg dry	1	P2H0804	08/08/22 14:04	08/08/22 23:45	EPA 8021B	
Xylene (p/m)	ND	0.00208	mg/kg dry	1	P2H0804	08/08/22 14:04	08/08/22 23:45	EPA 8021B	
Xylene (o)	ND	0.00104	mg/kg dry	1	P2H0804	08/08/22 14:04	08/08/22 23:45	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.6 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/08/22 23:45*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*201 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/08/22 23:45*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**46.1**	1.04	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 11:47	EPA 300.0	
% Moisture	**4.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	26.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:15	TPH 8015M	
>C12-C28	ND	26.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:15	TPH 8015M	
>C28-C35	ND	26.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:15	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 16:15*	*TPH 8015M*	
Surrogate: o-Terphenyl		*114 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 16:15*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	26.0	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 16:15	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-5 @ 1' Section 1

2H05013-16 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:06	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:06	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:06	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:06	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:06	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*216 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 00:06*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*82.8 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 00:06*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1920**	1.01	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 12:02	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:37	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:37	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:37	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 16:37*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 16:37*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 16:37	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-5 @ 1' Section 1

2H05013-17 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:27	EPA 8021B	
Toluene	**0.00110**	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:27	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:27	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:27	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:27	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*79.9 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 00:27*	*EPA 8021B*	*S-GC1*
Surrogate: 4-Bromofluorobenzene		*206 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 00:27*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**46.4**	1.00	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 12:17	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:59	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:59	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 16:59	TPH 8015M	
Surrogate: 1-Chlorooctane		*95.5 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 16:59*	*TPH 8015M*	
Surrogate: o-Terphenyl		*71.7 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 16:59*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 16:59	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-1 @ 2' Section 2

2H05013-18 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00108	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:48	EPA 8021B	
Toluene	ND	0.00108	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:48	EPA 8021B	
Ethylbenzene	ND	0.00108	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:48	EPA 8021B	
Xylene (p/m)	ND	0.00215	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:48	EPA 8021B	
Xylene (o)	ND	0.00108	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 00:48	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.3 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 00:48*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*202 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 00:48*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1730**	1.08	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 12:32	EPA 300.0	
% Moisture	**7.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	26.9	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 17:22	TPH 8015M	
>C12-C28	ND	26.9	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 17:22	TPH 8015M	
>C28-C35	ND	26.9	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 17:22	TPH 8015M	
Surrogate: 1-Chlorooctane		*101 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 17:22*	*TPH 8015M*	
Surrogate: o-Terphenyl		*113 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 17:22*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	26.9	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 17:22	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-1 @ 1' Section 2

2H05013-19 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	**0.00226**	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:09	EPA 8021B	
Toluene	**0.0104**	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:09	EPA 8021B	
Ethylbenzene	**0.00256**	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:09	EPA 8021B	
Xylene (p/m)	**0.00441**	0.00200	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:09	EPA 8021B	
Xylene (o)	**0.00144**	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:09	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*207 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 01:09*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*82.0 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 01:09*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**273**	1.00	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 12:47	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 17:44	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 17:44	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 17:44	TPH 8015M	
Surrogate: 1-Chlorooctane		*90.1 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 17:44*	*TPH 8015M*	
Surrogate: o-Terphenyl		*49.0 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 17:44*	*TPH 8015M*	*S-GC*
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 17:44	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

EW-1@ 1' Section 2

2H05013-20 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:30	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:30	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:30	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:30	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:30	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*211 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 01:30*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.4 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 01:30*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**6950**	10.1	mg/kg dry	10	P2H1012	08/10/22 11:00	08/11/22 13:02	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 18:06	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 18:06	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 18:06	TPH 8015M	
Surrogate: 1-Chlorooctane		*102 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 18:06*	*TPH 8015M*	
Surrogate: o-Terphenyl		*105 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 18:06*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 18:06	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-1 @ 1' Section 2

2H05013-21 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:51	EPA 8021B	
Toluene	**0.00332**	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:51	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:51	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:51	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 01:51	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.1 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 01:51*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*217 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 01:51*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**109**	1.01	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 13:16	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 18:28	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 18:28	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 18:28	TPH 8015M	
Surrogate: 1-Chlorooctane		*97.4 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 18:28*	*TPH 8015M*	
Surrogate: o-Terphenyl		*76.9 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 18:28*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 18:28	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-2 @ 1' Section 2

2H05013-22 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:12	EPA 8021B	
Toluene	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:12	EPA 8021B	
Ethylbenzene	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:12	EPA 8021B	
Xylene (p/m)	ND	0.00206	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:12	EPA 8021B	
Xylene (o)	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:12	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*208 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 02:12*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.8 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 02:12*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**7.08**	1.03	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 13:31	EPA 300.0	
% Moisture	**3.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.8	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 19:34	TPH 8015M	
>C12-C28	ND	25.8	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 19:34	TPH 8015M	
>C28-C35	ND	25.8	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 19:34	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 19:34*	*TPH 8015M*	
Surrogate: o-Terphenyl		*113 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 19:34*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.8	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 19:34	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-2 @ 1' Section 2

2H05013-23 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:34	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:34	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:34	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:34	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:34	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.8 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 02:34*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*219 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 02:34*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**242**	1.00	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 14:16	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 19:56	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 19:56	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 19:56	TPH 8015M	
Surrogate: 1-Chlorooctane		*102 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 19:56*	*TPH 8015M*	
Surrogate: o-Terphenyl		*88.7 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 19:56*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 19:56	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

EW-2 @ 1' Section 2

2H05013-24 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00102	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:55	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:55	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:55	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:55	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 02:55	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.5 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 02:55*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*208 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 02:55*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1290**	1.02	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 15:00	EPA 300.0	
% Moisture	**2.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.5	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 20:18	TPH 8015M	
>C12-C28	**46.6**	25.5	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 20:18	TPH 8015M	
>C28-C35	ND	25.5	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 20:18	TPH 8015M	
Surrogate: 1-Chlorooctane		*102 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 20:18*	*TPH 8015M*	
Surrogate: o-Terphenyl		*114 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 20:18*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**46.6**	25.5	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 20:18	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-2 @ 1' Section 2

2H05013-25 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 03:58	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 03:58	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 03:58	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 03:58	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 03:58	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.3 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 03:58*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*208 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 03:58*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1620**	1.01	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 15:15	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 20:40	TPH 8015M	
>C12-C28	**49.5**	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 20:40	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 20:40	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 20:40*	*TPH 8015M*	
Surrogate: o-Terphenyl		*109 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 20:40*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**49.5**	25.3	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 20:40	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-3 @ 2' Section 2

2H05013-26 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00109	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:19	EPA 8021B	
Toluene	ND	0.00109	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:19	EPA 8021B	
Ethylbenzene	ND	0.00109	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:19	EPA 8021B	
Xylene (p/m)	ND	0.00217	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:19	EPA 8021B	
Xylene (o)	ND	0.00109	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:19	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*219 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 04:19*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.9 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 04:19*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**128**	1.09	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 15:30	EPA 300.0	
% Moisture	**8.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	27.2	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:01	TPH 8015M	
>C12-C28	ND	27.2	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:01	TPH 8015M	
>C28-C35	ND	27.2	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:01	TPH 8015M	
Surrogate: 1-Chlorooctane		*106 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 21:01*	*TPH 8015M*	
Surrogate: o-Terphenyl		*114 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 21:01*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	27.2	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 21:01	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

EW-3 @ 1' Section 2

2H05013-27 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:41	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:41	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:41	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:41	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 04:41	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.4 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 04:41*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*219 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 04:41*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**259**	1.01	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 15:44	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:23	TPH 8015M	
>C12-C28	**68.3**	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:23	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:23	TPH 8015M	
Surrogate: 1-Chlorooctane		*104 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 21:23*	*TPH 8015M*	
Surrogate: o-Terphenyl		*108 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 21:23*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**68.3**	25.3	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 21:23	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-4 @ 2' Section 2

2H05013-28 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:02	EPA 8021B	
Toluene	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:02	EPA 8021B	
Ethylbenzene	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:02	EPA 8021B	
Xylene (p/m)	ND	0.00206	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:02	EPA 8021B	
Xylene (o)	ND	0.00103	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:02	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.1 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 05:02*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*216 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 05:02*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**373**	1.03	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 15:59	EPA 300.0	
% Moisture	**3.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.8	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:45	TPH 8015M	
>C12-C28	ND	25.8	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:45	TPH 8015M	
>C28-C35	ND	25.8	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 21:45	TPH 8015M	
Surrogate: 1-Chlorooctane		*108 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 21:45*	*TPH 8015M*	
Surrogate: o-Terphenyl		*112 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 21:45*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.8	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 21:45	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-5 @ 2' Section 2

2H05013-29 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00110	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:23	EPA 8021B	
Toluene	ND	0.00110	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:23	EPA 8021B	
Ethylbenzene	ND	0.00110	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:23	EPA 8021B	
Xylene (p/m)	ND	0.00220	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:23	EPA 8021B	
Xylene (o)	ND	0.00110	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:23	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.5 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 05:23*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*227 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 05:23*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**423**	1.10	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 16:14	EPA 300.0	
% Moisture	**9.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	27.5	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 22:07	TPH 8015M	
>C12-C28	ND	27.5	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 22:07	TPH 8015M	
>C28-C35	ND	27.5	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 22:07	TPH 8015M	
Surrogate: 1-Chlorooctane		*103 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 22:07*	*TPH 8015M*	
Surrogate: o-Terphenyl		*117 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 22:07*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	27.5	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 22:07	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-6 @ 2' Section 2

2H05013-30 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:44	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:44	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:44	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:44	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H0804	08/08/22 14:04	08/09/22 05:44	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*217 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 05:44*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*81.1 %*	*80-120*		*P2H0804*	*08/08/22 14:04*	*08/09/22 05:44*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1120**	1.01	mg/kg dry	1	P2H1012	08/10/22 11:00	08/11/22 16:29	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H0906	08/09/22 09:45	08/09/22 09:49	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 22:28	TPH 8015M	
>C12-C28	**63.1**	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 22:28	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H0909	08/09/22 12:45	08/12/22 22:28	TPH 8015M	
Surrogate: 1-Chlorooctane		*107 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 22:28*	*TPH 8015M*	
Surrogate: o-Terphenyl		*112 %*	*70-130*		*P2H0909*	*08/09/22 12:45*	*08/12/22 22:28*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**63.1**	25.3	mg/kg dry	1	[CALC]	08/09/22 12:45	08/12/22 22:28	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0510 - * DEFAULT PREP *** **										
Blank (P2H0510-BLK1)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 1,4-Difluorobenzene	*0.100*		"	*0.120*		*83.3*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.214*		"	*0.120*		*179*	*80-120*			*S-GC*
LCS (P2H0510-BS1)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.120	0.00100	mg/kg	0.100		120	80-120			
Toluene	0.103	0.00100	"	0.100		103	80-120			
Ethylbenzene	0.113	0.00100	"	0.100		113	80-120			
Xylene (p/m)	0.211	0.00200	"	0.200		105	80-120			
Xylene (o)	0.0989	0.00100	"	0.100		98.9	80-120			
Surrogate: 1,4-Difluorobenzene	*0.106*		"	*0.120*		*88.2*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.226*		"	*0.120*		*188*	*80-120*			*S-GC*
LCS Dup (P2H0510-BSD1)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.110	0.00100	mg/kg	0.100		110	80-120	8.76	20	
Toluene	0.0952	0.00100	"	0.100		95.2	80-120	8.14	20	
Ethylbenzene	0.0948	0.00100	"	0.100		94.8	80-120	17.6	20	
Xylene (p/m)	0.192	0.00200	"	0.200		96.2	80-120	9.09	20	
Xylene (o)	0.0911	0.00100	"	0.100		91.1	80-120	8.27	20	
Surrogate: 1,4-Difluorobenzene	*0.101*		"	*0.120*		*84.1*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.232*		"	*0.120*		*193*	*80-120*			*S-GC*
Calibration Blank (P2H0510-CCB1)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.190		ug/kg							
Toluene	0.700		"							
Ethylbenzene	0.300		"							
Xylene (p/m)	0.370		"							
Xylene (o)	0.380		"							
Surrogate: 4-Bromofluorobenzene	*0.215*		"	*0.120*		*179*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0965*		"	*0.120*		*80.4*	*80-120*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0510 - * DEFAULT PREP *** **										
Calibration Blank (P2H0510-CCB2)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.170		ug/kg							
Toluene	0.720		"							
Ethylbenzene	0.380		"							
Xylene (p/m)	0.450		"							
Xylene (o)	0.260		"							
Surrogate: 4-Bromofluorobenzene	*0.190*		*"*	*0.120*		*158*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.101*		*"*	*0.120*		*84.1*	*80-120*			
Calibration Check (P2H0510-CCV1)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.112	0.00100	mg/kg	0.102		110	80-120			
Toluene	0.0978	0.00100	"	0.102		95.9	80-120			
Ethylbenzene	0.0920	0.00100	"	0.102		90.2	80-120			
Xylene (p/m)	0.193	0.00200	"	0.204		94.5	80-120			
Xylene (o)	0.0919	0.00100	"	0.102		90.1	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0964*		*"*	*0.120*		*80.3*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.176*		*"*	*0.120*		*147*	*75-125*			*S-GC*
Calibration Check (P2H0510-CCV2)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.117	0.00100	mg/kg	0.102		115	80-120			
Toluene	0.105	0.00100	"	0.102		103	80-120			
Ethylbenzene	0.101	0.00100	"	0.102		99.5	80-120			
Xylene (p/m)	0.210	0.00200	"	0.204		103	80-120			
Xylene (o)	0.100	0.00100	"	0.102		98.4	80-120			
Surrogate: 4-Bromofluorobenzene	*0.196*		*"*	*0.120*		*163*	*75-125*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.101*		*"*	*0.120*		*84.5*	*75-125*			
Calibration Check (P2H0510-CCV3)				Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.118	0.00100	mg/kg	0.102		116	80-120			
Toluene	0.105	0.00100	"	0.102		103	80-120			
Ethylbenzene	0.0994	0.00100	"	0.102		97.5	80-120			
Xylene (p/m)	0.202	0.00200	"	0.204		98.9	80-120			
Xylene (o)	0.0973	0.00100	"	0.102		95.4	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0968*		*"*	*0.120*		*80.7*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.191*		*"*	*0.120*		*159*	*75-125*			*S-GC*

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0510 - * DEFAULT PREP *** **										
Matrix Spike (P2H0510-MS1)	**Source: 2H05010-12**			Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.0650	0.00100	mg/kg dry	0.100	0.0236	41.4	80-120			QM-05
Toluene	0.163	0.00100	"	0.100	0.158	4.39	80-120			QM-05
Ethylbenzene	0.153	0.00100	"	0.100	0.170	NR	80-120			QM-05
Xylene (p/m)	0.0656	0.00200	"	0.200	0.0697	NR	80-120			QM-05
Xylene (o)	0.0342	0.00100	"	0.100	0.0300	4.17	80-120			QM-05
Surrogate: 1,4-Difluorobenzene	*0.104*		*"*	*0.120*		*86.6*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.192*		*"*	*0.120*		*160*	*80-120*			*S-GC*
Matrix Spike Dup (P2H0510-MSD1)	**Source: 2H05010-12**			Prepared: 08/05/22 Analyzed: 08/06/22						
Benzene	0.0598	0.00100	mg/kg dry	0.100	0.0236	36.2	80-120	13.3	20	QM-05
Toluene	0.155	0.00100	"	0.100	0.158	NR	80-120	NR	20	QM-05
Ethylbenzene	0.154	0.00100	"	0.100	0.170	NR	80-120	NR	20	QM-05
Xylene (p/m)	0.0661	0.00200	"	0.200	0.0697	NR	80-120	NR	20	QM-05
Xylene (o)	0.0359	0.00100	"	0.100	0.0300	5.93	80-120	34.9	20	QM-05
Surrogate: 4-Bromofluorobenzene	*0.176*		*"*	*0.120*		*147*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.100*		*"*	*0.120*		*83.7*	*80-120*			
Batch P2H0804 - * DEFAULT PREP *** **										
Blank (P2H0804-BLK1)				Prepared & Analyzed: 08/08/22						
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 4-Bromofluorobenzene	*0.226*		*"*	*0.120*		*188*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.106*		*"*	*0.120*		*88.2*	*80-120*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0804 - * DEFAULT PREP *** **										
LCS (P2H0804-BS1)				Prepared & Analyzed: 08/08/22						
Benzene	0.117	0.00100	mg/kg	0.100		117	80-120			
Toluene	0.105	0.00100	"	0.100		105	80-120			
Ethylbenzene	0.100	0.00100	"	0.100		100	80-120			
Xylene (p/m)	0.209	0.00200	"	0.200		104	80-120			
Xylene (o)	0.0980	0.00100	"	0.100		98.0	80-120			
Surrogate: 4-Bromofluorobenzene	*0.211*		"	*0.120*		*176*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.106*		"	*0.120*		*88.6*	*80-120*			
LCS Dup (P2H0804-BSD1)				Prepared & Analyzed: 08/08/22						
Benzene	0.112	0.00100	mg/kg	0.100		112	80-120	4.47	20	
Toluene	0.102	0.00100	"	0.100		102	80-120	3.42	20	
Ethylbenzene	0.0966	0.00100	"	0.100		96.6	80-120	3.83	20	
Xylene (p/m)	0.207	0.00200	"	0.200		103	80-120	0.987	20	
Xylene (o)	0.0967	0.00100	"	0.100		96.7	80-120	1.31	20	
Surrogate: 1,4-Difluorobenzene	*0.0989*		"	*0.120*		*82.4*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.195*		"	*0.120*		*163*	*80-120*			*S-GC*
Calibration Blank (P2H0804-CCB1)				Prepared & Analyzed: 08/08/22						
Benzene	0.630		ug/kg							
Toluene	0.860		"							
Ethylbenzene	0.540		"							
Xylene (p/m)	0.610		"							
Xylene (o)	0.290		"							
Surrogate: 1,4-Difluorobenzene	*0.0976*		"	*0.120*		*81.3*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.206*		"	*0.120*		*171*	*80-120*			*S-GC*
Calibration Blank (P2H0804-CCB2)				Prepared: 08/08/22 Analyzed: 08/09/22						
Benzene	0.270		ug/kg							
Toluene	0.990		"							
Ethylbenzene	0.410		"							
Xylene (p/m)	0.480		"							
Xylene (o)	0.420		"							
Surrogate: 4-Bromofluorobenzene	*0.240*		"	*0.120*		*200*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0993*		"	*0.120*		*82.8*	*80-120*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0804 - * DEFAULT PREP *** **										
Calibration Check (P2H0804-CCV1)				Prepared & Analyzed: 08/08/22						
Benzene	0.117	0.00100	mg/kg	0.102		115	80-120			
Toluene	0.105	0.00100	"	0.102		103	80-120			
Ethylbenzene	0.101	0.00100	"	0.102		99.3	80-120			
Xylene (p/m)	0.208	0.00200	"	0.204		102	80-120			
Xylene (o)	0.0968	0.00100	"	0.102		94.9	80-120			
Surrogate: 1,4-Difluorobenzene	*0.120*		"	*0.120*		*100*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.197*		"	*0.120*		*164*	*75-125*			*S-GC*
Calibration Check (P2H0804-CCV2)				Prepared: 08/08/22 Analyzed: 08/09/22						
Benzene	0.120	0.00100	mg/kg	0.102		117	80-120			
Toluene	0.107	0.00100	"	0.102		105	80-120			
Ethylbenzene	0.105	0.00100	"	0.102		103	80-120			
Xylene (p/m)	0.219	0.00200	"	0.204		108	80-120			
Xylene (o)	0.103	0.00100	"	0.102		101	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0980*		"	*0.120*		*81.7*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.208*		"	*0.120*		*173*	*75-125*			*S-GC*
Calibration Check (P2H0804-CCV3)				Prepared: 08/08/22 Analyzed: 08/09/22						
Benzene	0.118	0.00100	mg/kg	0.102		115	80-120			
Toluene	0.105	0.00100	"	0.102		103	80-120			
Ethylbenzene	0.0988	0.00100	"	0.102		96.9	80-120			
Xylene (p/m)	0.203	0.00200	"	0.204		99.3	80-120			
Xylene (o)	0.0979	0.00100	"	0.102		96.0	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0970*		"	*0.120*		*80.9*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.208*		"	*0.120*		*173*	*75-125*			*S-GC*
Matrix Spike (P2H0804-MS1)		**Source: 2H05013-15**		Prepared: 08/08/22 Analyzed: 08/09/22						
Benzene	0.101	0.00104	mg/kg dry	0.104	ND	97.4	80-120			
Toluene	0.0879	0.00104	"	0.104	ND	84.4	80-120			
Ethylbenzene	0.0805	0.00104	"	0.104	ND	77.3	80-120			
Xylene (p/m)	0.164	0.00208	"	0.208	ND	78.9	80-120			
Xylene (o)	0.0767	0.00104	"	0.104	ND	73.6	80-120			
Surrogate: 4-Bromofluorobenzene	*0.246*		"	*0.125*		*197*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.104*		"	*0.125*		*83.4*	*80-120*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0804 - * DEFAULT PREP *** **										
Matrix Spike Dup (P2H0804-MSD1)	**Source: 2H05013-15**			Prepared: 08/08/22 Analyzed: 08/09/22						
Benzene	0.116	0.00104	mg/kg dry	0.104	ND	112	80-120	13.6	20	
Toluene	0.101	0.00104	"	0.104	ND	96.7	80-120	13.6	20	
Ethylbenzene	0.0910	0.00104	"	0.104	ND	87.3	80-120	12.2	20	
Xylene (p/m)	0.188	0.00208	"	0.208	ND	90.0	80-120	13.1	20	
Xylene (o)	0.0868	0.00104	"	0.104	ND	83.3	80-120	12.4	20	
Surrogate: 1,4-Difluorobenzene	*0.100*		*"*	*0.125*		*80.1*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.274*		*"*	*0.125*		*219*	*80-120*			*S-GC*

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0906 - * DEFAULT PREP *** **										
Blank (P2H0906-BLK1)				Prepared & Analyzed: 08/09/22						
% Moisture	ND	0.1	%							
Blank (P2H0906-BLK2)				Prepared & Analyzed: 08/09/22						
% Moisture	ND	0.1	%							
Blank (P2H0906-BLK3)				Prepared & Analyzed: 08/09/22						
% Moisture	ND	0.1	%							
Blank (P2H0906-BLK4)				Prepared & Analyzed: 08/09/22						
% Moisture	ND	0.1	%							
Duplicate (P2H0906-DUP1)		**Source: 2H05012-03**		Prepared & Analyzed: 08/09/22						
% Moisture	14.0	0.1	%		14.0			0.00	20	
Duplicate (P2H0906-DUP2)		**Source: 2H05012-13**		Prepared & Analyzed: 08/09/22						
% Moisture	21.0	0.1	%		21.0			0.00	20	
Duplicate (P2H0906-DUP3)		**Source: 2H05012-28**		Prepared & Analyzed: 08/09/22						
% Moisture	16.0	0.1	%		17.0			6.06	20	
Duplicate (P2H0906-DUP4)		**Source: 2H05012-38**		Prepared & Analyzed: 08/09/22						
% Moisture	8.0	0.1	%		8.0			0.00	20	
Duplicate (P2H0906-DUP5)		**Source: 2H05013-12**		Prepared & Analyzed: 08/09/22						
% Moisture	6.0	0.1	%		7.0			15.4	20	
Duplicate (P2H0906-DUP6)		**Source: 2H05013-22**		Prepared & Analyzed: 08/09/22						
% Moisture	4.0	0.1	%		3.0			28.6	20	R2

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0906 - * DEFAULT PREP *** **										
Duplicate (P2H0906-DUP7)		**Source: 2H08016-01**		Prepared & Analyzed: 08/09/22						
% Moisture	ND	0.1	%		ND				20	
Batch P2H1011 - * DEFAULT PREP *** **										
Blank (P2H1011-BLK1)				Prepared & Analyzed: 08/10/22						
Chloride	ND	1.00	mg/kg							
LCS (P2H1011-BS1)				Prepared & Analyzed: 08/10/22						
Chloride	39.5		mg/kg	40.0		98.7	90-110			
LCS Dup (P2H1011-BSD1)				Prepared & Analyzed: 08/10/22						
Chloride	42.1		mg/kg	40.0		105	90-110	6.48	10	
Calibration Blank (P2H1011-CCB1)				Prepared & Analyzed: 08/10/22						
Chloride	0.00		mg/kg							
Calibration Blank (P2H1011-CCB2)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	0.00		mg/kg							
Calibration Check (P2H1011-CCV1)				Prepared & Analyzed: 08/10/22						
Chloride	18.6		mg/kg	20.0		93.1	90-110			
Calibration Check (P2H1011-CCV2)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	18.3		mg/kg	20.0		91.3	90-110			
Calibration Check (P2H1011-CCV3)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	18.7		mg/kg	20.0		93.7	90-110			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1011 - * DEFAULT PREP *** **										
Matrix Spike (P2H1011-MS1)	**Source: 2H05012-34**			Prepared & Analyzed: 08/10/22						
Chloride	2200	25.3	mg/kg dry	1260	946	99.0	80-120			
Matrix Spike (P2H1011-MS2)	**Source: 2H05013-03**			Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	235	1.01	mg/kg dry	253	2.94	91.9	80-120			
Matrix Spike Dup (P2H1011-MSD1)	**Source: 2H05012-34**			Prepared & Analyzed: 08/10/22						
Chloride	2200	25.3	mg/kg dry	1260	946	99.3	80-120	0.184	20	
Matrix Spike Dup (P2H1011-MSD2)	**Source: 2H05013-03**			Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	236	1.01	mg/kg dry	253	2.94	92.5	80-120	0.578	20	
Batch P2H1012 - * DEFAULT PREP *** **										
Blank (P2H1012-BLK1)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	ND	1.00	mg/kg							
LCS (P2H1012-BS1)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	40.7		mg/kg	40.0		102	90-110			
LCS Dup (P2H1012-BSD1)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	41.9		mg/kg	40.0		105	90-110	2.87	10	
Calibration Blank (P2H1012-CCB1)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	-0.123		mg/kg							
Calibration Blank (P2H1012-CCB2)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	0.00		mg/kg							

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1012 - * DEFAULT PREP *** **										
Calibration Check (P2H1012-CCV1)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	18.7		mg/kg	20.0		93.7	90-110			
Calibration Check (P2H1012-CCV2)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	18.5		mg/kg	20.0		92.5	90-110			
Calibration Check (P2H1012-CCV3)				Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	18.5		mg/kg	20.0		92.5	90-110			
Matrix Spike (P2H1012-MS1)		**Source: 2H05013-13**		Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	309	1.00	mg/kg dry	250	79.4	91.6	80-120			
Matrix Spike (P2H1012-MS2)		**Source: 2H05013-23**		Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	505	1.00	mg/kg dry	250	242	105	80-120			
Matrix Spike Dup (P2H1012-MSD1)		**Source: 2H05013-13**		Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	306	1.00	mg/kg dry	250	79.4	90.5	80-120	0.935	20	
Matrix Spike Dup (P2H1012-MSD2)		**Source: 2H05013-23**		Prepared: 08/10/22 Analyzed: 08/11/22						
Chloride	459	1.00	mg/kg dry	250	242	87.0	80-120	9.58	20	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0908 - TX 1005										
Blank (P2H0908-BLK1)				Prepared: 08/09/22 Analyzed: 08/11/22						
C6-C12	ND	25.0	mg/kg							
>C12-C28	ND	25.0	"							
>C28-C35	ND	25.0	"							
Surrogate: 1-Chlorooctane	*108*		*"*	*100*		*108*	*70-130*			
Surrogate: o-Terphenyl	*58.6*		*"*	*50.0*		*117*	*70-130*			
LCS (P2H0908-BS1)				Prepared: 08/09/22 Analyzed: 08/11/22						
C6-C12	901	25.0	mg/kg	1000		90.1	75-125			
>C12-C28	922	25.0	"	1000		92.2	75-125			
Surrogate: 1-Chlorooctane	*106*		*"*	*100*		*106*	*70-130*			
Surrogate: o-Terphenyl	*64.9*		*"*	*50.0*		*130*	*70-130*			
LCS Dup (P2H0908-BSD1)				Prepared: 08/09/22 Analyzed: 08/11/22						
C6-C12	893	25.0	mg/kg	1000		89.3	75-125	0.901	20	
>C12-C28	944	25.0	"	1000		94.4	75-125	2.31	20	
Surrogate: 1-Chlorooctane	*109*		*"*	*100*		*109*	*70-130*			
Surrogate: o-Terphenyl	*56.2*		*"*	*50.0*		*112*	*70-130*			
Calibration Check (P2H0908-CCV1)				Prepared: 08/09/22 Analyzed: 08/11/22						
C6-C12	428	25.0	mg/kg	500		85.6	85-115			
>C12-C28	465	25.0	"	500		93.1	85-115			
Surrogate: 1-Chlorooctane	*116*		*"*	*100*		*116*	*70-130*			
Surrogate: o-Terphenyl	*54.1*		*"*	*50.0*		*108*	*70-130*			
Calibration Check (P2H0908-CCV2)				Prepared: 08/09/22 Analyzed: 08/11/22						
C6-C12	489	25.0	mg/kg	500		97.8	85-115			
>C12-C28	524	25.0	"	500		105	85-115			
Surrogate: 1-Chlorooctane	*113*		*"*	*100*		*113*	*70-130*			
Surrogate: o-Terphenyl	*60.2*		*"*	*50.0*		*120*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0908 - TX 1005										
Calibration Check (P2H0908-CCV3)				Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	512	25.0	mg/kg	500		102	85-115			
>C12-C28	548	25.0	"	500		110	85-115			
Surrogate: 1-Chlorooctane	*117*		*"*	*100*		*117*	*70-130*			
Surrogate: o-Terphenyl	*62.6*		*"*	*50.0*		*125*	*70-130*			
Matrix Spike (P2H0908-MS1)		**Source: 2H05013-11**		Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	882	25.0	mg/kg dry	1000	ND	88.2	75-125			
>C12-C28	914	25.0	"	1000	ND	91.4	75-125			
Surrogate: 1-Chlorooctane	*103*		*"*	*100*		*103*	*70-130*			
Surrogate: o-Terphenyl	*45.1*		*"*	*50.0*		*90.1*	*70-130*			
Matrix Spike Dup (P2H0908-MSD1)		**Source: 2H05013-11**		Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	886	25.0	mg/kg dry	1000	ND	88.6	75-125	0.472	20	
>C12-C28	919	25.0	"	1000	ND	91.9	75-125	0.549	20	
Surrogate: 1-Chlorooctane	*103*		*"*	*100*		*103*	*70-130*			
Surrogate: o-Terphenyl	*45.8*		*"*	*50.0*		*91.7*	*70-130*			
Batch P2H0909 - TX 1005										
Blank (P2H0909-BLK1)				Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	ND	25.0	mg/kg							
>C12-C28	ND	25.0	"							
>C28-C35	ND	25.0	"							
Surrogate: 1-Chlorooctane	*112*		*"*	*100*		*112*	*70-130*			
Surrogate: o-Terphenyl	*61.2*		*"*	*50.0*		*122*	*70-130*			
LCS (P2H0909-BS1)				Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	974	25.0	mg/kg	1000		97.4	75-125			
>C12-C28	928	25.0	"	1000		92.8	75-125			
Surrogate: 1-Chlorooctane	*110*		*"*	*100*		*110*	*70-130*			
Surrogate: o-Terphenyl	*58.8*		*"*	*50.0*		*118*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H0909 - TX 1005										
LCS Dup (P2H0909-BSD1)				Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	993	25.0	mg/kg	1000		99.3	75-125	1.98	20	
>C12-C28	944	25.0	"	1000		94.4	75-125	1.66	20	
Surrogate: 1-Chlorooctane	*114*		*"*	*100*		*114*	*70-130*			
Surrogate: o-Terphenyl	*60.4*		*"*	*50.0*		*121*	*70-130*			
Calibration Check (P2H0909-CCV1)				Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	539	25.0	mg/kg	500		108	85-115			
>C12-C28	529	25.0	"	500		106	85-115			
Surrogate: 1-Chlorooctane	*117*		*"*	*100*		*117*	*70-130*			
Surrogate: o-Terphenyl	*64.4*		*"*	*50.0*		*129*	*70-130*			
Calibration Check (P2H0909-CCV2)				Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	524	25.0	mg/kg	500		105	85-115			
>C12-C28	512	25.0	"	500		102	85-115			
Surrogate: 1-Chlorooctane	*115*		*"*	*100*		*115*	*70-130*			
Surrogate: o-Terphenyl	*61.9*		*"*	*50.0*		*124*	*70-130*			
Duplicate (P2H0909-DUP1)		**Source: 2H05015-01**		Prepared: 08/09/22 Analyzed: 08/12/22						
C6-C12	20100	2500	mg/kg wet		18600			7.64	20	
>C12-C28	142000	2500	"		146000			2.26	20	
Surrogate: 1-Chlorooctane	*1000*		*"*	*1000*		*100*	*70-130*			
Surrogate: o-Terphenyl	*560*		*"*	*500*		*112*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Notes and Definitions

S-GC1	Surrogate recovery outside of control limits. A second analysis confirmed the original results..
S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
ROI	Received on Ice
R2	The RPD exceeded the acceptance limit.
QM-05	The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
NPBEL C(	Chain of Custody was not generated at PBELAB
BULK	Samples received in Bulk soil containers may be biased low in the nC6-C12 TPH Range
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
LCS	Laboratory Control Spike
MS	Matrix Spike
Dup	Duplicate

Report Approved By: Brent Barron Date: 8/15/2022

Brent Barron, Laboratory Director/Technical Director

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

Page 123 of 481

LTB

1 of 3

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green

Company Name: TRC Environmental Corporation

Company Address: 10 Desta Drive Suite 130E

City/State/Zip: Midland,TX 79705

Telephone No: (432)520-7720 Fax No:

Sampler Signature: Matthew Green for scott Stanley

e-mail: mgreen@trccompanies.com
nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project #: 96048

Project Loc: Lea County, New Mexico

PO #:

Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)
ORDER #: 2H05013

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Preservation & # of Containers: Ice	HNO_3	HCl	H_2SO_4	NaOH	$Na_2S_2O_3$	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge GW=Groundwater S=Soil/Solid NP=Non-Potable Specify Other	Analyze For: TPH: 418.1 8015M 8015B	TPH: TX 1005 Ext TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300			RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
1	BH-1 @ 2' Section 1			8/3/2022	1200		1	X								S	X							X			X				x
2	SW-1 @ 1' Section 1			8/3/2022	1205		1	X								S	X							X			X				x
3	NW-1 @ 1' Section 1			8/3/2022	1210		1	X								S	X							X			X				x
4	WW-1 @ 1' Section 1			8/3/2022	1215		1	X								S	X							X			X				x
5	BH- 2 @ 2' Section 1			8/3/2022	1220		1	X								S	X							X			X				x
6	SW-2 @ 1' Section 1			8/3/2022	1225		1	X								S	X							X			X				x
7	NW-2 @ 1' Section 1			8/3/2022	1230		1	X								S	X							X			X				x
8	WW-2 @ 1' Section 1			8/3/2022	1235		1	X								S	X							X			X				x
9	BH-3 @ 2' Section 1			8/3/2022	1240		1	X								S	X							X			X				x
10	SW-3 @ 1' Section 1			8/3/2022	1245		1	X								S	X							X			X				x

Special Instructions:

	Date	Time		Date	Time
Relinquished by: Matthew Green	8-5-22	11:37	Received by: Lauren Mc	8-5-22	11:37
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by: Lauren Mc	8/5/22	11:48	Received by PBEL: Brianna Bledsoe	8/5/22	11:48

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt:
Received: -1.3 °C CF +1
Adjusted: -1.4 °C Factor

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 124 of 481

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green

Company Name: TRC Environmental Corporation

Company Address: 10 Desta Drive Suite 130E

City/State/Zip: Midland,TX 79705

Telephone No: (432)520-7720

Sampler Signature: Matthew Green for Scott Stanley

Fax No:

e-mail: mgreen@trccompanies.com
nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project #: 96048

Project Loc: Lea County, New Mexico

PO #:

Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)

ORDER #: 2205013

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Preservation & # of Containers: Ice	HNO3	HCl	H2SO4	NaOH	Na2S2O3	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge GW=Groundwater S=Soil/Solid NP=Non-Potable Specify Other	Analyze For: TPH: 418.1 8015M 8015B	TPH: TX 1005 Ext TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se (TCLP: / TOTAL:)	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
11	NW-3 @ 1' Section 1			8/3/2022	1250		1	X								S	X								X			X		x
12	BH-4 @ 2' Section 1			8/3/2022	1255		1	X								S	X								X			X		x
13	SW-4 @ 1' Section 1			8/3/2022	1300		1	X								S	X								X			X		x
14	NW-4 @ 1' Section 1			8/3/2022	1305		1	X								S	X								X			X		x
15	BH-5 @ 2' Section 1			8/3/2022	1310		1	X								S	X								X			X		x
16	SW-5 @ 1' Section 1			8/3/2022	1315		1	X								S	X								X			X		x
17	NW-5 @ 1' Section 1			8/3/2022	1320		1	X								S	X								X			X		x
18	BH-1 @ 2' Section 2			8/3/2022	1330		1	X								S	X								X			X		x
19	WW-1 @ 1' Section 2			8/3/2022	1335		1	X								S	X								X			X		x
20	EW-1 @ 1' Section 2			8/3/2022	1340		1	X								S	X								X			X		x

Special Instructions:

	Date	Time		Date	Time
Relinquished by: Matthew Green	8-5-22	11:37	Received by:	8-5-22	11:37
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	8/5/22	11:48	Received by PBEL:	8/5/22	11:48

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N
by Courier? UPS DHL FedEx Lone Star		

Temperature Upon Receipt:
Received: -1.3 °C CF +1
Adjusted: -0.3 °C Factor

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 125 of 481

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green

Company Name: TRC Environmental Corporation

Company Address: 10 Desta Drive Suite 130E

City/State/Zip: Midland,TX 79705

Telephone No: (432)520-7720

Fax No:

Sampler Signature: Matthew Green For Scott Stanley

e-mail: mgreen@trccompanies.com
nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project #: 96048

Project Loc: Lea County, New Mexico

PO #:

Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)

ORDER #: 2H05013

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Preservation & # of Containers: Ice	HNO_3	HCl	H_2SO_4	NaOH	$Na_2S_2O_3$	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solid NP=Non-Potable Specify Other	Analyze For: TCLP: TPH: 418.1 8015M 8015B	TPH: TX 1005 Ext TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
21	NW-1 @ 1' Section 2			8/3/2022	1345		1	X								S	X								X			X		x
22	BH-2 @ 1' Section 2			8/3/2022	1350		1	X								S	X								X			X		x
23	WW-2 @ 1' Section 2			8/3/2022	1355		1	X								S	X								X			X		x
24	EW-2 @ 1' Section 2			8/3/2022	1400		1	X								S	X								X			X		x
25	NW-2 @ 1' Section 2			8/3/2022	1405		1	X								S	X								X			X		x
26	BH-3 @ 2' Section 2			8/3/2022	1410		1	X								S	X								X			X		x
27	EW-3 @ 1' Section 2			8/3/2022	1415		1	X								S	X								X			X		x
28	BH-4 @ 2' Section 2			8/3/2022	1420		1	X								S	X								X			X		x
29	BH-5 @ 2' Section 2			8/3/2022	1425		1	X								S	X								X			X		x
30	BH-6 @ 2' Section 2			8/3/2022	1430		1	X								S	X								X			X		x

Special Instructions:

Relinquished by: Matthew Green	Date 8-5-22	Time 11:37	Received by: Kelsey Brooks	Date 8-5-22	Time 11:37
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date 8/5/22	Time 11:48	Received by PBEL: Tasha Blades	Date 8/5/22	Time 11:37

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt:
Received: -.73 °C
Adjusted: -.63 °C Factor CF+1

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

PERMIAN BASIN
ENVIRONMENTAL LAB, LP
1400 Rankin Hwy
Midland, TX 79701

PBELAB

Analytical Report

Prepared for:

Matthew Green

TRC Solutions- Midland, Texas

10 Desta Dr STE 150E

Midland, TX 79705

Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project Number: 96048

Location: Lea County, NM

Lab Order Number: 2H18007

NELAP ACCREDITED TNI LABORATORY

Current Certification

Report Date: 08/31/22

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-1 @ 1.5' Section 3	2H18007-01	Soil	08/17/22 11:13	08-18-2022 15:52
BH-2 @ 1.5' Section 3	2H18007-02	Soil	08/17/22 11:20	08-18-2022 15:52
BH-3 @ 1.5' Section 3	2H18007-03	Soil	08/17/22 11:25	08-18-2022 15:52
NW-1 @ 1' Section 3	2H18007-04	Soil	08/17/22 11:30	08-18-2022 15:52
NW-2 @ 1' Section 3	2H18007-05	Soil	08/17/22 11:35	08-18-2022 15:52
SW-1 @ 1' Section 3	2H18007-06	Soil	08/17/22 11:45	08-18-2022 15:52
SW-2 @ 1' Section 3	2H18007-07	Soil	08/17/22 11:50	08-18-2022 15:52
EW-1 @ 1' Section 3	2H18007-08	Soil	08/17/22 11:40	08-18-2022 15:52
SW-1 @ 1' Section 4	2H18007-09	Soil	08/17/22 12:00	08-18-2022 15:52
SW-2 @ 1' Section 4	2H18007-10	Soil	08/17/22 12:05	08-18-2022 15:52
SW-3 @ 1' Section 4	2H18007-11	Soil	08/17/22 12:20	08-18-2022 15:52
SW-4 @ 1' Section 4	2H18007-12	Soil	08/17/22 12:35	08-18-2022 15:52
SW-5 @ 1' Section 4	2H18007-13	Soil	08/17/22 12:40	08-18-2022 15:52
SW-6 @ 1' Section 4	2H18007-14	Soil	08/17/22 12:45	08-18-2022 15:52
SW-7 @ 1' Section 4	2H18007-15	Soil	08/17/22 12:50	08-18-2022 15:52
WW-1 @ 1' Section 4	2H18007-16	Soil	08/17/22 12:30	08-18-2022 15:52
WW-2 @ 1' Section 4	2H18007-17	Soil	08/17/22 12:25	08-18-2022 15:52
WW-3 @ 1' Section 4	2H18007-18	Soil	08/17/22 13:05	08-18-2022 15:52
WW-4 @ 1' Section 4	2H18007-19	Soil	08/17/22 12:55	08-18-2022 15:52
EW-1 @ 1' Section 4	2H18007-20	Soil	08/17/22 12:10	08-18-2022 15:52
EW-2 @ 1' Section 4	2H18007-21	Soil	08/17/22 12:15	08-18-2022 15:52
NW-1 @ 1' Section 4	2H18007-22	Soil	08/17/22 13:00	08-18-2022 15:52
NW-2 @ 1' Section 4	2H18007-23	Soil	08/17/22 13:05	08-18-2022 15:52
NW-3 @ 1' Section 4	2H18007-24	Soil	08/17/22 13:10	08-18-2022 15:52
NW-4 @ 1' Section 4	2H18007-25	Soil	08/17/22 13:15	08-18-2022 15:52
NW-5 @ 1' Section 4	2H18007-26	Soil	08/17/22 13:20	08-18-2022 15:52
NW-6 @ 1' Section 4	2H18007-27	Soil	08/17/22 13:25	08-18-2022 15:52
NW-7 @ 1' Section 4	2H18007-28	Soil	08/17/22 13:30	08-18-2022 15:52
BH-1 @ 3.5' Section 4	2H18007-29	Soil	08/17/22 13:10	08-18-2022 15:52
BH-2 @ 2' Section 4	2H18007-30	Soil	08/17/22 13:15	08-18-2022 15:52
BH-3 @ 1.5' Section 4	2H18007-31	Soil	08/17/22 13:20	08-18-2022 15:52
BH-4 @ 2' Section 4	2H18007-32	Soil	08/17/22 13:25	08-18-2022 15:52
BH-5 @ 2' Section 4	2H18007-33	Soil	08/17/22 13:30	08-18-2022 15:52
BH-6 @ 1.5' Section 4	2H18007-34	Soil	08/17/22 13:35	08-18-2022 15:52

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-7 @ 1.5' Section 4	2H18007-35	Soil	08/17/22 13:40	08-18-2022 15:52
BH-8 @ 1.5' Section 4	2H18007-36	Soil	08/17/22 13:45	08-18-2022 15:52
BH-9 @ 1.5' Section 4	2H18007-37	Soil	08/17/22 13:50	08-18-2022 15:52
BH-10 @ 1' Section 4	2H18007-38	Soil	08/17/22 13:55	08-18-2022 15:52

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-1 @ 1.5' Section 3

2H18007-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Permian Basin Environmental Lab, L.P.									
BTEX by 8021B									
Benzene	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:05	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:05	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:05	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:05	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:05	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*146 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 19:05*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*83.7 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 19:05*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**217**	1.02	mg/kg dry	1	P2H2508	08/25/22 12:44	08/26/22 02:54	EPA 300.0	
% Moisture	**2.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.5	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:06	TPH 8015M	
>C12-C28	ND	25.5	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:06	TPH 8015M	
>C28-C35	ND	25.5	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:06	TPH 8015M	
Surrogate: 1-Chlorooctane		*96.9 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 12:06*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 12:06*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.5	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 12:06	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-2 @ 1.5' Section 3

2H18007-02 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00106	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:26	EPA 8021B	
Toluene	ND	0.00106	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:26	EPA 8021B	
Ethylbenzene	ND	0.00106	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:26	EPA 8021B	
Xylene (p/m)	ND	0.00213	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:26	EPA 8021B	
Xylene (o)	ND	0.00106	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:26	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.6 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 19:26*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*144 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 19:26*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**15400**	26.6	mg/kg dry	25	P2H2508	08/25/22 12:44	08/26/22 03:07	EPA 300.0	
% Moisture	**6.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	26.6	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:29	TPH 8015M	
>C12-C28	ND	26.6	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:29	TPH 8015M	
>C28-C35	ND	26.6	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:29	TPH 8015M	
Surrogate: 1-Chlorooctane		*96.7 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 12:29*	*TPH 8015M*	
Surrogate: o-Terphenyl		*105 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 12:29*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	26.6	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 12:29	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-3 @ 1.5' Section 3

2H18007-03 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00103	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:47	EPA 8021B	
Toluene	ND	0.00103	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:47	EPA 8021B	
Ethylbenzene	ND	0.00103	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:47	EPA 8021B	
Xylene (p/m)	ND	0.00206	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:47	EPA 8021B	
Xylene (o)	ND	0.00103	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 19:47	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*144 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 19:47*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*84.6 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 19:47*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**5410**	10.3	mg/kg dry	10	P2H2509	08/25/22 12:46	08/26/22 04:27	EPA 300.0	
% Moisture	**3.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.8	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:51	TPH 8015M	
>C12-C28	ND	25.8	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:51	TPH 8015M	
>C28-C35	ND	25.8	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 12:51	TPH 8015M	
Surrogate: 1-Chlorooctane		*71.2 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 12:51*	*TPH 8015M*	
Surrogate: o-Terphenyl		*75.6 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 12:51*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.8	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 12:51	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-1 @ 1' Section 3

2H18007-04 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:08	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:08	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:08	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:08	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:08	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*84.0 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 20:08*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*140 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 20:08*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**3060**	5.05	mg/kg dry	5	P2H2509	08/25/22 12:46	08/26/22 05:07	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:13	TPH 8015M	
>C12-C28	**79.6**	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:13	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:13	TPH 8015M	
Surrogate: 1-Chlorooctane		*105 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 13:13*	*TPH 8015M*	
Surrogate: o-Terphenyl		*113 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 13:13*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**79.6**	25.3	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 13:13	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-2 @ 1' Section 3

2H18007-05 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:30	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:30	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:30	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:30	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:30	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.6 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 20:30*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*148 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 20:30*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**18600**	25.5	mg/kg dry	25	P2H2509	08/25/22 12:46	08/26/22 05:21	EPA 300.0	
% Moisture	**2.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.5	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:35	TPH 8015M	
>C12-C28	ND	25.5	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:35	TPH 8015M	
>C28-C35	ND	25.5	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:35	TPH 8015M	
Surrogate: 1-Chlorooctane		*97.1 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 13:35*	*TPH 8015M*	
Surrogate: o-Terphenyl		*106 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 13:35*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.5	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 13:35	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-1 @ 1' Section 3

2H18007-06 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:51	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:51	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:51	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:51	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 20:51	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.5 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 20:51*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*139 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 20:51*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**170**	1.01	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 05:34	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:57	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:57	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 13:57	TPH 8015M	
Surrogate: 1-Chlorooctane		*95.9 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 13:57*	*TPH 8015M*	
Surrogate: o-Terphenyl		*103 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 13:57*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 13:57	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-2 @ 1' Section 3

2H18007-07 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:12	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:12	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:12	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:12	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:12	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.8 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 21:12*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*143 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 21:12*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**359**	1.01	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 05:47	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 14:19	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 14:19	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 14:19	TPH 8015M	
Surrogate: 1-Chlorooctane		*95.0 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 14:19*	*TPH 8015M*	
Surrogate: o-Terphenyl		*102 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 14:19*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 14:19	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

EW-1 @ 1' Section 3

2H18007-08 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:33	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:33	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:33	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:33	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:33	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.1 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 21:33*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*144 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 21:33*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1760**	5.05	mg/kg dry	5	P2H2509	08/25/22 12:46	08/26/22 10:40	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 14:41	TPH 8015M	
>C12-C28	**47.2**	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 14:41	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 14:41	TPH 8015M	
Surrogate: 1-Chlorooctane		*96.6 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 14:41*	*TPH 8015M*	
Surrogate: o-Terphenyl		*103 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 14:41*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**47.2**	25.3	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 14:41	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-1 @ 1' Section 4

2H18007-09 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Permian Basin Environmental Lab, L.P.									
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:54	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:54	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:54	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:54	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 21:54	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*143 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 21:54*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.4 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 21:54*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1180**	5.00	mg/kg dry	5	P2H2509	08/25/22 12:46	08/26/22 10:54	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 15:03	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 15:03	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1909	08/19/22 13:50	08/22/22 15:03	TPH 8015M	
Surrogate: 1-Chlorooctane		*105 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 15:03*	*TPH 8015M*	
Surrogate: o-Terphenyl		*109 %*	*70-130*		*P2H1909*	*08/19/22 13:50*	*08/22/22 15:03*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 13:50	08/22/22 15:03	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-2 @ 1' Section 4

2H18007-10 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 22:15	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 22:15	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 22:15	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 22:15	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 22:15	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.2 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 22:15*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*143 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 22:15*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**47.3**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 06:27	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/22/22 23:22	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/22/22 23:22	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/22/22 23:22	TPH 8015M	
Surrogate: 1-Chlorooctane		*82.1 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/22/22 23:22*	*TPH 8015M*	
Surrogate: o-Terphenyl		*99.9 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/22/22 23:22*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/22/22 23:22	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-3 @ 1' Section 4

2H18007-11 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:18	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:18	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:18	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:18	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:18	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*145 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 23:18*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*81.4 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 23:18*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**3190**	5.00	mg/kg dry	5	P2H2509	08/25/22 12:46	08/26/22 06:41	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/22/22 23:45	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/22/22 23:45	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/22/22 23:45	TPH 8015M	
Surrogate: 1-Chlorooctane		*82.8 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/22/22 23:45*	*TPH 8015M*	
Surrogate: o-Terphenyl		*106 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/22/22 23:45*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/22/22 23:45	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-4 @ 1' Section 4

2H18007-12 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Permian Basin Environmental Lab, L.P.									
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:39	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:39	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:39	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:39	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/19/22 23:39	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.4 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 23:39*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*149 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/19/22 23:39*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**830**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 06:54	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:08	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:08	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:08	TPH 8015M	
Surrogate: 1-Chlorooctane		*83.0 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 00:08*	*TPH 8015M*	
Surrogate: o-Terphenyl		*103 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 00:08*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 00:08	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-5 @ 1' Section 4

2H18007-13 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:00	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:00	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:00	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:00	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:00	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.2 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 00:00*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*151 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 00:00*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**923**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 07:34	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:31	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:31	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:31	TPH 8015M	
Surrogate: 1-Chlorooctane		*82.1 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 00:31*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 00:31*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 00:31	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-6 @ 1' Section 4

2H18007-14 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:21	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:21	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:21	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:21	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:21	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.2 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 00:21*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*147 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 00:21*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**553**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 08:14	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:54	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:54	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 00:54	TPH 8015M	
Surrogate: 1-Chlorooctane		*81.8 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 00:54*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 00:54*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 00:54	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

SW-7 @ 1' Section 4

2H18007-15 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:42	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:42	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:42	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:42	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 00:42	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.3 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 00:42*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*144 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 00:42*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**612**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 08:27	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 01:18	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 01:18	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 01:18	TPH 8015M	
Surrogate: 1-Chlorooctane		*81.8 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 01:18*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 01:18*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 01:18	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-1 @ 1' Section 4

2H18007-16 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:03	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:03	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:03	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:03	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:03	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*148 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 01:03*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.1 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 01:03*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**72.9**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 08:41	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 01:41	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 01:41	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 01:41	TPH 8015M	
Surrogate: 1-Chlorooctane		*81.2 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 01:41*	*TPH 8015M*	
Surrogate: o-Terphenyl		*102 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 01:41*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 01:41	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-2 @ 1' Section 4

2H18007-17 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:25	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:25	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:25	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:25	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:25	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*149 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 01:25*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.4 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 01:25*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**20.0**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 08:54	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:04	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:04	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:04	TPH 8015M	
Surrogate: 1-Chlorooctane		*80.7 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 02:04*	*TPH 8015M*	
Surrogate: o-Terphenyl		*95.5 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 02:04*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 02:04	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-3 @ 1' Section 4

2H18007-18 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:46	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:46	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:46	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:46	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 01:46	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*149 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 01:46*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.7 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 01:46*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**470**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 09:07	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:27	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:27	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:27	TPH 8015M	
Surrogate: 1-Chlorooctane		*79.2 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 02:27*	*TPH 8015M*	
Surrogate: o-Terphenyl		*101 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 02:27*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 02:27	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

WW-4 @ 1' Section 4

2H18007-19 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:07	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:07	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:07	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:07	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:07	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*154 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 02:07*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*81.7 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 02:07*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**30.2**	1.00	mg/kg dry	1	P2H2509	08/25/22 12:46	08/26/22 09:21	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:50	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:50	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 02:50	TPH 8015M	
Surrogate: 1-Chlorooctane		*83.4 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 02:50*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 02:50*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 02:50	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

EW-1 @ 1' Section 4

2H18007-20 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:28	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:28	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:28	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:28	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1913	08/19/22 14:25	08/20/22 02:28	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*153 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 02:28*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*81.3 %*	*80-120*		*P2H1913*	*08/19/22 14:25*	*08/20/22 02:28*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**5380**	10.0	mg/kg dry	10	P2H2509	08/25/22 12:46	08/26/22 09:34	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:00	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:00	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:00	TPH 8015M	
Surrogate: 1-Chlorooctane		*83.0 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 04:00*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 04:00*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 04:00	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

EW-2 @ 1' Section 4

2H18007-21 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:17	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:17	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:17	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:17	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:17	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*82.6 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 05:17*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*152 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 05:17*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**2130**	5.00	mg/kg dry	5	P2H2509	08/25/22 12:46	08/26/22 09:47	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:22	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:22	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:22	TPH 8015M	
Surrogate: 1-Chlorooctane		*81.9 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 04:22*	*TPH 8015M*	
Surrogate: o-Terphenyl		*103 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 04:22*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 04:22	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-1 @ 1' Section 4

2H18007-22 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:39	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:39	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:39	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:39	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 05:39	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*154 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 05:39*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*82.6 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 05:39*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1480**	5.05	mg/kg dry	5	P2H2509	08/25/22 12:46	08/26/22 11:20	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:46	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:46	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 04:46	TPH 8015M	
Surrogate: 1-Chlorooctane		*82.3 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 04:46*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 04:46*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 04:46	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-2 @ 1' Section 4

2H18007-23 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:00	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:00	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:00	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:00	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:00	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.6 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 06:00*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*151 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 06:00*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**156**	1.01	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 12:40	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:09	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:09	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:09	TPH 8015M	
Surrogate: 1-Chlorooctane		*77.4 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 05:09*	*TPH 8015M*	
Surrogate: o-Terphenyl		*101 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 05:09*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 05:09	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-3 @ 1' Section 4

2H18007-24 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:21	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:21	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:21	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:21	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:21	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.2 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 06:21*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*152 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 06:21*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**195**	1.01	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 13:20	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:31	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:31	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:31	TPH 8015M	
Surrogate: 1-Chlorooctane		*82.0 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 05:31*	*TPH 8015M*	
Surrogate: o-Terphenyl		*101 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 05:31*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 05:31	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-4 @ 1' Section 4

2H18007-25 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:42	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:42	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:42	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:42	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 06:42	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.7 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 06:42*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*149 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 06:42*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**39.4**	1.00	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 13:33	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:55	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:55	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 05:55	TPH 8015M	
Surrogate: 1-Chlorooctane		*79.9 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 05:55*	*TPH 8015M*	
Surrogate: o-Terphenyl		*100 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 05:55*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 05:55	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-5 @ 1' Section 4

2H18007-26 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:03	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:03	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:03	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:03	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:03	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.7 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 07:03*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*151 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 07:03*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**4320**	5.05	mg/kg dry	5	P2H2606	08/26/22 11:15	08/26/22 13:47	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 06:17	TPH 8015M	
>C12-C28	**58.6**	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 06:17	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 06:17	TPH 8015M	
Surrogate: 1-Chlorooctane		*83.2 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 06:17*	*TPH 8015M*	
Surrogate: o-Terphenyl		*105 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 06:17*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**58.6**	25.3	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 06:17	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-6 @ 1' Section 4

2H18007-27 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:25	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:25	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:25	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:25	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:25	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.1 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 07:25*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*149 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 07:25*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**7450**	10.1	mg/kg dry	10	P2H2606	08/26/22 11:15	08/26/22 14:00	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 06:40	TPH 8015M	
>C12-C28	**83.1**	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 06:40	TPH 8015M	
>C28-C35	**28.4**	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 06:40	TPH 8015M	
Surrogate: 1-Chlorooctane		*83.4 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 06:40*	*TPH 8015M*	
Surrogate: o-Terphenyl		*107 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 06:40*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**111**	25.3	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 06:40	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

NW-7 @ 1' Section 4

2H18007-28 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:46	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:46	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:46	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:46	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 07:46	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*155 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 07:46*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.9 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 07:46*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**29.1**	1.00	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 14:13	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 07:04	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 07:04	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 07:04	TPH 8015M	
Surrogate: 1-Chlorooctane		*86.1 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 07:04*	*TPH 8015M*	
Surrogate: o-Terphenyl		*105 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 07:04*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 07:04	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-1 @ 3.5' Section 4

2H18007-29 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:07	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:07	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:07	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:07	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:07	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.5 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 08:07*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*161 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 08:07*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1170**	5.05	mg/kg dry	5	P2H2606	08/26/22 11:15	08/27/22 14:21	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 07:26	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 07:26	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H1910	08/19/22 14:00	08/23/22 07:26	TPH 8015M	
Surrogate: 1-Chlorooctane		*85.1 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 07:26*	*TPH 8015M*	
Surrogate: o-Terphenyl		*107 %*	*70-130*		*P2H1910*	*08/19/22 14:00*	*08/23/22 07:26*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/19/22 14:00	08/23/22 07:26	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-2 @ 2' Section 4

2H18007-30 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:28	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:28	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:28	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:28	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 08:28	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.9 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 08:28*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*158 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 08:28*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**2790**	5.05	mg/kg dry	5	P2H2606	08/26/22 11:15	08/26/22 14:40	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 01:32	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 01:32	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 01:32	TPH 8015M	
Surrogate: 1-Chlorooctane		*92.0 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 01:32*	*TPH 8015M*	
Surrogate: o-Terphenyl		*111 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 01:32*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 01:32	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-3 @ 1.5' Section 4

2H18007-31 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:32	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:32	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:32	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:32	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:32	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.7 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 09:32*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*156 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 09:32*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**61.0**	1.00	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 14:53	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 01:56	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 01:56	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 01:56	TPH 8015M	
Surrogate: 1-Chlorooctane		*97.0 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 01:56*	*TPH 8015M*	
Surrogate: o-Terphenyl		*104 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 01:56*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 01:56	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-4 @ 2' Section 4

2H18007-32 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:53	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:53	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:53	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:53	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 09:53	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*154 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 09:53*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.8 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 09:53*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**3370**	5.05	mg/kg dry	5	P2H2606	08/26/22 11:15	08/26/22 15:07	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 02:19	TPH 8015M	
>C12-C28	**265**	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 02:19	TPH 8015M	
>C28-C35	**50.1**	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 02:19	TPH 8015M	
Surrogate: 1-Chlorooctane		*99.2 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 02:19*	*TPH 8015M*	
Surrogate: o-Terphenyl		*114 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 02:19*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	**315**	25.3	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 02:19	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-5 @ 2' Section 4

2H18007-33 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:14	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:14	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:14	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:14	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:14	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.2 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 10:14*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*160 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 10:14*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**6120**	10.1	mg/kg dry	10	P2H2606	08/26/22 11:15	08/26/22 15:46	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 02:43	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 02:43	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 02:43	TPH 8015M	
Surrogate: 1-Chlorooctane		*88.4 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 02:43*	*TPH 8015M*	
Surrogate: o-Terphenyl		*106 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 02:43*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 02:43	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-6 @ 1.5' Section 4

2H18007-34 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:35	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:35	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:35	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:35	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:35	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*161 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 10:35*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*82.4 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 10:35*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1380**	5.00	mg/kg dry	5	P2H2606	08/26/22 11:15	08/27/22 14:35	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:07	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:07	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:07	TPH 8015M	
Surrogate: 1-Chlorooctane		*90.0 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 03:07*	*TPH 8015M*	
Surrogate: o-Terphenyl		*105 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 03:07*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 03:07	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-7 @ 1.5' Section 4

2H18007-35 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:56	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:56	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:56	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:56	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 10:56	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*81.7 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 10:56*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*157 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 10:56*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**138**	1.01	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 16:40	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:31	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:31	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:31	TPH 8015M	
Surrogate: 1-Chlorooctane		*88.6 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 03:31*	*TPH 8015M*	
Surrogate: o-Terphenyl		*102 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 03:31*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 03:31	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-8 @ 1.5' Section 4

2H18007-36 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:18	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:18	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:18	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:18	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:18	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.0 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 11:18*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*156 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 11:18*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**54.6**	1.00	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 16:54	EPA 300.0	
% Moisture	ND	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:55	TPH 8015M	
>C12-C28	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:55	TPH 8015M	
>C28-C35	ND	25.0	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 03:55	TPH 8015M	
Surrogate: 1-Chlorooctane		*86.1 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 03:55*	*TPH 8015M*	
Surrogate: o-Terphenyl		*98.7 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 03:55*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.0	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 03:55	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-9 @ 1.5' Section 4

2H18007-37 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:39	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:39	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:39	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:39	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 11:39	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		*80.6 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 11:39*	*EPA 8021B*	
Surrogate: 4-Bromofluorobenzene		*167 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 11:39*	*EPA 8021B*	*S-GC*
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**1030**	5.05	mg/kg dry	5	P2H2606	08/26/22 11:15	08/27/22 14:48	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 04:19	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 04:19	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 04:19	TPH 8015M	
Surrogate: 1-Chlorooctane		*86.6 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 04:19*	*TPH 8015M*	
Surrogate: o-Terphenyl		*101 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 04:19*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 04:19	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BH-10 @ 1' Section 4

2H18007-38 (Soil)

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BTEX by 8021B									
Benzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 12:00	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 12:00	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 12:00	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 12:00	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P2H1914	08/19/22 14:30	08/20/22 12:00	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		*163 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 12:00*	*EPA 8021B*	*S-GC*
Surrogate: 1,4-Difluorobenzene		*80.7 %*	*80-120*		*P2H1914*	*08/19/22 14:30*	*08/20/22 12:00*	*EPA 8021B*	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	**120**	1.01	mg/kg dry	1	P2H2606	08/26/22 11:15	08/26/22 17:21	EPA 300.0	
% Moisture	**1.0**	0.1	%	1	P2H2201	08/22/22 08:52	08/22/22 08:56	ASTM D2216	
Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M									
C6-C12	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 04:43	TPH 8015M	
>C12-C28	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 04:43	TPH 8015M	
>C28-C35	ND	25.3	mg/kg dry	1	P2H2207	08/22/22 15:43	08/26/22 04:43	TPH 8015M	
Surrogate: 1-Chlorooctane		*86.2 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 04:43*	*TPH 8015M*	
Surrogate: o-Terphenyl		*98.6 %*	*70-130*		*P2H2207*	*08/22/22 15:43*	*08/26/22 04:43*	*TPH 8015M*	
Total Petroleum Hydrocarbon C6-C35	ND	25.3	mg/kg dry	1	[CALC]	08/22/22 15:43	08/26/22 04:43	calc	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1913 - * DEFAULT PREP *** **										
Blank (P2H1913-BLK1)				Prepared & Analyzed: 08/19/22						
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 1,4-Difluorobenzene	*0.0975*		*"*	*0.120*		*81.3*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.159*		*"*	*0.120*		*132*	*80-120*			*S-GC*
LCS (P2H1913-BS1)				Prepared & Analyzed: 08/19/22						
Benzene	0.120	0.00100	mg/kg	0.100		120	80-120			
Toluene	0.113	0.00100	"	0.100		113	80-120			
Ethylbenzene	0.117	0.00100	"	0.100		117	80-120			
Xylene (p/m)	0.221	0.00200	"	0.200		110	80-120			
Xylene (o)	0.114	0.00100	"	0.100		114	80-120			
Surrogate: 4-Bromofluorobenzene	*0.172*		*"*	*0.120*		*143*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0999*		*"*	*0.120*		*83.2*	*80-120*			
LCS Dup (P2H1913-BSD1)				Prepared & Analyzed: 08/19/22						
Benzene	0.112	0.00100	mg/kg	0.100		112	80-120	6.74	20	
Toluene	0.105	0.00100	"	0.100		105	80-120	6.99	20	
Ethylbenzene	0.116	0.00100	"	0.100		116	80-120	0.968	20	
Xylene (p/m)	0.219	0.00200	"	0.200		109	80-120	1.01	20	
Xylene (o)	0.105	0.00100	"	0.100		105	80-120	7.74	20	
Surrogate: 1,4-Difluorobenzene	*0.0964*		*"*	*0.120*		*80.3*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.164*		*"*	*0.120*		*137*	*80-120*			*S-GC*
Calibration Blank (P2H1913-CCB1)				Prepared & Analyzed: 08/19/22						
Benzene	0.110		ug/kg							
Toluene	0.380		"							
Ethylbenzene	0.250		"							
Xylene (p/m)	0.400		"							
Xylene (o)	0.260		"							
Surrogate: 4-Bromofluorobenzene	*0.163*		*"*	*0.120*		*136*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0982*		*"*	*0.120*		*81.8*	*80-120*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1913 - * DEFAULT PREP *** **										
Calibration Blank (P2H1913-CCB2)				Prepared & Analyzed: 08/19/22						
Benzene	0.140		ug/kg							
Toluene	0.580		"							
Ethylbenzene	0.190		"							
Xylene (p/m)	0.360		"							
Xylene (o)	0.180		"							
Surrogate: 4-Bromofluorobenzene	*0.163*		*"*	*0.120*		*136*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0960*		*"*	*0.120*		*80.0*	*80-120*			
Calibration Check (P2H1913-CCV1)				Prepared & Analyzed: 08/19/22						
Benzene	0.109	0.00100	mg/kg	0.102		107	80-120			
Toluene	0.100	0.00100	"	0.102		98.3	80-120			
Ethylbenzene	0.102	0.00100	"	0.102		100	80-120			
Xylene (p/m)	0.198	0.00200	"	0.204		96.8	80-120			
Xylene (o)	0.101	0.00100	"	0.102		99.4	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0996*		*"*	*0.120*		*83.0*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.169*		*"*	*0.120*		*141*	*75-125*			*S-GC*
Calibration Check (P2H1913-CCV2)				Prepared & Analyzed: 08/19/22						
Benzene	0.115	0.00100	mg/kg	0.102		112	80-120			
Toluene	0.105	0.00100	"	0.102		103	80-120			
Ethylbenzene	0.106	0.00100	"	0.102		104	80-120			
Xylene (p/m)	0.215	0.00200	"	0.204		105	80-120			
Xylene (o)	0.105	0.00100	"	0.102		103	80-120			
Surrogate: 4-Bromofluorobenzene	*0.168*		*"*	*0.120*		*140*	*75-125*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0967*		*"*	*0.120*		*80.6*	*75-125*			
Calibration Check (P2H1913-CCV3)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.117	0.00100	mg/kg	0.102		114	80-120			
Toluene	0.106	0.00100	"	0.102		104	80-120			
Ethylbenzene	0.106	0.00100	"	0.102		104	80-120			
Xylene (p/m)	0.209	0.00200	"	0.204		102	80-120			
Xylene (o)	0.105	0.00100	"	0.102		103	80-120			
Surrogate: 4-Bromofluorobenzene	*0.175*		*"*	*0.120*		*146*	*75-125*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0970*		*"*	*0.120*		*80.8*	*75-125*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1913 - * DEFAULT PREP *** **										
Matrix Spike (P2H1913-MS1)	**Source: 2H18007-01**			Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.0947	0.00102	mg/kg dry	0.102	ND	92.8	80-120			
Toluene	0.0821	0.00102	"	0.102	ND	80.5	80-120			
Ethylbenzene	0.0890	0.00102	"	0.102	ND	87.2	80-120			
Xylene (p/m)	0.168	0.00204	"	0.204	ND	82.2	80-120			
Xylene (o)	0.0788	0.00102	"	0.102	ND	77.2	80-120			
Surrogate: 4-Bromofluorobenzene	*0.187*		"	*0.122*		*152*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0986*		"	*0.122*		*80.5*	*80-120*			
Matrix Spike Dup (P2H1913-MSD1)	**Source: 2H18007-01**			Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.0961	0.00102	mg/kg dry	0.102	ND	94.1	80-120	1.39	20	
Toluene	0.0825	0.00102	"	0.102	ND	80.8	80-120	0.434	20	
Ethylbenzene	0.0896	0.00102	"	0.102	ND	87.8	80-120	0.629	20	
Xylene (p/m)	0.168	0.00204	"	0.204	ND	82.3	80-120	0.0790	20	
Xylene (o)	0.0783	0.00102	"	0.102	ND	76.8	80-120	0.571	20	
Surrogate: 1,4-Difluorobenzene	*0.0982*		"	*0.122*		*80.2*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.188*		"	*0.122*		*154*	*80-120*			*S-GC*
Batch P2H1914 - * DEFAULT PREP *** **										
Blank (P2H1914-BLK1)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 1,4-Difluorobenzene	*0.0965*		"	*0.120*		*80.4*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.160*		"	*0.120*		*133*	*80-120*			*S-GC*

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1914 - * DEFAULT PREP *** **										
LCS (P2H1914-BS1)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.112	0.00100	mg/kg	0.100		112	80-120			
Toluene	0.0998	0.00100	"	0.100		99.8	80-120			
Ethylbenzene	0.110	0.00100	"	0.100		110	80-120			
Xylene (p/m)	0.198	0.00200	"	0.200		99.0	80-120			
Xylene (o)	0.0965	0.00100	"	0.100		96.5	80-120			
Surrogate: 4-Bromofluorobenzene	*0.178*		"	*0.120*		*149*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0997*		"	*0.120*		*83.1*	*80-120*			
LCS Dup (P2H1914-BSD1)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.102	0.00100	mg/kg	0.100		102	80-120	9.59	20	
Toluene	0.0897	0.00100	"	0.100		89.7	80-120	10.7	20	
Ethylbenzene	0.0992	0.00100	"	0.100		99.2	80-120	10.6	20	
Xylene (p/m)	0.183	0.00200	"	0.200		91.6	80-120	7.71	20	
Xylene (o)	0.0875	0.00100	"	0.100		87.5	80-120	9.76	20	
Surrogate: 1,4-Difluorobenzene	*0.0998*		"	*0.120*		*83.2*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.171*		"	*0.120*		*142*	*80-120*			*S-GC*
Calibration Blank (P2H1914-CCB1)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.220		ug/kg							
Toluene	0.490		"							
Ethylbenzene	0.250		"							
Xylene (p/m)	0.400		"							
Xylene (o)	0.210		"							
Surrogate: 4-Bromofluorobenzene	*0.166*		"	*0.120*		*138*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.0975*		"	*0.120*		*81.2*	*80-120*			
Calibration Blank (P2H1914-CCB2)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.120		ug/kg							
Toluene	0.480		"							
Ethylbenzene	0.290		"							
Xylene (p/m)	0.440		"							
Xylene (o)	0.250		"							
Surrogate: 1,4-Difluorobenzene	*0.0979*		"	*0.120*		*81.6*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.173*		"	*0.120*		*145*	*80-120*			*S-GC*

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1914 - * DEFAULT PREP *** **										
Calibration Check (P2H1914-CCV1)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.117	0.00100	mg/kg	0.102		114	80-120			
Toluene	0.106	0.00100	"	0.102		104	80-120			
Ethylbenzene	0.106	0.00100	"	0.102		104	80-120			
Xylene (p/m)	0.209	0.00200	"	0.204		102	80-120			
Xylene (o)	0.105	0.00100	"	0.102		103	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0970*		"	*0.120*		*80.8*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.175*		"	*0.120*		*146*	*75-125*			*S-GC*
Calibration Check (P2H1914-CCV2)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.120	0.00100	mg/kg	0.102		117	80-120			
Toluene	0.108	0.00100	"	0.102		106	80-120			
Ethylbenzene	0.108	0.00100	"	0.102		106	80-120			
Xylene (p/m)	0.217	0.00200	"	0.204		107	80-120			
Xylene (o)	0.106	0.00100	"	0.102		104	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0968*		"	*0.120*		*80.6*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.180*		"	*0.120*		*150*	*75-125*			*S-GC*
Calibration Check (P2H1914-CCV3)				Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.119	0.00100	mg/kg	0.102		116	80-120			
Toluene	0.108	0.00100	"	0.102		106	80-120			
Ethylbenzene	0.115	0.00100	"	0.102		112	80-120			
Xylene (p/m)	0.214	0.00200	"	0.204		105	80-120			
Xylene (o)	0.106	0.00100	"	0.102		104	80-120			
Surrogate: 1,4-Difluorobenzene	*0.0996*		"	*0.120*		*83.0*	*75-125*			
Surrogate: 4-Bromofluorobenzene	*0.201*		"	*0.120*		*168*	*75-125*			*S-GC*
Matrix Spike (P2H1914-MS1)		**Source: 2H18007-21**		Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.0882	0.00100	mg/kg dry	0.100	ND	88.2	80-120			
Toluene	0.0870	0.00100	"	0.100	ND	87.0	80-120			
Ethylbenzene	0.0695	0.00100	"	0.100	ND	69.5	80-120			QM-05
Xylene (p/m)	0.126	0.00200	"	0.200	ND	62.8	80-120			QM-05
Xylene (o)	0.0714	0.00100	"	0.100	ND	71.4	80-120			QM-05
Surrogate: 4-Bromofluorobenzene	*0.213*		"	*0.120*		*178*	*80-120*			*S-GC*
Surrogate: 1,4-Difluorobenzene	*0.101*		"	*0.120*		*84.0*	*80-120*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

BTEX by 8021B - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1914 - * DEFAULT PREP *** **										
Matrix Spike Dup (P2H1914-MSD1)	**Source: 2H18007-21**			Prepared: 08/19/22 Analyzed: 08/20/22						
Benzene	0.0908	0.00100	mg/kg dry	0.100	ND	90.8	80-120	2.96	20	
Toluene	0.0924	0.00100	"	0.100	ND	92.4	80-120	6.04	20	
Ethylbenzene	0.0798	0.00100	"	0.100	ND	79.8	80-120	13.7	20	QM-05
Xylene (p/m)	0.147	0.00200	"	0.200	ND	73.6	80-120	15.7	20	QM-05
Xylene (o)	0.0851	0.00100	"	0.100	ND	85.1	80-120	17.5	20	
Surrogate: 1,4-Difluorobenzene	*0.0992*		*"*	*0.120*		*82.6*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*0.202*		*"*	*0.120*		*169*	*80-120*			*S-GC*

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2201 - * DEFAULT PREP *** **										
Blank (P2H2201-BLK1)				Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%							
Blank (P2H2201-BLK2)				Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%							
Blank (P2H2201-BLK3)				Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%							
Blank (P2H2201-BLK4)				Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%							
Duplicate (P2H2201-DUP1)		**Source: 2H18007-10**		Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%		ND				20	
Duplicate (P2H2201-DUP2)		**Source: 2H18007-20**		Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%		ND				20	
Duplicate (P2H2201-DUP3)		**Source: 2H18007-35**		Prepared & Analyzed: 08/22/22						
% Moisture	1.0	0.1	%		1.0			0.00	20	
Duplicate (P2H2201-DUP4)		**Source: 2H19004-04**		Prepared & Analyzed: 08/22/22						
% Moisture	1.0	0.1	%		1.0			0.00	20	
Duplicate (P2H2201-DUP5)		**Source: 2H19006-09**		Prepared & Analyzed: 08/22/22						
% Moisture	11.0	0.1	%		12.0			8.70	20	
Duplicate (P2H2201-DUP6)		**Source: 2H19007-05**		Prepared & Analyzed: 08/22/22						
% Moisture	1.0	0.1	%		2.0			66.7	20	R3

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2201 - * DEFAULT PREP *** **										
Duplicate (P2H2201-DUP7)		**Source: 2H19007-12**		Prepared & Analyzed: 08/22/22						
% Moisture	ND	0.1	%		ND				20	
Batch P2H2508 - * DEFAULT PREP *** **										
Blank (P2H2508-BLK1)				Prepared & Analyzed: 08/25/22						
Chloride	ND	1.00	mg/kg							
LCS (P2H2508-BS1)				Prepared & Analyzed: 08/25/22						
Chloride	39.6		mg/kg	40.0		98.9	90-110			
LCS Dup (P2H2508-BSD1)				Prepared & Analyzed: 08/25/22						
Chloride	40.6		mg/kg	40.0		101	90-110	2.54	10	
Calibration Blank (P2H2508-CCB1)				Prepared & Analyzed: 08/25/22						
Chloride	-0.114		mg/kg							
Calibration Blank (P2H2508-CCB2)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	-0.0280		mg/kg							
Calibration Check (P2H2508-CCV1)				Prepared & Analyzed: 08/25/22						
Chloride	19.9		mg/kg	20.0		99.3	90-110			
Calibration Check (P2H2508-CCV2)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	19.5		mg/kg	20.0		97.7	90-110			
Calibration Check (P2H2508-CCV3)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	20.6		mg/kg	20.0		103	90-110			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2508 - * DEFAULT PREP *** **										
Matrix Spike (P2H2508-MS1)	**Source: 2H18005-21**			Prepared & Analyzed: 08/25/22						
Chloride	9060	28.7	mg/kg dry	1440	7500	108	80-120			
Matrix Spike (P2H2508-MS2)	**Source: 2H18003-20**			Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	22200	56.2	mg/kg dry	2810	19200	107	80-120			
Matrix Spike Dup (P2H2508-MSD1)	**Source: 2H18005-21**			Prepared & Analyzed: 08/25/22						
Chloride	9040	28.7	mg/kg dry	1440	7500	107	80-120	0.165	20	
Matrix Spike Dup (P2H2508-MSD2)	**Source: 2H18003-20**			Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	22600	56.2	mg/kg dry	2810	19200	122	80-120	1.84	20	QM-05
Batch P2H2509 - * DEFAULT PREP *** **										
Blank (P2H2509-BLK1)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	ND	1.00	mg/kg							
LCS (P2H2509-BS1)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	40.8		mg/kg	40.0		102	90-110			
LCS Dup (P2H2509-BSD1)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	41.1		mg/kg	40.0		103	90-110	0.696	10	
Calibration Blank (P2H2509-CCB1)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	0.0930		mg/kg							
Calibration Blank (P2H2509-CCB2)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	0.247		mg/kg							

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2509 - * DEFAULT PREP *** **										
Calibration Check (P2H2509-CCV1)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	20.6		mg/kg	20.0		103	90-110			
Calibration Check (P2H2509-CCV2)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	21.3		mg/kg	20.0		106	90-110			
Calibration Check (P2H2509-CCV3)				Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	19.8		mg/kg	20.0		99.2	90-110			
Matrix Spike (P2H2509-MS1)		**Source: 2H18007-03**		Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	5870	10.3	mg/kg dry	515	5410	88.9	80-120			
Matrix Spike (P2H2509-MS2)		**Source: 2H18007-13**		Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	1300	1.00	mg/kg dry	250	923	150	80-120			QM-05
Matrix Spike Dup (P2H2509-MSD1)		**Source: 2H18007-03**		Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	5720	10.3	mg/kg dry	515	5410	59.3	80-120	2.63	20	QM-05
Matrix Spike Dup (P2H2509-MSD2)		**Source: 2H18007-13**		Prepared: 08/25/22 Analyzed: 08/26/22						
Chloride	1250	1.00	mg/kg dry	250	923	129	80-120	4.10	20	QM-05
Batch P2H2606 - * DEFAULT PREP *** **										
Blank (P2H2606-BLK1)				Prepared & Analyzed: 08/26/22						
Chloride	ND	1.00	mg/kg							
LCS (P2H2606-BS1)				Prepared & Analyzed: 08/26/22						
Chloride	40.1		mg/kg	40.0		100	90-110			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2606 - * DEFAULT PREP *** **										
LCS Dup (P2H2606-BSD1)				Prepared & Analyzed: 08/26/22						
Chloride	39.6		mg/kg	40.0		99.0	90-110	1.31	10	
Calibration Blank (P2H2606-CCB1)				Prepared & Analyzed: 08/26/22						
Chloride	-0.124		mg/kg							
Calibration Blank (P2H2606-CCB2)				Prepared & Analyzed: 08/26/22						
Chloride	0.00		mg/kg							
Calibration Check (P2H2606-CCV1)				Prepared & Analyzed: 08/26/22						
Chloride	19.5		mg/kg	20.0		97.7	90-110			
Calibration Check (P2H2606-CCV2)				Prepared & Analyzed: 08/26/22						
Chloride	20.2		mg/kg	20.0		101	90-110			
Calibration Check (P2H2606-CCV3)				Prepared & Analyzed: 08/26/22						
Chloride	21.3		mg/kg	20.0		106	90-110			
Matrix Spike (P2H2606-MS1)		**Source: 2H18007-23**		Prepared & Analyzed: 08/26/22						
Chloride	365	1.01	mg/kg dry	253	156	83.0	80-120			
Matrix Spike (P2H2606-MS2)		**Source: 2H18007-33**		Prepared & Analyzed: 08/26/22						
Chloride	6600	10.1	mg/kg dry	505	6120	93.8	80-120			
Matrix Spike Dup (P2H2606-MSD1)		**Source: 2H18007-23**		Prepared & Analyzed: 08/26/22						
Chloride	367	1.01	mg/kg dry	253	156	83.6	80-120	0.422	20	
Matrix Spike Dup (P2H2606-MSD2)		**Source: 2H18007-33**		Prepared & Analyzed: 08/26/22						
Chloride	6540	10.1	mg/kg dry	505	6120	83.2	80-120	0.813	20	

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1909 - TX 1005										
Blank (P2H1909-BLK1)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	ND	25.0	mg/kg							
>C12-C28	ND	25.0	"							
>C28-C35	ND	25.0	"							
Surrogate: 1-Chlorooctane	*107*		*"*	*100*		*107*	*70-130*			
Surrogate: o-Terphenyl	*57.3*		*"*	*50.0*		*115*	*70-130*			
LCS (P2H1909-BS1)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	977	25.0	mg/kg	1000		97.7	75-125			
>C12-C28	919	25.0	"	1000		91.9	75-125			
Surrogate: 1-Chlorooctane	*105*		*"*	*100*		*105*	*70-130*			
Surrogate: o-Terphenyl	*55.2*		*"*	*50.0*		*110*	*70-130*			
LCS Dup (P2H1909-BSD1)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	991	25.0	mg/kg	1000		99.1	75-125	1.39	20	
>C12-C28	925	25.0	"	1000		92.5	75-125	0.681	20	
Surrogate: 1-Chlorooctane	*109*		*"*	*100*		*109*	*70-130*			
Surrogate: o-Terphenyl	*61.6*		*"*	*50.0*		*123*	*70-130*			
Calibration Check (P2H1909-CCV1)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	525	25.0	mg/kg	500		105	85-115			
>C12-C28	527	25.0	"	500		105	85-115			
Surrogate: 1-Chlorooctane	*128*		*"*	*100*		*128*	*70-130*			
Surrogate: o-Terphenyl	*57.5*		*"*	*50.0*		*115*	*70-130*			
Calibration Check (P2H1909-CCV2)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	524	25.0	mg/kg	500		105	85-115			
>C12-C28	529	25.0	"	500		106	85-115			
Surrogate: 1-Chlorooctane	*126*		*"*	*100*		*126*	*70-130*			
Surrogate: o-Terphenyl	*58.1*		*"*	*50.0*		*116*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1909 - TX 1005										
Calibration Check (P2H1909-CCV3)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	520	25.0	mg/kg	500		104	85-115			
>C12-C28	520	25.0	"	500		104	85-115			
Surrogate: 1-Chlorooctane	*129*		*"*	*100*		*129*	*70-130*			
Surrogate: o-Terphenyl	*57.9*		*"*	*50.0*		*116*	*70-130*			
Duplicate (P2H1909-DUP1)	**Source: 2H18005-25**			Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	125	144	mg/kg dry		126			0.643	20	
>C12-C28	12600	144	"		12000			4.48	20	
Surrogate: 1-Chlorooctane	*105*		*"*	*115*		*91.6*	*70-130*			
Surrogate: o-Terphenyl	*62.2*		*"*	*57.5*		*108*	*70-130*			
Batch P2H1910 - TX 1005										
LCS (P2H1910-BS1)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	757	25.0	mg/kg	1000		75.7	75-125			
>C12-C28	937	25.0	"	1000		93.7	75-125			
Surrogate: 1-Chlorooctane	*94.0*		*"*	*100*		*94.0*	*70-130*			
Surrogate: o-Terphenyl	*57.2*		*"*	*50.0*		*114*	*70-130*			
LCS Dup (P2H1910-BSD1)				Prepared: 08/19/22 Analyzed: 08/22/22						
C6-C12	759	25.0	mg/kg	1000		75.9	75-125	0.232	20	
>C12-C28	949	25.0	"	1000		94.9	75-125	1.27	20	
Surrogate: 1-Chlorooctane	*99.3*		*"*	*100*		*99.3*	*70-130*			
Surrogate: o-Terphenyl	*58.8*		*"*	*50.0*		*118*	*70-130*			
Calibration Check (P2H1910-CCV1)				Prepared: 08/19/22 Analyzed: 08/23/22						
C6-C12	437	25.0	mg/kg	500		87.3	85-115			
>C12-C28	507	25.0	"	500		101	85-115			
Surrogate: 1-Chlorooctane	*107*		*"*	*100*		*107*	*70-130*			
Surrogate: o-Terphenyl	*56.7*		*"*	*50.0*		*113*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H1910 - TX 1005										
Calibration Check (P2H1910-CCV2)				Prepared: 08/19/22 Analyzed: 08/23/22						
C6-C12	435	25.0	mg/kg	500		87.1	85-115			
>C12-C28	519	25.0	"	500		104	85-115			
Surrogate: 1-Chlorooctane	*110*		*"*	*100*		*110*	*70-130*			
Surrogate: o-Terphenyl	*58.1*		*"*	*50.0*		*116*	*70-130*			
Calibration Check (P2H1910-CCV3)				Prepared: 08/19/22 Analyzed: 08/23/22						
C6-C12	433	25.0	mg/kg	500		86.6	85-115			
>C12-C28	514	25.0	"	500		103	85-115			
Surrogate: 1-Chlorooctane	*108*		*"*	*100*		*108*	*70-130*			
Surrogate: o-Terphenyl	*56.9*		*"*	*50.0*		*114*	*70-130*			
Matrix Spike (P2H1910-MS1)		**Source: 2H18007-29**		Prepared: 08/19/22 Analyzed: 08/23/22						
C6-C12	654	25.3	mg/kg dry	1010	ND	64.7	75-125			QM-05
>C12-C28	860	25.3	"	1010	11.3	84.0	75-125			
Surrogate: 1-Chlorooctane	*106*		*"*	*101*		*105*	*70-130*			
Surrogate: o-Terphenyl	*44.8*		*"*	*50.5*		*88.8*	*70-130*			
Matrix Spike Dup (P2H1910-MSD1)		**Source: 2H18007-29**		Prepared: 08/19/22 Analyzed: 08/23/22						
C6-C12	686	25.3	mg/kg dry	1010	ND	67.9	75-125	4.79	20	QM-05
>C12-C28	869	25.3	"	1010	11.3	84.9	75-125	1.11	20	
Surrogate: 1-Chlorooctane	*76.4*		*"*	*101*		*75.6*	*70-130*			
Surrogate: o-Terphenyl	*45.0*		*"*	*50.5*		*89.2*	*70-130*			
Batch P2H2207 - TX 1005										
Blank (P2H2207-BLK1)				Prepared: 08/22/22 Analyzed: 08/26/22						
C6-C12	ND	25.0	mg/kg							
>C12-C28	ND	25.0	"							
>C28-C35	ND	25.0	"							
Surrogate: 1-Chlorooctane	*101*		*"*	*100*		*101*	*70-130*			
Surrogate: o-Terphenyl	*59.9*		*"*	*50.0*		*120*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2207 - TX 1005										
LCS (P2H2207-BS1)				Prepared: 08/22/22 Analyzed: 08/25/22						
C6-C12	903	25.0	mg/kg	1000		90.3	75-125			
>C12-C28	953	25.0	"	1000		95.3	75-125			
Surrogate: 1-Chlorooctane	*106*		"	*100*		*106*	*70-130*			
Surrogate: o-Terphenyl	*59.4*		"	*50.0*		*119*	*70-130*			
LCS Dup (P2H2207-BSD1)				Prepared: 08/22/22 Analyzed: 08/25/22						
C6-C12	904	25.0	mg/kg	1000		90.4	75-125	0.108	20	
>C12-C28	956	25.0	"	1000		95.6	75-125	0.370	20	
Surrogate: 1-Chlorooctane	*108*		"	*100*		*108*	*70-130*			
Surrogate: o-Terphenyl	*60.5*		"	*50.0*		*121*	*70-130*			
Calibration Check (P2H2207-CCV1)				Prepared: 08/22/22 Analyzed: 08/25/22						
C6-C12	448	25.0	mg/kg	500		89.5	85-115			
>C12-C28	502	25.0	"	500		100	85-115			
Surrogate: 1-Chlorooctane	*117*		"	*100*		*117*	*70-130*			
Surrogate: o-Terphenyl	*59.8*		"	*50.0*		*120*	*70-130*			
Calibration Check (P2H2207-CCV2)				Prepared: 08/22/22 Analyzed: 08/26/22						
C6-C12	434	25.0	mg/kg	500		86.8	85-115			
>C12-C28	493	25.0	"	500		98.5	85-115			
Surrogate: 1-Chlorooctane	*115*		"	*100*		*115*	*70-130*			
Surrogate: o-Terphenyl	*59.7*		"	*50.0*		*119*	*70-130*			
Calibration Check (P2H2207-CCV3)				Prepared: 08/22/22 Analyzed: 08/26/22						
C6-C12	439	25.0	mg/kg	500		87.8	85-115			
>C12-C28	488	25.0	"	500		97.7	85-115			
Surrogate: 1-Chlorooctane	*115*		"	*100*		*115*	*70-130*			
Surrogate: o-Terphenyl	*58.4*		"	*50.0*		*117*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P2H2207 - TX 1005										
Duplicate (P2H2207-DUP1)	**Source: 2H17008-01**			Prepared: 08/22/22 Analyzed: 08/26/22						
C6-C12	1370	515	mg/kg dry		1410			2.90	20	
>C12-C28	15200	515	"		16100			5.68	20	
Surrogate: 1-Chlorooctane	*93.8*		*"*	*103*		*91.0*	*70-130*			
Surrogate: o-Terphenyl	*57.9*		*"*	*51.5*		*112*	*70-130*			

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

Notes and Definitions

S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
ROI	Received on Ice
R3	The RPD exceeded the acceptance limit due to sample matrix effects.
QM-05	The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
NPBEL C(	Chain of Custody was not generated at PBELAB
BULK	Samples received in Bulk soil containers may be biased low in the nC6-C12 TPH Range
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
LCS	Laboratory Control Spike
MS	Matrix Spike
Dup	Duplicate

Report Approved By: Brent Barron Date: 8/31/2022

Brent Barron, Laboratory Director/Technical Director

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

TRC Solutions- Midland, Texas	Project: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
10 Desta Dr STE 150E	Project Number: 96048
Midland TX, 79705	Project Manager: Matthew Green

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green

Company Name: TRC Environmental Corporation

Company Address: 10 Desta Drive Suite 130E

City/State/Zip: Midland,TX 79705

Telephone No: (432)520-7720 Fax No:

Sampler Signature: Matthew Green

e-mail: mgreen@trccompanies.com
nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project #: 96048

Project Loc: Lea County, New Mexico

PO #:

Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)
ORDER #: 2418007

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Preservation & # of Containers: Ice	HNO_3	HCl	H_2SO_4	NaOH	$Na_2S_2O_3$	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	Analyze For: TPH: 418.1 8015M 8015B	TPH: TX 1005 Ext TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
01	BH-1 @ 1.5' Section 3			8/17/2022	1113		1	X								S			X							X			X		x
02	BH-2 @ 1.5' Section 3			8/17/2022	1120		1	X								S			X							X			X		x
03	BH-3 @ 1.5' Section 3			8/17/2022	1125		1	X								S			X							X			X		x
04	NW-1 @ 1' Section 3			8/17/2022	1130		1	X								S			X							X			X		x
05	NW-2 @ 1' Section 3			8/17/2022	1135		1	X								S			X							X			X		x
06	SW-1 @ 1' Section 3			8/17/2022	1145		1	X								S			X							X			X		x
07	SW-2 @ 1' Section 3			8/17/2022	1150		1	X								S			X							X			X		x
08	EW-1 @ 1' Section 3			8/17/2022	1140		1	X								S			X							X			X		x
09	SW-1 @ 1' Section 4			8/17/2022	1200		1	X								S			X							X			X		x
10	SW-2 @ 1' Section 4			8/17/2022	1205		1	X								S			X							X			X		x

Special Instructions:

Relinquished by: Matt Green	Date 8-18-22	Time 13:35	Received by:	Date 8-18-22	Time 3:52 pm
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by PBEL:	Date 8/18/22	Time 3:52 pm

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt:
Received: 4.9 °C
Adjusted: 5.9 °C Factor CF +1

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 186 of 481

CMELF 8/19

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green
Company Name: TRC Environmental Corporation
Company Address: 10 Desta Drive Suite 130E
City/State/Zip: Midland,TX 79705
Telephone No: (432)520-7720 Fax No:
Sampler Signature: Matt Green e-mail: mgreen@trccompanies.com; nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
Project #: 96048
Project Loc: Lea County, New Mexico
PO #:
Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)
ORDER #: 2H18007

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Preservation & # of Containers: Ice	HNO_3	HCl	H_2SO_4	NaOH	$Na_2S_2O_3$	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	Analyze For: TCLP: TOTAL: TPH: 418.1 8015M TX 1006	TPH: TX 1005 Ext	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300			RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
-11	SW-3 @ 1' Section 4			8/17/2022	1220		1	X								S			X								X			X				x
-12	SW-4 @ 1' Section 4			8/17/2022	1235		1	X								S			X								X			X				x
-13	SW-5 @ 1' Section 4			8/17/2022	1240		1	X								S			X								X			X				x
-14	SW-6 @ 1' Section 4			8/17/2022	1245		1	X								S			X								X			X				x
-15	SW-7 @ 1' Section 4			8/17/2022	1250		1	X								S			X								X			X				x
-16	WW-1 @ 1' Section 4			8/17/2022	1230		1	X								S			X								X			X				x
-17	WW-2 @ 1' Section 4			8/17/2022	1225		1	X								S			X								X			X				x
-18	WW-3 @ 1' Section 4			8/17/2022	1305		1	X								S			X								X			X				x
-19	WW-4 @ 1' Section 4			8/17/2022	1255		1	X								S			X								X			X				x
-20	EW-1 @ 1' Section 4			8/17/2022	1210		1	X								S			X								X			X				x

Special Instructions:

Relinquished by:	Date	Time	Received by:	Date	Time
Matt Green	8-18-22	1535	Leah Moore	8-18-22	3:52pm
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by PBEL: Teresa Bledsoe	8/18/22	3:52pm

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt:
Received: 4.9 °C
Adjusted: 6.9 °C Factor CF 1.1

Received by OCD: 8/21/2025 10:15:07 AM
Released to Imaging: 9/8/2025 8:38:59 AM

Page 187 of 481

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green
Company Name: TRC Environmental Corporation
Company Address: 10 Desta Drive Suite 130E
City/State/Zip: Midland,TX 79705
Telephone No: (432)520-7720 Fax No:
Sampler Signature: Matt Green e-mail: mgreen@trccompanies.com; nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H
Project #: 96048
Project Loc: Lea County, New Mexico
PO #:
Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)
ORDER #: 2211800?

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Preservation & # of Containers: Ice	HNO_3	HCl	H_2SO_4	NaOH	$Na_2S_2O_3$	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	Analyze For: TCLP: TPH: 418.1 8015M 8015B	TOTAL: TPH: TX 1005 Ext TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300			RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
-21	EW-2 @ 1' Section 4			8/17/2022	1215		1	X								S			X							X			X				x
-22	NW-1 @ 1' Section 4			8/17/2022	1300		1	X								S			X							X			X				x
-23	NW-2 @ 1' Section 4			8/17/2022	1305		1	X								S			X							X			X				x
-24	NW-3 @ 1' Section 4			8/17/2022	1310		1	X								S			X							X			X				x
-25	NW-4 @ 1' Section 4			8/17/2022	1315		1	X								S			X							X			X				x
-26	NW-5 @ 1' Section 4			8/17/2022	1320		1	X								S			X							X			X				x
-27	NW-6 @ 1' Section 4			8/17/2022	1325		1	X								S			X							X			X				x
-28	NW-7 @ 1' Section 4			8/17/2022	1330		1	X								S			X							X			X				x
-29	BH-1 @ 3.5' Section 4			8/17/2022	1310		1	X								S			X							X			X				x
-30	BH-2 @ 2' Section 4			8/17/2022	1315		1	X								S			X							X			X				x

Special Instructions:

Relinquished by:	Date	Time	Received by:	Date	Time
Matt Green	8-18-22	1535		8-18-22	3:52pm
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by PBEL:	Date	Time
			Tina Bledsoe	8/18/22	3:52pm

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N
by Courier? UPS DHL FedEx Lone Star		

Temperature Upon Receipt:
Received: 4.9 °C
Adjusted: 5.9 °C Factor 0.1

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 188 of 481

PBELAB

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
10014 S. County Road 1213
Midland, Texas 79706

Phone: 432-661-4184

Project Manager: Matt Green

Company Name: TRC Environmental Corporation

Company Address: 10 Desta Drive Suite 130E

City/State/Zip: Midland,TX 79705

Telephone No: (432)520-7720 Fax No:

Sampler Signature:

e-mail: mgreen@trccompanies.com
nikki.mishler@cdevinc.com

Project Name: Centennial Donkey Kong 1 Fed COM 501H 502H 503H

Project #: 96048

Project Loc: Lea County, New Mexico

PO #:

Report Format: [X] Standard [ ] TRRP [ ] NPDES

(lab use only)

ORDER #: 24180107

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total # of Containers	Preservation & # of Containers: Ice	HNO3	HCl	H2SO4	NaOH	Na2S2O3	None	Other (Specify)	Matrix: DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solid NP=Non-Potable Specify Other	Analyze For: TPH: 418.1 / 8015M 8015B	TPH: TX 1005 Ext TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO4, Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides E 300	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
-31	BH-3 @ 1.5' Section 4			8/17/2022	1320		1	X								S	X							X			X			x
-32	BH-4 @ 2' Section 4			8/17/2022	1325		1	X								S	X							X			X			x
-33	BH-5 @ 2' Section 4			8/17/2022	1330		1	X								S	X							X			X			x
-34	BH-6 @ 1.5' Section 4			8/17/2022	1335		1	X								S	X							X			X			x
-35	BH-7 @ 1.5' Section 4			8/17/2022	1340		1	X								S	X							X			X			x
-36	BH-8 @ 1.5' Section 4			8/17/2022	1345		1	X								S	X							X			X			x
-37	BH-9 @ 1.5' Section 4			8/17/2022	1350		1	X								S	X							X			X			x
-38	BH-10 @ 1' Section 4			8/17/2022	1355		1	X								S	X							X			X			x

TCLP:
TOTAL:

Special Instructions:

	Date	Time		Date	Time
Relinquished by: Matt Green	8-18-22	15:35	Received by: Leah M	8-18-22	3:52pm
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by PBEL: Teresa Bledsoe	8/18/22	3:52pm

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt:
Received: 4.9 °C CF +1
Adjusted: 5.9 °C Factor

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Received by OCD: 8/21/2025 10:15:07 AM

Page 134 of 137

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2212742533
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	135 (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas **not** on an exploration, development, production, or storage site?	☒ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: ***Each of the following items must be included in the report.***

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 12/29/2022 12:02:19 PM
Released to Imaging: 1/25/2023 11:07:03 AM
Released to Imaging: 9/8/2025 8:38:59 AM

Received by OCD: 8/21/2025 10:15:07 AM

Form C-141
Page 4

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2212742533
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Nikki Mishler Title: Senior Environmental Representative

Signature: Nikki Mishler Date: 12/23/22

email: Nikki.Mishler@permianres.com Telephone: 432-634-8722

OCD Only

Received by: Jocelyn Harimon Date: 12/29/2022

Received by OCD: 12/29/2022 12:02:19 PM
Released to Imaging: 1/25/2023 11:07:03 AM
Released to Imaging: 9/8/2025 8:38:59 AM

Received by OCD: 8/21/2025 10:15:07 AM

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2212742533
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: ***Each of the following items must be included in the plan.***

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: ***Each of the following items must be confirmed as part of any request for deferral of remediation.***

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Nikki Mishler Title: Senior Environmental Representative

Signature: Nikki Mishler Date: 12/23/22

email: Nikki.Mishler@permianres.com Telephone: 432-634-8722

OCD Only

Received by: Jocelyn Harimon Date: 12/29/2022

☐ Approved ☒ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: Jennifer Nobui Date: 01/25/2023

Received by OCD: 12/29/2022 12:02:19 PM
Released to Imaging: 9/8/2025 8:38:59 AM
Released to Imaging: 1/25/2023 11:07:03 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 171129
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Remediation Plan Approved with Conditions. The depth to groundwater has not been adequately determined. When nearby wells are used to determine depth to groundwater, the wells should be no further than ½ mile away from the site, and data should be no more than 25 years old, and well construction information should be provided in the submission. The responsible party may choose to remediate to the most stringent levels listed in Table 1 of 19.15.29 NMAC in lieu of drilling to determine the depth to groundwater.	1/25/2023

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 459788

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459788
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ 0**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Plan Approved**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Site Name	**DONKEY KONG 1 CTB 1 SWD LINE**
Date Release Discovered	**05/06/2022**
Surface Owner	**State**

Sampling Event General Information *Please answer all the questions in this group.*	
What is the sampling surface area in square feet	41,777
What is the estimated number of samples that will be gathered	230
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/09/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Jason Owsley 575.602.5998
Please provide any information necessary for navigation to sampling site	GPS: 32.33094,-103.41872

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 459788

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459788
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/7/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 459806

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459806
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ 0**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Plan Approved**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Site Name	**DONKEY KONG 1 CTB 1 SWD LINE**
Date Release Discovered	**05/06/2022**
Surface Owner	**State**

Sampling Event General Information *Please answer all the questions in this group.*	
What is the sampling surface area in square feet	41,777
What is the estimated number of samples that will be gathered	230
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/12/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Jason Owsley 575.602.5998
Please provide any information necessary for navigation to sampling site	GPS: 32.33094,-103.41872

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459806
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/7/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459807
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ 0**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Plan Approved**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Site Name	**DONKEY KONG 1 CTB 1 SWD LINE**
Date Release Discovered	**05/06/2022**
Surface Owner	**State**

Sampling Event General Information *Please answer all the questions in this group.*	
What is the sampling surface area in square feet	41,777
What is the estimated number of samples that will be gathered	230
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/13/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Jason Owsley 575.602.5998
Please provide any information necessary for navigation to sampling site	GPS: 32.33094,-103.41872

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 459807

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459807
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/7/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 459812

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459812
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ 0**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Plan Approved**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Site Name	**DONKEY KONG 1 CTB 1 SWD LINE**
Date Release Discovered	**05/06/2022**
Surface Owner	**State**

Sampling Event General Information *Please answer all the questions in this group.*	
What is the sampling surface area in square feet	41,777
What is the estimated number of samples that will be gathered	230
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/14/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Jason Owsley 575.602.5998
Please provide any information necessary for navigation to sampling site	GPS: 32.33094,-103.41872

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 459812
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/7/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 461879

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 461879
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ 0**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Plan Approved**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Site Name	**DONKEY KONG 1 CTB 1 SWD LINE**
Date Release Discovered	**05/06/2022**
Surface Owner	**State**

Sampling Event General Information *Please answer all the questions in this group.*	
What is the sampling surface area in square feet	4,000
What is the estimated number of samples that will be gathered	20
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/16/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Jason Owsley 575.602.5998
Please provide any information necessary for navigation to sampling site	32.33094,-103.41872

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 461879
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/14/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 476262

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 476262
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ 0**
Incident Type	**Produced Water Release**
Incident Status	**Remediation Plan Approved**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Site Name	**DONKEY KONG 1 CTB 1 SWD LINE**
Date Release Discovered	**05/06/2022**
Surface Owner	**State**

Sampling Event General Information *Please answer all the questions in this group.*	
What is the sampling surface area in square feet	1,400
What is the estimated number of samples that will be gathered	7
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	06/20/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Jason Owsley 575.495.9976
Please provide any information necessary for navigation to sampling site	32.33094,-103.41872

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 476262
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	6/18/2025
mtaylorpr	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	6/18/2025

Appendix F
Lab Results
Originals

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 15, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 05/09/25 16:43.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 1 @ 1' (H252791-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/15/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KV

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *88.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *92.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 2 @ 1' (H252791-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KV

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *85.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *91.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 3 @ 1' (H252791-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.06	103	2.00	0.324	
Toluene*	<0.050	0.050	05/15/2025	ND	2.06	103	2.00	1.74	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.02	101	2.00	1.69	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.19	103	6.00	0.193	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KV

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	188	93.9	200	1.42	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	199	99.4	200	1.51	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *84.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 4 @ 1' (H252791-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KV

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/12/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 5 @ 1' (H252791-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KV

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *84.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *88.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 6 @ 1' (H252791-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KV

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/12/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *82.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 7 @ 1' (H252791-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *83.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 8 @ 1' (H252791-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *88.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 9 @ 1' (H252791-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	**10.1**	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *86.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *88.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 10 @ 1' (H252791-10)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	**11.1**	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *86.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 11 @ 1' 6" (H252791-11)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *89.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *92.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 12 @ 1' 6'' (H252791-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *89.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *91.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 13 @ 1' 6'' (H252791-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *92.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *94.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 14 @ 1' 6" (H252791-14)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *90.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *90.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 15 @ 1' 6" (H252791-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *85.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 16 @ 1' 6" (H252791-16)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	2.07	103	2.00	15.0	
Toluene*	<0.050	0.050	05/12/2025	ND	2.31	116	2.00	8.22	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.39	120	2.00	7.54	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	7.39	123	6.00	6.10	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	208	104	200	2.92	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	212	106	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *88.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *90.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 17 @ 1' 6" (H252791-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	1.92	96.0	2.00	13.1	
Toluene*	<0.050	0.050	05/12/2025	ND	2.39	119	2.00	10.7	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.64	132	2.00	5.73	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	8.00	133	6.00	4.73	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	221	110	200	0.611	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	214	107	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *80.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 18 @ 1' 6" (H252791-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	1.92	96.0	2.00	13.1	
Toluene*	<0.050	0.050	05/12/2025	ND	2.39	119	2.00	10.7	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.64	132	2.00	5.73	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	8.00	133	6.00	4.73	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	221	110	200	0.611	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	214	107	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *73.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *68.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 19 @ 1' 6" (H252791-19)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	1.92	96.0	2.00	13.1	
Toluene*	<0.050	0.050	05/12/2025	ND	2.39	119	2.00	10.7	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.64	132	2.00	5.73	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	8.00	133	6.00	4.73	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	221	110	200	0.611	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	214	107	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *72.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *68.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/09/2025	Sampling Date:	05/09/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 20 @ 1' 6" (H252791-20)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2025	ND	1.92	96.0	2.00	13.1	
Toluene*	<0.050	0.050	05/12/2025	ND	2.39	119	2.00	10.7	
Ethylbenzene*	<0.050	0.050	05/12/2025	ND	2.64	132	2.00	5.73	
Total Xylenes*	<0.150	0.150	05/12/2025	ND	8.00	133	6.00	4.73	
Total BTEX	<0.300	0.300	05/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/12/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2025	ND	221	110	200	0.611	
DRO >C10-C28*	<10.0	10.0	05/12/2025	ND	214	107	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	05/12/2025	ND					

Surrogate: 1-Chlorooctane *78.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
BS1	Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 228 of 481

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM								
H252791																											
1	B1 @ 1'	C	1			X					X		5/9/2025	11:00 AM	X	X	X										
2	B2 @ 1'	C	1			X					X		5/9/2025	11:02 AM	X	X	X										
3	B3 @ 1'	C	1			X					X		5/9/2025	11:04 AM	X	X	X										
4	B4 @ 1'	C	1			X					X		5/9/2025	11:06 AM	X	X	X										
5	B5 @ 1'	C	1			X					X		5/9/2025	11:08 AM	X	X	X										
6	B6 @ 1'	C	1			X					X		5/9/2025	11:10 AM	X	X	X										
7	B7 @ 1'	C	1			X					X		5/9/2025	11:12 AM	X	X	X										
8	B8 @ 1'	C	1			X					X		5/9/2025	11:14 AM	X	X	X										
9	B9 @ 1'	C	1			X					X		5/9/2025	11:16 AM	X	X	X										
10	B10 @ 1'	C	1			X					X		5/9/2025	11:18 AM	X	X	X										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-9-25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Time: 1043	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3	Sample Condition Cool Intact ☑ Yes ☐ Yes / ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°
	Corrected Temp. °C 4.6			☐ Yes ☐ Yes / ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DORNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H252791																			
11	B11 @ 1' 6"	C	1			X					X		5/9/2025	11:20 AM	X	X	X		
12	B12 @ 1' 6"	C	1			X					X		5/9/2025	11:22 AM	X	X	X		
13	B13 @ 1' 6"	C	1			X					X		5/9/2025	11:24 AM	X	X	X		
14	B14 @ 1' 6"	C	1			X					X		5/9/2025	11:26 AM	X	X	X		
15	B15 @ 1' 6"	C	1			X					X		5/9/2025	11:28 AM	X	X	X		
16	B16 @ 1' 6"	C	1			X					X		5/9/2025	11:30 AM	X	X	X		
17	B17 @ 1' 6"	C	1			X					X		5/9/2025	11:32 AM	X	X	X		
18	B18 @ 1' 6"	C	1			X					X		5/9/2025	11:34 AM	X	X	X		
19	B19 @ 1' 6"	C	1			X					X		5/9/2025	11:36 AM	X	X	X		
20	B20 @ 1' 6"	C	1			X					X		5/9/2025	11:38 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Josh James	Date: 5-9-25 Time: 1643	Received By: Tamara Oldaker	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☐ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 15, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 05/12/25 14:46.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 21 @ 1' 6" (H252808-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *105 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 22 @ 1' 6'' (H252808-02)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *103 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 23 @ 1' 6'' (H252808-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *107 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 24 @ 1' 6'' (H252808-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *107 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 25 @ 4' (H252808-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *104 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 26 @ 4' (H252808-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *103 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 27 @ 4' (H252808-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *107 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 28 @ 4' (H252808-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *107 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 29 @ 1' 6'' (H252808-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *108 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 30 @ 1' 6'' (H252808-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *102 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 31 @ 1' 6" (H252808-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	352	88.0	400	12.8	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *88.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 32 @ 1' 6" (H252808-12)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *99.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *95.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 33 @ 4' (H252808-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *99.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 34 @ 4' (H252808-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *102 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *99.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 35 @ 4' (H252808-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *104 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 36 @ 4' (H252808-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *106 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 37 @ 1' 6'' (H252808-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *107 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 38 @ 1' 6'' (H252808-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *108 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 39 @ 1' 6'' (H252808-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *115 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *112 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 40 @ 1' 6'' (H252808-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.77	88.4	2.00	5.06	
Toluene*	<0.050	0.050	05/13/2025	ND	2.17	109	2.00	3.16	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.18	109	2.00	1.53	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.57	110	6.00	1.20	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	207	103	200	3.57	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	193	96.6	200	4.83	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *118 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *116 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 41 @ 1' (H252808-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	QM-07
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *120 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 42 @ 1' (H252808-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *117 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *121 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 43 @ 3' 6'' (H252808-23)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *122 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *125 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 44 @ 3' 6'' (H252808-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *123 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *127 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 45 @ 1' 6'' (H252808-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *124 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *128 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 46 @ 1' 6'' (H252808-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *110 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 47 @ 1' 6'' (H252808-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *123 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 48 @ 1' 6'' (H252808-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *120 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *123 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 49 @ 3' 6'' (H252808-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *117 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *121 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 50 @ 3' 6'' (H252808-30)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *127 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *133 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 51 @ 2' (H252808-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *116 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 52 @ 2' (H252808-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *123 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *129 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 53 @ 2' (H252808-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *119 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 54 @ 2' (H252808-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**480**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *122 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *125 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 55 @ 2' (H252808-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *120 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 56 @ 2' (H252808-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *114 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 57 @ 2' (H252808-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *118 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *122 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 58 @ 2' (H252808-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1170**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *106 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 59 @ 2' (H252808-39)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *116 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *121 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 60 @ 2' 6'' (H252808-40)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.70	84.9	2.00	9.08	
Toluene*	<0.050	0.050	05/13/2025	ND	2.08	104	2.00	6.28	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.38	119	2.00	5.72	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	7.24	121	6.00	6.16	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	214	107	200	3.60	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	224	112	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *130 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *134 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 61 @ 2' 6'' (H252808-41)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *90.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 62 @ 2' 6'' (H252808-42)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *91.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 63 @ 2' 6'' (H252808-43)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *91.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 64 @ 1' 6'' (H252808-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1720**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *95.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *98.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 65 @ 1' 6'' (H252808-45)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2040**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *92.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 66 @ 1' 6'' (H252808-46)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3200**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 67 @ 3' (H252808-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2080**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *94.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *96.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 68 @ 3' (H252808-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2280**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *96.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *99.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 69 @ 2' (H252808-49)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *87.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 70 @ 2' (H252808-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 71 @ 3' (H252808-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/14/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *78.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 72 @ 3' (H252808-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 73 @ 3' (H252808-53)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 74 @ 3' (H252808-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 75 @ 3' (H252808-55)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**288**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *86.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 76 @ 3' (H252808-56)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**592**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *88.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 77 @ 3' (H252808-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/13/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 78 @ 2' (H252808-58)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/14/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *84.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 79 @ 2' (H252808-59)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/14/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *83.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 80 @ 3' (H252808-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.69	84.3	2.00	3.44	
Toluene*	<0.050	0.050	05/14/2025	ND	2.10	105	2.00	3.53	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	107	2.00	2.58	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.43	107	6.00	2.57	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	180	89.9	200	3.79	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 81 @ 3' (H252808-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/13/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *81.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 82 @ 3' (H252808-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/13/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 83 @ 3' (H252808-63)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/13/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/13/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/13/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 84 @ 3' (H252808-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 85 @ 3' (H252808-65)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 86 @ 3' (H252808-66)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *86.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 87 @ 3' (H252808-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 88 @ 3' (H252808-68)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *83.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 89 @ 3' (H252808-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 90 @ 3' (H252808-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 91 @ 3' (H252808-71)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 92 @ 3' (H252808-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *83.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 93 @ 3' (H252808-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *94.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 94 @ 3' (H252808-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	1.58	79.1	2.00	7.23	
Toluene*	<0.050	0.050	05/14/2025	ND	1.91	95.6	2.00	5.67	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.06	103	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.36	106	6.00	3.93	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *83.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 95 @ 3' (H252808-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.16	108	2.00	1.63	
Toluene*	<0.050	0.050	05/15/2025	ND	2.22	111	2.00	1.41	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.17	109	2.00	1.21	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.40	107	6.00	1.35	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 96 @ 3' (H252808-76)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.16	108	2.00	1.63	
Toluene*	<0.050	0.050	05/15/2025	ND	2.22	111	2.00	1.41	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.17	109	2.00	1.21	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.40	107	6.00	1.35	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 97 @ 3' (H252808-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.16	108	2.00	1.63	
Toluene*	<0.050	0.050	05/15/2025	ND	2.22	111	2.00	1.41	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.17	109	2.00	1.21	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.40	107	6.00	1.35	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 98 @ 3' (H252808-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.16	108	2.00	1.63	
Toluene*	<0.050	0.050	05/15/2025	ND	2.22	111	2.00	1.41	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.17	109	2.00	1.21	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.40	107	6.00	1.35	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *86.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 99 @ 5' (H252808-79)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.16	108	2.00	1.63	
Toluene*	<0.050	0.050	05/15/2025	ND	2.22	111	2.00	1.41	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.17	109	2.00	1.21	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.40	107	6.00	1.35	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *91.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *87.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B 100 @ 5' (H252808-80)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/15/2025	ND	2.16	108	2.00	1.63	
Toluene*	<0.050	0.050	05/15/2025	ND	2.22	111	2.00	1.41	
Ethylbenzene*	<0.050	0.050	05/15/2025	ND	2.17	109	2.00	1.21	
Total Xylenes*	<0.150	0.150	05/15/2025	ND	6.40	107	6.00	1.35	
Total BTEX	<0.300	0.300	05/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	212	106	200	4.53	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	204	102	200	2.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
A-01	CCV failed high biased. All samples below RL.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 312 of 481

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL ✓	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM								
H252808																											
1	B21 @ 1' 6"	C	1			X					X		5/12/2025	8:00 AM	X	X	X										
2	B22 @ 1' 6"	C	1			X					X		5/12/2025	8:02 AM	X	X	X										
3	B23 @ 1' 6"	C	1			X					X		5/12/2025	8:04 AM	X	X	X										
4	B24 @ 1' 6"	C	1			X					X		5/12/2025	8:06 AM	X	X	X										
5	B25 @ 4'	C	1			X					X		5/12/2025	8:08 AM	X	X	X										
6	B26 @ 4'	C	1			X					X		5/12/2025	8:10 AM	X	X	X										
7	B27 @ 4'	C	1			X					X		5/12/2025	8:12 AM	X	X	X										
8	B28 @ 4'	C	1			X					X		5/12/2025	8:14 AM	X	X	X										
9	B29 @ 1' 6"	C	1			X					X		5/12/2025	8:16 AM	X	X	X										
10	B30 @ 1' 6"	C	1			X					X		5/12/2025	8:18 AM	X	X	X										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Time: 1446	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 / Corrected Temp. °C 4.6	Sample Condition Cool Intact ☑ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition; Rush ☐ Cool Intact Observed Temp. °C; Thermometer ID #140; Correction Factor +0.3°C; ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY

Lab I.D. H253808

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
11	B31 @ 1' 6"	C	1			X					X		5/12/2025	8:20 AM	X	X	X		
12	B32 @ 1' 6"	C	1			X					X		5/12/2025	8:22 AM	X	X	X		
13	B33 @ 4'	C	1			X					X		5/12/2025	8:24 AM	X	X	X		
14	B34 @ 4'	C	1			X					X		5/12/2025	8:26 AM	X	X	X		
15	B35 @ 4'	C	1			X					X		5/12/2025	8:28 AM	X	X	X		
16	B36 @ 4'	C	1			X					X		5/12/2025	8:30 AM	X	X	X		
17	B37 @ 1' 6"	C	1			X					X		5/12/2025	8:32 AM	X	X	X		
18	B38 @ 1' 6"	C	1			X					X		5/12/2025	8:34 AM	X	X	X		
19	B39 @ 1' 6"	C	1			X					X		5/12/2025	8:36 AM	X	X	X		
20	B40 @ 1' 6"	C	1			X					X		5/12/2025	8:38 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Time: 1446	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.4	Sample Condition Cool Intact ☑ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM								
H252808																											
21	B41 @ 1'	C	1			X					X		5/12/2025	8:40 AM	X	X	X										
22	B42 @ 1'	C	1			X					X		5/12/2025	8:42 AM	X	X	X										
23	B43 @ 3' 6"	C	1			X					X		5/12/2025	8:44 AM	X	X	X										
24	B44 @ 3' 6"	C	1			X					X		5/12/2025	8:46 AM	X	X	X										
25	B45 @ 1' 6"	C	1			X					X		5/12/2025	8:48 AM	X	X	X										
26	B46 @ 1' 6"	C	1			X					X		5/12/2025	8:50 AM	X	X	X										
27	B47 @ 1' 6"	C	1			X					X		5/12/2025	8:52 AM	X	X	X										
28	B48 @ 1' 6"	C	1			X					X		5/12/2025	8:54 AM	X	X	X										
29	B49 @ 3' 6"	C	1			X					X		5/12/2025	8:56 AM	X	X	X										
30	B50 @ 3' 6"	C	1			X					X		5/12/2025	8:58 AM	X	X	X										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Time: 1446	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 / Corrected Temp. °C 4.4	Sample Condition Cool Intact ☑ Yes ☐ No / ☐ Yes ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition / Rush ☐ Cool Intact Observed Temp. °C / Thermometer ID #140 / Correction Factor +0.3°C — ☐ Yes ☐ Yes / ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H252808																			
31	B51 @ 2'	C	1			X					X		5/12/2025	9:00 AM	X	X	X		
32	B52 @ 2'	C	1			X					X		5/12/2025	9:02 AM	X	X	X		
33	B53 @ 2'	C	1			X					X		5/12/2025	9:04 AM	X	X	X		
34	B54 @ 2'	C	1			X					X		5/12/2025	9:06 AM	X	X	X		
35	B55 @ 2'	C	1			X					X		5/12/2025	9:08 AM	X	X	X		
36	B56 @ 2'	C	1			X					X		5/12/2025	9:10 AM	X	X	X		
37	B57 @ 2'	C	1			X					X		5/12/2025	9:12 AM	X	X	X		
38	B58 @ 2'	C	1			X					X		5/12/2025	9:14 AM	X	X	X		
39	B59 @ 2'	C	1			X					X		5/12/2025	9:16 AM	X	X	X		
40	B60 @ 2' 6"	C	1			X					X		5/12/2025	9:18 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No / Add'l Phone #:
	Time: 1444		All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
Relinquished By:	Date:	Received By:	REMARKS:
	Time:		
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 / Corrected Temp. °C 4.6	Sample Condition Cool Intact: Yes ☑ Yes / No ☐ No	CHECKED BY: (Initials)

Turnaround Time: Standard ☑ Bacteria (only) Sample Condition
Rush ☐ Cool Intact Observed Temp. °C
Thermometer ID #140 Correction Factor +0.3°C
☐ Yes ☐ Yes / ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H252808																			
41	B61 @ 2' 6"	C	1			X					X		5/12/2025	9:20 AM	X	X	X		
42	B62 @ 2' 6"	C	1			X					X		5/12/2025	9:22 AM	X	X	X		
43	B63 @ 2' 6"	C	1			X					X		5/12/2025	9:26 AM	X	X	X		
44	B64 @ 1' 6"	C	1			X					X		5/12/2025	9:28 AM	X	X	X		
45	B65 @ 1' 6"	C	1			X					X		5/12/2025	9:30 AM	X	X	X		
46	B66 @ 1' 6"	C	1			X					X		5/12/2025	9:32 AM	X	X	X		
47	B67 @ 3'	C	1			X					X		5/12/2025	9:34 AM	X	X	X		
48	B68 @ 3'	C	1			X					X		5/12/2025	9:36 AM	X	X	X		
49	B69 @ 2'	C	1			X					X		5/12/2025	9:38 AM	X	X	X		
50	B70 @ 2'	C	1			X					X		5/12/2025	9:40 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5.12.25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Time: 1440	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☑ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3° ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DONNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLP	NORM							
H252808																										
51	B71 @ 3'	C	1			X					X		5/12/2025	9:42 AM	X	X	X									
52	B72 @ 3'	C	1			X					X		5/12/2025	9:44 AM	X	X	X									
53	B73 @ 3'	C	1			X					X		5/12/2025	9:46 AM	X	X	X									
54	B74 @ 3'	C	1			X					X		5/12/2025	9:48 AM	X	X	X									
55	B75 @ 3'	C	1			X					X		5/12/2025	9:50 AM	X	X	X									
56	B76 @ 3'	C	1			X					X		5/12/2025	9:52 AM	X	X	X									
57	B77 @ 3'	C	1			X					X		5/12/2025	9:54 AM	X	X	X									
58	B78 @ 2'	C	1			X					X		5/12/2025	9:56 AM	X	X	X									
59	B79 @ 2'	C	1			X					X		5/12/2025	9:58 AM	X	X	X									
60	B80 @ 3'	C	1			X					X		5/12/2025	10:00 AM	X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Time: 1440	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3	Sample Condition Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C
	Corrected Temp. °C 4.6			

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL ✓	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H25 2808																			
61	B81 @ 3'	C	1			X					X		5/12/2025	10:02 AM	X	X	X		
62	B82 @ 3'	C	1			X					X		5/12/2025	10:04 AM	X	X	X		
63	B83 @ 3'	C	1			X					X		5/12/2025	10:06 AM	X	X	X		
64	B84 @ 3'	C	1			X					X		5/12/2025	10:08 AM	X	X	X		
65	B85 @ 3'	C	1			X					X		5/12/2025	10:10 AM	X	X	X		
66	B86 @ 3'	C	1			X					X		5/12/2025	10:12 AM	X	X	X		
67	B87 @ 3'	C	1			X					X		5/12/2025	10:14 AM	X	X	X		
68	B88 @ 3'	C	1			X					X		5/12/2025	10:16 AM	X	X	X		
69	B89 @ 3'	C	1			X					X		5/12/2025	10:18 AM	X	X	X		
70	B90 @ 3'	C	1			X					X		5/12/2025	10:20 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No / Add'l Phone #:
	Time: 1444		All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
Relinquished By:	Date:	Received By:	REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 / Corrected Temp. °C 4.4	Sample Condition Cool Intact ☑ Yes ☑ Yes / ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition / Rush ☐ Cool Intact Observed Temp. °C / Thermometer ID #140 / Correction Factor +0.3°C / ☐ Yes ☐ Yes / ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 319 of 481

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM							
H25 2808											✓															
71	B91 @ 3'	C	1			X					X		5/12/2025	10:22 AM	X	X	X									
72	B92 @ 3'	C	1			X					X		5/12/2025	10:24 AM	X	X	X									
73	B93 @ 3'	C	1			X					X		5/12/2025	10:26 AM	X	X	X									
74	B94 @ 3'	C	1			X					X		5/12/2025	10:28 AM	X	X	X									
75	B95 @ 3'	C	1			X					X		5/12/2025	10:30 AM	X	X	X									
76	B96 @ 3'	C	1			X					X		5/12/2025	10:32 AM	X	X	X									
77	B97 @ 3'	C	1			X					X		5/12/2025	10:34 AM	X	X	X									
78	B98 @ 3'	C	1			X					X		5/12/2025	10:36 AM	X	X	X									
79	B99 @ 5'	C	1			X					X		5/12/2025	10:38 AM	X	X	X									
80	B100 @ 5'	C	1			X					X		5/12/2025	10:40 AM	X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No	Add'l Phone #:
Relinquished By:	Time: 1446	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com	
	Date:		REMARKS:	
	Time:			

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.0	Sample Condition Cool Intact ☑ Yes ☐ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☐ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 15, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 05/12/25 14:46.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B101@5' (H252809-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B102@4' 6'' (H252809-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *73.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B103@4' 6'' (H252809-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B104@4' 6'' (H252809-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B105@3' (H252809-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *75.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *66.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B106@3' (H252809-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *84.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B107@3' (H252809-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B108@3' (H252809-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B109@3' (H252809-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B110@3' (H252809-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B111@3' (H252809-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	05/13/2025	ND	432	108	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *71.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B112@3' (H252809-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B113@3' (H252809-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B114@3' (H252809-14)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B115@3' (H252809-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B116@3' (H252809-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *84.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B117@3' (H252809-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *99.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *86.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B118@2' (H252809-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *84.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B119@2' (H252809-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B120@3' (H252809-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.22	111	2.00	2.74	
Toluene*	<0.050	0.050	05/14/2025	ND	2.20	110	2.00	3.56	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.16	108	2.00	2.62	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.77	113	6.00	3.30	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	190	94.8	200	2.97	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	186	92.8	200	4.24	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *88.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B121@3' (H252809-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B122@3' (H252809-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B123@3' (H252809-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B124@3' (H252809-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B125@3' (H252809-25)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *81.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B126@3' (H252809-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *78.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B127@3' (H252809-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B128@3' (H252809-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B129@3' (H252809-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B130@3' (H252809-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B131@3' 6'' (H252809-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B132@3' 6'' (H252809-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *75.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B133@3' 6'' (H252809-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *77.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B134@2' (H252809-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *78.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *73.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B135@2' (H252809-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *73.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *68.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B136@3' 6'' (H252809-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *75.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B137@3' 6'' (H252809-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *78.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B138@5' (H252809-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *71.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *65.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B139@3' (H252809-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *75.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *69.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B140@3' (H252809-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.14	107	2.00	3.33	
Toluene*	<0.050	0.050	05/14/2025	ND	2.26	113	2.00	8.44	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.40	120	2.00	8.83	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	7.22	120	6.00	9.43	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	208	104	200	2.66	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	196	97.8	200	5.95	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *79.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B141@3' (H252809-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *94.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *90.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B142@3' (H252809-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *93.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *88.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B143@3' (H252809-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *78.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B144@3' (H252809-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B145@3' (H252809-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B146@3' (H252809-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *93.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *88.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B147@6' (H252809-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *81.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B148@5' (H252809-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *90.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *85.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B149@5' (H252809-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B150@5' (H252809-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *92.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *86.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B151@5' (H252809-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/13/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *91.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *87.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B152@5' (H252809-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *96.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *92.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B153@5' (H252809-53)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B154@5' (H252809-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B155@5' (H252809-55)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *81.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B156@6' (H252809-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B157@6' (H252809-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B158@6' (H252809-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *83.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B159@5' (H252809-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *89.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B160@5' (H252809-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.18	109	2.00	1.14	
Toluene*	<0.050	0.050	05/14/2025	ND	2.34	117	2.00	0.766	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.21	111	2.00	0.696	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.62	110	6.00	0.243	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	206	103	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	198	99.2	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *87.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B161@3' 6'' (H252809-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B162@3' 6'' (H252809-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B163@3' 6'' (H252809-63)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *79.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *73.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B164@3' 6'' (H252809-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B165@2' (H252809-65)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2220**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *78.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *73.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B166@2' (H252809-66)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B167@2' (H252809-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B168@2' (H252809-68)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *85.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B169@2' (H252809-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B170@2' (H252809-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *86.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B171@2' (H252809-71)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B172@2' (H252809-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *84.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B173@2' (H252809-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *77.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B174@2' (H252809-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *82.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B175@2' (H252809-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *64.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *59.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B176@2' (H252809-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B177@2' (H252809-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *81.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B178@2' (H252809-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *80.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/12/2025	Sampling Date:	05/12/2025
Reported:	05/15/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B179@2' (H252809-79)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/14/2025	ND	2.12	106	2.00	2.60	
Toluene*	<0.050	0.050	05/14/2025	ND	2.17	108	2.00	2.97	
Ethylbenzene*	<0.050	0.050	05/14/2025	ND	2.13	106	2.00	2.87	
Total Xylenes*	<0.150	0.150	05/14/2025	ND	6.29	105	6.00	3.27	
Total BTEX	<0.300	0.300	05/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2025	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2025	ND	196	98.2	200	2.50	
DRO >C10-C28*	<10.0	10.0	05/13/2025	ND	200	100	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	05/13/2025	ND					

Surrogate: 1-Chlorooctane *83.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

BS1	Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM							
H252809																										
1	B101 @ 5'	C	1			X					X		5/12/2025	10:42 AM	X	X	X									
2	B102 @ 4' 6"	C	1			X					X		5/12/2025	10:44 AM	X	X	X									
3	B103 @ 4' 6"	C	1			X					X		5/12/2025	10:46 AM	X	X	X									
4	B104 @ 4' 6"	C	1			X					X		5/12/2025	10:48 AM	X	X	X									
5	B105 @ 3'	C	1			X					X		5/12/2025	10:50 AM	X	X	X									
6	B106 @ 3'	C	1			X					X		5/12/2025	10:52 AM	X	X	X									
7	B107 @ 3'	C	1			X					X		5/12/2025	10:54 AM	X	X	X									
8	B108 @ 3'	C	1			X					X		5/12/2025	10:56 AM	X	X	X									
9	B109 @ 3'	C	1			X					X		5/12/2025	10:58 AM	X	X	X									
10	B110 @ 3'	C	1			X					X		5/12/2025	11:00 AM	X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Julio Rivera	Date: 5-12-25 Time: 1440	Received By: Tamara Oldaker	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.1	Sample Condition Cool Intact ☑ Yes ☐ No ☐ Yes ☐ No	CHECKED BY: (Initials) JO.	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°C ☐ Yes ☐ No ☐ Yes ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OGD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H252809																			
11	B111 @ 3'	C	1			X					X		5/12/2025	11:02 AM	X	X	X		
12	B112 @ 3'	C	1			X					X		5/12/2025	11:04 AM	X	X	X		
13	B113 @ 3'	C	1			X					X		5/12/2025	11:06 AM	X	X	X		
14	B114 @ 3'	C	1			X					X		5/12/2025	11:08 AM	X	X	X		
15	B115 @ 3'	C	1			X					X		5/12/2025	11:10 AM	X	X	X		
16	B116 @ 3'	C	1			X					X		5/12/2025	11:12 AM	X	X	X		
17	B117 @ 3'	C	1			X					X		5/12/2025	11:14 AM	X	X	X		
18	B118 @ 2'	C	1			X					X		5/12/2025	11:16 AM	X	X	X		
19	B119 @ 2'	C	1			X					X		5/12/2025	11:18 AM	X	X	X		
20	B120 @ 3'	C	1			X					X		5/12/2025	11:20 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25 Time: 1440	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☐ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials)

Turnaround Time: Standard ☑ Bacteria (only) Sample Condition
Rush ☐ Cool Intact Observed Temp. °C
Thermometer ID #140
Correction Factor +0.3°C
☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 403 of 481

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	
Project Manager: Justin Roberts	
Address: 2525 NW County RD	
City: Hobbs State: NM ZIP: 88240	
Phone #: (575)-392-9996	
Project #: PRS-121	
Project Name: DOKNEY KONG 1 CTB 1	
Project Location: 32.33094, -103.41872	
Sampler Name: Julio Rivera	

BILL TO ANALYSIS REQUEST

P.O. #:
Company: Permian Resources
Attn: Montgomery Floyd
Address:
City:
State: Zip:
Phone #:
Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H253809																			
31	B121 @ 3'	C	1			X					X		5/12/2025	11:22 AM	X	X	X		
32	B122 @ 3'	C	1			X					X		5/12/2025	11:24 AM	X	X	X		
33	B123 @ 3'	C	1			X					X		5/12/2025	11:26 AM	X	X	X		
34	B124 @ 3'	C	1			X					X		5/12/2025	11:28 AM	X	X	X		
35	B125 @ 3'	C	1			X					X		5/12/2025	11:30 AM	X	X	X		
36	B126 @ 3'	C	1			X					X		5/12/2025	11:32 AM	X	X	X		
37	B127 @ 3'	C	1			X					X		5/12/2025	11:34 AM	X	X	X		
38	B128 @ 3'	C	1			X					X		5/12/2025	11:36 AM	X	X	X		
39	B129 @ 3'	C	1			X					X		5/12/2025	11:38 AM	X	X	X		
30	B130 @ 3'	C	1			X					X		5/12/2025	11:40 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25 Time: 1446	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☐ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials) TO

Turnaround Time: Standard ☐ Bacteria (only) Sample Condition
Rush ☐ Cool Intact Observed Temp. °C
Thermometer ID #140
Correction Factor +0.3°
☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Page 404 of 481

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM							
H252809																										
31	B131 @ 3' 6"	C	1			X					X		5/12/2025	11:42 AM	X	X	X									
32	B132 @ 3' 6"	C	1			X					X		5/12/2025	11:44 AM	X	X	X									
33	B133 @ 3' 6"	C	1			X					X		5/12/2025	11:46 AM	X	X	X									
34	B134 @ 2'	C	1			X					X		5/12/2025	11:48 AM	X	X	X									
35	B135 @ 2'	C	1			X					X		5/12/2025	11:50 AM	X	X	X									
36	B136 @ 3' 6"	C	1			X					X		5/12/2025	11:52 AM	X	X	X									
37	B137 @ 3' 6"	C	1			X					X		5/12/2025	11:54 AM	X	X	X									
38	B138 @ 5'	C	1			X					X		5/12/2025	11:56 AM	X	X	X									
39	B139 @ 3'	C	1			X					X		5/12/2025	11:58 AM	X	X	X									
40	B140 @ 3'	C	1			X					X		5/12/2025	12:00 PM	X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Julio Rivera	Date: 5-12-25 Time: 1444	Received By: Tamara Oldaker	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☑ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials) TO	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor -0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLP	NORM							
H25 2809																										
41	B141 @ 3'	C	1			X					X		5/12/2025	12:02 PM	X	X	X									
42	B142 @ 3'	C	1			X					X		5/12/2025	12:04 PM	X	X	X									
43	B143 @ 3'	C	1			X					X		5/12/2025	12:06 PM	X	X	X									
44	B144 @ 3'	C	1			X					X		5/12/2025	12:08 PM	X	X	X									
45	B145 @ 3'	C	1			X					X		5/12/2025	12:10 PM	X	X	X									
46	B146 @ 3'	C	1			X					X		5/12/2025	12:12 PM	X	X	X									
47	B147 @ 6'	C	1			X					X		5/12/2025	12:14 PM	X	X	X									
48	B148 @ 5'	C	1			X					X		5/12/2025	12:16 PM	X	X	X									
49	B149 @ 5'	C	1			X					X		5/12/2025	12:18 PM	X	X	X									
50	B150 @ 5'	C	1			X					X		5/12/2025	12:20 PM	X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Julio Rivera	Date: 5-12-25 Time: 1446	Received By: Tamara Oldaker	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☐ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☐ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H252809																			
51	B151 @ 5'	C	1			X					X		5/12/2025	12:22 PM	X	X	X		
52	B152 @ 5'	C	1			X					X		5/12/2025	12:24 PM	X	X	X		
53	B153 @ 5'	C	1			X					X		5/12/2025	12:26 PM	X	X	X		
54	B154 @ 5'	C	1			X					X		5/12/2025	12:28 PM	X	X	X		
55	B155 @ 5'	C	1			X					X		5/12/2025	12:30 PM	X	X	X		
56	B156 @ 6'	C	1			X					X		5/12/2025	12:32 PM	X	X	X		
57	B157 @ 6'	C	1			X					X		5/12/2025	12:34 PM	X	X	X		
58	B158 @ 6'	C	1			X					X		5/12/2025	12:36 PM	X	X	X		
59	B159 @ 5'	C	1			X					X		5/12/2025	12:38 PM	X	X	X		
60	B160 @ 5'	C	1			X					X		5/12/2025	12:40 PM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Julio Rivera	Date: 5-12-25 Time: 1446	Received By: Tamara Oldaker	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☑ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor -0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H252809																			
61	B161 @ 3' 6"	C	1			X					X		5/12/2025	12:42 PM	X	X	X		
62	B162 @ 3' 6"	C	1			X					X		5/12/2025	12:44 PM	X	X	X		
63	B163 @ 3' 6"	C	1			X					X		5/12/2025	12:46 PM	X	X	X		
64	B164 @ 3' 6"	C	1			X					X		5/12/2025	12:48 PM	X	X	X		
65	B165 @ 2'	C	1			X					X		5/12/2025	12:50 PM	X	X	X		
66	B166 @ 2'	C	1			X					X		5/12/2025	12:52 PM	X	X	X		
67	B167 @ 2'	C	1			X					X		5/12/2025	12:54 PM	X	X	X		
68	B168 @ 2'	C	1			X					X		5/12/2025	12:56 PM	X	X	X		
69	B169 @ 2'	C	1			X					X		5/12/2025	12:58 PM	X	X	X		
70	B170 @ 2'	C	1			X					X		5/12/2025	1:00 PM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Julio Rivera	Date: 5-12-25 Time: 1446	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☑ Yes ☐ No ☐ Yes ☐ No	CHECKED BY: (Initials) TB	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3 ☐ Yes ☐ No ☐ Yes ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLP	NORM
H253809																			
71	B171 @ 2'	C	1			X					X		5/12/2025	1:02 PM	X	X	X		
72	B172 @ 2'	C	1			X					X		5/12/2025	1:04 PM	X	X	X		
73	B173 @ 2'	C	1			X					X		5/12/2025	1:06 PM	X	X	X		
74	B174 @ 2'	C	1			X					X		5/12/2025	1:08 PM	X	X	X		
75	B175 @ 2'	C	1			X					X		5/12/2025	1:10 PM	X	X	X		
76	B176 @ 2'	C	1			X					X		5/12/2025	1:12 PM	X	X	X		
77	B177 @ 2'	C	1			X					X		5/12/2025	1:14 PM	X	X	X		
78	B178 @ 2'	C	1			X					X		5/12/2025	1:16 PM	X	X	X		
79	B179 @ 2'	C	1			X					X		5/12/2025	1:18 PM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-12-25	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
	Time: 1440		All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
Relinquished By:	Date:	Received By:	REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 4.3 Corrected Temp. °C 4.6	Sample Condition Cool Intact ☐ Yes ☑ Yes ☐ No ☐ No	CHECKED BY: (Initials) TO	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°C ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 20, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 05/14/25 12:51.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W1 @ 0'-1' 6'' (H252891-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *99.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *99.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W2 @ 0'-2' (H252891-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *99.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *101 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W3 @ 0'-2' 6'' (H252891-03)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**480**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *108 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W4 @ 0'-2' (H252891-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *104 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W5 @ 0'-2' (H252891-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *94.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *94.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W6 @ 0'-2' (H252891-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *93.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *94.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W7 @ 0'-2' (H252891-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *99.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *101 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W8 @ 2'-4' (H252891-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	196	97.8	200	3.87	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	189	94.5	200	3.11	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *97.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *99.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W9 @ 2'-4' (H252891-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *86.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *87.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W10 @ 0'-2' (H252891-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	480	120	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *81.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W11 @ 2'-4' (H252891-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *79.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W12 @ 2'-4' (H252891-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *75.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W13 @ 0'-3' (H252891-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *72.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *68.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W14 @ 0'-3' (H252891-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *79.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W15 @ 0'-3' 6" (H252891-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *82.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W16 @ 0'-2' (H252891-16)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *83.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W17 @ 2'-4' (H252891-17)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *81.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *74.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W18 @ 0'-4' 6" (H252891-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.09	104	2.00	4.93	
Toluene*	<0.050	0.050	05/16/2025	ND	2.17	108	2.00	4.37	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.16	108	2.00	4.37	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.66	111	6.00	4.56	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *77.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *73.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W19 @ 0'-5' (H252891-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *77.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W20 @ 0'-3' 6" (H252891-20)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *80.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *73.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W21 @ 0'-3' 6" (H252891-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *81.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W22 @ 0'-4' (H252891-22)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W23 @ 1'6''-4' (H252891-23)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *81.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *76.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W24 @ 2'-4' (H252891-24)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *82.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *80.1 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W25 @ 0'-2' (H252891-25)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *82.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W26 @ 0'-3' (H252891-26)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.7 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W27 @ 0'-3' (H252891-27)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *79.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *78.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W28 @ 0'-3' (H252891-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	197	98.7	200	1.79	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	183	91.4	200	0.378	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *83.3 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W29 @ 0'-1' 6" (H252891-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *93.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *82.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W30 @ 0'-2' (H252891-30)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/15/2025	ND	432	108	400	3.77	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *84.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W31 @ 0'-5' (H252891-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *83.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W32 @ 0'-6' (H252891-32)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *85.7 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W33 @ 2'-4' (H252891-33)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *79.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.5 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W34 @ 1'-2' (H252891-34)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	05/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W35 @ 2'-4' (H252891-35)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg **Analyzed By: MS**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *83.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *75.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: W36 @ 3'-5' (H252891-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	05/15/2025	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *97.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Julio Rivera	Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H25089 1	W1 @ 0' – 1' 6"	C	1			X					X		5/14/2025	8:00 AM	X	X	X		
2	W2 @ 0' – 2'	C	1			X					X		5/14/2025	8:02 AM	X	X	X		
3	W3 @ 0' – 2' 6"	C	1			X					X		5/14/2025	8:04 AM	X	X	X		
4	W4 @ 0' – 2'	C	1			X					X		5/14/2025	8:06 AM	X	X	X		
5	W5 @ 0' – 2'	C	1			X					X		5/14/2025	8:08 AM	X	X	X		
6	W6 @ 0' – 2'	C	1			X					X		5/14/2025	8:10 AM	X	X	X		
7	W7 @ 0' – 2'	C	1			X					X		5/14/2025	8:12 AM	X	X	X		
8	W8 @ 2' – 4'	C	1			X					X		5/14/2025	8:14 AM	X	X	X		
9	W9 @ 2' – 4'	C	1			X					X		5/14/2025	8:16 AM	X	X	X		
10	W10 @ 0' – 2'	C	1			X					X		5/14/2025	8:18 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5.14.25 Time: 1251	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
			All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
Relinquished By:	Date: Time:	Received By:	REMARKS:

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 0.1 Corrected Temp. °C 0.2	Sample Condition Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☐ Bacteria (only) Sample Condition ☐ Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	**P.O. #:**
Address: 2525 NW County RD	**Company:** Permian Resources
City: Hobbs **State:** NM **ZIP:** 88240	**Attn:** Montgomery Floyd
Phone #: (575)-392-9996	**Address:**
Project #: PRS-121	**City:**
Project Name: DOKNEY KONG 1 CTB 1	**State:** **Zip:**
Project Location: 32.33094, -103.41872	**Phone #:**
Sampler Name: Julio Rivera	**Fax #:**

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM							
H252891											✓															
11	W11 @ 2' – 4'	C	1			X					X		5/14/2025	8:20 AM	X	X	X									
12	W12 @ 2' – 4'	C	1			X					X		5/14/2025	8:22 AM	X	X	X									
13	W13 @ 0' – 3'	C	1			X					X		5/14/2025	8:24 AM	X	X	X									
14	W14 @ 0' – 3'	C	1			X					X		5/14/2025	8:26 AM	X	X	X									
15	W15 @ 0' – 3' 6"	C	1			X					X		5/14/2025	8:28 AM	X	X	X									
16	W16 @ 0' – 2'	C	1			X					X		5/14/2025	8:30 AM	X	X	X									
17	W17 @ 2' – 4'	C	1			X					X		5/14/2025	8:32 AM	X	X	X									
18	W18 @ 0' – 4' 6"	C	1			X					X		5/14/2025	8:34 AM	X	X	X									
19	W19 @ 0' – 5'	C	1			X					X		5/14/2025	8:36 AM	X	X	X									
20	W20 @ 0' – 3' 6"	C	1			X					X		5/14/2025	8:38 AM	X	X	X									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, ...es or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5.14.25 **Time:** 1251	**Received By:** SRodriguez	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
			All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:**

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** 0.1 **Corrected Temp. °C** 0.2	**Sample Condition** Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	**CHECKED BY: (Initials)** SR	**Turnaround Time:** Standard ☐ ✓ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C **Thermometer ID #140** **Correction Factor** +0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	**P.O. #:**
Address: 2525 NW County RD	**Company:** Permian Resources
City: Hobbs **State:** NM **ZIP:** 88240	**Attn:** Montgomery Floyd
Phone #: (575)-392-9996	**Address:**
Project #: PRS-121	**City:**
Project Name: DOKNEY KONG 1 CTB 1	**State:** **Zip:**
Project Location: 32.33094, -103.41872	**Phone #:**
Sampler Name: Josh James	**Fax #:**

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLP	NORM
H253891																			
21	W21 @ 0' – 3' 6"	C	1			X					X		5/14/2025	8:40 AM	X	X	X		
22	W22 @ 0' – 4'	C	1			X					X		5/14/2025	8:42 AM	X	X	X		
23	W23 @ 1' 6" – 4'	C	1			X					X		5/14/2025	8:44 AM	X	X	X		
24	W24 @ 2' – 4'	C	1			X					X		5/14/2025	8:46 AM	X	X	X		
25	W25 @ 0' – 2'	C	1			X					X		5/14/2025	8:48 AM	X	X	X		
26	W26 @ 0' – 3'	C	1			X					X		5/14/2025	8:50 AM	X	X	X		
27	W27 @ 0' – 3'	C	1			X					X		5/14/2025	8:52 AM	X	X	X		
28	W28 @ 0' – 3'	C	1			X					X		5/14/2025	8:54 AM	X	X	X		
29	W29 @ 0' – 1' 6"	C	1			X					X		5/14/2025	8:56 AM	X	X	X		
30	W30 @ 0' – 2'	C	1			X					X		5/14/2025	8:58 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, ...es or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	**Date:** 5-14-25 **Time:** 1251	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
Relinquished By:	**Date:** **Time:**	**Received By:**	**REMARKS:** All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	**Observed Temp. °C** -0.1 **Corrected Temp. °C** 0.2	**Sample Condition** Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	**CHECKED BY: (Initials)**	**Turnaround Time:** Standard ☑ Bacteria (only) Sample Condition ☐ Rush ☐ Cool Intact Observed Temp. °C **Thermometer ID #140** **Correction Factor** +0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	**P.O. #:**
Address: 2525 NW County RD	**Company:** Permian Resources
City: Hobbs **State:** NM **ZIP:** 88240	**Attn:** Montgomery Floyd
Phone #: (575)-392-9996	**Address:**
Project #: PRS-121	**City:**
Project Name: DOKNEY KONG 1 CTB 1	**State:** **Zip:**
Project Location: 32.33094, -103.41872	**Phone #:**
Sampler Name: Josh James	**Fax #:**

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLP	NGRM
H250891																			
31	W31 @ 0' – 5'	C	1			X					X		5/14/2025	9:00 AM	X	X	X		
32	W32 @ 0' – 6'	C	1			X					X		5/14/2025	9:02 AM	X	X	X		
33	W33 @ 2' – 4'	C	1			X					X		5/14/2025	9:04 AM	X	X	X		
34	W34 @ 1' – 2'	C	1			X					X		5/14/2025	9:06 AM	X	X	X		
35	W35 @ 2' – 4'	C	1			X					X		5/14/2025	9:08 AM	X	X	X		
36	W36 @ 3' – 5'	C	1			X					X		5/14/2025	9:10 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, ...ies or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

...linquished By:	**Date:** 5.14.25 **Time:** 1251	**Received By:**	**Verbal Result:** ☐ Yes ☐ No **Add'l Phone #:**
...linquished By:	**Date:** **Time:**	**Received By:**	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com **REMARKS:**
...ivered By: (Circle One) ...mpler - UPS - Bus - Other:	**Observed Temp. °C** **Corrected Temp. °C** -0.1 0.2	**Sample Condition** Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	**CHECKED BY: (Initials)**

Turnaround Time: Standard ☐ Bacteria (only) Sample Condition
Rush ☐ Cool Intact Observed Temp. °C
Thermometer ID #140 Correction Factor +0.3
☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 20, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 05/14/25 12:51.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: H 1 @ SURFACE (H252892-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	05/15/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/16/2025	ND	223	111	200	2.55	
DRO >C10-C28*	**22.1**	10.0	05/16/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/16/2025	ND					

Surrogate: 1-Chlorooctane *96.4 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *96.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: H 2 @ SURFACE (H252892-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	2.02	101	2.00	7.13	
Toluene*	<0.050	0.050	05/16/2025	ND	2.09	105	2.00	6.83	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	2.04	102	2.00	6.95	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	6.04	101	6.00	6.87	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	05/15/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *92.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: H 3 @ SURFACE (H252892-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	1.90	94.8	2.00	4.17	
Toluene*	<0.050	0.050	05/16/2025	ND	1.97	98.4	2.00	4.97	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	1.94	97.0	2.00	5.21	
Total Xylenes*	**0.176**	0.150	05/16/2025	ND	5.98	99.7	6.00	4.78	GC-NC1
Total BTEX	<0.300	0.300	05/16/2025	ND					GC-NC1

Surrogate: 4-Bromofluorobenzene (PID *114 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *99.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *92.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	05/14/2025	Sampling Date:	05/14/2025
Reported:	05/20/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: H 4 @ SURFACE (H252892-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/16/2025	ND	1.90	94.8	2.00	4.17	
Toluene*	<0.050	0.050	05/16/2025	ND	1.97	98.4	2.00	4.97	
Ethylbenzene*	<0.050	0.050	05/16/2025	ND	1.94	97.0	2.00	5.21	
Total Xylenes*	<0.150	0.150	05/16/2025	ND	5.98	99.7	6.00	4.78	
Total BTEX	<0.300	0.300	05/16/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	05/15/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/15/2025	ND	223	111	200	2.55	
DRO >C10-C28*	<10.0	10.0	05/15/2025	ND	205	102	200	3.90	
EXT DRO >C28-C36	<10.0	10.0	05/15/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *94.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	
Project Manager: Justin Roberts	
Address: 2525 NW County RD	
City: Hobbs State: NM ZIP: 88240	
Phone #: (575)-392-9996	
Project #: PRS-121	
Project Name: DOKNEY KONG 1 CTB 1	
Project Location: 32.33094, -103.41872	
Sampler Name: Josh James	

BILL TO ANALYSIS REQUEST

P.O. #:
Company: Permian Resources
Attn: Montgomery Floyd
Address:
City:
State: Zip:
Phone #:
Fax #:

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLP	NORM
H250592																			
1 H1	SP1 @ Surface	C	1			X					X		5/14/2025	9:30 AM	X	X	X		
2 H2	SP2 @ Surface	C	1			X					X		5/14/2025	9:32 AM	X	X	X		
3 H3	SP3 @ Surface	C	1			X					X		5/14/2025	9:34 AM	X	X	X		
4 H4	SP4 @ Surface	C	1			X					X		5/14/2025	9:36 AM	X	X	X		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5.14.25	Received By:	Verbal Result: ☐ Yes ☐ No / Add'l Phone #:
Relinquished By:	Time: 1251	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com
	Date:		REMARKS:
	Time:		

Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C -0.1 Corrected Temp. °C 0.2	Sample Condition Cool Intact ☐ Yes ☐ Yes ☐ No ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☑ Bacteria (only) Sample Condition Rush ☐ Cool Intact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3 ☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 26, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 06/20/25 15:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B58 @ 3' (H253711-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *92.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.6 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B64 @ 2' (H253711-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *93.8 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *84.0 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B65 @ 2' (H253711-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *87.9 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *77.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B66 @ 2' (H253711-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *90.4 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B67 @ 3' 6" (H253711-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *83.2 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *70.9 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B68 @ 3' 6" (H253711-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.6 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *92.0 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *79.3 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/20/2025	Sampling Date:	06/20/2025
Reported:	06/26/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: B165 @ 2' 6'' (H253711-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	0.970	
Toluene*	<0.050	0.050	06/25/2025	ND	2.21	110	2.00	2.39	
Ethylbenzene*	<0.050	0.050	06/25/2025	ND	2.04	102	2.00	1.53	
Total Xylenes*	<0.150	0.150	06/25/2025	ND	6.11	102	6.00	1.78	
Total BTEX	<0.300	0.300	06/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	06/24/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/23/2025	ND	203	101	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/23/2025	ND	189	94.7	200	16.4	
EXT DRO >C28-C36	<10.0	10.0	06/23/2025	ND					

Surrogate: 1-Chlorooctane *102 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *89.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 467 of 481

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals	**BILL TO** ANALYSIS REQUEST
Project Manager: Justin Roberts	P.O. #:
Address: 2525 NW County RD	Company: Permian Resources
City: Hobbs State: NM ZIP: 88240	Attn: Montgomery Floyd
Phone #: (575)-392-9996	Address:
Project #: PRS-121	City:
Project Name: DOKNEY KONG 1 CTB 1	State: Zip:
Project Location: 32.33094, -103.41872	Phone #:
Sampler Name: Josh James	Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	CL	EXT TPH	BTEX	FULL TCLIP	NORM
H253711																			
1	B58 @ 3'	C	1			X					X		6/20/2025	8:00 AM	X	X	X		
2	B64 @ 2'	C	1			X					X		6/20/2025	8:02 AM	X	X	X		
3	B65 @ 2'	C	1			X					X		6/20/2025	8:04 AM	X	X	X		
4	B66 @ 2'	C	1			X					X		6/20/2025	8:06 AM	X	X	X		
5	B67 @ 3' 6"	C	1			X					X		6/20/2025	8:08 AM	X	X	X		
6	B68 @ 3' 6"	C	1			X					X		6/20/2025	8:10 AM	X	X	X		
7	B165 @ 2' 6"	C	1			X					X		6/20/2025	8:12 AM	X	X	8		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 6.20.25 Time: 1555	Received By:	Verbal Result: ☐ Yes ☐ No — Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com REMARKS:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 2.1 Corrected Temp. °C 2.4 (CS)	Sample Condition Cool Intact ☑ Yes ☐ Yes ☐ No ☐ No	CHECKED BY: (Initials)

Turnaround Time: Standard ☑ Bacteria (only) Sample Condition
Rush ☐ Cool Intact Observed Temp. °C
Thermometer ID #140
Correction Factor +0.3c
☐ Yes ☐ Yes ☐ No ☐ No Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 07, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: DOKNEY KONG 1 CTB 1

Enclosed are the results of analyses for samples received by the laboratory on 06/30/25 16:11.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/30/2025	Sampling Date:	06/30/2025
Reported:	07/07/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: BACKFILL 1 @ SURFACE (H253938-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/01/2025	ND	1.92	96.1	2.00	0.467	
Toluene*	<0.050	0.050	07/01/2025	ND	1.99	99.7	2.00	0.871	
Ethylbenzene*	<0.050	0.050	07/01/2025	ND	2.01	100	2.00	0.998	
Total Xylenes*	<0.150	0.150	07/01/2025	ND	5.94	98.9	6.00	1.07	
Total BTEX	<0.300	0.300	07/01/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/01/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/01/2025	ND	189	94.7	200	1.56	
DRO >C10-C28*	<10.0	10.0	07/01/2025	ND	186	93.0	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/01/2025	ND					

Surrogate: 1-Chlorooctane *61.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *57.8 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	06/30/2025	Sampling Date:	06/30/2025
Reported:	07/07/2025	Sampling Type:	Soil
Project Name:	DOKNEY KONG 1 CTB 1	Sampling Condition:	Cool & Intact
Project Number:	PRS - 121	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.33094-103.41872		

Sample ID: BACKFILL 2 @ SURFACE (H253938-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/01/2025	ND	1.92	96.1	2.00	0.467	
Toluene*	<0.050	0.050	07/01/2025	ND	1.99	99.7	2.00	0.871	
Ethylbenzene*	<0.050	0.050	07/01/2025	ND	2.01	100	2.00	0.998	
Total Xylenes*	<0.150	0.150	07/01/2025	ND	5.94	98.9	6.00	1.07	
Total BTEX	<0.300	0.300	07/01/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *71.5-134*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	07/01/2025	ND	400	100	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/01/2025	ND	189	94.7	200	1.56	
DRO >C10-C28*	<10.0	10.0	07/01/2025	ND	186	93.0	200	2.63	
EXT DRO >C28-C36	<10.0	10.0	07/01/2025	ND					

Surrogate: 1-Chlorooctane *77.5 %* *44.4-145*

Surrogate: 1-Chlorooctadecane *72.2 %* *40.6-153*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories
101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name:	Diamondback Disposal Services	**BILL TO**	
Project Manager:	Justin Roberts	P.O. #:	
Address:	2525 NW County Rd.	Company:	Permian Resources
City:	Hobbs State: NM Zip: 88240	Attn:	
Phone #:	Fax #:	Address:	
Project #:	PRS-121 Project Owner:	City:	
Project Name:	DOKNEY KONG 1 CTB 1	State:	Zip:
Project Location:	32.33094, -103.41872	Phone #:	
Sampler Name:	Jason Owsley	Fax #:	

FOR LAB USE ONLY				MATRIX						PRESERV.			SAMPLING		ANALYSIS REQUEST										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	CL	BTEX	EXT TPH	FULL TCLIP	NORM						
H53938											✓														
1	Backfill 1 @ Surface	C	1			X					X		6-30-25	2:00 PM	X	X	X								
2	Backfill 2 @ Surface	C	1			X					X		6-30-25	2:02 PM	X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 6-30-25	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1411		All Results are emailed. Please provide Email address:
Relinquished By:	Date:	Received By:	Environmental@Diamondbacknm.com
	Time:		REMARKS:
Delivered By: (Circle One)	Observed Temp. °C	Sample Condition	CHECKED BY:
Sampler - UPS - Bus - Other:	Corrected Temp. °C 4.1 / 4.4	Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	(Initials)
			Turnaround Time: Standard ☑ Rush ☐
			Thermometer ID #140 Correction Factor +0.3°C
			Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

FORM-006 R 3.6 02/12/25

Received by OCD: 8/21/2025 10:15:07 AM

Released to Imaging: 9/8/2025 8:38:59 AM

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 498101

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2212742533**
Incident Name	**NAPP2212742533 DONKEY KONG 1 CTB 1 SWD LINE @ FAPP2220946863**
Incident Type	**Produced Water Release**
Incident Status	**Reclamation Report Received**
Incident Facility	**[fAPP2220946863] Donkey Kong 1 CTB 1**

Location of Release Source	
Please answer all the questions in this group.	
Site Name	DONKEY KONG 1 CTB 1 SWD LINE
Date Release Discovered	05/06/2022
Surface Owner	State

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Cause: Equipment Failure | Pipeline (Any) | Crude Oil | Released: 5 BBL | Recovered: 3 BBL | Lost: 2 BBL.
Produced Water Released (bbls) Details	Cause: Equipment Failure | Pipeline (Any) | Produced Water | Released: 450 BBL | Recovered: 380 BBL | Lost: 70 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	*Not answered.*
Natural Gas Vented (Mcf) Details	*Not answered.*
Natural Gas Flared (Mcf) Details	*Not answered.*
Other Released Details	*Not answered.*
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	*Not answered.*

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	**No, according to supplied volumes this does not appear to be a "gas only" report.**
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	**Yes**
Reasons why this would be considered a submission for a notification of a major release	**From paragraph A. "Major release" determine using:** **(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.**

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response	
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	*Not answered.*

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/21/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	15400
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	315
GRO+DRO (EPA SW-846 Method 8015M)	315
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
On what estimated date will the remediation commence	08/03/2022
On what date will (or did) the final sampling or liner inspection occur	06/20/2025
On what date will (or was) the remediation complete(d)	07/12/2025
What is the estimated surface area (in square feet) that will be reclaimed	42000
What is the estimated volume (in cubic yards) that will be reclaimed	3440
What is the estimated surface area (in square feet) that will be remediated	42000
What is the estimated volume (in cubic yards) that will be remediated	3440
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.	
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and **off-site** disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for **off-site** disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for **off-site** disposal	*Not answered.*
OR is the **off-site** disposal site, to be used, out-of-state	*Not answered.*
OR is the **off-site** disposal site, to be used, an NMED facility	*Not answered.*
(Ex Situ) Excavation and **on-site** remediation (i.e. On-Site Land Farms)	*Not answered.*
(In Situ) Soil Vapor Extraction	*Not answered.*
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	*Not answered.*
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	*Not answered.*
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	*Not answered.*
Ground Water Abatement pursuant to 19.15.30 NMAC	*Not answered.*
OTHER (Non-listed remedial process)	*Not answered.*
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/21/2025
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only *Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.*	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	**476262**
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	**06/20/2025**
What was the (estimated) number of samples that were to be gathered	**7**
What was the sampling surface area in square feet	**1400**

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	**Yes**
Was this release entirely contained within a lined containment area	**No**
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	42000
What was the total volume (cubic yards) remediated	3440
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	42000
What was the total volume (in cubic yards) reclaimed	3440
Summarize any additional remediation activities not included by answers (above)	Remediation activities have been completed at the site.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/21/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	42000
What was the total volume of replacement material (in cubic yards) for this site	3440
Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeding commence(d)	09/15/2025
Summarize any additional reclamation activities not included by answers (above)	Site will be reseeded when favorable weather conditions are met.
The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeding plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/21/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.	
Requesting a restoration complete approval with this submission	No
Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 498101
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
nvelez	None	9/8/2025