

September 24, 2025

**New Mexico Oil Conservation Division** 

New Mexico Energy, Minerals, and Natural Resources Department 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Closure Request

PLU 28 Big Sinks West Battery Incident Number nAPP2406159589 Eddy County, New Mexico

To Whom It May Concern:

Ensolum, LLC (Ensolum), on behalf of XTO Energy, Inc (XTO), has prepared this *Closure Request* to document the findings of a liner integrity inspection conducted at the PLU 28 Big Sinks West Battery (Site) following a release of produced water within a lined containment. Based on the liner integrity inspection activities, XTO is submitting this *Closure Request*, describing inspection activities that have occurred and requesting no further action and closure for Incident Number nAPP2406159589.

### SITE DESCRIPTION AND RELEASE SUMMARY

The Site is located in Unit F, Section 28, Township 25 South, Range 31 East, in Eddy County, New Mexico (32.10431°, -103.78708°) and is associated with oil and gas exploration and production operations on Federal Land managed by the Bureau of Land Management (BLM).

On February 16, 2024, a blown seal on the salt water disposal (SWD) pump resulted in the release of approximately 10 barrels (bbls) of produced water into a lined containment. A vacuum truck was dispatched to the Site to recover free-standing fluids and all fluids were recovered. XTO reported the release to the New Mexico Oil Conservation Division (NMOCD) via a Notification of Release (NOR) and submitted an Initial C-141 Application (C-141) on March 1, 2024. The release was assigned Incident Number nAPP2406159589.

### SITE CHARACTERIZATION AND CLOSURE CRITERIA

The Site was characterized to assess the applicability of Table I Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC). Results from the characterization desktop review are presented below and potential Site receptors are identified on Figure 1.

Depth to groundwater at the Site is estimated to be greater than 100 feet below ground surface (bgs) based on a recent soil boring drilled for determination of regional groundwater depth. On March 24, 2021, a soil boring permitted by New Mexico Office of the State Engineer (OSE), File Number C-4500, was completed approximately 0.2 miles southeast of the Site utilizing hollow stem auger drilling method. The soil boring was drilled to a total depth of 110 feet bgs. No groundwater was encountered during

Ensolum, LLC | Environmental, Engineering & Hydrogeologic Consultants 3122 National Parks Highway | Carlsbad, NM 88220 | ensolum.com XTO Energy, Inc Closure Request PLU 28 Big Sinks West Battery

drilling activities. All wells used for depth to groundwater determination are presented on Figure 1. The Well Record and Log is included in Appendix A.

The closest continuously flowing or significant watercourse to the Site is a dry wash located approximately 5,513 feet southwest of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or wetland. The Site is greater than 1,000 feet to a freshwater well or spring and is not within a 100-year floodplain or overlying a subsurface mine. The Site is not underlain by unstable geology (low potential karst designation area).

Based on the results of the Site Characterization, the following NMOCD Table I Closure Criteria (Closure Criteria) apply:

- Benzene: 10 milligrams per kilogram (mg/kg)
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg
- Total petroleum hydrocarbons (TPH)-gasoline range organics (GRO) and TPH-diesel range organics (DRO): 1,000 mg/kg
- TPH: 2,500 mg/kg
- Chloride: 20,000 mg/kg

### **LINER INTEGRITY INSPECTION ACTIVITIES**

A 48-hour advanced notice of the liner inspection was submitted to the NMOCD on September 10, 2025. The lined containment was cleaned of all debris and power washed and a liner integrity inspection was conducted by Ensolum personnel on September 12, 2025. The lined containment was inspected, and it was determined that the liner was operating as designed. Upon inspection, no rips, tears, holes, or damage was observed. The liner was determined to be operating sufficiently, and all released fluids were recovered. Photographic documentation of the inspection is included in Appendix B.

### **CLOSURE REQUEST**

Liner integrity inspection activities were completed following the February 16, 2024, release of produced water within a lined containment at the Site. A liner integrity inspection was conducted on behalf of XTO, by Ensolum personnel on September 12, 2025. The results of the inspection indicated that the liner was operating as designed and the release was contained vertically and laterally by the lined containment. Based on initial response efforts and the liner operating as designed, XTO respectfully requests closure for Incident Number nAPP2406159589.

If you have any questions or comments, please contact Ms. Tacoma Morrissey at (337) 257-8307 or tmorrissey@ensolum.com.

Sincerely, **Ensolum**, **LLC** 

Kim Thomason Senior Technician

Benjamin J. Belill Senior Geologist

**ENSOLUM** 

XTO Energy, Inc Closure Request PLU 28 Big Sinks West Battery

Cc: Colton Brown, XTO

Kaylan Dirkx, XTO

BLM

### Appendices:

Figure 1 Site Receptor Map

Figure 2 Site Map


Appendix A Referenced Well Records

Appendix B Photographic Log





**FIGURES** 



Released to Imaging: 9/30/2025 1:38:11 PM





Site Map

XTO Energy, Inc

PLU 28 Big Sinks West Battery
Incident Number: NAPP2406159589
Unit F, Section 28, T 25S, R 31E
Eddy County, New Mexico

**FIGURE** 2

Released to Imaging: 9/30/2025 1:38:11 PM



**APPENDIX A** 

Referenced Well Records



	OSE POD NO		0.)		WELL TAG ID NO.			OSE FILE NO(	S).			
ON	POD1 (BH-01)						C-4500					
GENERAL AND WELL LOCATION	WELL OWNER NAME(S)						PHONE (OPTIONAL)					
	XTO Energy (Kyle Littrell)											
LL	WELL OWNER MAILING ADDRESS						CITY STATE ZIP					
ÆL	6401 Holiday Hill Dr.						Midland TX 79707					
N Q			th:	EGREES	MINUTES	CECONID.		<u> </u>				
AN	WELL		Ь	32	32 6 6.96		REQUIRED: ONE TENT	TI OF A SEC	202112			
<b>¥</b> F	LOCATIO		ATTTUDE				N	J	-	IH OF A SEC	JOND	
KEN	(FROM GP	s) L	ONGITUDE	103	47	6.75	w	DATUM RE	QUIRED: WGS 84			
<b>E</b>	DESCRIPTION	ON RELAT	ING WELL LOCATION TO	O STREET ADDR	ESS AND COMMON	LANDMAR	KS – PLS	S (SECTION, TO	WNSHЛP, RANGE) WHI	ERE AVAIL	ABLE	
ij	SE NW Se	ec. 28 T2	25S R31E									
									· · · · · · · · · · · · · · · · · · ·			
	LICENSE NO		NAME OF LICENSEI		ackie D. Atkins				NAME OF WELL DRI Atkins Eng			••
						<u>.</u>			_			ic.
	DRILLING ST		DRILLING ENDED		APLETED WELL (FI			LE DEPTH (FT)	DEPTH WATER FIRS		TERED (FT)	
	03/24/	2021	03/24/2021	tempor	ary well materia	·		110		n/a		
	COMPLETE	NEII IS	: ARTESIAN	ORY HOLI	E [ SHALLO	W (UNCONE	TARED)		STATIC WATER LEV		PLETED WE	LL (FT)
Z	COMPLETE	WELL 13	. J_ ARTESIAN	M DKI HOL	s [_] SHALLO	w (UNCONF	INED)			n/a		
) II	DRILLING FI	LUID:	AIR	☐ MUD	ADDITIV	es – specif	Y:					
2. DRILLING & CASING INFORMATION	DRILLING M	ETHOD:	ROTARY	☐ HAMMER ☐ CABLE TOOL ☑ OTHER ~ SPECIFY:		Hollow Stem Auger						
(FO	DEPTH (feet bgl) BORE HOLE		CASING	CASING MATERIAL AND/OR			2.5075					
ı 5	FROM TO DIAM (inches)		BOKE HOLE	-	GRADE		CASING CONNECTION		CASING INSIDE DIAM.		G WALL KNESS	SLOT SIZE
SIL				(include each casing string, and		T	YPE	(inches)		hes)	(inches)	
CA	0	110	±6.5		Boring- HSA		add coup	ling diameter)	(	`	<u> </u>	
30 5				-	301Mg-11011			<del></del>				
Ž												
131					<del></del>							
D.				<del> </del>								
7												
											-	
		-		<u> </u>					OSE DIT MS	W 5 200	1 page 150	ì .
				<u> </u>								
<u> </u>				<u> </u>					<u>L</u>	<u>L </u>		<u></u>
	DEPTH (feet bgl) BORE HOLE			LIS	LIST ANNULAR SEAL MATERIAL AND		AND	AMOUNT		METHO	D OF	
A.L.	FROM TO		DIAM. (inches)						İ	METHOD OF PLACEMENT		
(RL	TROM		·							$\dashv$		
ATI				<u> </u>						-		
W.										_		
LA.				<del> </del>								
NU												
3. ANNULAR MATERIAL				<u> </u>						-		
3,							_	·		-		
				1					L	L		
FOR OSE INTERNAL USE WR-20 WELL RECORD & LOG (Version 06/30/17)												
FILE	FILE NO. (-4500 POD NO. TRN NO. 482534											
LOC	LOCATION EXP 255.31E.28.144 WELL TAG ID NO. — PAGE 1 OF 2											
		<del></del>										

	-						
	DEPTH (i	eet bgl)		COLOR AND TYPE OF MATERIAL ENCOUNTERED -		WATER	ESTIMATED YIELD FOR
:	FROM	то	THICKNESS (feet)	INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZON (attach supplemental sheets to fully describe all units)	ES	BEARING? (YES / NO)	WATER- BEARING ZONES (gpm)
	0	1	1	Caliche, no odor, no stain, tan, light-brown		Y / N	
	1	3	2	Sand, no odor, no stain, m-f, well sorted, brown, trace silt, low consoli	dation	Y ✓N	
	3	7	4	Sandy clay, no odor, no stain, m-f, brown, well sorted, low plasticity, c	Y ✓N		
,	7	23	16	Caliche,tan, light brown sand, m-f grained, poorly sorted, low consoli	lation	y √n	
	23	110	87	sand, brown, no odor, no stain, fine grained, well sorted, low consolid	ation	Y ✓N	
T						Y N	
4. HYDROGEOLOGIC LOG OF WELL						Y N	
OF						Y N	
007					·	Y N	
:IC						Y N	
T00						Y N	
GEO						Y N	
RO						Y N	
HYI						Y N	
4.	·					Y N	
					·	Y N	
						Y N	
						Y N	
						Y N	
						Y N	
						Y N	
	METHOD USED TO ESTIMATE YIELD O			OF WATER-BEARING STRATA:	i i	AL ESTIMATED	
	PUMI	P	IR LIFT	BAILER OTHER – SPECIFY:	WEI	L YIELD (gpm):	0.00
WELL TEST TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHAR START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PROPERTY.					NG DISCHARGE ! E TESTING PERIC	METHOD, DD.	
VISION	MISCELLA	NEOUS INF	ORMATION: DI	JU 28 BS 126H, Temporary well materials removed and the soil	noring h	ackfilled using de	rill outtings from
TEST; RIG SUPER			ιο	ial deput to ten leet below ground surface, then hydrated bentonit	e chips	from ten feet belo	w ground
s su				rface to surface. ogs adapted from WSP on-site geologist.			
; RI					م معربعة رمدر	TT WAY SOAO:	
EST	PRINT NAM	Æ(S) OF DI	RILL RIG SUPER	VISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CO	'mil'elima	22.3 (*18 CT 1.3 2X2X)	
Shane Eldridge							
SIGNATURE	CORRECT I	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:					
6. SIGNA	Jack &	1 tkins		Jackie D. Atkins		05/05/2021	
SIGNATURE OF DRILLER / PRINT SIGNEE NAME DATE			DATE				
EO1	FOR OSE INTERNAL USE WR-20 WELL RECORD & LOG (Version 06/30/2017)						
	FILE NO. (-4500) POD NO.   TRN NO. 482534						
TO	CATION				<del></del>		PAGE 2 OF 2



**APPENDIX B** 

Photographic Log



### **Photographic Log**

XTO Energy, Inc.
PLU 28 Big Sinks West Battery
NAPP2406159589



Photograph 1 Date: February 16, 2024

Description: Initial release within containment



Photograph 2 Date: September 12, 2025

Description: Well sign



### **Photographic Log**

XTO Energy, Inc.
PLU 28 Big Sinks West Battery
NAPP2406159589



Photograph 3 Date: September 12, 2025

Description: Liner inspection activities; facing Southeast



Photograph 4 Date: September 12, 2025

Description: Liner inspection activities; facing Northeast



### **Photographic Log**

XTO Energy, Inc.
PLU 28 Big Sinks West Battery
NAPP2406159589



Photograph 5 Date: September 12, 2025

Description: Liner inspection activities; facing North



Photograph 6 Date: September 12, 2025

Description: Liner inspection activities; facing Southeast

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 510684

### **QUESTIONS**

Operator:		OGRID:		
ı	XTO ENERGY, INC	5380		
ı	6401 Holiday Hill Road	Action Number:		
ı	Midland, TX 79707	510684		
ı		Action Type:		
ı		[C-141] Remediation Closure Request C-141 (C-141-v-Closure)		

### QUESTIONS

Prerequisites				
Incident ID (n#)	nAPP2406159589			
Incident Name	NAPP2406159589 PLU 28 BIG SINKS WEST BATTERY @ F-28-25S-31E			
Incident Type	Produced Water Release			
Incident Status	Remediation Closure Report Received			

Location of Release Source				
Please answer all the questions in this group.				
Site Name	PLU 28 Big Sinks West Battery			
Date Release Discovered	02/16/2024			
Surface Owner	Federal			

Incident Details			
Please answer all the questions in this group.			
Incident Type	Produced Water Release		
Did this release result in a fire or is the result of a fire	No		
Did this release result in any injuries	No		
Has this release reached or does it have a reasonable probability of reaching a watercourse	No		
Has this release endangered or does it have a reasonable probability of endangering public health	No		
Has this release substantially damaged or will it substantially damage property or the environment	No		
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No		

Nature and Volume of Release				
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.				
Crude Oil Released (bbls) Details	Not answered.			
Produced Water Released (bbls) Details	Cause: Other   Pump   Produced Water   Released: 10 BBL   Recovered: 10 BBL   Lost: 0 BBL.			
Is the concentration of chloride in the produced water >10,000 mg/l	Yes			
Condensate Released (bbls) Details	Not answered.			
Natural Gas Vented (Mcf) Details	Not answered.			
Natural Gas Flared (Mcf) Details	Not answered.			
Other Released Details	Not answered.			
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Blown seal on SWD pump			

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 510684

QUESTIONS (continued)

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID:			
QUESTIONS				
Nature and Volume of Release (continued)				
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.			
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No			
Reasons why this would be considered a submission for a notification of a major release	Unavailable.			
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.			
Initial Response				
The responsible party must undertake the following actions immediately unless they could create a s	afety hazard that would result in injury.			
The source of the release has been stopped	True			
The impacted area has been secured to protect human health and the environment	True			
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True			
All free liquids and recoverable materials have been removed and managed appropriately	True			
If all the actions described above have not been undertaken, explain why	N/A			
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.			
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are required ases which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or			
I hereby agree and sign off to the above statement	Name: Robert Woodall Title: Environmental Analyst Email: robert.d.woodall@exxonmobil.com Date: 09/30/2025			

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
<a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 3

Action 510684

QUESTIONS (continued)

Operator:	OGRID:
XTO ENERGY, INC	5380
6401 Holiday Hill Road	Action Number:
Midland, TX 79707	510684
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

### QUESTIONS

Site Characterization				
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.				
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)			
What method was used to determine the depth to ground water	NM OSE iWaters Database Search			
Did this release impact groundwater or surface water	No			
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:			
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)			
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)			
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)			
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)			
Any other fresh water well or spring	Between 1 and 5 (mi.)			
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)			
A wetland	Between 1 and 5 (mi.)			
A subsurface mine	Greater than 5 (mi.)			
An (non-karst) unstable area	Between ½ and 1 (mi.)			
Categorize the risk of this well / site being in a karst geology	Low			
A 100-year floodplain	Between 1 and 5 (mi.)			
Did the release impact areas not on an exploration, development, production, or storage site	No			

Remediation Plan				
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.				
Requesting a remediation plan approval with this submission	Yes			
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.				
Have the lateral and vertical extents of contamination been fully delineated	Yes			
Was this release entirely contained within a lined containment area	Yes			
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.				
On what estimated date will the remediation commence	02/16/2024			
On what date will (or did) the final sampling or liner inspection occur	09/12/2025			
On what date will (or was) the remediation complete(d)	09/12/2025			
What is the estimated surface area (in square feet) that will be remediated	0			
What is the estimated volume (in cubic yards) that will be remediated	0			
These estimated dates and measurements are recognized to be the best guess or calculation at t	he time of submission and may (be) change(d) over time as more remediation efforts are completed.			

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 510684

QUESTIONS (continued)

Operator:	OGRID:		
XTO ENERGY, INC	5380		
6401 Holiday Hill Road	Action Number:		
Midland, TX 79707	510684		
	Action Type:		
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)		

### QUESTIONS

Remediation Plan (continued)		
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:		
(Select all answers below that apply.)		
Is (or was) there affected material present needing to be removed	Yes	
Is (or was) there a power wash of the lined containment area (to be) performed	Yes	
OTHER (Non-listed remedial process)	No	
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMA		

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement

Name: Robert Woodall Title: Environmental Analyst

Email: robert.d.woodall@exxonmobil.com

Date: 09/30/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

What was the liner inspection surface area in square feet

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 510684

QUESTIONS (continued)

	Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380 Action Number: 510684			
		Action Type:  [C-141] Remediation Closure Request C-141 (C-141-v-Closure)			
	QUESTIONS				
Liner Inspection Information					
	Last liner inspection notification (C-141L) recorded	504630			
	Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	09/12/2025			
	Was all the impacted materials removed from the liner	Yes			
	·				

360

Remediation Closure Request				
answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.				
Requesting a remediation closure approval with this submission	Yes			
Have the lateral and vertical extents of contamination been fully delineated	Yes			
Was this release entirely contained within a lined containment area	Yes			
What was the total surface area (in square feet) remediated	0			
What was the total volume (cubic yards) remediated	0			
Summarize any additional remediation activities not included by answers (above)	Liner integrity inspection activities were completed following the February 16, 2024, release of produced water within a lined containment at the Site. A liner integrity inspection was conducted on behalf of XTO, by Ensolum personnel on September 12, 2025. The results of the inspection indicated that the liner was operating as designed and the release was contained vertically and laterally by the lined containment. Based on initial response efforts and the liner operating as designed, XTO respectfully requests closure for Incident Number nAPP2406159589.			

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement

I hereby agree and sign off to the above statement

I hereby agree and sign off to the above statement

Email: robert.d.woodall@exxonmobil.com

Date: 09/30/2025

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 510684

### **CONDITIONS**

Operator:	OGRID:
XTO ENERGY, INC	5380
6401 Holiday Hill Road	Action Number:
Midland, TX 79707	510684
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

### CONDITIONS

Created By		Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #nAPP2406159589 PLU 28 Big Sinks West Battery, thank you. This Remediation Closure Report is approved.	9/30/2025