2135 S. Loop 250 W. Midland, Texas 79703 United States ghd.com



Our ref: 12676588-NMOCD-1

October 13, 2025

New Mexico Oil Conservation Division 506 W. Texas Avenue Artesia, New Mexico 88210

Closure Report
Devon Energy Production Company, LP
Tomahawk 13 CTB 1
Unit Letter H, Section 13, T22S, R27E
GPS: 32.393068, -104.138015
Eddy County, New Mexico

1. Introduction

GHD Services Inc. (GHD), on behalf of Devon Energy Production Company (Devon Energy), has prepared this *Closure Report* to document site assessment activities at Tomahawk 13 CTB 1 (Site). The purpose of the assessment was to determine the presence or absence of impacts to soil following a release of produced water within a lined containment at the Site. Based on field observations, Devon Energy is submitting this *Closure Report*, describing Site assessment activities that have occurred and requesting closure for Incident Number nAPP2520231597.

2. Site Description and Release Summary

The Site is in Unit H, Section 13, Township 22 South, Range 27 East, in Eddy County, New Mexico (32.393068 N, -104.138015 W) and is associated with oil and gas exploration and production operations on Federal Land managed by the Bureau of Land Management (BLM).

On July 17, 2025, a pinhole leak in dump valve released fluids into the lined secondary containment. Approximately 266 barrels (bbls) of produced water was released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; all 266 bbls of released produced water was recovered from within the lined containment. The release was reported to the New Mexico Oil Conservation Division (NMOCD) on July 21, 2025, and was subsequently assigned Incident Number nAPP2520231597.

3. Site Characterization and Closure Criteria

The Site was characterized to assess applicability of Table I, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29 (NMAC 19.15.29) of the New Mexico Administrative Code (NMAC). Results from the characterization desktop review are summarized below and a Site Map is presented on **Figure 1**.

According to the soil survey provided by the United States Department of Agriculture National Resources Conservation Services, the soils located within the Site consists of Tonuco loamy fine sand, 0 to 3 percent slopes, eroded. The Site is located within an area of high karst potential.

Depth to groundwater at the Site is estimated to be 18 feet below ground surface (ft bgs) based on the nearest groundwater well data. Groundwater was determined utilizing the New Mexico Office of the State Engineers (NMOSE) database for registered water wells. The nearest permitted groundwater well with depth to groundwater data is C 04554 POD1 located approximately 0.64 miles northwest of the Site. The well was completed to a depth of 70 ft bgs on November 23, 2021. Static groundwater was measured at 10.5 ft bgs. A copy of the well referenced record is included in **Attachment A**.

The Site is not within 300 feet of any continuously flowing watercourse or any other significant watercourse. There are no lakebeds, sinkholes or playa lakes within 200 feet of the Site. The closest playa is approximately 0.61 miles east of the Site, and the nearest riverine wetland (Pecos River) is 0.71 miles southeast. There are no permanent residences, schools, hospitals, institutions or churches within 300 feet of the Site. The closest residence is approximately 0.50 miles west from the Site. The nearest fresh water well utilized for livestock watering is located approximately 0.51 miles northwest of the Site. There are no subsurface mines or 100-year floodplains within 300 feet of the Site. The location of the Site is depicted on **Figure 1**. A detailed map of the Site is provided on **Figure 2**. The Site Characterization Documentation is included in **Attachment B**.

Based on the results of the Site Characterization desktop review and not having confirmed depth to groundwater within 0.5 miles of the Site and the high karst potential, the following NMOCD Table I Closure Criteria (Closure Criteria) apply:

Table 3.1 Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29.12)

Regulatory Standard	Benzene (mg/kg)	BTEX (mg/kg)	TPH (GRO+DRO) (mg/kg)	TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
19.15.29.12 NMAC Table I Closure Criteria for Soils Impacted by a Release.	10	50		100	600

Notes:

--- = not defined.

mg/kg = milligrams per kilogram.

TPH = total petroleum hydrocarbons.

GRO+DRO+MRO = Gasoline Range Organics + Diesel Range Organics + Motor Oil/Lube Range Organics.

BTEX = benzene, toluene, ethylbenzene, and xylene.

4. Site Assessment Activities

The liner inspection notice was provided on September 11, 2025. A liner integrity inspection was performed on September 16, 2025. The liner was visually inspected and no rips, tears, holes, or damage in the liner was observed. The liner was determined to be intact with no integrity issues. Photographic documentation of the liner inspection is presented in **Attachment C**.

5. Closure Request

Based on the liner inspection and assessment activities at the Site, Devon Energy respectfully requests that no further actions be required, and requests closure for Incident Number nAPP2520231597 be granted.

Should you have any questions or require further information regarding this report, please do not hesitate to contact the undersigned.

Regards,

GHD

Kayla Taylor

Senior Project Manager

(432) 210-5443

Kayla.Taylor@GHD.com

Jessica Wright
Project Director

(713) 337-5419

Jessica.Wright@GHD.com

KT/lg/1


Encl.: Figure 1 - Site Location Map


Figure 2 - Site Details Map

Attachment A - Referenced Well Records

Attachment B - Site Characterization Documentation

Attachment C - Photographic Documentation







EDDY COUNTY, NEW MEXICO TOMAHAWK 13 CTB 1 INCIDENT No. nAPP2520231597


SITE LOCATION MAP

Date October 2025

FIGURE 1

Received by OCD: 10/14/2025 7:09:33 AM







SITE DETAILS MAP

FIGURE 2

Attachment A

Referenced Well Records

PAGE 1 OF 2



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

	OSE POD NO			WELL TAG ID		OSE FILE NO			
	POD 1			20EEI	В	C-455	54		
	WELL OWN	ER NAME(S) trick F Ed	eal	Carte diction de la constant de la c	The long of the little	PHONE (OPT)	(ONAL)		
	WELL OWN	ER MAILING	ADDRESS			CITY		STATE	ZIP
	406 W Riverside		Carls	bad	NM 882				
	WELL	. / %	Di	EGREES MINUTES	SECONDS	1	1.7	1 75 W	
	LOCATIO	N LAT	ITUDE	32 23	53.0 N	* ACCURACY	REQUIRED: ONE TEN	TH OF A SECOND	
	(FROM GI	LON	GITUDE	104 8	50.6 W	* DATUM RE	QUIRED: WGS 84		
	l			STREET ADDRESS AND COMM nce to Edcon Farm.	ION LANDMARKS – PL	SS (SECTION, TO	OWNSHJIP, RANGE) WH	IERE AVAILABLE	
	LICENSE NO. NAME OF LICENSED D. WD-1348			ORILLER Clinotn E Taylor		NAME OF WELL DRILLING COMPANY Taylor Water Well Service			
	DRILLING STARTED DRILLING ENDED 11/23/2021 12/9/2021		DEPTH OF COMPLETED WELL 70	DEPTH OF COMPLETED WELL (FT) 70 BORE HOLE DEPTH (FT) 80					
	COMPLETE	WELL IS:	ARTESIAN	DRY HOLE SHAL	LOW (UNCONFINED)		STATIC WATER LEV	VEL IN COMPLETED WE 10.5	ELL (FT)
	DRILLING F	LUID:	✓ AIR	MUD ADDI	TIVES - SPECIFY:				-
	DRILLING M	ETHOD:	ROTARY	HAMMER CABL	E TOOL OTHE	ER – SPECIFY:			
	DEPTH	(feet bgl)	BORE HOLE	CASING MATERIAL A	ND/OR C	ASING	CASING	CASING WALL	SLO
	FROM	ТО	DIAM (inches)	GRADE (include each casing string) note sections of screen	ng, and CON	NECTION TYPE ling diameter)	INSIDE DIAM. (inches)	THICKNESS (inches)	SIZE (inche
Ì	+1.5	22	12 1/4	PVC		Joint 7 1/4"	6	.28	
İ	22	30	8 3/4	PVC	Glue .	Joint 7 1/4"	6 1-0	.28	
	30	50	8 3/4	PVC	Glue .	Joint 7 1/4"	6	.28	.020
	50	70	8 3/4	PVC	Glue .	Joint 7 1/4"	6	.28	.035
-	75 . NOS	ntaep wie	V .us flyw llow)	money Develop	and July Control	or, box Loon	SXIII ZOTTI VOIT		my H
	25.00.00	nlaep æ ic Promp e i	V. da nav lista)	restal person	en Louis Control	or, law team.	exité voite var esti pilos		TILL T
	727 . 7626		V .da drev 15-2)	ore a radi mana a sana a s	and old contact	ar tar tan	DSE OII JAN 2	5 2022 pm4;31	
					SEAL MATERIAL	AND	OSE DII JAN 2		DOE
	DEPTH FROM		BORE HOLE DIAM. (inches)	LIST ANNULAR	SEAL MATERIAL AZE-RANGE BY INTE		200	METHO PLACEM	
	DEPTH	(feet bgl)	BORE HOLE	LIST ANNULAR	ZE-RANGE BY INTE	ERVAL	OSE DII JAN 2	метно	MENT
	DEPTH FROM	(feet bgl)	BORE HOLE DIAM. (inches)	LIST ANNULAR GRAVEL PACK SIZ 12 Sacks Bentonite Chips	ZE-RANGE BY INTE	ERVAL	OSE DII JAN 2	METHO PLACEM	Temie
	DEPTH FROM 0	(feet bgl) TO 22	BORE HOLE DIAM. (inches)	LIST ANNULAR GRAVEL PACK SIZ 12 Sacks Bentonite Chips	ZE-RANGE BY INTE	ERVAL	OSE DII JAN 2	METHO PLACEN Dump+T	TENT remie
	DEPTH FROM 0	(feet bgl) TO 22	BORE HOLE DIAM. (inches)	LIST ANNULAR GRAVEL PACK SIZ 12 Sacks Bentonite Chips	ZE-RANGE BY INTE	ERVAL	OSE DII JAN 2	METHO PLACEN Dump+T	TENT remie
	DEPTH FROM 0	(feet bgl) TO 22	BORE HOLE DIAM. (inches)	LIST ANNULAR GRAVEL PACK SIZ 12 Sacks Bentonite Chips	ZE-RANGE BY INTE / 13 Sacks 20% Bento 3 /8" Pea Gravel	ERVAL ntonite Grout	OSE DII JAN 2	METHO PLACEN Dump+T	Temie
	DEPTH FROM 0	(feet bgl) TO 22	BORE HOLE DIAM. (inches)	LIST ANNULAR GRAVEL PACK SIZ 12 Sacks Bentonite Chips	ZE-RANGE BY INTE / 13 Sacks 20% Bento 3 /8" Pea Gravel	ERVAL	OSE DII JAN 2	METHO PLACEN Dump+T	MENT remie

LOCATION

PAGE 2 OF 2

WELL TAG ID NO. 2

	DEPTH (feet bgl)	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONE (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
				Silty Soil	YVN	201125 (SP=1)
	0	6	6		Y VN	
	6	18	12	Clay: rd, slty	VY N	5.00
	18	20	2	Sand+Gravel: rd fn grn sand, 1/8"-1/2" gravel, yel brn,brn,gry	VY N	10.00
W.	20	34	14	Conglomerate: mott brn, gry, tn, pnk, sme sndy, lmy		10.00
- 0	34	56	22	Clay+Thin Layers of Sand+ Conglomerate	VY N	
	56	69	13	Conglomerate: yel brn, gry, tn, calc, sme silty, fractured drilling	V Y N	100.00
	69	80	11	Clay: rd, smth, stky	Y VN	
					Y N	
					Y N	
			,		Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
	,		7		Y N	
				,	Y N	
	METHOD U	JSED TO E	STIMATE YIELI	OF WATER-BEARING STRATA:	TOTAL ESTIMATED	
	PUM		-	BAILER OTHER - SPECIFY:	WELL YIELD (gpm):	125.00
	WELL TES	TEST STAF	RESULTS - ATT	ACH A COPY OF DATA COLLECTED DURING WELL TESTING, INC ME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OV	CLUDING DISCHARGE ER THE TESTING PERIO	METHOD, OD.
to an income to the state of th	MISCELLANEOUS INFORMATION: Mixed mud and circulated hole before running casing. Developed well with air. Water quality 4500 PF TDS. Well could make more that 125 GPM, but did not run a pump test. Well will be pumped with a s solar pump.				ity 4500 PPM bed with a sma	
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICE					HAN LICENSE	
	RECORD	F THE AR	OVE DESCRIBE	HAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOI D WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HA D WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMP	AS BEEN INSTALLED A	ND THAT THIS
			-	CE Taylor	12/29/2021	
5		SIGNA	TURE OF DRILL	ER / PRINT SIGNEE NAME	DATE	
_	D OUR DIESE	NIAL HOP	,	WD 20 WE	ELL RECORD & LOG (Ve	ersion 04/30/201
7	R OSE INTER	NAL USE	-1		(-9 95 % /	131011 07/30/201

LOCATION 1.1.4

Attachment B

Site Characterization Documentation



Soil Map—Eddy Area, New Mexico (Soil Map)

MAP LEGEND

â

00

Δ

Water Features

Transportation

Background

Spoil Area

Stony Spot

Wet Spot

Other

Rails

US Routes

Major Roads

Local Roads

Very Stony Spot

Special Line Features

Streams and Canals

Interstate Highways


Aerial Photography

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Points

Special Point Features

Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

Gravelly Spot

Landfill

Lava Flow

Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

+ Saline Spot

Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 20, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 12, 2022—Dec 2, 2022

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Soil Map

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
TN	Tonuco loamy fine sand, 0 to 3 percent slopes, eroded	3.3	100.0%
Totals for Area of Interest		3.3	100.0%

Soil Description

New Mexico

Eddy Area, New Mexico

TN—Tonuco loamy fine sand, 0 to 3 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1w62 Elevation: 3,000 to 4,100 feet

Mean annual precipitation: 10 to 14 inches Mean annual air temperature: 60 to 64 degrees F

Frost-free period: 200 to 217 days

Farmland classification: Not prime farmland

Map Unit Composition

Tonuco and similar soils: 98 percent Minor components: 2 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Tonuco

Setting

Landform: Plains, alluvial fans

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 5 inches: loamy fine sand H2 - 5 to 15 inches: loamy fine sand H3 - 15 to 19 inches: indurated

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 6 to 20 inches to petrocalcic

Drainage class: Excessively drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low

to moderately low (0.00 to 0.06 in/hr) Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Maximum salinity: Nonsaline (0.0 to 1.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.3 inches)

Interpretive groups


Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Ecological site: R070BD004NM - Sandy

Hydric soil rating: No



Soil Description

Map Unit Description: Tonuco loamy fine sand, 0 to 3 percent slopes, eroded---Eddy Area,

New Mexico

Minor Components

Tonuco

Percent of map unit: 1 percent Ecological site: R070BD004NM - Sandy Hydric soil rating: No


Dune land

Percent of map unit: 1 percent Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 20, Sep 3, 2024

Karst Potential



New Mexico Oii Conservation Division

NM OCD OII and Gas Map. http://nm-emnrd.maps.arogis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75; New Mexico Oii Conservation Division

Wetlands



September 25, 2025

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond



Other



This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X OTHER AREAS OF Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D - - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLIL Levee, Dike, or Floodwall 20.2 Cross Sections with 1% Annual Chance 17.5 Water Surface Elevation **Coastal Transect** ₩ 513 W Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary — --- Coastal Transect Baseline OTHER **Profile Baseline FEATURES** Hydrographic Feature Digital Data Available No Digital Data Available MAP PANELS Unmapped The pin displayed on the map is an approximate point selected by the user and does not represent

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/25/2025 at 12:44 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Attachment C

Photographic Documentation





Photo 1 View of Site location.



Photo 2 View of containment towards northwest.



Photo 1 View of containment towards Southwest.



Photo 2 View of containment towards Southwest.





Photo 5 View of containment towards South.



Photo 6 View of Southeast corner of containment.



Photo 7 View of containment towards East




Photo 8 View of containment towards Northwest.







Photo 9 View of containment towards Northeast.

Photo 10 View of containment towards East.







Photo 12 View of containment towards Northwest.








Photo 13 View of containment towards North.

Photo 14 View of containment towards East

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 514865

QUESTIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	514865
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2520231597
Incident Name	NAPP2520231597 TOMAHAWK 13 CTB 1 @ FAPP2408640329
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fAPP2408640329] TOMAHAWK 13 CTB 1

Location of Release Source		
Please answer all the questions in this group.		
Site Name	TOMAHAWK 13 CTB 1	
Date Release Discovered	07/17/2025	
Surface Owner	Federal	

Incident Details			
Please answer all the questions in this group.			
Incident Type	Produced Water Release		
Did this release result in a fire or is the result of a fire	No		
Did this release result in any injuries	No		
Has this release reached or does it have a reasonable probability of reaching a watercourse	No		
Has this release endangered or does it have a reasonable probability of endangering public health	No		
Has this release substantially damaged or will it substantially damage property or the environment	No		
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No		

flaterial(s) released, please answer all that apply below. Any calculations or specific justifications	for the volumes provided should be attached to the follow-up C-141 submission.
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Dump Line Produced Water Released: 266 BBL Recovered 266 BBL Lost: 0 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Pinhole leak in dump valve allowed release to lined secondary containment. Fluids fully recovered. Major Release Notification made via email 7/17/2025

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 2

Action 514865

Santa	1 e, 14191 07 505
QUESTI	ONS (continued)
Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137 Action Number: 514865 Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)
QUESTIONS Nature and Volume of Release (continued)	
reactive and volume of release (continued)	T
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.
Initial Response The responsible party must undertake the following actions immediately unless they could create a s	safety hazard that would result in injury.
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	i ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are require ases which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 10/14/2025

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 3

Action 514865

QUESTIONS (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	514865
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approva release discovery date.	l and beyond). This information must be provided to the appropriate district office no later than 90 days after the
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Less than or equal 25 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:
A continuously flowing watercourse or any other significant watercourse	Between ½ and 1 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between ½ and 1 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between ½ and 1 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	High
A 100-year floodplain	Between ½ and 1 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

strict office no later than 90 days after the release discovery date. the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.				
he release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.				
he release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.				
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC which includes the anticipated timelines for beginning and completing the remediation.				
5				
5				
5				

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 514865

QUESTIONS (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	514865
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)				
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.				
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:				
(Select all answers below that apply.)				
Is (or was) there affected material present needing to be removed	Yes			
Is (or was) there a power wash of the lined containment area (to be) performed	Yes			
OTHER (Non-listed remedial process)	Not answered.			
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC,				

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement

Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 10/14/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 6

Action 514865

1220 S. St Francis Dr.						
Santa	Fe, NM 87505					
QUESTIONS (continued)						
Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137 Action Number: 514865 Action Type:					
QUESTIONS	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)					
Liner Inspection Information						
Last liner inspection notification (C-141L) recorded	505224					
Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	09/16/2025					
Was all the impacted materials removed from the liner	Yes					
What was the liner inspection surface area in square feet	5000					
Remediation Closure Request Only answer the questions in this group if seeking remediation closure for this release because all re Requesting a remediation closure approval with this submission	emediation steps have been completed. Yes					
Have the lateral and vertical extents of contamination been fully delineated	Yes					
Was this release entirely contained within a lined containment area	Yes					
What was the total surface area (in square feet) remediated	5000					
What was the total volume (cubic yards) remediated	0					
Summarize any additional remediation activities not included by answers (above)	Liner Inspection					
	closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents					
to report and/or file certain release notifications and perform corrective actions for release the OCD does not relieve the operator of liability should their operations have failed to a water, human health or the environment. In addition, OCD acceptance of a C-141 report	knowledge and understand that pursuant to OCD rules and regulations all operators are required ses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or ally restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed no notification to the OCD when reclamation and re-vegetation are complete.					
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 10/14/2025					

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 514865

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	514865
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Liner inspection and closure report approved.	10/20/2025