



ENSOLUM

Environmental, Engineering and
Hydrogeologic Consultants

2025 Q3/Q4 Semi-Annual – Remediation System Operation and Monitoring Report

Property:

**Florance Gas Com J No. 16A
Harvest Four Corners, LLC
San Juan County, New Mexico**

**API # 30-045-21790
Incident # NCS1629854256
Remediation Permit Number 3RP-364**

January 14, 2026
Ensolum Project No. 07B2002007

Prepared for:

**New Mexico Oil Conservation Division - District III
New Mexico Energy, Minerals, and Natural Resources Department
1000 Rio Brazos Road
Aztec, New Mexico 87410**

Prepared by:
**Ensolum, LLC
848 East 2nd Ave
Durango, CO 81301**

TABLE OF CONTENTS

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	REMEDIATION SYSTEM DESCRIPTION	1
3.0	SYSTEM OPERATION AND MONITORING.....	1
3.1	VAPOR RECOVERY	2
3.2	LIQUID RECOVERY	3
4.0	CONCRETE TRAP/SEEP MONITORING	3
5.0	GROUNDWATER MONITORING.....	3
5.1	GROUNDWATER GAUGING.....	3
5.2	GROUNDWATER ANALYTICAL RESULTS	4
6.0	NEXT SEMI-ANNUAL PROPOSED OPERATIONS	4
6.1	SYSTEM OPERATION	4
6.2	REPORTING	5

APPENDICES

Figures

Figure 1	Remediation System Layout
Figure 2	Groundwater Potentiometric Map August 2025
Figure 3	Groundwater Potentiometric Map December 2025
Figure 4	Groundwater Analytical Results December 2025

Tables

Table 1	Remediation System Operational Runtime
Table 2	Extracted Vapor Analytical Data
Table 3	Mass Removal Vapor Phase
Table 4	Liquid Recovery
Table 5	DPE System Operations
Table 6	Groundwater Elevations
Table 7	Groundwater Analytical Results

Appendix A – Photographic Log

Appendix B – Laboratory Analytical Reports

2025 Q3/Q4 Semi-Annual – Remediation System Operation and Monitoring Report

Incident # NCS1629854256
Remediation Permit Number 3RP-364

Ensolum Project No. 07B2002007

1.0 INTRODUCTION

Ensolum, LLC (Ensolum), on behalf of Harvest Four Corners, LLC (Harvest), presents this *2025 Q3/Q4 Semi-Annual - Remediation System Operation and Monitoring Report* summarizing remediation system performance during the second two quarters of 2025 at the Florance Gas Com J No. 16A (Site; Remediation Permit Number 3RP-364, Incident # NCS1629854256). The duration of operation and monitoring activities included in this report is for the period from June 25, 2025, through January 7, 2026.

This report was prepared following the conditions of approval from the New Mexico Oil Conservation Division (NMOCD) regarding the dual-phase extraction (DPE) remediation system described in the *Remedial Assessment Report* submitted by Aptim Environmental & Infrastructure, Inc. in November 2017. Per the requirements, this report includes the following:

- A summary of remediation activities during the quarter(s);
- The system runtime summary (90% runtime required);
- The hydrocarbon vapor mass removal and liquid recovery from the remediation system;
- Amount of liquid captured from the concrete trap/secondary seep tank; and
- Quarterly gas sample analytical results.

As stated in the *2018 Annual Groundwater and Remediation Update Report* submitted in June 2019, the remediation summary reports also include data and summaries from the groundwater sampling events. Per the *2022 Fourth Quarter – Remediation System Operation and Monitoring Report*, remediation summary and groundwater monitoring reports will continue to be submitted semi-annually. Per the conditions of approval and approved extension request regarding the *2025 Q1/Q2 Semi-Annual - Remediation System Operation and Monitoring Report*, an updated *Stage 2 Abatement Plan* will be submitted to the NMOCD by February 4, 2026, under a separate cover.

2.0 REMEDIATION SYSTEM DESCRIPTION

The remediation system at the Site includes a DPE system which currently uses one high vacuum rotary claw blower to apply vacuum to remediation wells that are connected to the blower via 1-inch stingers and subsurface piping, with one stinger connected via aboveground piping. The extracted air, petroleum vapors, and fluids enter a vapor/liquid separator or “knock out” tank. Air and petroleum vapors are passed through the high vacuum extraction blower and discharged to the atmosphere via an exhaust stack. Separated liquid, which includes light non-aqueous phase liquids (LNAPL) and potentially impacted groundwater, is pumped to an aboveground storage tank for storage and offsite disposal. Extraction from the remediation wells is cycled through four zones, with four to six remediation wells per zone. The system layout is depicted on Figure 1. Reports summarizing remediation system operation for the previous quarters of system operation have been submitted to the NMOCD by Harvest, previous consultants, and Ensolum.

3.0 SYSTEM OPERATION AND MONITORING

Regular bi-weekly to monthly system operations and maintenance (O&M) activities were performed throughout the second half of 2025. These site visits and monitoring events, including

the final visit of the fourth quarter performed on December 12, 2025, are summarized in tables enclosed at the end of this report.

On September 25, 2025, the float-stem assembly within the knockout tank was temporarily removed for cleaning. Following replacement, the high-high level alarm could not be reset, and it was determined that the float-stem assembly was no longer functioning properly. A new float-stem assembly was replaced on October 16, 2025.

During the evening of November 3, 2025, telemetry indicated a significant drop in operational amperage for the blower motor accompanied by a significant vacuum drop to near zero inches of mercury (inHg). On November 5, 2025, Ensolum personnel visited the Site to assess the issue. Inspection of the blower and associated motor indicated that there had been a coupling failure between the electric motor shaft and the blower. A replacement coupling was ordered, and on December 12, 2025, an attempt was made to install the coupling. Due to the weight of the motor and difficult access, this original repair attempt was unsuccessful. On January 7, 2026, Ensolum personnel returned to the Site to attempt to replace the coupling. Following removal of the broken coupling, it was determined that a rubber bushing was also deteriorated and in need of replacement. The replacement bushing has been requested and will be installed upon receipt. Photographs of the failed coupling and bushing are provided in Appendix A.

Prior to the November system shutdown, remediation efforts were focused on a subset of wells in Zone 2 and Zone 4 (SB05, SB07, SB08, SB09, MW-15, and MW-3R) where elevated dissolved phase hydrocarbons were identified during groundwater sampling events. Following blower repair and system restart, the DPE system will continue to target the aforementioned subset of remediation wells while vapor and groundwater analytical results are monitored to track the effectiveness of DPE for remediating dissolved phase hydrocarbons in groundwater at the Site.

3.1 Vapor Recovery

Remediation system runtime is listed in Table 1, with an average runtime of 70 percent (%) during the second half of 2025, due to the mechanical issues described above. Prior to the system shutdown on September 25, 2025, runtime through the third quarter of 2025 was 99%. The system has had a cumulative overall runtime of 90% since installation in May 2018.

An influent vapor sample from the DPE system was collected on August 15, 2025. Due to the November system shutdown, an influent vapor sample could not be collected in the fourth quarter of 2025. The August influent vapor sample was collected using a high vacuum air sampling pump on the system inlet, after the remediation zone manifold assembly, but prior to the liquid knock out tank. The sample was collected in 1-Liter Tedlar® bags and submitted to Eurofins Environmental Testing Laboratory (Eurofins) in Albuquerque, New Mexico. The sample was submitted for analyses of full list volatile organic compounds (VOCs) by United States Environmental Protection Agency (EPA) Method 8260B, total petroleum hydrocarbons (TPH) by EPA Method 8015M/D, and oxygen and carbon dioxide following Gas Processors Association Method 2261. The laboratory analytical results from the second half of 2025 are summarized in Table 2. Copies of the laboratory analytical report for the August 2025 vapor sample is provided as Appendix B.

Since remediation system startup in May 2018, the calculated total mass of BTEX removed and the total mass of GRO removed thus far are 3,667 pounds (lbs) and 57,479 lbs, respectively. The calculated BTEX and GRO mass removal rates, based on average field and analytical results were approximately 0.025 lbs per day and 15.48 lbs per day between the Q2 2025 and Q3 2025 sampling events. A total of 1.8 lbs of BTEX and a total of 1,100 lbs of GRO were removed through August 15, 2025. Vapor emission calculations and removal rates are summarized in Table 3.

3.2 Liquid Recovery

Total liquid recovery volumes are measured using a totalizing flow metering device (totalizer). Between system startup on May 4, 2018, and August 15, 2025, approximately 393,046 gallons of liquid have been recovered. The impacted groundwater and recovered LNAPL are emulsified and homogenously commingled enough during extraction that product thickness is unmeasurable in the liquid recovery tank. Therefore, the estimated volume of LNAPL recovered is not reported. Field personnel observed that the totalizer stopped functioning sometime between June 5, 2025, and August 15, 2025 O&M events. Therefore, no liquid recovery was recorded between August 15, 2025, and the November system shut down. The totalizer will be replaced following blower repairs and prior to system restart. Liquid recovery is summarized in Table 4.

Operational measurements including flow and vacuum rates for individual remediation wells are summarized in Table 5. Specific remediation zone observations and adjustments are also included in Table 5.

4.0 CONCRETE TRAP/SEEP MONITORING

The concrete trap collection sump and collection tank connected to the east and west seep areas and collection piping are examined for fluid recovery during regularly scheduled O&M visits. Approximately 200 gallons of water are consistently observed in the seep collection tank, likely from precipitation events and stormwater runoff in the concrete trap at the east seep collection piping. Due to the nature of the closed system in which liquids are piped directly from the generally dry seeps to the collection tank, any liquids originating from the seeps are unable to be sampled. Observations to the collection tank level over the years indicate that since installation of the DPE system, the seeps are no longer active. If any fluid accumulates in the tank, indicating that the seeps are currently active, a sample of the liquid will be collected from the individual seep pipes and analyzed for BTEX. The sump level will continue to be monitored, and the sump will be emptied for offsite disposal as needed.

5.0 GROUNDWATER MONITORING

Groundwater monitoring, including sample collection, is being conducted on a semi-annual basis as proposed in the first quarter 2020, *Quarterly Remediation System Operation and Monitoring Report*. Two groundwater monitoring events occurred at the site during the second half of 2025 on August 15, 2025, and December 2, 2025, with the semi-annual sampling event taking place in December. Groundwater monitoring will continue on a semi-annual basis, with the next sampling event taking place in the first half of 2026. Additional groundwater monitoring will continue within a limited subset of remediation wells to monitor BTEX concentrations and the continued efficiency of the DPE system. An updated groundwater monitoring plan will be proposed in the upcoming *Stage 2 Abatement Plan*.

5.1 Groundwater Gauging

All monitoring and remediation wells were gauged for depth to LNAPL, if present, and depth to water on August 15, 2025, and December 2, 2025. During the August and December gauging events, no LNAPL was detected in any of the monitoring or remediation wells. Measurable LNAPL has not been detected at the Site since February 2024. Groundwater elevations and historic LNAPL thicknesses are summarized in Table 6. The estimated groundwater flow direction continues to be towards the southeast. Figures 2 and 4 depict the groundwater elevations, flow direction, and LNAPL thicknesses for the August and December gauging events, respectively.

5.2 Groundwater Analytical Results

Per the approved first quarter 2020, *Quarterly Remediation System Operation and Monitoring Report*, remediation and monitoring wells from the semi-annual sampling list (MW18, MW22, MW24, and SB19) were sampled and submitted to Eurofins for analysis of BTEX by EPA method 8021B on December 2, 2025. Three of the wells sampled (MW18, MW22, MW24) were in compliance with the New Mexico Water Quality Control Commission (NMWQCC) standards for BTEX. One remediation well (SB19) exceeded NMWQCC standards for benzene and total xylenes with concentrations of 230 micrograms per liter (µg/L) and 810 µg/L, respectively. Groundwater analytical results from the December sampling event are summarized in Table 7 and depicted on Figure 3. The full laboratory analytical report is included as Appendix B

Groundwater data collected between 2020 and 2025 indicate that BTEX concentrations have been trending downward in DPE extraction wells SB05, SB11, MW-10, and MW-13; however, a subset of extraction wells (SB01, SB07, SB19) exhibit stable or slightly increasing BTEX concentration trends. All three wells are currently connected to the DPE system as part of either Zone 2 or Zone 4 and period vacuum extraction is ongoing at these locations.

6.0 NEXT SEMI-ANNUAL PROPOSED OPERATIONS

6.1 System Operation

The DPE remediation system will continue operating with the goal of optimizing vapor and liquid recovery using one blower. The failed parts detailed in Section 3.0 will be replaced as soon as practical once the replacement part has been received. If replacement of these parts does not resolve the issue, the electric motor and blower will be shipped to the manufacturer for repairs.

A decline in vapor-phase VOC concentrations and measurable LNAPL thickness from each remediation zone has been observed since system startup. During the second half of 2025, the DPE system was focused on a subset of wells in remediation Zone 2 and Zone 4, based on the level of historical impacts and groundwater BTEX concentrations in those specific locations. Following successful repairs, the system will be restarted and continue to operate on the adjusted subset of wells while monitoring the effectiveness of running the DPE system on a single blower and remediating dissolved phase hydrocarbons at the Site. Adjustments to active wells will be made pending any observed increase of LNAPL in currently inactive wells. Blower B-702 will be repaired or replaced, if necessary.

During the first half of 2026 operations and maintenance, the following actions are proposed:

- Submittal of a *Revised Stage 2 Abatement Plan* to the NMOCD by February 4, 2026.
- Bi-weekly (every other week) to monthly system operation and maintenance visits, including cycling between remediation wells and/or zones;
- Groundwater and LNAPL will be gauged in monitoring and remediation wells to evaluate the presence and/or migration of LNAPL;
- LNAPL will be manually removed via bailer during routine visits if a large enough LNAPL thickness is measured;
- LNAPL recovery socks will be placed in any monitoring wells where LNAPL is measured in between site visits;
- At least one influent air extraction sample per quarter will be analyzed for Full 8260 VOCs, TPH, carbon dioxide, and oxygen; and
- When influent air samples are not collected, a photoionization detector (PID) will be used to estimate vapor exhaust concentrations.

6.2 Reporting

Updated remediation reports will be prepared and submitted to the NMOCD on a semi-annual basis within 15 days following the end of the quarter and will contain the following:

- A summary of remediation and monitoring activities during the period;
- System runtime summary;
- Petroleum hydrocarbon mass removal and fluid recovery from the remediation system;
- DPE volume removal and product recovery;
- Observations of concrete trap/collection tank;
- Quarterly gas sample analysis results; and
- Groundwater monitoring results.

Ensolum appreciates the opportunity to submit this report to the NMOCD on behalf of Harvest. If there are any questions or comments regarding this report, please contact the undersigned.

Sincerely,

Ensolum, LLC



Reece Hanson
Project Geologist
970-210-9803
rhanson@ensolum.com




Hannah Mishriki, PE
Senior Engineer (Licensed in NM/CO/WY/NE/ND)
610-390-7059
hmishriki@ensolum.com

cc: Monica Smith, Harvest Four Corners, LLC



FIGURES




Remediation System Layout

Florance GC J#16A
Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W
San Juan County, New Mexico

FIGURE
1






Groundwater Potentiometric Map August 2025


Florance GC J#16A
Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W
San Juan County, New Mexico

FIGURE
2







Groundwater Analytical Results Map December 2025

Florance GC J#16A
Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W
San Juan County, New Mexico

FIGURE
4



TABLES



TABLE 1 REMEDIATION SYSTEM OPERATIONAL RUNTIME SECOND HALF 2025 Florance GCJ #16A Harvest Four Corners, LLC San Juan County, New Mexico				
Date/Time of Reading	System Hour Runtime	Cumulative Run Time (%)	Q3/Q4 2025 Run Time (%)	Notes
5/1/18 0:00	0			
5/4/18 9:00	42	START UP		
Earlier Data Provided in Previous Quarterly Reports				
6/23/2025 12:00	57,062	91%	98%	Q2 Groundwater monitoring, x/o blower gear oil, routine O&M
7/23/2024 10:00	--	--	--	Routine O&M, clean floats
8/15/2025 14:00	58,306	91%	98%	Q3 Groundwater monitoring, Q3 air sampling, routine O&M
9/25/2025 13:30	59,289	91%	99%	Routine O&M/repairs - system shutoff due to faulty float stem assembly
10/16/2025 0:00	59,289	91%	81%	Float stem assembly repaired, system back online
10/23/2025 12:00	59,456	91%	82%	Routine O&M/repairs, clean and replace rotometers
11/5/2025 12:00	59,773	91%	84%	System shutdown, coupling between motor and blower failure
12/2/2025 12:00	59,773	90%	70%	Q4 Groundwater monitoring - gauge all wells, sample compliance wells

Average 2nd Half 2025 Run Time70%

Cumulative Run Time from Start up to June 23, 202590%

Notes:

% - percent

Dashed line indicates quarter change

-- : not applicable/not collected



TABLE 2 EXTRACTED VAPOR ANALYTICAL DATA - SECOND HALF 2025 Florance GCJ #16A Harvest Four Corners, LLC San Juan County, New Mexico	
Collection Date:	8/15/2025
Collection Time:	14:40
Active Remediation Zone:	2&4
Benzene (µg/L)	<0.20
Toluene (µg/L)	<0.20
Ethylbenzene (µg/L)	<0.20
Xylenes, Total (µg/L)	0.75
GRO (µg/L)	280
Total BTEX (µg/L):	0.75
PID Reading (ppm)	10.1

Notes:

BTEX : benzene, toluene, ethylbenzene, and total xylenes

GRO : gasoline range organics

µg/L : micrograms per liter

ppm : parts per million

PID : photo-ionization detector

NA : Not Analyzed



TABLE 3 MASS REMOVAL VAPOR PHASE - SECOND HALF 2025 Florance GCJ #16A Harvest Four Corners, LLC San Juan County, New Mexico														
Date/Time	Influent BTEX (mg/m³)	Influent GRO (mg/m³)	Active Remediation Zone	Air Flow Rate (scfm)	Time Period (hr:min:sec)	Time Period (min)	BTEX Mass Removed (lbs)	BTEX Gal Removed (@0.755 g/cm³)	BTEX Mass Removal Rate (lbs/day)	BTEX Mass Removal Rate (ton/yr)	GRO Mass Removed (lbs) ⁽¹⁾	GRO Gal Removed (@0.755 g/cm³)	GRO Mass Removal Rate (lbs/day)	GRO Mass Removal Rate (ton/yr)
Earlier Data Provided in Previous Reports														
6/5/25 13:30	--	1,100	2&4	240	552:30:00	33,150	--	--	--	--	362	57.51	4.31	0.79
8/15/25 14:40	0.75	280	2&4	260	1705:10:00	102,310	1.8	0.28	0.025	0.004	1,100	174.59	15.48	2.83
Total Quantity of BTEX Removed in 2025					4.71 lbs		0.75 gal		0.018 bbl					
Total Quantity of BTEX Removed Since Start-up May 2018					3,667 lbs		672.3 gal		16.0 bbl					
Total Quantity of GRO Removed in 2025					2,108.5 lbs		334.7 gal		7.97 bbl					
Total Quantity of GRO Removed Since Start-up May 2018					57,479 lbs		9,213.8 gal		219.4 bbl					

Notes:

bbl - barrel

BTEX - benzene, toluene, ethylbenzene, total xylenes

GRO - gasoline range organics

gal - gallons

g/cm³ - grams per cubic centimeter

hr - hour

lbs - pounds

lbs/day - pounds per day

mg/m³ - milligrams per cubic meter

min - minute

scfm - standard cubic foot per minute

sec - second

ton/yr - ton per year

yr - year

Dashed line indicates a quarter change

-- : COC error from 5/13/2025 sample resulted in exceedance of hold time before GRO analysis could be performed. Additional air sample collected on 6/5/2025 analyzed for GRO only

BTEX Mass Removed (lbs) = Influent BTEX (mg/m³)*Air Flow Rates (scfm)*(1 m³/35.3147 ft³)*(1 lb/453,592 mg)*Time Period (min)

GRO Mass Removed (lbs) = Influent GRO (mg/m³)*Air Flow Rates (scfm)*(1 m³/35.3147 ft³)*(1 lb/453,592 mg)*Time Period (min)

(1) Most recent GRO analytical results used to calculate mass removal for dates where GRO data was not collected.



TABLE 4 LIQUID RECOVERY - SECOND HALF 2025 Florance GCJ #16A Harvest Four Corners, LLC San Juan County, New Mexico										
Date/Time	Hour Meter Reading	Flow Meter Reading (gal)	Gallons Recovered this Period	Cumulative Volume Recovered (gal)	Gallons Removed From Tank (Off-Site)	Time Period (hr:min:sec)	Time Period (min)	Recovery Rate		Notes
								(gpm)	(gal/day)	
Earlier Data Provided in Previous Quarterly Reports										
6/5/25 12:00	57,062	364,386	1,469	391,686	--	551:45:00	33,105	0.04	64	Zone 2 & 4 Active
8/15/25 0:00	58,306	365,746	1,360	393,046	--	1692:00:00	101,520	0.01	19	Zone 2 & 4 Active
9/25/25 0:00	59,289	365,746	0	393,046	--	984:00:00	59,040	0.00	0	Zone 2 & 4 Active
10/23/25 0:00	59,456	365,746	0	393,046	--	672:00:00	40,320	0.00	0	Zone 2 & 4 Active

Notes:

- bbl - barrel
- ft - feet
- gal - gallon
- gal/day - gallon per day
- gpm - gallon per minute
- hr - hour
- in - inch
- LNAPL - light non-aqueous phase liquid
- min - minute
- sec - second
- Dashed line indicated quarter change
- - not applicable

Total Quantity of Liquid Removed:	393,046 Gal
	9,358 bbl



TABLE 5						
DPE SYSTEM OPERATIONS - SECOND HALF 2025						
Florance GCJ #16A						
Harvest Four Corners, LLC						
San Juan County, New Mexico						
Well ID	Date		8/15/2025	9/25/2025	10/23/2025	
Active Zone			2&4	2&4	2&4	
MW-15	WH Vac (Online)	inHg	7.0	--	5.0	
Zone 2	WH Vac (Offline)	inH2O	--	--	--	
	Mani Vac	inHg	13.0	--	8.5	
	PID	ppm	8	--	--	
	Flow	scfm	40	--	40	
MW-3R	WH Vac (Online)	inHg	5.0	--	2.5	
Zone 4	WH Vac (Offline)	inH2O	--	--	--	
	Mani Vac	inHg	9.5	--	8.5	
	PID	ppm	4.9	--	--	
	Flow	scfm	12	--	50	
SB-05	WH Vac (Online)	inHg	--	--	--	
Zone 4	WH Vac (Offline)	inH2O	--	--	--	
	Mani Vac	inHg	12.5	--	11.0	
	PID	ppm	1.6	--	--	
	Flow	scfm	28	--	40	
SB-07	WH Vac (Online)	inHg	-11.5	--	9.0	
Zone 4	WH Vac (Offline)	inH2O	--	--	--	
	Mani Vac	inHg	10.5	--	10.0	
	PID	ppm	9.2	--	--	
	Flow	scfm	20	--	35	
SB-08	WH Vac (Online)	inHg	-9.5	--	9.0	
Zone 4	WH Vac (Offline)	inH2O	--	--	--	
	Mani Vac	inHg	10.5	--	5.5	
	PID	ppm	3	--	--	
	Flow	scfm	30	--	40	
SB-09	WH Vac (Online)	inHg	10.5	--	8.5	
Zone 4	WH Vac (Offline)	inH2O	--	--	--	
	Mani Vac	inHg	11.0	--	11.5	
	PID	ppm	9.1	--	--	
	Flow	scfm	20	--	20	
Well Field	Total Flow in Active Zones	scfm	122	--	185	

Notes:
--: Not applicable/Not measured
inHG - inches of mercury
inH2O - inches of water
Mani Vac - vacuum gauge reading on remediation well manifold
PID - photoionization detector
ppm - parts per million



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB01	6,501.96	3/22/2022	31.53	--	--	6,470.43
		6/9/2022	31.24	--	--	6,470.72
		12/14/2022	31.16	--	--	6,470.80
		3/27/2023	31.19	--	--	6,470.77
		6/6/2023	31.11	31.08	0.03	6,470.87
		12/15/2023	30.72	30.70	0.02	6,471.26
		2/8/2024	30.94	30.86	0.08	6,471.08
		6/20/2024	31.29	--	--	6,470.67
		9/10/2024	31.97	--	--	6,469.99
		12/2/2024	32.25	32.20	0.05	6,469.75
		3/16/2025	31.88	--	--	6,470.08
		6/23/2025	32.30	--	--	6,469.66
		8/15/2025	31.79	--	--	6,470.17
		12/2/2025	31.24	--	--	6,470.72
SB03	6,495.01	3/22/2022	23.27	--	--	6,471.74
		6/9/2022	23.24	--	--	6,471.77
		12/14/2022	23.45	--	--	6,471.56
		3/27/2023	22.27	--	--	6,472.74
		6/6/2023	21.27	--	--	6,473.74
		12/15/2023	20.94	--	--	6,474.07
		2/8/2024	21.80	--	--	6,473.21
		6/20/2024	DRY	--	--	DRY
		9/10/2024	21.67	--	--	6,473.34
		12/2/2024	21.91	--	--	6,473.10
		3/16/2025	22.02	--	--	6,472.99
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
		12/2/2025	BURIED	--	--	--



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB04	6,499.61	3/22/2022	27.79	--	--	6,471.82
		6/9/2022	27.84	--	--	6,471.77
		12/14/2022	27.05	--	--	6,472.56
		3/27/2023	26.92	--	--	6,472.69
		6/6/2023	26.17	--	--	6,473.44
		12/15/2023	25.96	--	--	6,473.65
		2/8/2024	26.46	--	--	6,473.15
		6/20/2024	26.37	--	--	6,473.24
		9/10/2024	26.20	--	--	6,473.41
		12/2/2024	26.48	--	--	6,473.13
		3/14/2025	26.52	--	--	6,473.09
		6/23/2025	26.87	--	--	6,472.74
		8/15/2025	32.38	--	--	6,467.23
		12/2/2025	26.93	--	--	6,472.68
SB05	6,498.76	3/22/2022	24.71	--	--	6,474.05
		6/9/2022	25.28	--	--	6,473.48
		12/14/2022	24.98	--	--	6,473.78
		3/27/2023	24.12	--	--	6,474.64
		6/6/2023	24.60	--	--	6,474.16
		12/15/2023	24.21	--	--	6,474.55
		2/8/2024	24.75	--	--	6,474.01
		6/20/2024	23.08	--	--	6,475.68
		9/10/2024	23.38	--	--	6,475.38
		12/2/2024	24.83	--	--	6,473.93
		3/14/2025	25.28	--	--	6,473.48
		6/23/2025	24.81	--	--	6,473.95
		8/15/2025	Obstructed	--	--	--
		12/2/2025	BURIED	--	--	--



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB06	6,496.12	3/22/2022	25.10	--	--	6,471.02
		6/9/2022	24.17	--	--	6,471.95
		12/14/2022	24.68	--	--	6,471.44
		3/27/2023	24.59	--	--	6,471.53
		6/6/2023	23.60	--	--	6,472.52
		12/15/2023	23.19	--	--	6,472.93
		2/8/2024	24.10	--	--	6,472.02
		6/20/2024	24.40	--	--	6,471.72
		9/10/2024	24.28	--	--	6,471.84
		12/2/2024	24.22	--	--	6,471.90
		3/14/2025	24.54	--	--	6,471.58
		6/23/2025	25.20	--	--	6,470.92
		8/15/2025	25.34	--	--	6,470.78
		12/2/2025	24.72	--	--	6,471.40
SB07	6,500.29	3/22/2022	29.64	--	--	6,470.65
		6/9/2022	29.87	--	--	6,470.42
		12/14/2022	DRY	--	--	DRY
		3/27/2023	29.64	--	--	6,470.65
		6/6/2023	29.21	--	--	6,471.08
		12/15/2023	28.90	--	--	6,471.39
		2/8/2024	27.17	--	--	6,473.12
		6/20/2024	29.21	--	--	6,471.08
		9/10/2024	30.16	--	--	6,470.13
		12/2/2024	DRY	--	--	DRY
		3/14/2025	30.35	--	--	6,469.94
		6/23/2025	30.59	--	--	6,469.70
		8/15/2025	28.00	--	--	6,472.29
		12/2/2025	29.94	--	--	6,470.35



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB08	6,502.25	3/22/2022	30.62	--	--	6,471.63
		6/9/2022	31.08	--	--	6,471.17
		12/14/2022	DRY	--	--	DRY
		3/27/2023	30.56	--	--	6,471.69
		6/6/2023	30.36	30.34	0.02	6,471.89
		12/15/2023	29.97	--	--	6,472.28
		2/8/2024	30.54	--	--	6,471.71
		6/20/2024	30.61	--	--	6,471.64
		9/10/2024	31.36	--	--	6,470.89
		12/2/2024	31.76	--	--	6,470.49
		3/14/2025	31.32	--	--	6,470.93
		6/23/2025	DRY	--	--	DRY
		8/15/2025	37.13	--	--	6,465.12
		12/2/2025	31.59	--	--	6,470.66
SB09	6,504.18	3/22/2022	32.62	--	--	6,471.56
		6/9/2022	33.28	--	--	6,470.90
		12/14/2022	DRY	--	--	DRY
		3/27/2023	32.68	--	--	6,471.50
		6/6/2023	32.54	--	--	6,471.64
		12/15/2023	32.09	--	--	6,472.09
		2/8/2024	32.68	--	--	6,471.50
		6/20/2024	32.44	--	--	6,471.74
		9/10/2024	32.98	--	--	6,471.20
		12/2/2024	DRY	--	--	DRY
		3/14/2025	33.43	--	--	6,470.75
		6/23/2025	33.86	--	--	6,470.32
		8/15/2025	32.35	--	--	6,471.83
		12/2/2025	33.51	--	--	6,470.67



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB10	6,506.04	3/22/2022	DRY	--	--	DRY
		6/9/2022	DRY	--	--	DRY
		12/14/2022	DRY	--	--	DRY
		3/27/2023	DRY	--	--	DRY
		6/6/2023	DRY	--	--	DRY
		12/15/2023	DRY	--	--	DRY
		2/8/2024	DRY	--	--	DRY
		6/20/2024	DRY	--	--	DRY
		9/10/2024	33.01	--	--	6,473.03
		12/2/2024	DRY	--	--	DRY
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
		12/2/2025	DRY	--	--	DRY
SB11	6,505.61	3/22/2022	32.16	--	--	6,473.45
		6/9/2022	37.80	--	--	6,467.81
		12/14/2022	32.32	--	--	6,473.29
		3/27/2023	32.25	--	--	6,473.36
		6/6/2023	32.41	--	--	6,473.20
		12/15/2023	32.03	--	--	6,473.58
		2/8/2024	32.01	--	--	6,473.60
		6/20/2024	32.35	--	--	6,473.26
		9/10/2024	31.95	--	--	6,473.66
		12/2/2024	32.03	--	--	6,473.58
		3/16/2025	31.90	--	--	6,473.71
		6/23/2025	32.13	--	--	6,473.48
		8/15/2025	32.30	--	--	6,473.31
		12/2/2025	32.27	--	--	6,473.34



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB12	6,508.42	3/22/2022	DRY	--	--	DRY
		6/9/2022	DRY	--	--	DRY
		12/14/2022	35.19	--	--	6,473.23
		3/27/2023	34.94	--	--	6,473.48
		6/6/2023	35.41	--	--	6,473.01
		12/15/2023	35.00	--	--	6,473.42
		2/8/2024	34.68	--	--	6,473.74
		6/20/2024	35.03	--	--	6,473.39
		9/10/2024	34.80	--	--	6,473.62
		12/2/2024	34.68	--	--	6,473.74
		3/14/2025	34.72	--	--	6,473.70
		6/23/2025	35.10	--	--	6,473.32
		8/15/2025	34.97	--	--	6,473.45
		12/2/2025	35.07	--	--	6,473.35
SB13	6,504.89	3/22/2022	34.96	--	--	6,469.93
		6/9/2022	35.22	--	--	6,469.67
		12/14/2022	34.74	--	--	6,470.15
		3/27/2023	NM	--	--	NM
		6/6/2023	34.48	--	--	6,470.41
		12/15/2023	34.03	--	--	6,470.86
		2/8/2024	34.20	--	--	6,470.69
		6/20/2024	34.36	--	--	6,470.53
		9/10/2024	34.35	--	--	6,470.54
		12/2/2024	34.37	--	--	6,470.52
		3/14/2025	34.22	--	--	6,470.67
		6/23/2025	34.41	--	--	6,470.48
		8/15/2025	34.54	--	--	6,470.35
		12/2/2025	34.59	--	--	6,470.30



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB15	6,494.31	3/22/2022	21.72	--	--	6,472.59
		6/9/2022	21.65	--	--	6,472.66
		12/14/2022	20.98	--	--	6,473.33
		3/27/2023	20.88	--	--	6,473.43
		6/6/2023	19.84	--	--	6,474.47
		12/15/2023	19.58	--	--	6,474.73
		2/8/2024	20.42	--	--	6,473.89
		6/20/2024	20.31	--	--	6,474.00
		9/10/2024	20.31	--	--	6,474.00
		12/2/2024	20.47	--	--	6,473.84
		3/14/2025	20.61	--	--	6,473.70
		6/23/2025	20.86	--	--	6,473.45
		8/15/2025	DRY	--	--	DRY
		12/2/2025	BURIED	--	--	--
SB16	6,492.07	3/22/2022	22.30	--	--	6,469.77
		6/9/2022	20.23	--	--	6,471.84
		12/14/2022	19.47	--	--	6,472.60
		3/27/2023	19.24	--	--	6,472.83
		6/6/2023	17.93	--	--	6,474.14
		12/15/2023	17.44	--	--	6,474.63
		2/8/2024	18.90	--	--	6,473.17
		6/20/2024	18.59	--	--	6,473.48
		9/10/2024	18.75	--	--	6,473.32
		12/2/2024	18.92	--	--	6,473.15
		3/14/2025	19.12	--	--	6,472.95
		6/23/2025	19.36	--	--	6,472.71
		8/15/2025	19.52	--	--	6,472.55
		12/2/2025	19.39	--	--	6,472.68



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB17	6,492.57	3/22/2022	DRY	--	--	DRY
		6/9/2022	DRY	--	--	DRY
		12/14/2022	DRY	--	--	DRY
		3/27/2023	DRY	--	--	DRY
		6/6/2023	DRY	--	--	DRY
		12/15/2023	DRY	--	--	DRY
		2/8/2024	21.56	--	--	6471.01
		6/20/2024	DRY	--	--	DRY
		9/10/2024	DRY	--	--	DRY
		12/2/2024	DRY	--	--	DRY
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
		12/2/2025	DRY	--	--	DRY
SB18	6,506.38	3/22/2022	34.56	--	--	6,471.82
		6/9/2022	DRY	--	--	DRY
		12/14/2022	37.33	37.18	0.15	6,465.65
		3/27/2023	38.59	--	--	6,467.79
		6/6/2023	36.53	36.50	0.03	6,466.35
		12/15/2023	36.05	--	--	6,470.33
		2/8/2024	36.52	--	--	6,469.86
		6/20/2024	36.09	--	--	6,470.29
		9/10/2024	36.15	--	--	6,470.23
		12/2/2024	35.84	--	--	6,470.54
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
		12/2/2025	DRY	--	--	DRY



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB19	6,503.99	3/22/2022	35.69	--	--	6,468.30
		6/9/2022	30.32	--	--	6,473.67
		12/14/2022	35.91	--	--	6,468.08
		3/27/2023	36.00	--	--	6,467.99
		6/6/2023	36.06	--	--	6,467.93
		12/15/2023	DRY	--	--	DRY
		2/8/2024	35.46	--	--	6,468.53
		6/20/2024	35.20	--	--	6,468.79
		9/10/2024	35.32	--	--	6,468.67
		12/2/2024	35.12	--	--	6,468.87
		3/16/2025	35.32	--	--	6,468.67
		6/23/2025	35.30	--	--	6,468.69
		8/15/2025	35.42	--	--	6,468.57
		12/2/2025	36.24	--	--	6,467.75
MW-3R	6,502.86	3/22/2022	30.24	--	--	6,472.62
		6/9/2022	31.11	31.09	0.02	6,471.77
		12/14/2022	30.68	--	--	6,472.18
		3/27/2023	29.94	--	--	6,472.92
		6/6/2023	30.39	--	--	6,472.47
		12/15/2023	30.29	--	--	6,472.57
		2/8/2024	25.82	--	--	6,477.04
		6/20/2024	30.22	--	--	6,472.64
		9/10/2024	30.15	--	--	6,472.71
		12/2/2024	31.71	--	--	6,471.15
		3/14/2025	30.66	--	--	6,472.20
		6/23/2025	31.54	--	--	6,471.32
		8/15/2025	30.84	--	--	6,472.02
		12/2/2025	31.03	--	--	6,471.83



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-4*	--	3/22/2022	35.55	--	--	--
		6/9/2022	34.82	--	--	--
		12/14/2022	34.88	--	--	--
		3/27/2023	35.26	--	--	--
		6/6/2023	35.04	--	--	--
		12/15/2023	34.46	--	--	--
		2/8/2024	NM	--	--	--
		6/20/2024	DRY	--	--	DRY
		9/10/2024	DRY	--	--	DRY
		12/2/2024	DRY	--	--	DRY
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
		12/2/2025	DRY	--	--	DRY
MW-6*	--	3/22/2022	33.44	--	--	--
		6/9/2022	32.96	--	--	--
		12/14/2022	32.49	--	--	--
		3/27/2023	32.43	--	--	--
		6/6/2023	32.36	--	--	--
		12/15/2023	32.32	--	--	--
		2/8/2024	31.95	--	--	--
		6/20/2024	32.24	--	--	--
		9/10/2024	31.80	--	--	--
		12/2/2024	31.86	--	--	--
		3/14/2025	31.98	--	--	--
		6/23/2025	32.25	--	--	--
		8/15/2025	DRY	--	--	DRY
		12/2/2025	32.23	--	--	--



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-8*	--	3/22/2022	36.20	--	--	--
		6/9/2022	36.34	--	--	--
		12/14/2022	35.85	--	--	--
		3/27/2023	35.82	--	--	--
		6/6/2023	35.56	--	--	--
		12/15/2023	35.49	--	--	--
		2/8/2024	34.95	--	--	--
		6/20/2024	DRY	--	--	--
		9/10/2024	35.20	--	--	--
		12/2/2024	35.02	--	--	--
		3/14/2025	35.22	--	--	--
		6/23/2025	35.39	--	--	--
		8/15/2025	35.41	--	--	--
		12/2/2025	35.43	--	--	--
MW-9*	--	3/22/2022	45.34	--	--	--
		6/9/2022	45.29	--	--	--
		12/14/2022	45.31	--	--	--
		3/27/2023	45.31	--	--	--
		6/6/2023	45.34	--	--	--
		12/15/2023	DRY	--	--	--
		2/8/2024	NM	--	--	--
		6/20/2024	DRY	--	--	--
		9/10/2024	45.01	--	--	--
		12/2/2024	45.04	--	--	--
		3/14/2025	45.07	--	--	--
		6/23/2025	45.34	--	--	--
		8/15/2025	45.31	--	--	--
		12/2/2025	45.32	--	--	--



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-10*	--	3/22/2022	23.38	--	--	--
		6/9/2022	24.10	--	--	--
		12/14/2022	22.92	--	--	--
		3/27/2023	23.49	--	--	--
		6/6/2023	22.06	--	--	--
		12/15/2023	21.94	--	--	--
		2/8/2024	22.25	--	--	--
		6/20/2024	22.67	--	--	--
		9/10/2024	22.60	--	--	--
		12/2/2024	22.93	--	--	--
		3/14/2025	22.88	--	--	--
		6/23/2025	23.12	--	--	--
		8/15/2025	23.19	--	--	--
		12/2/2025	22.90	--	--	--
MW-11	6,492.85	3/22/2022	25.98	--	--	6,466.87
		6/9/2022	26.79	--	--	6,466.06
		12/14/2022	26.55	--	--	6,466.30
		3/27/2023	26.66	--	--	6,466.19
		6/6/2023	25.41	--	--	6,467.44
		12/15/2023	25.34	--	--	6,467.51
		2/8/2024	25.82	--	--	6,467.03
		6/20/2024	26.10	--	--	6,466.75
		9/10/2024	26.05	--	--	6,466.80
		12/2/2024	26.24	--	--	6,466.61
		3/14/2025	26.36	--	--	6,466.49
		6/23/2025	DRY	--	--	DRY
		8/15/2025	26.64	--	--	6,466.21
		12/2/2025	26.37	--	--	6,466.48



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-12	6,503.57	3/22/2022	34.86	33.72	1.14	6,469.62
		6/9/2022	34.41	33.46	0.95	6,469.92
		12/14/2022	34.45	33.86	0.59	6,469.59
		3/27/2023	33.98	33.82	0.16	6,469.72
		6/6/2023	33.88	32.98	0.90	6,470.41
		12/15/2023	32.32	32.20	0.12	6,471.35
		2/8/2024	33.37	32.95	0.42	6,470.54
		6/20/2024	DRY	--	--	DRY
		9/10/2024	34.31	--	--	6,469.26
		12/2/2024	36.64	--	--	6,466.93
		3/16/2025	36.22	--	--	6,467.35
		6/23/2025	DRY	--	--	DRY
		8/15/2025	36.65	--	--	6,466.92
		12/2/2025	35.76	--	--	6,467.81
MW-13	6,490.03	3/22/2022	24.67	--	--	6,465.36
		6/9/2022	24.43	--	--	6,465.60
		12/14/2022	24.39	--	--	6,465.64
		3/27/2023	24.40	--	--	6,465.63
		6/6/2023	23.05	--	--	6,466.98
		12/15/2023	22.84	--	--	6,467.19
		2/8/2024	23.54	--	--	6,466.49
		6/20/2024	26.43	--	--	6,463.60
		9/10/2024	24.24	--	--	6,465.79
		12/2/2024	24.19	--	--	6,465.84
		3/15/2025	24.28	--	--	6,465.75
		6/23/2025	DRY	--	--	DRY
		8/15/2025	24.61	--	--	6,465.42
		12/2/2025	24.08	--	--	6,465.95



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-14	6,476.22	3/22/2022	14.98	--	--	6,461.24
		6/9/2022	15.14	--	--	6,461.08
		12/14/2022	15.65	--	--	6,460.57
		3/27/2023	13.29	--	--	6,462.93
		6/6/2023	13.75	--	--	6,462.47
		12/15/2023	15.55	--	--	6,460.67
		2/8/2024	15.18	--	--	6,461.04
		6/20/2024	14.56	--	--	6,461.66
		9/10/2024	15.11	--	--	6,461.11
		12/2/2024	15.36	--	--	6,460.86
		3/14/2025	15.77	--	--	6,460.45
		6/23/2025	15.85	--	--	6,460.37
		8/15/2025	16.04	--	--	6,460.18
		12/2/2025	15.61	--	--	6,460.61
MW-15	6,478.37	3/22/2022	16.31	16.22	0.09	6,462.13
		6/9/2022	16.49	16.32	0.17	6,462.02
		12/14/2022	16.32	--	--	6,462.05
		3/27/2023	15.21	--	--	6,463.16
		6/6/2023	DRY	--	--	DRY
		12/15/2023	16.08	--	--	6,462.29
		2/8/2024	16.40	--	--	6,461.97
		6/20/2024	DRY	--	--	DRY
		9/10/2024	16.30	--	--	6,462.07
		12/2/2024	16.57	16.44	0.13	6,461.90
		3/14/2025	16.52	--	--	6,461.85
		6/23/2025	16.98	--	--	6,461.39
		8/15/2025	16.48	--	--	6,461.89
		12/2/2025	16.55	--	--	6,461.82



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-16	6,487.57	3/22/2022	22.73	--	--	6,464.84
		6/9/2022	22.73	--	--	6,464.84
		12/14/2022	22.74	--	--	6,464.83
		3/27/2023	22.75	--	--	6,464.82
		6/6/2023	DRY	--	--	DRY
		12/15/2023	23.69	--	--	6,463.88
		2/8/2024	22.71	--	--	6,464.86
		6/20/2024	DRY	--	--	DRY
		9/10/2024	22.70	--	--	6,464.87
		12/2/2024	DRY	--	--	DRY
		3/14/2025	22.82	--	--	6,464.75
		6/23/2025	23.00	--	--	6,464.57
		8/15/2025	23.01	--	--	6,464.56
		12/2/2025	23.00	--	--	6,464.57
MW-17	6,483.30	3/22/2022	22.29	--	--	6,461.01
		6/9/2022	22.35	--	--	6,460.95
		12/14/2022	22.42	--	--	6,460.88
		3/27/2023	22.54	--	--	6,460.76
		6/6/2023	22.54	--	--	6,460.76
		12/15/2023	22.51	--	--	6,460.79
		2/8/2024	22.61	--	--	6,460.69
		6/20/2024	22.65	--	--	6,460.65
		9/10/2024	22.58	--	--	6,460.72
		12/2/2024	22.67	--	--	6,460.63
		3/14/2025	22.78	--	--	6,460.52
		6/23/2025	22.86	--	--	6,460.44
		8/15/2025	22.85	--	--	6,460.45
		12/2/2025	22.90	--	--	6,460.40



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-18	6,485.22	3/22/2022	24.37	--	--	6,460.85
		6/9/2022	24.44	--	--	6,460.78
		12/14/2022	24.29	--	--	6,460.93
		3/27/2023	25.03	--	--	6,460.19
		6/6/2023	25.14	--	--	6,460.08
		12/15/2023	24.39	--	--	6,460.83
		2/8/2024	24.87	--	--	6,460.35
		6/20/2024	25.17	--	--	6,460.05
		9/10/2024	24.43	--	--	6,460.79
		12/2/2024	24.48	--	--	6,460.74
		3/14/2025	25.40	--	--	6,459.82
		6/23/2025	24.82	--	--	6,460.40
		8/15/2025	24.87	--	--	6,460.35
		12/2/2025	24.67	--	--	6,460.55
MW-19	6,492.35	3/22/2022	31.54	--	--	6,460.81
		6/9/2022	32.79	--	--	6,459.56
		12/14/2022	31.60	--	--	6,460.75
		3/27/2023	31.71	--	--	6,460.64
		6/6/2023	32.20	--	--	6,460.15
		12/15/2023	32.09	--	--	6,460.26
		2/8/2024	31.96	--	--	6,460.39
		6/20/2024	32.61	--	--	6,459.74
		9/10/2024	32.02	--	--	6,460.33
		12/2/2024	31.96	--	--	6,460.39
		3/14/2025	31.81	--	--	6,460.54
		6/23/2025	33.00	--	--	6,459.35
		8/15/2025	33.90	--	--	6,458.45
		12/2/2025	32.09	--	--	6,460.26



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-20	6,493.38	3/22/2022	29.53	--	--	6,463.85
		6/9/2022	29.73	--	--	6,463.65
		12/14/2022	29.56	--	--	6,463.82
		3/27/2023	29.94	--	--	6,463.44
		6/6/2023	30.51	--	--	6,462.87
		12/15/2023	29.50	--	--	6,463.88
		2/8/2024	29.54	--	--	6,463.84
		6/20/2024	30.24	--	--	6,463.14
		9/10/2024	29.49	--	--	6,463.89
		12/2/2024	29.50	--	--	6,463.88
		3/14/2025	30.03	--	--	6,463.35
		6/23/2025	31.30	--	--	6,462.08
		8/15/2025	30.51	--	--	6,462.87
		12/2/2025	30.54	--	--	6,462.84
MW-21	6,508.15	3/22/2022	37.52	--	--	6,470.63
		6/9/2022	37.50	--	--	6,470.65
		12/14/2022	37.24	--	--	6,470.91
		3/27/2023	37.26	--	--	6,470.89
		6/6/2023	36.88	--	--	6,471.27
		12/15/2023	37.00	--	--	6,471.15
		2/8/2024	36.89	--	--	6,471.26
		6/20/2024	36.96	--	--	6,471.19
		9/10/2024	37.02	--	--	6,471.13
		12/2/2024	37.01	--	--	6,471.14
		3/14/2025	37.08	--	--	6,471.07
		6/23/2025	37.25	--	--	6,470.90
		8/15/2025	37.27	--	--	6,470.88
		12/2/2025	37.25	--	--	6,470.90



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-22	6,497.15	3/22/2022	30.77	--	--	6,466.38
		6/9/2022	30.86	--	--	6,466.29
		12/14/2022	30.62	--	--	6,466.53
		3/27/2023	30.65	--	--	6,466.50
		6/6/2023	30.55	--	--	6,466.60
		12/15/2023	30.55	--	--	6,466.60
		2/8/2024	30.43	--	--	6,466.72
		6/20/2024	30.37	--	--	6,466.78
		9/10/2024	30.35	--	--	6,466.80
		12/2/2024	30.34	--	--	6,466.81
		3/14/2025	30.28	--	--	6,466.87
		6/23/2025	30.30	--	--	6,466.85
		8/15/2025	30.38	--	--	6,466.77
		12/2/2025	31.33	--	--	6,465.82
MW-23	6,505.95	3/22/2022	37.10	--	--	6,468.85
		6/9/2022	38.21	--	--	6,467.74
		12/14/2022	37.75	--	--	6,468.20
		3/27/2023	37.83	--	--	6,468.12
		6/6/2023	37.64	--	--	6,468.31
		12/15/2023	37.62	--	--	6,468.33
		2/8/2024	37.34	--	--	6,468.61
		6/20/2024	37.56	--	--	6,468.39
		9/10/2024	37.44	--	--	6,468.51
		12/2/2024	37.28	--	--	6,468.67
		3/13/2025	37.30	--	--	6,468.65
		6/23/2025	37.40	--	--	6,468.55
		8/15/2025	37.39	--	--	6,468.56
		12/2/2025	37.49	--	--	6,468.46



TABLE 6
GROUNDWATER ELEVATIONS
 Florance GC J 16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-24	6,490.71	3/22/2022	29.81	--	--	6,460.90
		6/9/2022	29.93	--	--	6,460.78
		12/14/2022	30.00	--	--	6,460.71
		3/27/2023	30.12	--	--	6,460.59
		6/6/2023	30.16	--	--	6,460.55
		12/15/2023	30.21	--	--	6,460.50
		2/8/2024	30.20	--	--	6,460.51
		6/20/2024	30.28	--	--	6,460.43
		9/10/2024	30.32	--	--	6,460.39
		12/2/2024	30.35	--	--	6,460.36
		3/14/2025	30.36	--	--	6,460.35
		6/23/2025	30.45	--	--	6,460.26
		8/15/2025	30.45	--	--	6,460.26
		12/2/2025	30.45	--	--	6,460.26
MW-25	6,507.65	3/22/2022	35.69	--	--	6,471.96
		6/9/2022	35.15	--	--	6,472.50
		12/14/2022	34.78	--	--	6,472.87
		3/27/2023	35.09	--	--	6,472.56
		6/6/2023	34.98	--	--	6,472.67
		12/15/2023	35.02	--	--	6,472.63
		2/8/2024	35.07	--	--	6,472.58
		6/20/2024	35.17	--	--	6,472.48
		9/10/2024	35.24	--	--	6,472.41
		12/2/2024	35.23	--	--	6,472.42
		3/13/2025	35.23	--	--	6,472.42
		6/23/2025	34.38	--	--	6,473.27
		8/15/2025	35.39	--	--	6,472.26
		12/2/2025	35.42	--	--	6,472.23

Notes:

amsl: above mean sea level

BTOC: below top of casing

--: indicates no GWEL or PSH measured

Groundwater elevation is adjusted using a density correction factor of 0.8 when product is present



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB01	6/14/2017	12,000	1,200	270	2,400
	10/20/2017	15,000	2,600	470	4,600
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/4/2020	NS-LNAPL			
	9/17/2020	NS-LNAPL			
	6/6/2023	NS-LNAPL			
	12/15/2023	NS-LNAPL			
	3/16/2025	3,100	28	290	3,700
	6/24/2025	3,300	59	160	4,400
SB03	6/15/2017	3,200	5,000	390	3,800
	10/21/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	62	69	54	690
	12/6/2019	44	25	42	530
	3/6/2020	41	22	35	390
	6/4/2020	32	8.1	69	720
	9/18/2020	6.8	<5.0	14	170
	6/7/2023	<2.0	<2.0	3.6	22
	3/16/2025	<1.0	<1.0	13	5.8
SB04	6/15/2017	NS-LNAPL			
	10/15/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB04	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	<5.0	<5.0	19	57
	9/19/2019	<1.0	<1.0	2.5	3.8
	12/6/2019	1.1	<1.0	16	31
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	<1.0	<1.0	11	63
	6/10/2022	2.1	4.4	14	49
	6/7/2023	<1.0	<1.0	3.2	5.3
	3/14/2025	<1.0	<1.0	<1.0	<2.0
SB05	6/15/2017	16,000	16,000	310	3,600
	10/21/2017	15,000	20,000	350	4,100
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/20/2019	360	670	77	3,100
	12/6/2019	NS			
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	460	60	<10	380
	6/7/2023	930	780	45	2,700
	3/14/2025	340	<20	20	450
	6/24/2025	41	6.8	<2.0	23
SB06	6/16/2017	210	230	11	110
	10/20/2017	810	110	27	150
	6/20/2018	NS			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS			
	4/8/2019	NS			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB06	6/14/2019	4,400	1,500	190	2,900
	9/20/2019	3,330	1,100	130	1,200
	12/6/2019	NS			
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	NS-LNAPL			
	6/7/2023	8.7	<5.0	91	610
	3/14/2025	4.7	<1.0	25	45
SB07	6/16/2017	14,000	15,000	670	7,600
	10/20/2017	11,000	12,000	<500	5,000
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS			
	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS			
	3/14/2025	810	<5.0	46	880
	6/24/2025	1,200	<5.0	43	210
SB08	6/16/2017	15,000	15,000	690	7,000
	10/21/2017	9,500	6,900	370	4,500
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB08	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS-LNAPL			
	3/14/2025	NS-DRY			
SB09	6/16/2017	11,000	9,700	430	3,900
	10/21/2017	11,000	12,000	370	5,100
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS			
	3/14/2025	NS-DRY			
SB10	6/16/2017	11,000	9,000	590	4,300
	10/20/2017	NS-LNAPL			
	6/20/2018	NS-DRY			
	9/17/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/13/2019	NS-DRY			
	9/19/2019	NS-DRY			
	12/6/2019	NS-DRY			
	3/6/2020	NS-DRY			
	6/4/2020	NS-DRY			
	9/17/2020	NS-DRY			
	6/6/2023	NS-DRY			
	3/14/2025	NS-DRY			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB11	6/16/2017	13,000	20,000	750	6,500
	10/21/2017	5,200	6,100	<500	3,400
	6/20/2018	NS			
	9/18/2019	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	1,200	7.1	94	760
	9/20/2019	490	8.5	30	230
	12/6/2019	NS			
	3/6/2020	NS			
	6/4/2020	NS			
	9/17/2020	NS			
	6/7/2023	1,400	<10	130	770
	3/16/2025	74	<1.0	4.1	<2.0
	6/24/2025	100	<1.0	5.0	<2.0
SB12	6/16/2017	NS-LNAPL			
	10/18/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-DRY			
	12/6/2019	NS			
	3/6/2020	NS			
	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS - Insufficient amount of water to sample			
	3/14/2025	73	<2.0	41	300
SB13	6/16/2017	150	86	9.3	52
	10/23/2017	220	<5.0	6.4	12
	6/22/2018	40	9.5	2.1	83
	9/18/2018	11	2.9	<1.0	7.1



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB13	12/21/2018	16	44	8	170
	4/8/2019	NS-LNAPL			
	6/14/2019	1.5	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	1.8	<1.0	<1.0	2.9
	6/5/2020	<1.0	<1.0	<1.0	<2.0
	9/18/2020	2.0	<1.0	<1.0	<1.5
	6/7/2023	<1.0	<1.0	<1.0	<1.5
	3/14/2025	<1.0	<1.0	<1.0	3.7
SB15	6/13/2017	<1.0	<1.0	<1.0	<1.5
	10/20/2017	3.3	3.5	<1.0	2.6
	6/20/2018	NS-DRY			
	9/17/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	NS - Insufficient amount of water to sample			
	6/7/2023	<1.0	<1.0	<1.0	<1.5
	6/20/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
SB16	6/13/2017	<1.0	<1.0	<1.0	<1.5
	10/20/2017	20	18	1.4	17
	6/22/2018	13	1.1	<1.0	10
	9/18/2018	3.3	<1.0	<1.0	<1.5
	12/20/2018	<1.0	<1.0	<1.0	2.2
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB16	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/10/2022	<1.0	<1.0	<1.0	<2.0
	6/7/2023	<1.0	<1.0	<1.0	<1.5
	6/20/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
SB17	6/13/2017	11	3.5	<1.0	<1.5
	10/20/2017	NS-DRY			
	6/20/2018	NS-DRY			
	9/18/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/13/2019	NS-DRY			
	12/6/2019	NS-DRY			
	3/6/2020	NS-DRY			
	6/4/2020	NS-DRY			
	9/18/2020	NS-DRY			
	6/6/2023	NS-DRY			
	3/14/2025	NS-DRY			
SB18	6/15/2017	NS-LNAPL			
	10/18/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/5/2020	7,400	9,100	760	9,800
	9/18/2020	NS - Insufficient amount of water to sample			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
SB18	6/6/2023	NS-LNAPL			
	3/14/2025	NS-DRY			
SB19	6/14/2017	10,000	7,400	330	3,300
	10/20/2017	10,000	6,100	400	3,500
	6/22/2018	9,800	7,500	380	5,000
	9/19/2018	6,100	4,700	150	2,900
	12/20/2018	7,200	1,300	270	3,800
	4/8/2019	5,600	4,000	300	4,700
	6/14/2019	5,200	2,100	250	3,600
	9/20/2019	5,600	1,800	190	3,100
	12/5/2019	4,200	1,700	120	2,500
	3/6/2020	3,900	2,800	100	3,000
	6/4/2020	NS			
	9/18/2020	NS - Insufficient amount of water to sample			
	12/15/2022	NS - Insufficient amount of water to sample			
	6/6/2023	NS - Insufficient amount of water to sample			
	6/20/2024	57	80	2.6	160
	12/2/2024	770	1,100	75	1,400
	3/16/2025	270	32	<20	570
	6/24/2025	860	1,400	43	1,900
	12/2/2025	230	83	74	810
MW-1	Destroyed during excavation/remediation activities				
MW-2	Destroyed during excavation/remediation activities				
MW-3R	6/16/2017	15,000	14,000	530	5,500
	10/21/2017	11,000	11,000	460	5,000
	6/22/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/5/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-3R	6/4/2020	NS-LNAPL			
	9/18/2020	NS-LNAPL			
	6/7/2023	1,500	<100	170	1,600
	3/14/2025	1,300	<100	200	850
MW-4	6/15/2017	6.6	9.5	<1.0	8.7
	10/23/2017	1.8	2.3	<1.0	<1.5
	6/22/2018	1.2	1.6	<1.0	3.0
	9/17/2018	NS			
	12/20/2019	NS			
	4/8/2019	NS			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	NS			
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	<1.0	<1.0	2.8	<2.0
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	1.1	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	3/14/2025	NS-DRY			
MW-5	Destroyed during excavation/remediation activities				
MW-6	6/15/2017	9.5	17	2.3	18
	10/23/2017	1.9	2.0	<1.0	<1.5
	6/22/2018	89	15	150	1,600
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	<10	<10	15	830
	6/13/2019	13	7.5	<5.0	1,100
	9/19/2019	<5.0	<5.0	<5.0	570
	12/6/2019	5.8	<5.0	<5.0	320
	3/6/2020	<1.0	<1.0	1.2	110
	6/5/2020	<1.0	2.7	66	170
	9/18/2020	<1.0	1.1	1.7	180



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-6	6/7/2023	<1.0	<1.0	<1.0	12
	3/14/2025	<1.0	<1.0	4.3	8.9
MW-7	Destroyed during excavation/remediation activities				
MW-8	6/15/2017	5.1	4.3	2.6	6.4
	10/23/2017	2.6	1.1	1.1	<1.5
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/7/2023	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
MW-9	6/15/2017	28	46	4.3	42
	10/23/2017	1.4	1.7	<1.0	<1.5
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	NS			
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	<1.0	<1.0	<1.0	<1.5
	6/4/2020	<1.0	<1.0	<1.0	<2.0
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/6/2023	NS - Insufficient amount of water to sample			
	3/14/2025	NS - Insufficient amount of water to sample			



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-10	6/14/2017	13,000	8,800	510	2,900
	10/23/2017	NS-LNAPL			
	6/21/2018	8,600	2,400	260	2,000
	9/18/2018	4,000	2,300	140	3,000
	12/20/2018	960	180	24	170
	4/8/2019	520	<5.0	14	83
	6/14/2019	420	<10	19	130
	9/20/2019	990	<10	92	65
	12/6/2019	500	<10	81	780
	3/6/2020	210	<10	<10	220
	6/4/2020	370	46	86	880
	9/18/2020	380	<5.0	120	28
	6/7/2023	3.0	<1.0	<1.0	<2.0
	3/14/2025	17	<1.0	1.1	<2.0
MW-11	6/13/2017	36	7.6	2.7	11
	10/20/2017	28	6.8	2.4	9.5
	6/21/2018	4.2	6.4	2.2	21
	9/18/2018	<1.0	<1.0	<1.0	<1.5
	12/20/2018	1.2	10	11	34
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	5.4	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	6/20/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-12	6/14/2017	14,000	11,000	460	5,400
	10/20/2017	11,000	9,900	310	4,400
	6/22/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/4/2020	NS-LNAPL			
	9/17/2020	NS-LNAPL			
	6/6/2023	NS-LNAPL			
	12/15/2023	NS-LNAPL			
	3/16/2025	89	5.7	3.9	140
MW-13	6/13/2017	76	8.0	33	27
	10/20/2017	1,300	1,700	150	1,200
	6/21/2018	1,300	810	100	850
	9/18/2018	2,100	120	<20	580
	12/20/2018	1,900	140	150	580
	4/8/2019	2,000	<20	200	480
	6/14/2019	740	21	96	200
	9/20/2019	500	110	55	180
	12/5/2019	1,400	34	200	730
	3/5/2020	1,200	<20	210	700
	6/4/2020	1,100	<20	160	460
	9/17/2020	1,500	<20	260	890
	6/6/2023	8	<1.0	1.3	<2.0
	3/14/2025	9.6	<1.0	15	74



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-14	12/21/2018	<1.0	<1.0	1.4	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	1.4	<1.0	4.5	<2.0
	12/5/2019	1.5	<1.0	2.4	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/17/2020	<1.0	<1.0	<1.0	<2.0
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/10/2022	1.9	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	6/21/2024	18	<1.0	<1.0	<2.0
	3/14/2025	1.9	<1.0	<1.0	<2.0
MW-15	6/14/2017	11,000	11,000	840	5,500
	10/19/2017	13,000	15,000	810	8,900
	6/21/2018	12,000	14,000	940	9,200
	9/18/2018	9,400	12,000	660	7,900
	12/21/2018	8,000	10,000	780	8,400
	4/8/2019	NS-LNAPL			
	6/13/2019	8,100	14,000	960	11,000
	9/19/2019	9,700	14,000	840	10,000
	12/5/2019	NS-LNAPL			
	3/5/2020	8,200	9,900	750	8,700
	6/4/2020	8,600	10,000	800	9,600
	9/17/2020	NS-LNAPL			
	6/6/2023	NS-DRY			
	3/14/2025	160	<20	<20	870



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-16	6/14/2017	NS-DRY			
	10/20/2017	NS-DRY			
	6/20/2018	NS-DRY			
	9/17/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/13/2019	NS-DRY			
	9/19/2019	NS-DRY			
	12/5/2019	NS-DRY			
	3/5/2020	NS-DRY			
	6/4/2020	NS-DRY			
	9/17/2020	NS - Insufficient amount of water to sample			
	6/6/2023	NS-DRY			
	3/14/2025	<2.0	<2.0	<2.0	<4.0
MW-17	10/19/2017	<1.0	1.4	<1.0	2.2
	6/20/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	6/21/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-18	10/19/2017	1.1	1.5	<1.0	1.7
	6/20/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	1.2	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/26/2020	<1.0	<1.0	<1.0	<1.5
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/17/2020	<1.0	<1.0	<1.0	<2.0
	12/9/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	12/15/2022	NS - Insufficient amount of water to sample			
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	12/15/2023	<1.0	<1.0	<1.0	<2.0
	12/2/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	NS - Insufficient amount of water to sample			
	12/2/2025	<1.0	<1.0	<1.0	<2.0
MW-19	10/18/2017	500	<1.0	<1.0	1.7
	6/20/2018	1,400	3.0	1.3	70
	9/19/2018	1,100	1,600	590	6,100
	12/20/2018	NS-LNAPL			
	4/8/2019	1,400	950	490	5,100
	6/13/2019	740	520	240	3,400
	9/19/2019	NS-LNAPL			
	12/5/2019	NS-LNAPL			
	3/5/2020	NS-LNAPL			
	6/4/2020	NS-LNAPL			
	9/17/2020	NS-LNAPL			
	6/6/2023	13	<5.0	14	71
	3/14/2025	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-20	10/18/2017	<1.0	<1.0	<1.0	<1.5
	6/20/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/4/2020	<1.0	<1.0	<1.0	<2.0
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/17/2020	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<2.0	<2.0	<2.0	<3.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
MW-21	10/18/2017	940	340	180	2,000
	6/22/2018	660	120	89	540
	9/19/2018	320	28	120	110
	12/21/2018	75	<1.0	52	14
	4/8/2019	5.2	<1.0	2.7	5.3
	6/14/2019	2.6	<1.0	5.5	2.6
	9/19/2019	8.7	<1.0	7.5	<2.0
	12/5/2019	4.2	<1.0	2.6	<2.0
	3/5/2020	7.4	<1.0	11	10
	6/4/2020	9.6	<1.0	23	21
	9/17/2020	5.6	<1.0	6.6	<1.5
	12/18/2020	4.1	1.5	5.6	2.6
	6/6/2023	<1.0	<1.0	<1.0	<1.5
	3/14/2025	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-22	10/18/2017	6.1	5.5	<1.0	6.4
	6/22/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/26/2020	<1.0	<1.0	<1.0	<1.5
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/9/2021	<1.0	<1.0	<1.0	<1.5
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	12/15/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<2.0	<2.0	<2.0	<3.0
	12/15/2023	<2.0	<2.0	<2.0	<4.0
	6/21/2024	<1.0	<1.0	<1.0	<2.0
	12/2/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<2.0	<2.0	<2.0	<4.0
	12/2/2025	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-23	10/18/2017	<5.0	<5.0	<5.0	<7.5
	6/22/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	44	<1.0	<1.0	<1.5
	12/20/2018	65	<1.0	<1.0	<2.0
	4/8/2019	30	<1.0	<1.0	<1.5
	6/23/2019	NS-DRY			
	9/19/2019	6.0	<1.0	<1.0	3.1
	12/5/2019	5.3	<1.0	<1.0	<2.0
	3/5/2020	2.8	<1.0	<1.0	<1.5
	6/4/2020	1.8	<1.0	<1.0	<2.0
	9/17/2020	2.2	<1.0	<1.0	<1.5
	12/18/2020	1.5	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<1.5
	3/13/2025	<1.0	<1.0	<1.0	<2.0
MW-24	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	4.0	<2.0
	3/5/2020	<1.0	<1.0	1.2	<1.5
	6/26/2020	<1.0	<1.0	5.3	<1.5
	9/17/2020	1.1	<1.0	5.9	<1.5
	12/17/2020	1.4	<1.0	5.9	<2.0
	12/9/2021	1.2	<1.0	1.4	<1.5
	6/9/2022	<1.0	<1.0	1.5	<2.0
	12/15/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	1.0	<1.5
	12/15/2023	<1.0	<1.0	<1.0	<2.0
	6/21/2024	<1.0	<1.0	<1.0	<2.0
	12/2/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
	12/2/2025	<1.0	<1.0	<1.0	<2.0



TABLE 7
GROUNDWATER ANALYTICAL RESULTS
 Florance GCJ #16A
 Harvest Four Corners, LLC
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standards		10	750	750	620
MW-25	9/19/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/4/2020	<1.0	<1.0	<1.0	<2.0
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/18/2020	<1.0	<1.0	<1.0	<2.0
	6/7/2023	<2.0	<2.0	<2.0	<3.0
	3/13/2025	<2.0	<2.0	<2.0	<4.0

Notes:

LNAPL - light non-aqueous phase liquid

µg/L - micrograms per Liter

NMWQCC - New Mexico Water Quality Control Commission

NS - not sampled

< - indicates result is less than laboratory reporting detection limit

Concentrations in **bold** and shaded exceed applicable New Mexico Water Quality Control Commission Standards



APPENDIX A

Photographic Log



Photographic Log
Harvest Four Corners, LLC
Florance GC J #16A
San Juan County, New Mexico



Photograph: 1
Description: Failed coupling, blower side
View: NA



Photograph: 2
Description: Electric motor – removed from blower
View: West



Photograph: 3
Description: Failed coupling, motor side
View: NA



Photograph: 4
Description: Coupling removed – Blower side
View: NA



APPENDIX B

Laboratory Analytical Reports



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

ANALYTICAL REPORT

PREPARED FOR

Attn: Monica Smith
Harvest
1755 Arroyo Dr.
Bloomfield, New Mexico 87413

Generated 8/26/2025 2:43:21 PM

JOB DESCRIPTION

Florance GC J16A

JOB NUMBER

885-31186-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
8/26/2025 2:43:21 PM

Authorized for release by
Michelle Garcia, Project Manager
michelle.garcia@et.eurofinsus.com
(505)345-3975

Client: Harvest
Project/Site: Florance GC J16A

Laboratory Job ID: 885-31186-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Subcontract Data	16
Chain of Custody	23
Receipt Checklists	24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Definitions/Glossary

Client: Harvest

Job ID: 885-31186-1

Project/Site: Florance GC J16A

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Harvest
Project: Florance GC J16A

Job ID: 885-31186-1

Job ID: 885-31186-1Eurofins Albuquerque

Job Narrative 885-31186-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 8/16/2025 6:45 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice.

Subcontract Work

Method Fixed Gases - Energy Lab: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Client Sample ID: Influent 8-15-25

Lab Sample ID: 885-31186-1

Date Collected: 08/15/25 14:40

Matrix: Air

Date Received: 08/16/25 06:45

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.20	ug/L			08/20/25 18:14	2
1,1,1-Trichloroethane	ND		0.20	ug/L			08/20/25 18:14	2
1,1,2,2-Tetrachloroethane	ND		0.40	ug/L			08/20/25 18:14	2
1,1,2-Trichloroethane	ND		0.20	ug/L			08/20/25 18:14	2
1,1-Dichloroethane	ND		0.20	ug/L			08/20/25 18:14	2
1,1-Dichloroethene	ND		0.20	ug/L			08/20/25 18:14	2
1,1-Dichloropropene	ND		0.20	ug/L			08/20/25 18:14	2
1,2,3-Trichlorobenzene	ND		0.20	ug/L			08/20/25 18:14	2
1,2,3-Trichloropropane	ND		0.40	ug/L			08/20/25 18:14	2
1,2,4-Trichlorobenzene	ND		0.20	ug/L			08/20/25 18:14	2
1,2,4-Trimethylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
1,2-Dibromo-3-Chloropropane	ND		0.40	ug/L			08/20/25 18:14	2
1,2-Dibromoethane (EDB)	ND		0.20	ug/L			08/20/25 18:14	2
1,2-Dichlorobenzene	ND		0.20	ug/L			08/20/25 18:14	2
1,2-Dichloroethane (EDC)	ND		0.20	ug/L			08/20/25 18:14	2
1,2-Dichloropropane	ND		0.20	ug/L			08/20/25 18:14	2
1,3,5-Trimethylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
1,3-Dichlorobenzene	ND		0.20	ug/L			08/20/25 18:14	2
1,3-Dichloropropane	ND		0.20	ug/L			08/20/25 18:14	2
1,4-Dichlorobenzene	ND		0.20	ug/L			08/20/25 18:14	2
1-Methylnaphthalene	ND		0.80	ug/L			08/20/25 18:14	2
2,2-Dichloropropane	ND		0.40	ug/L			08/20/25 18:14	2
2-Butanone	ND		2.0	ug/L			08/20/25 18:14	2
2-Chlorotoluene	ND		0.20	ug/L			08/20/25 18:14	2
2-Hexanone	ND		2.0	ug/L			08/20/25 18:14	2
2-Methylnaphthalene	ND		0.80	ug/L			08/20/25 18:14	2
4-Chlorotoluene	ND		0.20	ug/L			08/20/25 18:14	2
4-Isopropyltoluene	ND		0.20	ug/L			08/20/25 18:14	2
4-Methyl-2-pentanone	ND		2.0	ug/L			08/20/25 18:14	2
Acetone	ND		2.0	ug/L			08/20/25 18:14	2
Benzene	ND		0.20	ug/L			08/20/25 18:14	2
Bromobenzene	ND		0.20	ug/L			08/20/25 18:14	2
Bromodichloromethane	ND		0.20	ug/L			08/20/25 18:14	2
Dibromochloromethane	ND		0.20	ug/L			08/20/25 18:14	2
Bromoform	ND		0.20	ug/L			08/20/25 18:14	2
Bromomethane	ND		0.60	ug/L			08/20/25 18:14	2
Carbon disulfide	ND		2.0	ug/L			08/20/25 18:14	2
Carbon tetrachloride	ND		0.20	ug/L			08/20/25 18:14	2
Chlorobenzene	ND		0.20	ug/L			08/20/25 18:14	2
Chloroethane	ND		0.40	ug/L			08/20/25 18:14	2
Chloroform	ND		0.20	ug/L			08/20/25 18:14	2
Chloromethane	ND		0.60	ug/L			08/20/25 18:14	2
cis-1,2-Dichloroethene	ND		0.20	ug/L			08/20/25 18:14	2
cis-1,3-Dichloropropene	ND		0.20	ug/L			08/20/25 18:14	2
Dibromomethane	ND		0.20	ug/L			08/20/25 18:14	2
Dichlorodifluoromethane	ND		0.20	ug/L			08/20/25 18:14	2
Ethylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
Hexachlorobutadiene	ND		0.20	ug/L			08/20/25 18:14	2

Eurofins Albuquerque

Client Sample Results

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Client Sample ID: Influent 8-15-25

Lab Sample ID: 885-31186-1

Date Collected: 08/15/25 14:40

Matrix: Air

Date Received: 08/16/25 06:45

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
Methyl-tert-butyl Ether (MTBE)	ND		0.20	ug/L			08/20/25 18:14	2
Methylene Chloride	ND		0.60	ug/L			08/20/25 18:14	2
n-Butylbenzene	ND		0.60	ug/L			08/20/25 18:14	2
N-Propylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
Naphthalene	ND		0.40	ug/L			08/20/25 18:14	2
sec-Butylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
Styrene	ND		0.20	ug/L			08/20/25 18:14	2
tert-Butylbenzene	ND		0.20	ug/L			08/20/25 18:14	2
Tetrachloroethene (PCE)	ND		0.20	ug/L			08/20/25 18:14	2
Toluene	ND		0.20	ug/L			08/20/25 18:14	2
trans-1,2-Dichloroethene	ND		0.20	ug/L			08/20/25 18:14	2
trans-1,3-Dichloropropene	ND		0.20	ug/L			08/20/25 18:14	2
Trichloroethene (TCE)	ND		0.20	ug/L			08/20/25 18:14	2
Trichlorofluoromethane	ND		0.20	ug/L			08/20/25 18:14	2
Vinyl chloride	ND		0.20	ug/L			08/20/25 18:14	2
Xylenes, Total	0.75		0.30	ug/L			08/20/25 18:14	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		70 - 130		08/20/25 18:14	2
Toluene-d8 (Surr)	101		70 - 130		08/20/25 18:14	2
4-Bromofluorobenzene (Surr)	94		70 - 130		08/20/25 18:14	2
Dibromofluoromethane (Surr)	76		70 - 130		08/20/25 18:14	2

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	280		10	ug/L			08/25/25 14:58	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		15 - 150		08/25/25 14:58	2

Eurofins Albuquerque

QC Sample Results

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-32817/6

Matrix: Air

Analysis Batch: 32817

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			08/20/25 15:20	1
1,1,1-Trichloroethane	ND		0.10	ug/L			08/20/25 15:20	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			08/20/25 15:20	1
1,1,2-Trichloroethane	ND		0.10	ug/L			08/20/25 15:20	1
1,1-Dichloroethane	ND		0.10	ug/L			08/20/25 15:20	1
1,1-Dichloroethene	ND		0.10	ug/L			08/20/25 15:20	1
1,1-Dichloropropene	ND		0.10	ug/L			08/20/25 15:20	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			08/20/25 15:20	1
1,2,3-Trichloropropane	ND		0.20	ug/L			08/20/25 15:20	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			08/20/25 15:20	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			08/20/25 15:20	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			08/20/25 15:20	1
1,2-Dichlorobenzene	ND		0.10	ug/L			08/20/25 15:20	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			08/20/25 15:20	1
1,2-Dichloropropane	ND		0.10	ug/L			08/20/25 15:20	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
1,3-Dichlorobenzene	ND		0.10	ug/L			08/20/25 15:20	1
1,3-Dichloropropane	ND		0.10	ug/L			08/20/25 15:20	1
1,4-Dichlorobenzene	ND		0.10	ug/L			08/20/25 15:20	1
1-Methylnaphthalene	ND		0.40	ug/L			08/20/25 15:20	1
2,2-Dichloropropane	ND		0.20	ug/L			08/20/25 15:20	1
2-Butanone	ND		1.0	ug/L			08/20/25 15:20	1
2-Chlorotoluene	ND		0.10	ug/L			08/20/25 15:20	1
2-Hexanone	ND		1.0	ug/L			08/20/25 15:20	1
2-Methylnaphthalene	ND		0.40	ug/L			08/20/25 15:20	1
4-Chlorotoluene	ND		0.10	ug/L			08/20/25 15:20	1
4-Isopropyltoluene	ND		0.10	ug/L			08/20/25 15:20	1
4-Methyl-2-pentanone	ND		1.0	ug/L			08/20/25 15:20	1
Acetone	ND		1.0	ug/L			08/20/25 15:20	1
Benzene	ND		0.10	ug/L			08/20/25 15:20	1
Bromobenzene	ND		0.10	ug/L			08/20/25 15:20	1
Bromodichloromethane	ND		0.10	ug/L			08/20/25 15:20	1
Dibromochloromethane	ND		0.10	ug/L			08/20/25 15:20	1
Bromoform	ND		0.10	ug/L			08/20/25 15:20	1
Bromomethane	ND		0.30	ug/L			08/20/25 15:20	1
Carbon disulfide	ND		1.0	ug/L			08/20/25 15:20	1
Carbon tetrachloride	ND		0.10	ug/L			08/20/25 15:20	1
Chlorobenzene	ND		0.10	ug/L			08/20/25 15:20	1
Chloroethane	ND		0.20	ug/L			08/20/25 15:20	1
Chloroform	ND		0.10	ug/L			08/20/25 15:20	1
Chloromethane	ND		0.30	ug/L			08/20/25 15:20	1
cis-1,2-Dichloroethene	ND		0.10	ug/L			08/20/25 15:20	1
cis-1,3-Dichloropropene	ND		0.10	ug/L			08/20/25 15:20	1
Dibromomethane	ND		0.10	ug/L			08/20/25 15:20	1
Dichlorodifluoromethane	ND		0.10	ug/L			08/20/25 15:20	1
Ethylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
Hexachlorobutadiene	ND		0.10	ug/L			08/20/25 15:20	1

Eurofins Albuquerque

QC Sample Results

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-32817/6

Matrix: Air

Analysis Batch: 32817

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			08/20/25 15:20	1
Methylene Chloride	ND		0.30	ug/L			08/20/25 15:20	1
n-Butylbenzene	ND		0.30	ug/L			08/20/25 15:20	1
N-Propylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
Naphthalene	ND		0.20	ug/L			08/20/25 15:20	1
sec-Butylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
Styrene	ND		0.10	ug/L			08/20/25 15:20	1
tert-Butylbenzene	ND		0.10	ug/L			08/20/25 15:20	1
Tetrachloroethene (PCE)	ND		0.10	ug/L			08/20/25 15:20	1
Toluene	ND		0.10	ug/L			08/20/25 15:20	1
trans-1,2-Dichloroethene	ND		0.10	ug/L			08/20/25 15:20	1
trans-1,3-Dichloropropene	ND		0.10	ug/L			08/20/25 15:20	1
Trichloroethene (TCE)	ND		0.10	ug/L			08/20/25 15:20	1
Trichlorofluoromethane	ND		0.10	ug/L			08/20/25 15:20	1
Vinyl chloride	ND		0.10	ug/L			08/20/25 15:20	1
Xylenes, Total	ND		0.15	ug/L			08/20/25 15:20	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130		08/20/25 15:20	1
Toluene-d8 (Surr)	86		70 - 130		08/20/25 15:20	1
4-Bromofluorobenzene (Surr)	85		70 - 130		08/20/25 15:20	1
Dibromofluoromethane (Surr)	87		70 - 130		08/20/25 15:20	1

Lab Sample ID: LCS 885-32817/5

Matrix: Air

Analysis Batch: 32817

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	18.7		ug/L		93	70 - 130
Benzene	20.0	21.1		ug/L		106	70 - 130
Chlorobenzene	20.0	21.9		ug/L		109	70 - 130
Toluene	20.0	21.8		ug/L		109	70 - 130
Trichloroethene (TCE)	20.0	19.8		ug/L		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		70 - 130
Toluene-d8 (Surr)	86		70 - 130
4-Bromofluorobenzene (Surr)	88		70 - 130
Dibromofluoromethane (Surr)	81		70 - 130

Eurofins Albuquerque

QC Sample Results

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-33140/5					Client Sample ID: Method Blank				
Matrix: Air					Prep Type: Total/NA				
Analysis Batch: 33140									
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		5.0	ug/L			08/25/25 13:45	1	
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	92		15 - 150				08/25/25 13:45	1	

Lab Sample ID: LCS 885-33140/4					Client Sample ID: Lab Control Sample				
Matrix: Air					Prep Type: Total/NA				
Analysis Batch: 33140									
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]			50.0	44.7		ug/L		89	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	191		15 - 150						

QC Association Summary

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

GC/MS VOA

Analysis Batch: 32817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-31186-1	Influent 8-15-25	Total/NA	Air	8260B	
MB 885-32817/6	Method Blank	Total/NA	Air	8260B	
LCS 885-32817/5	Lab Control Sample	Total/NA	Air	8260B	

GC VOA

Analysis Batch: 33140

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-31186-1	Influent 8-15-25	Total/NA	Air	8015D	
MB 885-33140/5	Method Blank	Total/NA	Air	8015D	
LCS 885-33140/4	Lab Control Sample	Total/NA	Air	8015D	

Lab Chronicle

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Client Sample ID: Influent 8-15-25
Date Collected: 08/15/25 14:40
Date Received: 08/16/25 06:45

Lab Sample ID: 885-31186-1
Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		2	32817	RA	EET ALB	08/20/25 18:14
Total/NA	Analysis	8015D		2	33140	JP	EET ALB	08/25/25 14:58

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-27-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total
Oregon	NELAP	NM100001	02-26-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Harvest
Project/Site: Florance GC J16A

Job ID: 885-31186-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Eurofins Albuquerque



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

August 25, 2025

Eurofins TestAmerica - Albuquerque
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B25081742 Quote ID: B15626

Project Name: Florance GC J16A 88501083

Energy Laboratories Inc Billings MT received the following 1 sample for Eurofins TestAmerica - Albuquerque on 8/19/2025 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B25081742-001	Influent 8-15-25 (885-31186-1)	08/15/25 14:40	08/19/25	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Eurofins TestAmerica - Albuquerque
Project: Florance GC J16A 88501083
Lab ID: B25081742-001
Client Sample ID: Influent 8-15-25 (885-31186-1)

Report Date: 08/25/25
Collection Date: 08/15/25 14:40
Date Received: 08/19/25
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	22.04	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Nitrogen	77.63	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Carbon Dioxide	0.32	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Hexanes plus	0.01	Mol %		0.01		GPA 2261-13	08/20/25 10:55 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
Hexanes plus	0.004	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
GPM Total	0.004	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj
GPM Pentanes plus	0.004	gpm		0.001		GPA 2261-13	08/20/25 10:55 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND		1		GPA 2261-13	08/20/25 10:55 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND		1		GPA 2261-13	08/20/25 10:55 / jrj
Pseudo-critical Pressure, psia	547		1		GPA 2261-13	08/20/25 10:55 / jrj
Pseudo-critical Temperature, deg R	240		1		GPA 2261-13	08/20/25 10:55 / jrj

Specific Gravity @ 60/60F	1.00		0.001		D3588-17	08/20/25 10:55 / jrj
Air, %	100.69		0.01		GPA 2261-13	08/20/25 10:55 / jrj

- The analysis was not corrected for air.

COMMENTS

-						08/20/25 10:55 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis.						

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B25081742

Report Date: 08/25/25

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-13									Batch: R447848	
Lab ID: B25081749-001ADUP	12 Sample Duplicate					Run: GC7890_250820A			08/20/25 13:23	
Oxygen		21.7	Mol %	0.01				1.9	20	
Nitrogen		78.1	Mol %	0.01				0.5	20	
Carbon Dioxide		0.14	Mol %	0.01				6.9	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.01	Mol %	0.01				0.0	20	
Lab ID: LCS082025	11 Laboratory Control Sample					Run: GC7890_250820A			08/20/25 20:48	
Oxygen		0.59	Mol %	0.01	120	70	130			
Nitrogen		5.51	Mol %	0.01	94	70	130			
Carbon Dioxide		0.98	Mol %	0.01	98	70	130			
Methane		76.5	Mol %	0.01	100	70	130			
Ethane		6.02	Mol %	0.01	99	70	130			
Propane		5.08	Mol %	0.01	102	70	130			
Isobutane		1.98	Mol %	0.01	99	70	130			
n-Butane		2.09	Mol %	0.01	105	70	130			
Isopentane		0.53	Mol %	0.01	106	70	130			
n-Pentane		0.54	Mol %	0.01	108	70	130			
Hexanes plus		0.22	Mol %	0.01	106	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Eurofins TestAmerica - Albuquerque

B25081742

Login completed by: Crystal M. Jones

Date Received: 8/19/2025

Reviewed by: dharris

Received by: SW

Reviewed Date: 8/20/2025

Carrier name: FedEx NDA

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on all shipping container(s)/cooler(s)?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on all sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes ☒	No ☐	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes ☐	No ☒	Not Applicable ☐
Container/Temp Blank temperature:	22.8°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

Contact and Corrective Action Comments:

The temperature of the sample(s) in shipping container 1 was 22.8°C and shipping container 2 was 21.6°C. CMJ
08/19/25



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Laboratory Certifications and Accreditations

Current certificates are available at www.energylab.com website:

	Agency	Number
Billings, MT  	Alaska	17-023
	California	3087
	Colorado	MT00005
	Department of Defense (DoD)/ISO17025	ADE-2588
	Florida (Primary NELAP)	E87668
	Idaho	MT00005
	Louisiana	05079
	Montana	CERT0044
	Nebraska	NE-OS-13-04
	Nevada	NV-C24-00250
	North Dakota	R-007
	National Radon Proficiency	109383-RMP
	Oregon	4184
	South Dakota	ARSD 74:04:07
	Texas	TX-C24-00302
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00170
	Washington	C1039
Casper, WY 	Alaska	20-006
	California	3021
	Colorado	WY00002
	Florida (Primary NELAP)	E87641
	Idaho	WY00002
	Louisiana	05083
	Montana	CERT0002
	Nebraska	NE-OS-08-04
	Nevada	NV-C24-00245
	North Dakota	R-125
	Oregon	WY200001
	South Dakota	WY00002
	Texas	T104704181-23-21
	US EPA Region VIII	WY00002
	USNRC License	49-26846-01
	Washington	C1012
Gillette, WY	US EPA Region VIII	WY00006
Helena, MT	Colorado	MT00945
	Montana	CERT0079
	Nevada	NV-C24-00119
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00090

Eurofins Albuquerque

4901 Hawkins NE
Albuquerque, NM 87109
Phone: 505-345-3975 Fax: 505-345-4107

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)		Sampler: Garcia, Michelle		Lab PM: Garcia, Michelle		Carrier Tracking No(s): N/A		COC No: 885-6180.1	
Client Contact: N/A		Phone: N/A		E-Mail: michelle.garcia@eurofins.com		State of Origin: New Mexico		Page: 1 of 1	
Company: Energy Laboratories, Inc.		Address: 1120 South 27th Street,		Due Date Requested: 8/25/2025		Accreditations Required (See note): NELAP - Oregon; State - New Mexico		Job #: 885-31186-1	
City: Billings		State, Zip: MT, 59101		TAT Requested (days): N/A		Analysis Requested		Preservation Codes:	
Phone: 406-252-6325(Tel)		Email: N/A		PO #: N/A		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)	
Project Name: Florance GC J16A		Project #: 88501083		Sample Date: 8/15/25		Sample Type (C=comp, G=grab): G		Matrix (W=water, S=solid, O=organic, BT=Tissue, A=air)	
Site: N/A		SSOW#: N/A		Sample Time: 14:40 Mountain		Sample Preservation Code: G		Air	
Sample Identification - Client ID (Lab ID)		Influent 8-15-25 (885-31186-1)		Sample Date: 8/15/25		Sample Time: 14:40 Mountain		Sample Type (C=comp, G=grab): G	
Total Number of Containers		1		SUB - Subcontract - Fixed Gases - Energy Lab		Perform MS/MSD (Yes or No)		Field Filtered Sample (Yes or No)	
Special Instructions/Note:		1 B25081742		X		X		X	
Other: N/A									

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification

Unconfirmed
Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2

Empty Kit Relinquished by: _____ Date: _____
Relinquished by: _____ Date: 8/16/25
Relinquished by: _____ Date: _____
Relinquished by: _____ Date: _____

Custody Seal No.: _____
Custody Seal Intact: ☒ Yes ☐ No

Received by: _____ Date: 8/16/25 13:00
Received by: _____ Date: _____
Received by: _____ Date: 8/19/25 11:15

Special Instructions/QC Requirements: _____
Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Method of Shipment: _____
Received by: _____ Date: _____
Received by: _____ Date: _____
Received by: _____ Date: 8/19/25 11:15

Cooler Temperature(s) °C and Other Remarks: _____

Ver: 10/10/2024

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Preservative
None

Container Type
Tedlar Bag 1L

ICOC No:
885-6160

Containers
Count
1

Login Sample Receipt Checklist

Client: Harvest

Job Number: 885-31186-1

Login Number: 31186

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

ANALYTICAL REPORT

PREPARED FOR

Attn: Monica Smith
Harvest
1755 Arroyo Dr.
Bloomfield, New Mexico 87413

Generated 12/4/2025 12:08:06 PM

JOB DESCRIPTION

Florance GC J#16A

JOB NUMBER

885-38690-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
12/4/2025 12:08:06 PM

Authorized for release by
Michelle Garcia, Project Manager
michelle.garcia@et.eurofinsus.com
(505)345-3975

Client: Harvest
Project/Site: Florance GC J#16A

Laboratory Job ID: 885-38690-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Chain of Custody	15
Receipt Checklists	16



Definitions/Glossary

Client: Harvest

Job ID: 885-38690-1

Project/Site: Florance GC J#16A

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Harvest
Project: Florance GC J#16A

Job ID: 885-38690-1

Job ID: 885-38690-1Eurofins Albuquerque

Job Narrative 885-38690-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 12/3/2025 6:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.9°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Client Sample ID: MW18
Date Collected: 12/02/25 12:05
Date Received: 12/03/25 06:30

Lab Sample ID: 885-38690-1
Matrix: Water

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		1.0	ug/L			12/03/25 16:00	1	
Ethylbenzene	ND		1.0	ug/L			12/03/25 16:00	1	
Toluene	ND		1.0	ug/L			12/03/25 16:00	1	
Xylenes, Total	ND		2.0	ug/L			12/03/25 16:00	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	100		15 - 150				12/03/25 16:00	1	

Client Sample Results

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Client Sample ID: MW22

Lab Sample ID: 885-38690-2

Date Collected: 12/02/25 12:40

Matrix: Water

Date Received: 12/03/25 06:30

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		1.0	ug/L			12/03/25 16:24	1	
Ethylbenzene	ND		1.0	ug/L			12/03/25 16:24	1	
Toluene	ND		1.0	ug/L			12/03/25 16:24	1	
Xylenes, Total	ND		2.0	ug/L			12/03/25 16:24	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	103		15 - 150				12/03/25 16:24	1	

Client Sample Results

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Client Sample ID: MW24

Date Collected: 12/02/25 12:15

Date Received: 12/03/25 06:30

Lab Sample ID: 885-38690-3

Matrix: Water

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		1.0	ug/L			12/03/25 16:48	1	
Ethylbenzene	ND		1.0	ug/L			12/03/25 16:48	1	
Toluene	ND		1.0	ug/L			12/03/25 16:48	1	
Xylenes, Total	ND		2.0	ug/L			12/03/25 16:48	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		15 - 150				12/03/25 16:48	1	

Client Sample Results

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Client Sample ID: SB19 Lab Sample ID: 885-38690-4
Date Collected: 12/02/25 13:15 Matrix: Water
Date Received: 12/03/25 06:30

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	230		20	ug/L			12/03/25 18:23	20	
Ethylbenzene	74		20	ug/L			12/03/25 18:23	20	
Toluene	83		20	ug/L			12/03/25 18:23	20	
Xylenes, Total	810		40	ug/L			12/03/25 18:23	20	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	106		15 - 150				12/03/25 18:23	20	

QC Sample Results

Client: Harvest

Job ID: 885-38690-1

Project/Site: Florance GC J#16A

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-39350/4

Matrix: Water

Analysis Batch: 39350

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			12/03/25 15:37	1
Ethylbenzene	ND		1.0	ug/L			12/03/25 15:37	1
Toluene	ND		1.0	ug/L			12/03/25 15:37	1
Xylenes, Total	ND		2.0	ug/L			12/03/25 15:37	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		15 - 150		12/03/25 15:37	1

Lab Sample ID: LCS 885-39350/3

Matrix: Water

Analysis Batch: 39350

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	19.2		ug/L		96	70 - 130
Ethylbenzene	20.0	19.0		ug/L		95	70 - 130
m,p-Xylene	40.0	37.6		ug/L		94	70 - 130
o-Xylene	20.0	18.4		ug/L		92	70 - 130
Toluene	20.0	19.2		ug/L		96	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		15 - 150

Lab Sample ID: 885-38690-3 MS

Matrix: Water

Analysis Batch: 39350

Client Sample ID: MW24

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		20.0	18.9		ug/L		93	70 - 130
Ethylbenzene	ND		20.0	19.0		ug/L		93	70 - 130
m,p-Xylene	ND		40.0	36.9		ug/L		92	70 - 130
o-Xylene	ND		20.0	18.3		ug/L		90	70 - 130
Toluene	ND		20.0	19.0		ug/L		95	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		15 - 150

Lab Sample ID: 885-38690-3 MSD

Matrix: Water

Analysis Batch: 39350

Client Sample ID: MW24

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	ND		20.0	18.4		ug/L		90	70 - 130	3	20
Ethylbenzene	ND		20.0	19.2		ug/L		94	70 - 130	1	20
m,p-Xylene	ND		40.0	37.7		ug/L		94	70 - 130	2	20
o-Xylene	ND		20.0	18.9		ug/L		93	70 - 130	3	20
Toluene	ND		20.0	19.0		ug/L		95	70 - 130	0	20

Eurofins Albuquerque

QC Sample Results

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 885-38690-3 MSD
Matrix: Water
Analysis Batch: 39350

Client Sample ID: MW24
Prep Type: Total/NA

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		15 - 150

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

QC Association Summary

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

GC VOA

Analysis Batch: 39350

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-38690-1	MW18	Total/NA	Water	8021B	
885-38690-2	MW22	Total/NA	Water	8021B	
885-38690-3	MW24	Total/NA	Water	8021B	
885-38690-4	SB19	Total/NA	Water	8021B	
MB 885-39350/4	Method Blank	Total/NA	Water	8021B	
LCS 885-39350/3	Lab Control Sample	Total/NA	Water	8021B	
885-38690-3 MS	MW24	Total/NA	Water	8021B	
885-38690-3 MSD	MW24	Total/NA	Water	8021B	

Lab Chronicle

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Client Sample ID: MW18**Lab Sample ID: 885-38690-1****Date Collected: 12/02/25 12:05****Matrix: Water****Date Received: 12/03/25 06:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8021B		1	39350	VP	EET ALB	12/03/25 16:00

Client Sample ID: MW22**Lab Sample ID: 885-38690-2****Date Collected: 12/02/25 12:40****Matrix: Water****Date Received: 12/03/25 06:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8021B		1	39350	VP	EET ALB	12/03/25 16:24

Client Sample ID: MW24**Lab Sample ID: 885-38690-3****Date Collected: 12/02/25 12:15****Matrix: Water****Date Received: 12/03/25 06:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8021B		1	39350	VP	EET ALB	12/03/25 16:48

Client Sample ID: SB19**Lab Sample ID: 885-38690-4****Date Collected: 12/02/25 13:15****Matrix: Water****Date Received: 12/03/25 06:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8021B		20	39350	VP	EET ALB	12/03/25 18:23

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Harvest
Project/Site: Florance GC J#16A

Job ID: 885-38690-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-27-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8021B		Water	Benzene
8021B		Water	Ethylbenzene
8021B		Water	Toluene
8021B		Water	Xylenes, Total
Oregon	NELAP	NM100001	02-26-26

Login Sample Receipt Checklist

Client: Harvest

Job Number: 885-38690-1

Login Number: 38690

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 543196

CONDITIONS

Operator: Harvest Four Corners, LLC 1755 Arroyo Dr Bloomfield, NM 87413	OGRID: 373888
	Action Number: 543196
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
shanna.smith	On 12/02/2025 application 530312 stated Due to COC's downgradient - transition site wells to quarterly monitoring and sampling.	1/23/2026
shanna.smith	Continue groundwater and LNAPL monitoring to evaluate presence and/or migration of LNAPL.	1/23/2026
shanna.smith	Continue to manually remove LNAPL by bailer during O&M visits. LNAPL recovery socks will be placed in monitor wells, accordingly, in between site visits.	1/23/2026
shanna.smith	Continue to analyze one influent air sample per quarter for full 8260 VOC's, TPH, carbon dioxide and oxygen.	1/23/2026
shanna.smith	Continue bi-weekly to monthly system operation and maintenance visits which includes cycling between remediations wells and/or zones.	1/23/2026