

Standard Safety and Supply

<https://standardtx.com/>

## Site Characterization and Remediation Closure Report

CDU 150H PW

nAPP2530845674

32.180509, -103.762466

B-34-24S-31E

### **Introduction**

Standard Safety and Supply (Standard) on behalf of Devon Energy Production Company, LP (Devon) is pleased to submit this Site Characterization and Remediation Closure Report. Based on the Notification of Release the spill was discovered on November 3<sup>rd</sup>, 2025, and was caused by human error. There was an approximate net loss of nine (9) barrels (bbls) of produced water. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

### **Site Characterization**

Based on a site characterization desktop review the area is within a Low Karst area. Furthermore, there are no receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, other fresh water well/spring, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. The depth to groundwater in the area is estimated to be below fifty-one (51) feet (ft) below ground surface (bgs).

NMAC Closure Criteria Remediation and Reclamation (NMAC 19.15.29.12 & 19.15.29.13)					
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
* Value must not exceed TPH (GRP-DRO-MRO) value					



Standard Safety and Supply

<https://standardtx.com/>

The site characterization documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

### **Remedial Action Activities Confirmation Sampling**

Devon and a third-party contractor began excavation on November 10<sup>th</sup>. During the remedial action activities Standard was on site to conduct field screenings to confirm the removal of all contaminants. After excavations were completed a confirmation sampling event was conducted to confirm the removal of all contaminants.

On December 9<sup>th</sup>, 2025, Standard was onsite to perform a confirmation sampling event where six (6) base samples (CS-1 to CS-6) and five (5) sidewall samples (SW-1 to SW-5) were collected. Soil samples were jarred in lab provided containers, placed on ice then transported under proper chain-of-custody to Eurofins in Carlsbad, New Mexico, for the analysis of BTEX, TPH, and chloride. Analytical results indicated that all samples were below closure criteria for the Site. Soil samples were collected as a five-point composite and represented an area no greater than 200 square feet. There was an estimated one hundred and forty (140) cubic yards of impacted material that was excavated and transported off to the closest approved disposal facility.

The confirmation sampling data can be found in this report under Attachment A: Table 1 Confirmation Sampling Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody. The confirmation sample locations are located under Attachment B: Figure 3 Confirmation Sampling Map while photographs of the excavation area are under Attachment D: Photographic Log.

### **Closing**

Based on the delineation and subsequent remedial action activities the Site is compliant with NMAC 19.15.29.12 & 19.15.29.13 regulations. Standard, on behalf of Devon, respectfully request that a no further actions designation be assigned to this incident.

If you have any questions regarding the Site Characterization and Remediation Closure Report for [nAPP2530845674] - CDU 150H PW please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761  
Contact: 254-266-5456



## Attachments

- Attachment A: Analytical Data Tables
  - 1. Table 1: Confirmation Assessment Analytical Data Table
- Attachment B: Figures
  - 1. Site Location Map
  - 2. Topographic Map
  - 3. Confirmation Sampling Map
- Attachment C: Site Characterization
  - 1. OCD Well map and Karst Potential
  - 2. OSE POD
  - 3. Open Environment Wetlands
  - 4. Wetlands Inventory
  - 5. National Flood Hazard Layer
  - 6. Web Soil Survey
- Attachment D: Photographic Documentation
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody



Standard Safety and Supply

<https://standardtx.com/>



## **ATTACHEMENT A: ANALYTICAL DATA TABLES**



Table 1: Confirmation Assessment Analytical Data Table  
 Devon Energy Production Company  
 CDU 150H PW  
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-1	3'	12/9/2025	42.9	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
CS-2	3'	12/9/2025	447	<50.2	<50.2	<50.2	<50.2	<50.2	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
CS-3	3'	12/9/2025	498	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
CS-4	3'	12/9/2025	274	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
CS-5	3'	12/9/2025	70.3	<50.2	<50.2	<50.2	<50.2	<50.2	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
CS-6	0.5'	12/9/2025	232	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
SW-1	0 - 3'	12/9/2025	258	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
SW-2	0 - 3'	12/9/2025	107	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
SW-3	0 - 0.5'	12/9/2025	39.2	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
SW-4	0.5 - 3'	12/9/2025	86.2	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
SW-5	0 - 3'	12/9/2025	453	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396

## Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. \* Indicates Value must be equal to or less than Total BTEX

6. \*\* Indicates that total value must be equal to or less than total TPH
7. \*\*\* Indicates that total value must be equal to or less than GRO+DRO total
8. \*\*\*\* Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample

11. Remediation Limits

12. Reclamation Limits (0-4ft below ground surface)

Standard Safety and Supply

<https://standardtx.com/>



## ATTACHMENT B: FIGURES





**CDU 150H PW**  
**DEVON ENERGY PRODUCTION COMPANY, LP**


Figure 1. Site Location Map  
Eddy County, New Mexico

1/2/2025

Coordinates: 32.180509° N, -103.762466° W

Scale: 1:350,000





**CDU 150H PW**  
**DEVON ENERGY PRODUCTION COMPANY, LP**


Figure 2. Topographic Map  
Eddy County, New Mexico

1/2/2025

Coordinates: 32.180509° N, -103.762466° W

Scale: 1:25,000





**CDU 150H PW**  
**DEVON ENERGY PRODUCTION COMPANY, LP**

Figure 3. Confirmation Sampling Map  
Eddy County, New Mexico

1/2/2025

Coordinates: 32.180509° N, -103.762466° W

Scale: 1:300



Standard Safety and Supply


<https://standardtx.com/>



## **ATTACHMENT C: SITE CHARACTERIZATION**



## OCD Well Locations




1/2/2026, 10:31:15 AM

1:2,257

Wells - Large Scale      • Oil, Plugged      ▨ PLSS Second Division

• Oil, Active      Karst Occurrence Potential      ▨ PLSS First Division

■ Oil, Cancelled      □ Low



Sources: Esri, Vantor, Airbus DS, USGS, NGA, NASA, CGIAR, N Robinson, NCEAS, NLS, OS, NMA, Geodatistyrelsen, Rijkswaterstaat, GSA, Geoland, FEMA, Intermap, and the GIS user community, BLM, OCD, New Mexico Tech, Sources: Esri, TomTom,

## OSE POD Locations Map



1/2/2026, 10:22:50 AM

1:20,714

World Imagery

High Resolution 30cm Imagery

0 0.2 0.4 0.8 mi  
0 0.35 0.7 1.4 km

Low Resolution 15m Imagery


Citations

High Resolution 60cm Imagery

4.8m Resolution Metadata



Vantor, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community





## Wetlands



January 2, 2026

## Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

# National Flood Hazard Layer FIRMette



FEMA

103°46'4"W 32°11'5"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

<b>SPECIAL FLOOD HAZARD AREAS</b>	Without Base Flood Elevation (BFE) Zone A, V, A99
	With BFE or Depth Zone AE, AO, AH, VE, AR
	Regulatory Floodway
<b>OTHER AREAS OF FLOOD HAZARD</b>	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
	Future Conditions 1% Annual Chance Flood Hazard Zone X
	Area with Reduced Flood Risk due to Levee. See Notes. Zone X
	Area with Flood Risk due to Levee Zone D
<b>OTHER AREAS</b>	NO SCREEN Area of Minimal Flood Hazard Zone X
	Effective LOMRs
<b>GENERAL STRUCTURES</b>	 Channel, Culvert, or Storm Sewer  Levee, Dike, or Floodwall
<b>OTHER FEATURES</b>	 <b>20.2</b> Cross Sections with 1% Annual Chance Water Surface Elevation  <b>17.5</b> Coastal Transect  Base Flood Elevation Line (BFE)  Limit of Study  Jurisdiction Boundary  Coastal Transect Baseline  Profile Baseline  Hydrographic Feature
	 Digital Data Available  No Digital Data Available  Unmanned
<b>MAP PANELS</b>	

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **1/2/2026 at 5:44 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

## Soil Map—Eddy Area, New Mexico



## Soil Map—Eddy Area, New Mexico

### MAP LEGEND

<b>Area of Interest (AOI)</b>	
	Area of Interest (AOI)
<b>Soils</b>	
	Soil Map Unit Polygons
	Soil Map Unit Lines
	Soil Map Unit Points
<b>Special Point Features</b>	
	Blowout
	Borrow Pit
	Clay Spot
	Closed Depression
	Gravel Pit
	Gravelly Spot
	Landfill
	Lava Flow
	Marsh or swamp
	Mine or Quarry
	Miscellaneous Water
	Perennial Water
	Rock Outcrop
	Saline Spot
	Sandy Spot
	Severely Eroded Spot
	Sinkhole
	Slide or Slip
	Sodic Spot
<b>Water Features</b>	
	Streams and Canals
<b>Transportation</b>	
	Rails
	Interstate Highways
	US Routes
	Major Roads
	Local Roads
<b>Background</b>	
	Aerial Photography

### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
 Web Soil Survey URL: <http://websoilsurvey.nrcs.usda.gov>  
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico  
 Survey Area Data: Version 21, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Soil Map—Eddy Area, New Mexico

## Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BB	Berino complex, 0 to 3 percent slopes, eroded	11.9	100.0%
<b>Totals for Area of Interest</b>		<b>11.9</b>	<b>100.0%</b>



Natural Resources  
Conservation Service

Web Soil Survey  
National Cooperative Soil Survey

1/2/2026  
Page 3 of 3

Standard Safety and Supply

<https://standardtx.com/>



## ATTACHMENT D: PHOTOGRAPHIC DOCUMENTATION




## Before Photos



Drone Photo of Area of Concern



## Excavation Photos



View of Open Excavation

View of Open Excavation



## Completed Excavation Photos



View of Open Excavation



View of Open Excavation



Standard Safety and Supply

<https://standardtx.com/>



# **ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN- OF-CUSTODY**





Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ethan Sessums  
Standard Safety & Supply  
2524 Trunk St  
Odessa, Texas 79761

Generated 1/5/2026 3:50:39 PM Revision 1

## JOB DESCRIPTION

CDU 150

## JOB NUMBER

890-9203-1

Eurofins Carlsbad  
1089 N Canal St.  
Carlsbad NM 88220

See page two for job notes and contact information.

Released to Imaging: 2/3/2026 10:07:32 AM


# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

Generated  
1/5/2026 3:50:39 PM  
Revision 1

# Table of Contents

Cover Page .....	1
Table of Contents .....	3
Definitions/Glossary .....	4
Case Narrative .....	5
Client Sample Results .....	6
Surrogate Summary .....	15
QC Sample Results .....	16
QC Association Summary .....	20
Lab Chronicle .....	23
Certification Summary .....	27
Method Summary .....	28
Sample Summary .....	29
Chain of Custody .....	30
Receipt Checklists .....	34

## Definitions/Glossary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

### Qualifiers

#### GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

#### GC Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

#### HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

### Glossary

**Abbreviation** **These commonly used abbreviations may or may not be present in this report.**

⊕	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Carlsbad

## Case Narrative

Client: Standard Safety & Supply  
Project: CDU 150

Job ID: 890-9203-1

Job ID: 890-9203-1

Eurofins Carlsbad

### Job Narrative 890-9203-1

#### REVISION

The report being provided is a revision of the original report sent on 12/17/2025. The report (revision 1) is being revised due to Revised to correct sample date to 12/09 instead of 12/10 per client request.

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

#### **Receipt**

The samples were received on 12/10/2025 9:35 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -6.2°C.

#### **Receipt Exceptions**

The following samples were received and analyzed from an unpreserved bulk soil jar: CS-01 (890-9203-1), CS-02 (890-9203-2), CS-03 (890-9203-3), CS-04 (890-9203-4), CS-05 (890-9203-5), CS-06 (890-9203-6), SW-01 (890-9203-7), SW-02 (890-9203-8), SW-03 (890-9203-9), SW-04 (890-9203-10) and SW-05 (890-9203-11).

#### **GC VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **Diesel Range Organics**

Method 8015MOD\_NM: The laboratory control sample duplicate (LCSD) associated with preparation batch 880-126301 and analytical batch 880-126801 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015MOD\_NM: Surrogate recovery for the following sample was outside control limits: SW-05 (890-9203-11). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: CS-04 (890-9203-4), CS-05 (890-9203-5), CS-06 (890-9203-6), SW-01 (890-9203-7), SW-02 (890-9203-8), SW-03 (890-9203-9), (890-9203-A-4-B MS) and (890-9203-A-4-C MSD). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: CS-01 (890-9203-1) and CS-03 (890-9203-3). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **HPLC/IC**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-01

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-1

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 14:38	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 14:38	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 14:38	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 13:06	12/15/25 14:38	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 14:38	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 13:06	12/15/25 14:38	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	96		70 - 130				12/11/25 13:06	12/15/25 14:38	1
1,4-Difluorobenzene (Surr)	92		70 - 130				12/11/25 13:06	12/15/25 14:38	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 14:38	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 03:32	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/10/25 16:49	12/17/25 03:32	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/10/25 16:49	12/17/25 03:32	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/10/25 16:49	12/17/25 03:32	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	157	S1+	70 - 130				12/10/25 16:49	12/17/25 03:32	1
o-Terphenyl	164	S1+	70 - 130				12/10/25 16:49	12/17/25 03:32	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	42.9		9.90		mg/Kg			12/15/25 20:14	1

## Client Sample ID: CS-02

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-2

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 16:53	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 16:53	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 16:53	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/11/25 13:06	12/15/25 16:53	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 16:53	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/11/25 13:06	12/15/25 16:53	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	93		70 - 130				12/11/25 13:06	12/15/25 16:53	1
1,4-Difluorobenzene (Surr)	87		70 - 130				12/11/25 13:06	12/15/25 16:53	1

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-02

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-2

Matrix: Solid

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 16:53	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			12/17/25 03:48	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg			12/17/25 03:48	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		12/10/25 16:49	12/17/25 03:48	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		12/10/25 16:49	12/17/25 03:48	1

## Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130			12/10/25 16:49	12/17/25 03:48	1
o-Terphenyl	125		70 - 130			12/10/25 16:49	12/17/25 03:48	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	447		10.0		mg/Kg			12/15/25 20:19	1

## Client Sample ID: CS-03

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-3

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg			12/15/25 17:14	1
Toluene	<0.00201	U	0.00201		mg/Kg			12/15/25 17:14	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg			12/15/25 17:14	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg			12/15/25 17:14	1
o-Xylene	<0.00201	U	0.00201		mg/Kg			12/15/25 17:14	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg			12/15/25 17:14	1

## Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surrogate)	92		70 - 130			12/15/25 17:14	1	
1,4-Difluorobenzene (Surrogate)	92		70 - 130			12/15/25 17:14	1	

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 17:14	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			12/17/25 04:02	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg			12/17/25 04:02	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		12/17/25 04:02	1	

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-03

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-3

Matrix: Solid

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		12/10/25 16:49	12/17/25 04:02	1
<b>Surrogate</b>									
1-Chlorooctane	127		70 - 130				12/10/25 16:49	12/17/25 04:02	1
o-Terphenyl	133	S1+	70 - 130				12/10/25 16:49	12/17/25 04:02	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	498		10.1		mg/Kg			12/15/25 20:23	1

## Client Sample ID: CS-04

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-4

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 17:34	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 17:34	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 17:34	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 13:06	12/15/25 17:34	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 17:34	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 13:06	12/15/25 17:34	1
<b>Surrogate</b>									
4-Bromofluorobenzene (Surr)	102		70 - 130				12/11/25 13:06	12/15/25 17:34	1
1,4-Difluorobenzene (Surr)	90		70 - 130				12/11/25 13:06	12/15/25 17:34	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 17:34	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 02:33	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *-	50.0		mg/Kg		12/11/25 07:53	12/17/25 02:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 02:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 02:33	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	274		9.94		mg/Kg			12/16/25 08:32	1

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-05

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-5

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 17:55	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 17:55	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 17:55	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 13:06	12/15/25 17:55	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 17:55	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 13:06	12/15/25 17:55	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	100		70 - 130				12/11/25 13:06	12/15/25 17:55	1
1,4-Difluorobenzene (Surr)	89		70 - 130				12/11/25 13:06	12/15/25 17:55	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 17:55	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			12/17/25 03:18	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U *-	50.2		mg/Kg		12/11/25 07:53	12/17/25 03:18	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		12/11/25 07:53	12/17/25 03:18	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		12/11/25 07:53	12/17/25 03:18	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	131	S1+	70 - 130				12/11/25 07:53	12/17/25 03:18	1
o-Terphenyl	128		70 - 130				12/11/25 07:53	12/17/25 03:18	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	70.3		10.0		mg/Kg			12/15/25 20:30	1

## Client Sample ID: CS-06

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-6

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 18:15	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 18:15	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 18:15	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 13:06	12/15/25 18:15	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 18:15	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 13:06	12/15/25 18:15	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	96		70 - 130				12/11/25 13:06	12/15/25 18:15	1
1,4-Difluorobenzene (Surr)	90		70 - 130				12/11/25 13:06	12/15/25 18:15	1

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-06

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-6

Matrix: Solid

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/15/25 18:15	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 03:33	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *-	50.0		mg/Kg			12/17/25 03:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 03:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 03:33	1

## Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	157	S1+	70 - 130			12/11/25 07:53	12/17/25 03:33	1
o-Terphenyl	158	S1+	70 - 130			12/11/25 07:53	12/17/25 03:33	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	232		10.1		mg/Kg			12/15/25 20:44	1

## Client Sample ID: SW-01

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-7

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg			12/15/25 18:36	1
Toluene	<0.00200	U	0.00200		mg/Kg			12/15/25 18:36	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg			12/15/25 18:36	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg			12/15/25 18:36	1
o-Xylene	<0.00200	U	0.00200		mg/Kg			12/15/25 18:36	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg			12/15/25 18:36	1

## Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surrogate)	92		70 - 130			12/15/25 18:36	1	
1,4-Difluorobenzene (Surrogate)	93		70 - 130			12/15/25 18:36	1	

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/15/25 18:36	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			12/17/25 03:48	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U *-	50.1		mg/Kg			12/17/25 03:48	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		12/17/25 03:48	1	

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: SW-01

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

## Lab Sample ID: 890-9203-7

Matrix: Solid

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		12/11/25 07:53	12/17/25 03:48	1
<b>Surrogate</b>									
1-Chlorooctane	138	S1+	70 - 130				12/11/25 07:53	12/17/25 03:48	1
o-Terphenyl	128		70 - 130				12/11/25 07:53	12/17/25 03:48	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	258		10.0		mg/Kg			12/15/25 20:49	1

## Client Sample ID: SW-02

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

## Lab Sample ID: 890-9203-8

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/11/25 13:06	12/15/25 18:56	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/11/25 13:06	12/15/25 18:56	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/11/25 13:06	12/15/25 18:56	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/11/25 13:06	12/15/25 18:56	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/11/25 13:06	12/15/25 18:56	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/11/25 13:06	12/15/25 18:56	1
<b>Surrogate</b>									
4-Bromofluorobenzene (Surr)	98		70 - 130				12/11/25 13:06	12/15/25 18:56	1
1,4-Difluorobenzene (Surr)	90		70 - 130				12/11/25 13:06	12/15/25 18:56	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/15/25 18:56	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 04:03	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *-	50.0		mg/Kg		12/11/25 07:53	12/17/25 04:03	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 04:03	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 04:03	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	107		9.92		mg/Kg			12/15/25 21:04	1

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

Client Sample ID: SW-03  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-9  
Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 19:17	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 19:17	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 19:17	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		12/11/25 13:06	12/15/25 19:17	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/11/25 13:06	12/15/25 19:17	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		12/11/25 13:06	12/15/25 19:17	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	103		70 - 130				12/11/25 13:06	12/15/25 19:17	1
1,4-Difluorobenzene (Surr)	89		70 - 130				12/11/25 13:06	12/15/25 19:17	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			12/15/25 19:17	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			12/17/25 04:18	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U *-	50.1		mg/Kg		12/11/25 07:53	12/17/25 04:18	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		12/11/25 07:53	12/17/25 04:18	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		12/11/25 07:53	12/17/25 04:18	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	139	S1+	70 - 130				12/11/25 07:53	12/17/25 04:18	1
o-Terphenyl	139	S1+	70 - 130				12/11/25 07:53	12/17/25 04:18	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	39.2		9.94		mg/Kg			12/15/25 21:09	1

Client Sample ID: SW-04

Lab Sample ID: 890-9203-10

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 19:38	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 19:38	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 19:38	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/11/25 13:06	12/15/25 19:38	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/11/25 13:06	12/15/25 19:38	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/11/25 13:06	12/15/25 19:38	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	96		70 - 130				12/11/25 13:06	12/15/25 19:38	1
1,4-Difluorobenzene (Surr)	94		70 - 130				12/11/25 13:06	12/15/25 19:38	1

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

Client Sample ID: SW-04  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-10  
Matrix: Solid

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/15/25 19:38	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/17/25 04:32	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *-	49.9		mg/Kg			12/17/25 04:32	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/11/25 07:53	12/17/25 04:32	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/11/25 07:53	12/17/25 04:32	1

## Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130			12/11/25 07:53	12/17/25 04:32	1
o-Terphenyl	95		70 - 130			12/11/25 07:53	12/17/25 04:32	1

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	86.2		9.98		mg/Kg			12/15/25 21:14	1

Client Sample ID: SW-05

Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-11

Matrix: Solid

## Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 19:58	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 19:58	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 19:58	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		12/11/25 13:06	12/15/25 19:58	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/11/25 13:06	12/15/25 19:58	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		12/11/25 13:06	12/15/25 19:58	1

## Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surrogate)	98		70 - 130			12/11/25 13:06	12/15/25 19:58	1
1,4-Difluorobenzene (Surrogate)	86		70 - 130			12/11/25 13:06	12/15/25 19:58	1

## Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			12/15/25 19:58	1

## Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/17/25 04:48	1

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *-	50.0		mg/Kg		12/11/25 07:53	12/17/25 04:48	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 04:48	1

Eurofins Carlsbad

## Client Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

Client Sample ID: SW-05  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-11  
Matrix: Solid

## Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/11/25 07:53	12/17/25 04:48	1
<b>Surrogate</b>									
1-Chlorooctane									
129									
o-Terphenyl									
133 S1+									
70 - 130									
70 - 130									
12/11/25 07:53									
12/17/25 04:48									
1									
12/11/25 07:53									
12/17/25 04:48									
1									

## Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	453		10.0		mg/Kg		12/16/25 08:37		1

Eurofins Carlsbad

## Surrogate Summary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		_____	_____	_____	_____	_____	_____
		BFB1 (70-130)	DFBZ1 (70-130)						
890-9203-1	CS-01	96	92						
890-9203-2	CS-02	93	87						
890-9203-3	CS-03	92	92						
890-9203-4	CS-04	102	90						
890-9203-5	CS-05	100	89						
890-9203-6	CS-06	96	90						
890-9203-7	SW-01	92	93						
890-9203-8	SW-02	98	90						
890-9203-9	SW-03	103	89						
890-9203-10	SW-04	96	94						
890-9203-11	SW-05	98	86						
LCS 880-126363/1-A	Lab Control Sample	98	97						
LCSD 880-126363/2-A	Lab Control Sample Dup	98	99						
MB 880-126363/5-A	Method Blank	102	83						

## Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		_____	_____	_____	_____	_____	_____
		1CO1 (70-130)	OTPH1 (70-130)						
890-9203-1	CS-01	157 S1+	164 S1+						
890-9203-2	CS-02	117	125						
890-9203-3	CS-03	127	133 S1+						
890-9203-4	CS-04	161 S1+	156 S1+						
890-9203-4 MS	CS-04	139 S1+	139 S1+						
890-9203-4 MSD	CS-04	161 S1+	130						
890-9203-5	CS-05	131 S1+	128						
890-9203-6	CS-06	157 S1+	158 S1+						
890-9203-7	SW-01	138 S1+	128						
890-9203-8	SW-02	157 S1+	139 S1+						
890-9203-9	SW-03	139 S1+	139 S1+						
890-9203-10	SW-04	93	95						
890-9203-11	SW-05	129	133 S1+						
LCS 880-126292/2-A	Lab Control Sample	116	110						
LCS 880-126301/2-A	Lab Control Sample	83	89						
LCSD 880-126292/3-A	Lab Control Sample Dup	117	108						
LCSD 880-126301/3-A	Lab Control Sample Dup	78	86						
MB 880-126292/1-A	Method Blank	109	113						
MB 880-126301/1-A	Method Blank	117	114						

## Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Carlsbad

## QC Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-126363/5-A

Matrix: Solid

Analysis Batch: 126621

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126363

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed	
Benzene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 11:52	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 11:52	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 11:52	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/11/25 13:06	12/15/25 11:52	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/11/25 13:06	12/15/25 11:52	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/11/25 13:06	12/15/25 11:52	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	102		70 - 130	12/11/25 13:06	12/15/25 11:52	1
1,4-Difluorobenzene (Surr)	83		70 - 130	12/11/25 13:06	12/15/25 11:52	1

Lab Sample ID: LCS 880-126363/1-A

Matrix: Solid

Analysis Batch: 126621

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126363

Analyte	Spike	LCS	LCS	D	%Rec	Limits	%Rec
	Added	Result	Qualifier				
Benzene	0.100	0.09669		mg/Kg	97	70 - 130	
Toluene	0.100	0.1010		mg/Kg	101	70 - 130	
Ethylbenzene	0.100	0.1068		mg/Kg	107	70 - 130	
m-Xylene & p-Xylene	0.200	0.2091		mg/Kg	105	70 - 130	
o-Xylene	0.100	0.09961		mg/Kg	100	70 - 130	

Surrogate	LCs	LCs	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	98		70 - 130	12/11/25 13:06	12/15/25 11:52	1
1,4-Difluorobenzene (Surr)	97		70 - 130	12/11/25 13:06	12/15/25 11:52	1

Lab Sample ID: LCSD 880-126363/2-A

Matrix: Solid

Analysis Batch: 126621

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126363

Analyte	Spike	LCSD	LCSD	D	%Rec	Limits	RPD	Limit
	Added	Result	Qualifier					
Benzene	0.100	0.09972		mg/Kg	100	70 - 130	3	35
Toluene	0.100	0.1013		mg/Kg	101	70 - 130	0	35
Ethylbenzene	0.100	0.1063		mg/Kg	106	70 - 130	0	35
m-Xylene & p-Xylene	0.200	0.2120		mg/Kg	106	70 - 130	1	35
o-Xylene	0.100	0.1010		mg/Kg	101	70 - 130	1	35

Surrogate	LCSD	LCSD	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	98		70 - 130	12/11/25 13:06	12/15/25 11:52	1
1,4-Difluorobenzene (Surr)	99		70 - 130	12/11/25 13:06	12/15/25 11:52	1

Eurofins Carlsbad

## QC Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-126292/1-A

Matrix: Solid

Analysis Batch: 126782

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126292

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/10/25 16:49	12/16/25 21:52	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/10/25 16:49	12/16/25 21:52	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/10/25 16:49	12/16/25 21:52	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	109		70 - 130	12/10/25 16:49	12/16/25 21:52	1
o-Terphenyl	113		70 - 130	12/10/25 16:49	12/16/25 21:52	1

Lab Sample ID: LCS 880-126292/2-A

Matrix: Solid

Analysis Batch: 126782

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126292

Analyte	MB	MB	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
	Result	Qualifier						Prepared	
Gasoline Range Organics (GRO)-C6-C10			1000	990.6		mg/Kg		99	70 - 130
Diesel Range Organics (Over C10-C28)			1000	982.8		mg/Kg		98	70 - 130

Surrogate	MB	MB	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
	%Recovery	Qualifier						Prepared	
1-Chlorooctane	116			70 - 130					
o-Terphenyl	110			70 - 130					

Lab Sample ID: LCSD 880-126292/3-A

Matrix: Solid

Analysis Batch: 126782

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126292

Analyte	MB	MB	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD
	Result	Qualifier						Prepared	
Gasoline Range Organics (GRO)-C6-C10			1000	999.7		mg/Kg		100	70 - 130
Diesel Range Organics (Over C10-C28)			1000	962.0		mg/Kg		96	70 - 130

Surrogate	MB	MB	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD
	%Recovery	Qualifier						Prepared	
1-Chlorooctane	117			70 - 130					
o-Terphenyl	108			70 - 130					

Lab Sample ID: MB 880-126301/1-A

Matrix: Solid

Analysis Batch: 126801

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126301

Analyte	MB	MB	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD
	Result	Qualifier						Prepared	
Gasoline Range Organics (GRO)-C6-C10			1000	999.7		mg/Kg		100	70 - 130
Diesel Range Organics (Over C10-C28)			1000	962.0		mg/Kg		96	70 - 130
Oil Range Organics (Over C28-C36)			1000	962.0		mg/Kg		96	70 - 130

Eurofins Carlsbad

## QC Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-126301/1-A

Matrix: Solid

Analysis Batch: 126801

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 126301

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane		117			70 - 130	12/11/25 07:53	12/17/25 01:49	1
o-Terphenyl		114			70 - 130	12/11/25 07:53	12/17/25 01:49	1

Lab Sample ID: LCS 880-126301/2-A

Matrix: Solid

Analysis Batch: 126801

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 126301

Analyte	LCS	LCS	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10			1000	747.2		mg/Kg		75	70 - 130
Diesel Range Organics (Over C10-C28)			1000	886.5		mg/Kg		89	70 - 130
Surrogate	LCSD	LCSD	%Recovery	Qualifier	Limits				
1-Chlorooctane	83				70 - 130				
o-Terphenyl	89				70 - 130				

Lab Sample ID: LCSD 880-126301/3-A

Matrix: Solid

Analysis Batch: 126801

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 126301

Analyte	LCSD	LCSD	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10			1000	693.9	*-	mg/Kg		69	70 - 130	7	20
Diesel Range Organics (Over C10-C28)			1000	829.4		mg/Kg		83	70 - 130	7	20
Surrogate	LCSD	LCSD	%Recovery	Qualifier	Limits						
1-Chlorooctane	78				70 - 130						
o-Terphenyl	86				70 - 130						

Lab Sample ID: 890-9203-4 MS

Matrix: Solid

Analysis Batch: 126801

Client Sample ID: CS-04

Prep Type: Total/NA

Prep Batch: 126301

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *-	1000	977.8		mg/Kg		97	70 - 130
Diesel Range Organics (Over C10-C28)	<50.0	U	1000	1064		mg/Kg		106	70 - 130
Surrogate	MS	MS	%Recovery	Qualifier	Limits				
1-Chlorooctane	139	S1+			70 - 130				
o-Terphenyl	139	S1+			70 - 130				

Eurofins Carlsbad

## QC Sample Results

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-9203-4 MSD

Matrix: Solid

Analysis Batch: 126801

Client Sample ID: CS-04

Prep Type: Total/NA

Prep Batch: 126301

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit	
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *-	1000	966.6		mg/Kg		96	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	<50.0	U	1000	953.3		mg/Kg		95	70 - 130	11	20
<b>Surrogate</b>											
<b>MSD MSD</b>											
<b>%Recovery Qualifier Limits</b>											
1-Chlorooctane	161	S1+		70 - 130							
o-Terphenyl	130			70 - 130							

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-126404/1-A

Matrix: Solid

Analysis Batch: 126480

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U		10.0	mg/Kg			12/15/25 19:09	1

Lab Sample ID: LCS 880-126404/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 126480

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Chloride	250	241.6		mg/Kg		97	90 - 110

Lab Sample ID: LCSD 880-126404/3-A

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 126480

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Chloride	250	241.3		mg/Kg		97	90 - 110	0	20

Lab Sample ID: 890-9203-5 MS

Client Sample ID: CS-05

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 126480

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Chloride	70.3		250	322.9		mg/Kg		101	90 - 110

Lab Sample ID: 890-9203-5 MSD

Client Sample ID: CS-05

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 126480

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit	
Chloride	70.3		250	322.9		mg/Kg		101	90 - 110	0	20

Eurofins Carlsbad

## QC Association Summary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## GC VOA

## Prep Batch: 126363

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Total/NA	Solid	5035	5
890-9203-2	CS-02	Total/NA	Solid	5035	6
890-9203-3	CS-03	Total/NA	Solid	5035	7
890-9203-4	CS-04	Total/NA	Solid	5035	8
890-9203-5	CS-05	Total/NA	Solid	5035	9
890-9203-6	CS-06	Total/NA	Solid	5035	10
890-9203-7	SW-01	Total/NA	Solid	5035	11
890-9203-8	SW-02	Total/NA	Solid	5035	12
890-9203-9	SW-03	Total/NA	Solid	5035	13
890-9203-10	SW-04	Total/NA	Solid	5035	14
890-9203-11	SW-05	Total/NA	Solid	5035	
MB 880-126363/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-126363/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-126363/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

## Analysis Batch: 126621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Total/NA	Solid	8021B	126363
890-9203-2	CS-02	Total/NA	Solid	8021B	126363
890-9203-3	CS-03	Total/NA	Solid	8021B	126363
890-9203-4	CS-04	Total/NA	Solid	8021B	126363
890-9203-5	CS-05	Total/NA	Solid	8021B	126363
890-9203-6	CS-06	Total/NA	Solid	8021B	126363
890-9203-7	SW-01	Total/NA	Solid	8021B	126363
890-9203-8	SW-02	Total/NA	Solid	8021B	126363
890-9203-9	SW-03	Total/NA	Solid	8021B	126363
890-9203-10	SW-04	Total/NA	Solid	8021B	126363
890-9203-11	SW-05	Total/NA	Solid	8021B	126363
MB 880-126363/5-A	Method Blank	Total/NA	Solid	8021B	126363
LCS 880-126363/1-A	Lab Control Sample	Total/NA	Solid	8021B	126363
LCSD 880-126363/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	126363

## Analysis Batch: 126747

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Total/NA	Solid	Total BTEX	
890-9203-2	CS-02	Total/NA	Solid	Total BTEX	
890-9203-3	CS-03	Total/NA	Solid	Total BTEX	
890-9203-4	CS-04	Total/NA	Solid	Total BTEX	
890-9203-5	CS-05	Total/NA	Solid	Total BTEX	
890-9203-6	CS-06	Total/NA	Solid	Total BTEX	
890-9203-7	SW-01	Total/NA	Solid	Total BTEX	
890-9203-8	SW-02	Total/NA	Solid	Total BTEX	
890-9203-9	SW-03	Total/NA	Solid	Total BTEX	
890-9203-10	SW-04	Total/NA	Solid	Total BTEX	
890-9203-11	SW-05	Total/NA	Solid	Total BTEX	

## GC Semi VOA

## Prep Batch: 126292

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

## QC Association Summary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## GC Semi VOA (Continued)

## Prep Batch: 126292 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-2	CS-02	Total/NA	Solid	8015NM Prep	
890-9203-3	CS-03	Total/NA	Solid	8015NM Prep	
MB 880-126292/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126292/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126292/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

## Prep Batch: 126301

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-4	CS-04	Total/NA	Solid	8015NM Prep	
890-9203-5	CS-05	Total/NA	Solid	8015NM Prep	
890-9203-6	CS-06	Total/NA	Solid	8015NM Prep	
890-9203-7	SW-01	Total/NA	Solid	8015NM Prep	
890-9203-8	SW-02	Total/NA	Solid	8015NM Prep	
890-9203-9	SW-03	Total/NA	Solid	8015NM Prep	
890-9203-10	SW-04	Total/NA	Solid	8015NM Prep	
890-9203-11	SW-05	Total/NA	Solid	8015NM Prep	
MB 880-126301/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-126301/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-126301/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9203-4 MS	CS-04	Total/NA	Solid	8015NM Prep	
890-9203-4 MSD	CS-04	Total/NA	Solid	8015NM Prep	

## Analysis Batch: 126782

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Total/NA	Solid	8015B NM	126292
890-9203-2	CS-02	Total/NA	Solid	8015B NM	126292
890-9203-3	CS-03	Total/NA	Solid	8015B NM	126292
MB 880-126292/1-A	Method Blank	Total/NA	Solid	8015B NM	126292
LCS 880-126292/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126292
LCSD 880-126292/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126292

## Analysis Batch: 126801

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-4	CS-04	Total/NA	Solid	8015B NM	126301
890-9203-5	CS-05	Total/NA	Solid	8015B NM	126301
890-9203-6	CS-06	Total/NA	Solid	8015B NM	126301
890-9203-7	SW-01	Total/NA	Solid	8015B NM	126301
890-9203-8	SW-02	Total/NA	Solid	8015B NM	126301
890-9203-9	SW-03	Total/NA	Solid	8015B NM	126301
890-9203-10	SW-04	Total/NA	Solid	8015B NM	126301
890-9203-11	SW-05	Total/NA	Solid	8015B NM	126301
MB 880-126301/1-A	Method Blank	Total/NA	Solid	8015B NM	126301
LCS 880-126301/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	126301
LCSD 880-126301/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	126301
890-9203-4 MS	CS-04	Total/NA	Solid	8015B NM	126301
890-9203-4 MSD	CS-04	Total/NA	Solid	8015B NM	126301

## Analysis Batch: 126941

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Total/NA	Solid	8015 NM	
890-9203-2	CS-02	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

## QC Association Summary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## GC Semi VOA (Continued)

## Analysis Batch: 126941 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-3	CS-03	Total/NA	Solid	8015 NM	
890-9203-4	CS-04	Total/NA	Solid	8015 NM	
890-9203-5	CS-05	Total/NA	Solid	8015 NM	
890-9203-6	CS-06	Total/NA	Solid	8015 NM	
890-9203-7	SW-01	Total/NA	Solid	8015 NM	
890-9203-8	SW-02	Total/NA	Solid	8015 NM	
890-9203-9	SW-03	Total/NA	Solid	8015 NM	
890-9203-10	SW-04	Total/NA	Solid	8015 NM	
890-9203-11	SW-05	Total/NA	Solid	8015 NM	

## HPLC/IC

## Leach Batch: 126404

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Soluble	Solid	DI Leach	
890-9203-2	CS-02	Soluble	Solid	DI Leach	
890-9203-3	CS-03	Soluble	Solid	DI Leach	
890-9203-4	CS-04	Soluble	Solid	DI Leach	
890-9203-5	CS-05	Soluble	Solid	DI Leach	
890-9203-6	CS-06	Soluble	Solid	DI Leach	
890-9203-7	SW-01	Soluble	Solid	DI Leach	
890-9203-8	SW-02	Soluble	Solid	DI Leach	
890-9203-9	SW-03	Soluble	Solid	DI Leach	
890-9203-10	SW-04	Soluble	Solid	DI Leach	
890-9203-11	SW-05	Soluble	Solid	DI Leach	
MB 880-126404/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-126404/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-126404/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9203-5 MS	CS-05	Soluble	Solid	DI Leach	
890-9203-5 MSD	CS-05	Soluble	Solid	DI Leach	

## Analysis Batch: 126404

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9203-1	CS-01	Soluble	Solid	300.0	126404
890-9203-2	CS-02	Soluble	Solid	300.0	126404
890-9203-3	CS-03	Soluble	Solid	300.0	126404
890-9203-4	CS-04	Soluble	Solid	300.0	126404
890-9203-5	CS-05	Soluble	Solid	300.0	126404
890-9203-6	CS-06	Soluble	Solid	300.0	126404
890-9203-7	SW-01	Soluble	Solid	300.0	126404
890-9203-8	SW-02	Soluble	Solid	300.0	126404
890-9203-9	SW-03	Soluble	Solid	300.0	126404
890-9203-10	SW-04	Soluble	Solid	300.0	126404
890-9203-11	SW-05	Soluble	Solid	300.0	126404
MB 880-126404/1-A	Method Blank	Soluble	Solid	300.0	126404
LCS 880-126404/2-A	Lab Control Sample	Soluble	Solid	300.0	126404
LCSD 880-126404/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	126404
890-9203-5 MS	CS-05	Soluble	Solid	300.0	126404
890-9203-5 MSD	CS-05	Soluble	Solid	300.0	126404

Eurofins Carlsbad

## Lab Chronicle

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-01

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

## Lab Sample ID: 890-9203-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 14:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 14:38	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 03:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126292	12/10/25 16:49	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126782	12/17/25 03:32	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 20:14	CS	EET MID

## Client Sample ID: CS-02

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

## Lab Sample ID: 890-9203-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 16:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 16:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 03:48	SA	EET MID
Total/NA	Prep	8015NM Prep			9.96 g	10.00 mL	126292	12/10/25 16:49	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126782	12/17/25 03:48	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 20:19	CS	EET MID

## Client Sample ID: CS-03

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

## Lab Sample ID: 890-9203-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 17:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 17:14	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 04:02	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	126292	12/10/25 16:49	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126782	12/17/25 04:02	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 20:23	CS	EET MID

## Client Sample ID: CS-04

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

## Lab Sample ID: 890-9203-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 17:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 17:34	SA	EET MID

Eurofins Carlsbad

## Lab Chronicle

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

## Client Sample ID: CS-04

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			126941	12/17/25 02:33	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 02:33	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/16/25 08:32	CS	EET MID

## Client Sample ID: CS-05

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 17:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 17:55	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 03:18	SA	EET MID
Total/NA	Prep	8015NM Prep			9.96 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 03:18	SA	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 20:30	CS	EET MID

## Client Sample ID: CS-06

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 18:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 18:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 03:33	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 03:33	SA	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 20:44	CS	EET MID

## Client Sample ID: SW-01

Date Collected: 12/09/25 00:00

Date Received: 12/10/25 09:35

Lab Sample ID: 890-9203-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 18:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 18:36	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 03:48	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 03:48	SA	EET MID

Eurofins Carlsbad

## Lab Chronicle

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

Client Sample ID: SW-01  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-7  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 20:49	CS	EET MID

Client Sample ID: SW-02  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-8  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 18:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 18:56	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 04:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 04:03	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 21:04	CS	EET MID

Client Sample ID: SW-03  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-9  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 19:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 19:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 04:18	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 04:18	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 21:09	CS	EET MID

Client Sample ID: SW-04  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-10  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 19:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 19:38	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 04:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 04:32	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/15/25 21:14	CS	EET MID

Eurofins Carlsbad

## Lab Chronicle

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

Client Sample ID: SW-05  
Date Collected: 12/09/25 00:00  
Date Received: 12/10/25 09:35Lab Sample ID: 890-9203-11  
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	126363	12/11/25 13:06	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	126621	12/15/25 19:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			126747	12/15/25 19:58	SA	EET MID
Total/NA	Analysis	8015 NM		1			126941	12/17/25 04:48	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	126301	12/11/25 07:53	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	126801	12/17/25 04:48	SA	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	126404	12/11/25 15:07	SA	EET MID
Soluble	Analysis	300.0		1	10 mL	10 mL	126480	12/16/25 08:37	CS	EET MID

## Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

## Accreditation/Certification Summary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Eurofins Carlsbad

## Method Summary

Client: Standard Safety & Supply  
Project/Site: CDU 150

Job ID: 890-9203-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

## Sample Summary

Client: Standard Safety & Supply  
 Project/Site: CDU 150

Job ID: 890-9203-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin	1
890-9203-1	CS-01	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	2
890-9203-2	CS-02	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	3
890-9203-3	CS-03	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	4
890-9203-4	CS-04	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	5
890-9203-5	CS-05	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	6
890-9203-6	CS-06	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	7
890-9203-7	SW-01	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	8
890-9203-8	SW-02	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	9
890-9203-9	SW-03	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	10
890-9203-10	SW-04	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	11
890-9203-11	SW-05	Solid	12/09/25 00:00	12/10/25 09:35	New Mexico	12

Eurofins Carlsbad



## Chain of Custody



890-9203 Chain of Custody

Work Interview

Project Manager:	Ethan Sessums	Bill to: (if different)
Company Name:	Standard Safety & Supply	Company Name:
Address:	2425 Trunk St.	Address:
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:
Phone:	254-266-5456	Email: <a href="mailto:Ethan.Sessums@standardtx.com">Ethan.Sessums@standardtx.com</a>

**Disclaimer:** This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



## Chain of Custody Record

### Eurofins Carlsbad

1089 N Canal St.  
Carlsbad, NM 88220  
Phone: 575-988-3199 Fax: 575-988-3199



Environment Testing

eurofins

### Client Information (Sub Contract Lab)

Client Contact:  
Shipping/Receiving

Eurofins Environment Testing South Centr

Address:

1211 W. Florida Ave,

City:

Midland

State, Zip:

TX, 79701

Phone:

432-704-5440(Tel)

Email:

N/A

Project Name:

CDU 150

Site:

N/A

Sampler:

N/A

Phone:

N/A

TAT Requested (days):

N/A

Carrier Tracking No(s):

N/A

State of Origin:

Texas

Accreditations Required (See note):

NELAP - Texas

COC No:

890-6245.1

Page:

Page 1 of 2

Job #:

890-9203-1

Preservation Codes:

-

### Analysis Requested

Due Date Requested:

12/16/2025

Sample Date

12/10/25

Sample Time

Central

Preservation Code:

XX

Sample Type

(C=comp, G=grab)

Matrix

(Water, Sediment, Oil, Extract, Ash)

Special Instructions/Note:

XX

Total Number of containers

XX

8015MD-NM/8015NM-S\_Prep8015NM

8015MD-Calc(MOD) COPY Analystes

300\_DGFM\_28D/1\_L-EACHChloride

8021B/5035FP\_CaICBTEX

Total\_BTEX\_GCV(MOD) COPY Analystes

Perfomr M3/MSD (yes or No)

Field Filtrated Sample (yes or No)

Empty & ReInquish by:

Sample Identification - Client ID (Lab ID)

CS-01 (890-9203-1)

CS-02 (890-9203-2)

CS-03 (890-9203-3)

CS-04 (890-9203-4)

CS-05 (890-9203-5)

CS-06 (890-9203-6)

SW-01 (890-9203-7)

SW-02 (890-9203-8)

SW-03 (890-9203-9)

12/10/10

163C

Company

Received by:

Signature

Date/Time:

12/11/25 0800

Company

**Eurofins Carlsbad**

1089 N Canal St.  
Carlsbad, NM 88220  
Phone: 575-988-3199 Fax: 575-988-3199

**Chain of Custody Record**

<b>Client Information (Sub Contract Lab)</b>		Sampler: N/A		Lab PM: Teel, Brianna		Carrier Tracking No(s): N/A		COC No: 890-6245.2	
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Brianna.Teel@et.eurofinsus.com		State of Origin: Texas		Page: Page 2 of 2	
Eurofins Environment Testing South Center		Address: 1211 W. Florida Ave.,		Accreditations Required (See note): NELAP - Texas		Job #: 890-9203-1		Preservation Codes:	
City: Midland		TAT Requested (days): N/A		Analysis Requested		Total Number of Containers: N/A		Special Instructions/Note: Other: N/A	
State/Zip: TX, 79701		PO #: 432-704-5440(Tel)		8015MOD-NM/8015NM-S-Prep8015NM		8015MOD-Calc(MOD) COPY Analysts			
Email: N/A		WO #: N/A		300-ORGFM-28D1-LEACHChloride		8021B/5035FP-CalcBTEX			
Project Name: CDU 150		Project #: 888001128		Total-BTEX-GC(V)(MOD) COPY Analysts		Total-BTEX-GC(V)(MOD) COPY Analysts			
Site: N/A		SSOW#: N/A		Preservation Code: N/A		Perform M3/MSD (Yes or No)		Total Filtered Sample (Yes or No)	
Sample Identification - Client ID (Lab ID)		Sample Date: 12/10/25		Sample Time: Central G Solid		Matrix (Water, Sediment, Oil/Water, Aqueous, Emulsion, Aqueous)		Total Filtered Sample (Yes or No)	
SW-04 (890-9203-10)		12/10/25		Central G Solid		X X X X X		X X X X X	
SW-05 (890-9203-11)		12/10/25		Central G Solid		X X X X X		X X X X X	
Empty Kit Relinquished by: <i>John S</i>		Date/Time: 12-10		Company		Received By: <i>John S</i>		Method of Shipment: Date/Time: <i>2/1/2025 - 0800</i>	
Relinquished by: <i>John S</i>		Date/Time: <i>2/1/2025 - 0800</i>		Company		Received By: <i>John S</i>		Date/Time: <i>2/1/2025 - 0800</i>	
Custody Seals intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: <i>TR-8 (01)</i>		Primary Deliverable Rank: 2		Special Instructions/QC Requirements:		Cooler Temperature(s) °C and Other Remarks: <i>11/11/13</i>	
Unconfirmed		Deliverable Requested: I, II, III, IV, Other (specify)		Date: 16		Time: <i>30</i>		Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months	
Relinquished by: <i>John S</i>		Date/Time: <i>2/1/2025 - 0800</i>		Company		Received By: <i>John S</i>		Date/Time: <i>2/1/2025 - 0800</i>	
Relinquished by: <i>John S</i>		Date/Time: <i>2/1/2025 - 0800</i>		Company		Received By: <i>John S</i>		Date/Time: <i>2/1/2025 - 0800</i>	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central LLC places the ownership of method, analysis & accreditation upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

**Possible Hazard Identification****Unconfirmed**

Primary Deliverable Rank: 2

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

Ver. 10/10/2024

## Login Sample Receipt Checklist

Client: Standard Safety &amp; Supply

Job Number: 890-9203-1

**Login Number: 9203****List Source: Eurofins Carlsbad****List Number: 1****Creator: Lopez, Abraham****Question****Answer****Comment**

The cooler's custody seal, if present, is intact.

True

Sample custody seals, if present, are intact.

True

The cooler or samples do not appear to have been compromised or tampered with.

True

Samples were received on ice.

True

Cooler Temperature is acceptable.

True

Cooler Temperature is recorded.

True

COC is present.

True

COC is filled out in ink and legible.

True

COC is filled out with all pertinent information.

True

Is the Field Sampler's name present on COC?

True

There are no discrepancies between the containers received and the COC.

True

Samples are received within Holding Time (excluding tests with immediate HTs)

True

Sample containers have legible labels.

True

Containers are not broken or leaking.

True

Sample collection date/times are provided.

True

Appropriate sample containers are used.

N/A

Refer to Job Narrative for details.

Sample bottles are completely filled.

True

Sample Preservation Verified.

N/A

There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs

True

Containers requiring zero headspace have no headspace or bubble is &lt;6mm (1/4").

N/A

## Login Sample Receipt Checklist

Client: Standard Safety &amp; Supply

Job Number: 890-9203-1

**Login Number: 9203****List Source: Eurofins Midland****List Number: 2****List Creation: 12/11/25 07:42 AM****Creator: Lee, Randall**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 548434

**QUESTIONS**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2530845674
Incident Name	NAPP2530845674 CDU 150H - PW LINE SPILL @ B-34-24S-31E 175N 332E
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received

**Location of Release Source***Please answer all the questions in this group.*

Site Name	CDU 150H - PW Line Spill
Date Release Discovered	11/03/2025
Surface Owner	Federal

**Incident Details***Please answer all the questions in this group.*

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

**Nature and Volume of Release***Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	<i>Not answered.</i>
Produced Water Released (bbls) Details	<i>Cause: Human Error   Pipeline (Any)   Produced Water   Released: 9 BBL   Recovered: 0 BBL   Lost: 9 BBL.</i>
Is the concentration of chloride in the produced water >10,000 mg/l	<i>Yes</i>
Condensate Released (bbls) Details	<i>Not answered.</i>
Natural Gas Vented (Mcf) Details	<i>Not answered.</i>
Natural Gas Flared (Mcf) Details	<i>Not answered.</i>
Other Released Details	<i>Not answered.</i>
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	<i>Line accidentally cut allowed produced water to impact soils.</i>

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

*With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.*

<b>Initial Response</b>	
<i>The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.</i>	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 02/02/2026
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

QUESTIONS, Page 3

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS****Site Characterization**

*Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

**Remediation Plan**

*Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
<b>Soil Contamination Sampling:</b> (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	498
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

*Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.*

On what estimated date will the remediation commence	11/10/2025
On what date will (or did) the final sampling or liner inspection occur	12/09/2025
On what date will (or was) the remediation complete(d)	12/30/2025
What is the estimated surface area (in square feet) that will be reclaimed	1168
What is the estimated volume (in cubic yards) that will be reclaimed	112
What is the estimated surface area (in square feet) that will be remediated	1168
What is the estimated volume (in cubic yards) that will be remediated	112

*These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.*

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

**Remediation Plan (continued)**

*Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

**This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:**

*(Select all answers below that apply.)*

(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL
OR which OCD approved well (API) will be used for <b>off-site</b> disposal	<i>Not answered.</i>
OR is the <b>off-site</b> disposal site, to be used, out-of-state	<i>Not answered.</i>
OR is the <b>off-site</b> disposal site, to be used, an NMED facility	<i>Not answered.</i>
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	<i>Not answered.</i>
(In Situ) Soil Vapor Extraction	<i>Not answered.</i>
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	<i>Not answered.</i>
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	<i>Not answered.</i>
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	<i>Not answered.</i>
Ground Water Abatement pursuant to 19.15.30 NMAC	<i>Not answered.</i>
OTHER (Non-listed remedial process)	<i>Not answered.</i>

*Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 02/02/2026
--	--

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

**Deferral Requests Only**

*Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.*

Requesting a deferral of the remediation closure due date with the approval of this submission	No
--	----

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	532196
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	12/09/2025
What was the (estimated) number of samples that were to be gathered	12
What was the sampling surface area in square feet	1000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	1168
What was the total volume (cubic yards) remediated	112
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	1168
What was the total volume (in cubic yards) reclaimed	112
Summarize any additional remediation activities not included by answers (above)	Remediation Complete

*The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 02/02/2026
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Reclamation Report</b>	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	1168
What was the total volume of replacement material (in cubic yards) for this site	112
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeding commence(d)	12/30/2025
Summarize any additional reclamation activities not included by answers (above)	Area was restored to natural grade and seeded

*The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeding plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 02/02/2026
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 8

Action 548434

**QUESTIONS (continued)**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  548434
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

**Revegetation Report**

*Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.*

Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 548434

**CONDITIONS**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 548434
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**CONDITIONS**

Created By	Condition	Condition Date
michael.buchanan	Site characterization and remediation report is approved.	2/3/2026
michael.buchanan	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	2/3/2026
michael.buchanan	A revegetation report will not be accepted until revegetation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	2/3/2026
michael.buchanan	Condition of Approval 1. In the next report submission, include all details related to the backfilling of the excavation, including photographs of the finished contoured surface, as per 19.15.29.12 (E). Those details are required in a reclamation closure request.	2/3/2026