

11451 Katy Freeway, Suite 400
Houston, Texas 77079
United States
ghd.com

Your ref: New Mexico Oil Conservation Division AP-105
Our ref: 12660614-NMOCD-2

March 20, 2026

State of New Mexico
Energy, Minerals, and Natural Resources Department
New Mexico Oil Conservation Division
1625 N. French Drive
Hobbs, New Mexico 88240

2025 Annual Groundwater Monitoring Report
WT-1 Compressor Station
Transwestern Pipeline Company, LLC
Lea County, New Mexico
New Mexico Oil Conservation Division Abatement Plan-105
Incident Number nAPP2217174866

To whom it may concern:

On behalf of Transwestern Pipeline Company, LLC, GHD Services Inc. (GHD) is submitting the *2025 Annual Groundwater Monitoring Report (Report)* for the above-referenced property (Site) to the New Mexico Oil Conservation Division (NMOCD). The Report summarizes activities performed at the Site during 2025 in accordance with the NMOCD's recommendations in response to the 2023 Annual Groundwater Monitoring Report submitted in June 2024.

Should you have any questions or comments regarding this submittal, please contact the undersigned.

Regards,



Kayla Taylor
Project Manager
+1 432 699-2096
kayla.taylor@ghd.com
KT/kdn/2/S4



Scott Foord
Project Director
+1 281 725-7477
william.foord@ghd.com

Encl.: 2025 Annual Groundwater Monitoring Report
Copy to: Stacy Boultinghouse, Energy Transfer



2025 Annual Groundwater Monitoring Report

WT-1 Compressor Station

Lea County, New Mexico



NMOCD AP-105

Incident Number nAPP2217174866

Transwestern Pipeline Company, LLC

March 20, 2026

→ **The Power of Commitment**

Project name		WT-1 Compressor Station					
Document title		2025 Annual Groundwater Monitoring Report WT-1 Compressor Station					
Project number		12660614 (2)					
File name		12660614-RPT-2-2025 Annual GWM Report-WT-1 Compressor Station					
Status Code	Revision	Author	Reviewer		Approved for issue		
			Name	Signature	Name	Signature	Date
S3	01	Kaitlyn Joy	Kayla Taylor		Kayla Taylor		3/20/26
S3	01		Scott Foord		Scott Foord		3/20/26
[Status code]							
[Status code]							
[Status code]							

GHD

Contact: Scott Foord, Science Leader II | GHD

11451 Katy Freeway, Suite 400

Houston, Texas 77079, United States

T (972) 331-8500 | F (972) 331-8501 | E info-northamerica@ghd.com | **GHD.com**

© GHD 2026

This document is and shall remain the property of GHD. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorized use of this document in any form whatsoever is prohibited.

Contents

1.	Introduction	1
1.1	Site Description and Background	1
1.2	Geology and Hydrogeology	2
2.	Groundwater Monitoring	2
2.1	Monitoring Well Gauging	2
2.2	Groundwater Sampling	3
2.3	Quality Assurance/Quality Control	3
2.4	Analytical Results	3
3.	Summary and Recommendations	4
3.1	Summary	4
3.2	Recommendations	4
4.	Scope and Limitations	4

Table index

Table 1	Summary of Groundwater Gauging Data
Table 2	Summary of 2025 Groundwater Analytical Results
Table 3	Cumulative Summary of Groundwater Analytical Results
Table 4	Cumulative Summary of Groundwater Analytical Data for ISEB Monitoring Wells

Figure index

Figure 1	Site Location Map
Figure 2	Site Details Map
Figure 3	Potentiometric Surface Map (April 2025)
Figure 4	Potentiometric Surface Map (October 2025)
Figure 5	COC Concentrations in Groundwater Map (2025)

Appendices

Appendix A	Laboratory Analytical Reports
------------	-------------------------------

1. Introduction

This report presents the results of groundwater monitoring activities performed in 2025 by GHD at the Transwestern Pipeline, LLC, WT-1 Compressor Station located 29 miles east of Carlsbad, New Mexico in the southwestern quarter of Section 31, Township 20 South, Range 32 East in Lea County (Site). The Site is regulated by the New Mexico Oil Conservation Division (NMOCD) under Abatement Plan (AP)-105 and is associated with NMOCD incident number nAPP2217174866. A Site location map is presented on Figure 1.

1.1 Site Description and Background

The Site consists of an active compressor station and associated equipment. The Site has been in active assessment and remediation since 1992 for two historically impacted areas: the former Engine Room Drain Pit (ERDP) located in the north central portion of the Site and the dehydration area (DEHY) located in the southwest portion of the Site. A total of 43 injections, recovery, and/or groundwater monitoring wells have been installed at the Site between 1992 and 2000, 15 of which have since been abandoned. A Site details map showing the well locations and Site features is presented in Figure 2.

The primary constituents of concern (COCs) in the ERDP area consist of benzene, toluene, ethylbenzene, and xylene (BTEX), and three chlorinated solvents: trichloroethylene (TCE), 1,1-dichloroethane (DCA), and 1,1-dichloroethene (DCE). The primary COCs in the DEHY area consist of BTEX. Light non-aqueous phase liquid (LNAPL) is also present in wells in both the ERDP and DEHY areas.

A soil vapor extraction (SVE) system was installed in the DEHY area in 1996 and operated until 2013. The system was taken out of service due to significant decreases in reduction on volatile organic compound (VOC) mass.

In 2003, approximately 1,826 cubic yards of impacted soil were excavated from two locations in the ERDP area. The excavations extended up to 15 feet below ground surface (ft bgs). A 30-millimeter polyethylene liner was placed at the bottom of each excavation prior to backfilling.

GHD supervised well abandonment activities for recovery wells RW-1 through RW-12 and monitoring well MW-2 in the ERDP area in May 2016. The recovery wells were initially constructed as borehole wells and did not contain a well screen and casing with a proper seal and MW-2 had been dry since November 2011.

In April and October 2017, GHD performed magnesium sulfate injection events as part of an In-situ Enhanced Bioremediation (ISEB) treatment pilot study. Hydrocarbons under anaerobic conditions can often be attenuated by an increase in sulfate reduction. ISEB treatment was performed in the DEHY area that contains wells MW-10, SVE-10, SVE-12, and SVE-13. Approximately 1,250 gallons (gal) of water and magnesium sulfate solution were injected into wells SVE-5, SVE-8, and MW-10 in April 2017 and wells SVE-10, SVE-12, and SVE-13 in October 2017.

Monitoring on a periodic and semi-annual basis was performed in 2018 and 2019 to assess post ISEB injection conditions at the Site and to determine if the magnesium sulfate injection was successful at stimulating biodegradation of hydrocarbons. In general, the analytical data indicated concentrations of benzene, xylene, and total naphthalenes had been decreasing while there was available sulfate from the injections. Once the sulfate was mostly depleted, the concentrations of benzene and xylenes increased. Therefore, it is believed that the sulfate is helpful in assisting degradation of hydrocarbons when adequate concentrations are present.

In October 2020, GHD performed an additional ISEB treatment in the DEHY area by injecting approximately 1,100 gal of water and magnesium sulfate solution into wells SVE-5, SVE-10 and SVE-12. A total of 2,350 pounds of 10 percent magnesium sulfide solution was injected into the targeted wells to enhance anaerobic biodegradation of benzene.

Sulfate analysis of the groundwater samples resumed in 2018 following the magnesium sulfate injection events. Prior to 2018, sulfate had only been analyzed in 2014 and 2016.

Post ISEB groundwater data were analyzed in 2021, and trends observed in association with ISEB injections did not indicate that the process was beneficial at speeding the degradation of constituents of concern and therefore ISEB was discontinued.

In October 2022, a hydrocarbon absorbent sock was installed at MW-1 to assist with passive LNAPL recovery. Since 2022, the sock has been replaced during semi-annual events. On April 10, 2024, the sock was removed in preparation of LNAPL transmissivity testing and was replaced upon completion of the transmissivity testing event on October 31, 2024.

Semi-annual groundwater monitoring events and an LNAPL transmissivity (Tn) evaluation were completed in 2024.

The groundwater monitoring events completed in 2025 are discussed in this report.

1.2 Geology and Hydrogeology

According to the New Mexico Bureau of Mines and Mineral Resources (1982), the Site is situated in an area of recent Quaternary alluvial and piedmont deposits. Soils typically found in this area consist of silty and poorly graded sand and gravels with intermittent secondary cementation (caliche).

Groundwater at the Site is encountered at approximately 50 ft bgs and is unconfined. The groundwater gradient is generally to the north. Several current and historical playas are located in the vicinity of the Site and may be influencing groundwater elevations by creating perched aquifers.

2. Groundwater Monitoring

GHD performed semi-annual groundwater monitoring activities at the Site in April and October 2025. The monitoring program included gauging and collection of groundwater samples from monitoring and SVE wells. All wells were gauged during April and October groundwater monitoring events. Wells that demonstrated COC exceedances during the April event were sampled again in October 2025. The following wells were monitored in 2025, and wells that were sampled are indicated with an underline.

April 7-9, 2025

- ERDP area: MW-1, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14, MW-16, MW-17, SVE-1A.
- DEHY area: SVE-1, SVE-5, SVE-6, SVE-7, SVE-8, SVE-9, SVE-10, SVE-11, SVE-12, SVE-13, SVE-14.

October 6-8, 2025

- ERDP area: MW-1, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14, MW-16, MW-17, SVE-1A.
- DEHY area: SVE-1, SVE-5, SVE-6, SVE-7, SVE-8, SVE-9, SVE-10, SVE-11, SVE-12, SVE-13, SVE-14.

2.1 Monitoring Well Gauging

On April 9 and October 6, 2025, GHD personnel measured the depth to groundwater and LNAPL thickness, if present, in the wells indicated above using an electronic oil/water interface probe (IP). No LNAPL was documented during the April 2025 monitoring event. In October 2025, LNAPL was measured in well MW-1 with a thickness of 2.86 feet (ft), MW-10 with a thickness of 0.05 ft, and SVE-1A with a thickness of 0.09 ft. The IP was cleaned with laboratory-grade soap (e.g., Alconox) and purified water prior to gauging each monitoring and SVE well. Depth to groundwater, LNAPL thicknesses, and calculated groundwater elevations are summarized in Table 1.

Based on the data collected in 2025, groundwater flow is generally north-northeast, which is consistent with historical data for the Site. The groundwater gradient during both events were calculated at approximately 0.005 feet per foot (ft/ft) in the DEHY area, increasing to 0.02 ft/ft in ERDP area. Groundwater potentiometric surface maps are presented on Figure 3 and Figure 4.

2.2 Groundwater Sampling

Following gauging activities in April and October 2025, GHD personnel utilized dedicated polyethylene bailers to purge a minimum of three well volumes of groundwater or until the well was dry. The monitoring and SVE wells were given time to recover prior to collecting a groundwater sample. Groundwater quality parameters of temperature, pH, oxidation reduction potential, and conductivity were collected in April with a field calibrated multi-parameter groundwater quality meter.

Following purging and confirmation of groundwater stabilization, groundwater samples were collected via dedicated polyethylene bailers. The samples were placed in laboratory-provided sample containers, which were immediately labeled, sealed, and packed in a cooler with ice, and shipped under Chain-of-Custody documentation to ALS Environmental (ALS) in Houston, Texas. All samples were analyzed for VOCs by United States Environmental Protection Agency (U.S. EPA) Method SW8260C and sulfate by U.S. EPA Method 300.0.

2.3 Quality Assurance/Quality Control

During each groundwater monitoring event, a field duplicate was collected as a quality assurance/quality control (QA/QC) sample and subsequently submitted for laboratory analysis. A trip blank was also submitted as a QA/QC sample for each groundwater monitoring event.

2.4 Analytical Results

The New Mexico Water Quality Control Commission (NMWQCC) mandates that groundwater quality in New Mexico be protected, and has issued groundwater quality standards in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC). Groundwater quality standards have been set for the protection of human health, domestic water supply, and irrigation use.

The groundwater analytical results for 2025 are summarized in Table 2 and the corresponding laboratory analytical reports are presented in Appendix A. A cumulative summary of analytical results for the Site is presented in Tables 3 and 4. Concentrations of the primary COCs for the 2025 monitoring events are presented in Figure 5. A summary of analytical results is presented below:

VOCs

In April 2025, benzene, TCE, cis-1,2-DCE, vinyl chloride, 1,1-DCA, and 1,1-DCE were detected in groundwater samples collected from six of the 19 monitoring wells (MW-5, MW-8, SVE-1A, SVE-12, SVE-13, and SVE-14) at concentrations that exceeded their respective NMWQCC standards.

In October 2025, benzene, TCE, cis-1,2-DCE, and 1,1-DCA were detected in groundwater samples collected from five of the 16 monitoring wells (MW-5, MW-8, SVE-12, SVE-13, and SVE-14) at concentrations that exceeded their respective NMWQCC standards.

Sulfate

In April 2025, sulfate was detected in samples collected from eight of the 19 monitoring wells (MW-4, MW-6, MW-7, MW-12, MW-14, SVE-1, SVE-7, and SVE-8) at concentrations that exceed the NMWQCC standard.

In October 2025, sulfate was detected in samples collected from three of the 16 monitoring wells (MW-4, MW-6, and MW-12) at concentrations that exceed the NMWQCC standard.

3. Summary and Recommendations

3.1 Summary

The following summarizes the information and data presented in this report.

- LNAPL was measured in wells MW-1 (2.86 ft), MW-10 (0.05 ft), and SVE-1A (0.09 ft) in October 2025.
- Concentrations of benzene, TCE, cis-1,2-DCE, vinyl chloride, 1,1-DCA, and 1,1-DCE are present in the groundwater at the Site that exceed NMWQCC standards. The 2025 concentrations remain consistent from 2024 data.
- Concentrations of sulfate are present in the groundwater at the Site that exceed the NMWQCC standard, which correlates with the magnesium sulfate injection points from 2020. The 2025 concentrations remain consistent from 2024 data.

3.2 Recommendations

Based on the results of the 2025 groundwater monitoring events, GHD recommends the following in 2026:

- Conduct a Site-wide annual groundwater monitoring event in April 2026.
- Conduct an impacted wells only event in October 2026; sampling only wells with COCs in exceedance of their respective NMWQCC standard as determined by the April 2026 event.
- Continue passive recovery of LNAPL via hydrocarbon absorbent socks in MW-1, with the sock being replaced during each semi-annual monitoring event.

4. Scope and Limitations

This report has been prepared by GHD for Transwestern Pipeline Company, LLC and may only be used and relied on by Transwestern Pipeline Company, LLC for the purpose agreed between GHD and Transwestern Pipeline Company, LLC.

GHD otherwise disclaims responsibility to any person other than Transwestern Pipeline Company, LLC arising in connection with this report. GHD also excludes implied warranties and conditions, to the extent legally permissible.

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

The opinions, conclusions and any recommendations in this report are based on conditions encountered and information reviewed at the date of preparation of the report. GHD has no responsibility or obligation to update this report to account for events or changes occurring subsequent to the date that the report was prepared.

The opinions, conclusions and any recommendations in this report are based on assumptions made by GHD described in this report. GHD disclaims liability arising from any of the assumptions being incorrect.

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-1	4-11-05	3547.65 (c)	--	50.55	--	3598.20
MW-1	12-01-05	3547.65 (c)	--	50.50	--	3598.15
MW-1	5-10-06	3547.65 (c)	--	50.46	--	3598.11
MW-1	12-13-06	3547.65 (c)	--	50.35	--	3598.00
MW-1	6-20-07	3547.65 (c)	--	50.20	--	3597.85
MW-1	12-06-07	3547.65 (c)	--	49.77	--	3597.42
MW-1	6-02-08	3547.65 (c)	49.90	49.91	0.01	3677.41
MW-1	12-10-08	3547.65 (c)	50.18	51.08	0.90	3679.74
MW-1	4-27-09	3547.65 (c)	50.08	51.02	0.94	3679.55
MW-1	6-11-10	3547.65 (c)	50.19	53.14	2.95	3683.45
MW-1	11-09-11	3547.65 (c)	50.50	54.75	4.25	3686.60
MW-1	6-26-12	3547.65 (c)	50.41	54.74	4.33	3686.51
MW-1	7-28-12	3547.65 (c)	50.91	52.71	1.80	3683.26
MW-1	8-31-12	3547.65 (c)	50.92	52.33	1.41	3682.58
MW-1	10-11-12	3547.65 (c)	51.00	52.50	1.50	3682.95
MW-1	6-20-13	3547.65 (c)	51.10	54.70	3.60	3686.99
MW-1	6-24-14	3547.65 (c)	51.70	55.50	3.80	3688.91
MW-1	4-17-15	3547.65 (c)	51.73	53.66	1.93	3685.62
MW-1	10-21-15	3547.65 (c)	51.46	54.52	3.06	3686.95
MW-1	11-24-15	3547.65 (c)	52.07	54.57	2.50	3687.53
MW-1	12-16-15	3547.65 (c)	52.21	52.22	0.01	3683.41
MW-1	1-27-16	3547.65 (c)	51.98	52.41	0.43	3683.57
MW-1	2-25-16	3547.65 (c)	51.88	53.07	1.19	3684.68
MW-1	3-29-16	3547.65 (c)	51.83	52.98	1.15	3684.48
MW-1	4-12-16	3547.65 (c)	--	--	--	--
MW-1	5-25-16	3547.65 (c)	52.08	52.21	0.13	3683.29
MW-1	6-30-16	3547.65 (c)	--	52.00	--	3599.65
MW-1	7-27-16	3547.65 (c)	--	51.80	--	3599.45
MW-1	9-23-16	3547.65 (c)	--	51.83	--	3599.48
MW-1	4-25-17	3547.65 (c)	50.61	51.14	0.53	3680.19
MW-1	5-02-17	3547.65 (c)	51.14	52.09	0.95	3682.32
MW-1	4-23-18	3548.58 (f)	51.06	53.62	2.56	3685.94
MW-1	3-19-19	3548.58 (f)	50.53	53.32	2.79	3684.98
MW-1	3-23-20	3548.58 (f)	50.29	53.35	3.06	3684.84
MW-1	6-02-20	3548.58 (f)	50.55	54.59	4.04	3687.28
MW-1	9-21-20	3548.58 (f)	50.65	54.10	3.45	3686.48
MW-1	3-10-21	3548.58 (f)	50.35	53.91	3.56	3685.90
MW-1	9-14-21	3548.58 (f)	50.73	54.53	3.80	3687.32
MW-1	10-04-21	3548.58 (f)	49.93	54.82	4.89	3687.20
MW-1	3-18-22	3548.58 (f)	50.79	54.48	3.69	3687.28
MW-1	10-10-22	3548.58 (f)	51.18	55.20	4.02	3688.88
MW-1	4-25-23	3548.58	--	51.23	--	3497.35
MW-1	10-24-23	3548.58	51.77	55.26	3.49	3496.11
MW-1	4-09-24	3548.58	50.08	54.70	4.62	3497.62
MW-1	10-29-24	3548.58	51.55	54.95	3.40	3496.35
MW-1	4-09-25	3548.58	--	--	--	3506.90
MW-1	10-06-25	3548.58	52.14	55.00	2.86	3493.58
MW-2	4-11-05	3546.28 (c)	--	Dry (TD=52.32)	--	--
MW-2	12-01-05	3546.28 (c)	--	Dry (TD=52.32)	--	--
MW-2	5-10-06	3546.28 (c)	52.32	LNAPL to (TD=52.32)	sheen	--
MW-2	12-13-06	3546.28 (c)	51.81	LNAPL to (TD=52.32)	0.51	--
MW-2	6-20-07	3546.28 (c)	51.53	LNAPL to (TD=52.32)	0.79	--
MW-2	12-06-07	3546.28 (c)	51.46	LNAPL to (TD=52.32)	0.86	--
MW-2	6-02-08	3546.28 (c)	51.20	LNAPL to (TD=52.30)	1.10	--
MW-2	12-10-08	3546.28 (c)	51.38	LNAPL to (TD=52.35)	0.97	--
MW-2	4-27-09	3546.28 (c)	51.32	LNAPL to (TD=52.35)	1.03	--
MW-2	6-11-10	3546.28 (c)	51.92	LNAPL to (TD=52.35)	0.43	--
MW-2	11-09-11	3546.28 (c)	--	Dry (TD=52.25)	--	--
MW-2	6-26-12	3546.28 (c)	--	Dry (TD=52.30)	--	--
MW-2	6-20-13	3546.28 (c)	--	Dry (TD=52.30)	--	--
MW-2	6-24-14	3546.28 (c)	--	Dry (TD=52.30)	--	--
MW-2	4-17-15	3546.28 (c)	--	Dry	--	--
MW-2	10-21-15	3546.28 (c)	--	Dry	--	--
MW-2	11-24-15	3546.28 (c)	--	--	--	--
MW-2	12-16-15	3546.28 (c)	--	Dry	--	--
MW-2	1-27-16	3546.28 (c)	--	Dry	--	--
MW-2	2-25-16	3546.28 (c)	--	Dry	--	--
MW-2	3-29-16	3546.28 (c)	--	Dry	--	--
MW-2	4-12-16	3546.28 (c)	--	--	--	--
MW-2	5-25-16	3546.28 (c)	--	Dry	--	--
MW-2	6-30-16	3546.28 (c)	Well plugged and abandoned			
MW-4	11-09-04	3548.29 (c)	--	47.00	--	3595.29
MW-4	4-11-05	3548.29 (c)	--	46.72	--	3595.01
MW-4	12-01-05	3548.29 (c)	--	46.48	--	3594.77
MW-4	5-10-06	3548.29 (c)	--	47.09	--	3595.38
MW-4	12-13-06	3548.29 ©	--	46.41	--	3594.70

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-4	6-20-07	3548.29 ©	--	46.95	--	3595.24
MW-4	12-06-07	3548.29 ©	--	46.62	--	3594.91
MW-4	6-02-08	3548.29 ©	--	46.92	--	3595.21
MW-4	12-10-08	3548.29 ©	--	46.85	--	3595.14
MW-4	4-27-09	3548.29 ©	--	47.18	--	3595.47
MW-4	6-11-10	3548.29 ©	--	47.26	--	3595.55
MW-4	11-09-11	3548.29 ©	--	47.16	--	3595.45
MW-4	6-26-12	3548.29 ©	--	47.42	--	3595.71
MW-4	6-20-13	3548.29 ©	--	47.68	--	3595.97
MW-4	4-18-14	3548.29 ©	--	49.65	--	3597.94
MW-4	4-17-15	3548.29 ©	--	47.56	--	3595.85
MW-4	10-21-15	3548.29 ©	--	47.57	--	3595.86
MW-4	11-24-15	3548.29 ©	--	47.53	--	3595.82
MW-4	12-16-15	3548.29 ©	--	47.51	--	3595.80
MW-4	1-27-16	3548.29 ©	--	47.48	--	3595.77
MW-4	2-25-16	3548.29 ©	--	47.49	--	3595.78
MW-4	3-29-16	3548.29 ©	--	47.45	--	3595.74
MW-4	4-12-16	3548.29 ©	--	47.56	--	3595.85
MW-4	5-25-16	3548.29 ©	--	47.55	--	3595.84
MW-4	6-30-16	3548.29 ©	--	47.55	--	3595.84
MW-4	7-27-16	3548.29 ©	--	47.48	--	3595.77
MW-4	9-23-16	3548.29 ©	--	47.54	--	3595.83
MW-4	4-25-17	3548.29 ©	--	47.44	--	3595.73
MW-4	4-23-18	3549.22 (f)	--	47.58	--	3596.80
MW-4	3-19-19	3549.22 (f)	--	47.41	--	3596.63
MW-4	3-23-20	3549.22 (f)	--	47.38	--	3596.60
MW-4	3-10-21	3549.22 (f)	--	47.50	--	3596.72
MW-4	10-04-21	3549.22 (f)	--	47.47	--	3596.69
MW-4	3-18-22	3549.22 (f)	--	47.22	--	3596.44
MW-4	10-10-22	3549.22 (f)	--	47.47	--	3596.69
MW-4	4-25-23	3549.22	--	47.58	--	3501.64
MW-4	10-24-23	3549.22	--	47.47	--	3501.75
MW-4	4-09-24	3549.22	--	47.61	--	3501.61
MW-4	10-29-24	3549.22	--	47.33	--	3501.89
MW-4	4-09-25	3549.22	--	48.58	--	3500.64
MW-4	10-06-25	3549.22	--	48.57	--	3500.65
MW-5	4-11-05	3543.60 (c)	--	51.03	--	3594.63
MW-5	12-01-05	3543.60 (c)	--	50.81	--	3594.41
MW-5	5-10-06	3543.60 (c)	--	50.71	--	3594.31
MW-5	12-13-06	3543.60 (c)	--	50.55	--	3594.15
MW-5	6-20-07	3543.60 (c)	--	50.38	--	3593.98
MW-5	12-06-07	3543.60 (c)	--	49.98	--	3593.58
MW-5	6-02-08	3543.60 (c)	--	50.05	--	3593.65
MW-5	12-10-08	3543.60 (c)	--	50.48	--	3594.08
MW-5	4-27-09	3543.60 (c)	--	50.39	--	3593.99
MW-5	6-11-10	3543.60 (c)	--	50.60	--	3594.20
MW-5	11-09-11	3543.60 (c)	--	51.22	--	3594.82
MW-5	6-26-12	3543.60 (c)	--	51.13	--	3594.73
MW-5	6-20-13	3543.60 (c)	--	51.80	--	3595.40
MW-5	6-24-14	3543.60 (c)	--	53.60	--	3597.20
MW-5	4-17-15	3543.60 (c)	--	53.28	--	3596.88
MW-5	10-21-15	3543.60 (c)	--	53.44	--	3597.04
MW-5	11-24-15	3543.60 (c)	--	--	--	--
MW-5	12-16-15	3543.60 (c)	--	51.99	--	3595.59
MW-5	1-27-16	3543.60 (c)	--	52.20	--	3595.80
MW-5	2-25-16	3543.60 (c)	--	52.22	--	3595.82
MW-5	3-29-16	3543.60 (c)	--	51.70	--	3595.30
MW-5	4-12-16	3543.60 (c)	--	52.15	--	3595.75
MW-5	5-25-16	3543.60 (c)	--	51.98	--	3595.58
MW-5	6-30-16	3543.60 (c)	--	51.98	--	3595.58
MW-5	7-27-16	3543.60 (c)	--	51.88	--	3595.48
MW-5	9-23-16	3543.60 (c)	--	51.86	--	3595.46
MW-5	4-25-17	3543.60 (c)	--	51.27	--	3594.87
MW-5	4-23-18	3544.57 (f)	--	51.59	--	3596.16
MW-5	3-19-19	3544.57 (f)	--	51.09	--	3595.66
MW-5	6-28-19	3544.57 (f)	--	50.98	--	3595.55
MW-5	9-17-19	3544.57 (f)	--	50.80	--	3595.37
MW-5	12-05-19	3544.57 (f)	--	51.17	--	3595.74
MW-5	3-23-20	3544.57 (f)	--	50.70	--	3595.27
MW-5	6-02-20	3544.57 (f)	--	50.89	--	3595.46
MW-5	9-21-20	3544.57 (f)	--	51.07	--	3595.64
MW-5	12-14-20	3544.57 (f)	--	50.98	--	3595.55
MW-5	3-10-21	3544.57 (f)	--	50.89	--	3595.46
MW-5	10-04-21	3544.57 (f)	--	51.36	--	3595.93
MW-5	3-18-22	3544.57 (f)	--	51.56	--	3596.13
MW-5	10-10-22	3544.57 (f)	--	51.74	--	3596.31

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-5	4-25-23	3544.57	--	51.76	--	3492.81
MW-5	10-24-23	3544.57	--	51.96	--	3492.61
MW-5	4-09-24	3544.57	--	52.12	--	3492.45
MW-5	10-29-24	3544.57	--	52.27	--	3492.30
MW-5	4-09-25	3544.57	--	52.53	--	3492.04
MW-5	10-06-25	3544.57	--	52.74	--	3491.83
MW-6	4-11-05	3543.33 (c)	--	51.53	--	3594.86
MW-6	12-01-05	3543.33 (c)	--	51.52	--	3594.85
MW-6	5-10-06	3543.33 (c)	--	51.42	--	3594.75
MW-6	12-13-06	3543.33 (c)	--	51.16	--	3594.49
MW-6	6-20-07	3543.33 (c)	--	51.05	--	3594.38
MW-6	12-06-07	3543.33 (c)	--	49.60	--	3592.93
MW-6	6-02-08	3543.33 (c)	--	50.72	--	3594.05
MW-6	12-10-08	3543.33 (c)	--	51.15	--	3594.48
MW-6	4-27-09	3543.33 (c)	--	51.19	--	3594.52
MW-6	6-11-10	3543.33 (c)	--	51.27	--	3594.60
MW-6	11-09-11	3543.33 (c)	--	51.93	--	3595.26
MW-6	6-26-12	3543.33 (c)	--	52.03	--	3595.36
MW-6	6-20-13	3543.33 (c)	--	52.89	--	3596.22
MW-6	6-24-14	3543.33 (c)	--	54.60	--	3597.93
MW-6	4-17-15	3543.33 (c)	--	53.72	--	3597.05
MW-6	10-21-15	3543.33 (c)	--	54.15	--	3597.48
MW-6	11-24-15	3543.33 (c)	--	--	--	--
MW-6	12-16-15	3543.33 (c)	--	52.98	--	3596.31
MW-6	1-27-16	3543.33 (c)	--	53.11	--	3596.44
MW-6	2-25-16	3543.33 (c)	--	53.12	--	3596.45
MW-6	3-29-16	3543.33 (c)	--	52.60	--	3595.93
MW-6	4-12-16	3543.33 (c)	--	53.06	--	3596.39
MW-6	5-25-16	3543.33 (c)	--	52.92	--	3596.25
MW-6	6-30-16	3543.33 (c)	--	52.95	--	3596.28
MW-6	7-27-16	3543.33 (c)	--	--	--	--
MW-6	9-23-16	3543.33 (c)	--	--	--	--
MW-6	4-25-17	3543.33 (c)	--	51.98	--	3595.31
MW-6	4-23-18	3544.30 (f)	--	52.20	--	3596.50
MW-6	3-19-19	3544.30 (f)	--	51.40	--	3595.70
MW-6	3-23-20	3544.30 (f)	--	51.18	--	3595.48
MW-6	3-10-21	3544.30 (f)	--	52.73	--	3597.03
MW-6	10-04-21	3544.30 (f)	--	52.12	--	3596.42
MW-6	3-18-22	3544.30 (f)	--	52.52	--	3596.82
MW-6	10-10-22	3544.30 (f)	--	52.62	--	3596.92
MW-6	4-25-23	3544.30	--	52.78	--	3491.52
MW-6	10-24-23	3544.30	--	53.07	--	3491.23
MW-6	4-09-24	3544.30	--	53.31	--	3490.99
MW-6	10-28-24	3544.30	--	53.53	--	3490.77
MW-6	4-09-25	3544.30	--	53.95	--	3490.35
MW-6	10-06-25	3544.30	--	54.09	--	3490.21
MW-7	4-11-05	3542.00 (c)	--	49.93	--	3591.93
MW-7	12-01-05	3542.00 (c)	--	50.02	--	3592.02
MW-7	5-10-06	3542.00 (c)	--	49.97	--	3591.97
MW-7	12-13-06	3542.00 (c)	--	49.40	--	3591.40
MW-7	6-20-07	3542.00 (c)	--	49.31	--	3591.31
MW-7	12-06-07	3542.00 (c)	--	48.89	--	3590.89
MW-7	6-02-08	3542.00 (c)	--	49.00	--	3591.00
MW-7	12-10-08	3542.00 (c)	--	49.45	--	3591.45
MW-7	4-27-09	3542.00 (c)	--	49.45	--	3591.45
MW-7	6-11-10	3542.00 (c)	--	49.84	--	3591.84
MW-7	11-09-11	3542.00 (c)	--	50.44	--	3592.44
MW-7	6-26-12	3542.00 (c)	--	50.32	--	3592.32
MW-7	6-20-13	3542.00 (c)	--	51.03	--	3593.03
MW-7	6-24-14	3542.00 (c)	--	51.72	--	3593.72
MW-7	4-17-15	3542.00 (c)	--	51.19	--	3593.19
MW-7	10-21-15	3542.00 (c)	--	50.80	--	3592.80
MW-7	11-24-15	3542.00 (c)	--	--	--	--
MW-7	12-16-15	3542.00 (c)	--	50.51	--	3592.51
MW-7	1-27-16	3542.00 (c)	--	50.73	--	3592.73
MW-7	2-25-16	3542.00 (c)	--	50.85	--	3592.85
MW-7	3-29-16	3542.00 (c)	--	50.44	--	3592.44
MW-7	4-12-16	3542.00 (c)	--	50.87	--	3592.87
MW-7	5-25-16	3542.00 (c)	--	50.81	--	3592.81
MW-7	6-30-16	3542.00 (c)	--	50.93	--	3592.93
MW-7	7-27-16	3542.00 (c)	--	--	--	--
MW-7	9-23-16	3542.00 (c)	--	--	--	--
MW-7	4-25-17	3542.00 (c)	--	50.01	--	3592.01
MW-7	4-23-18	3542.94 (f)	--	50.66	--	3593.60
MW-7	3-19-19	3542.94 (f)	--	49.99	--	3592.93
MW-7	3-23-20	3542.94 (f)	--	49.70	--	3592.64

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-7	3-10-21	3542.94 (f)	--	49.86	--	3592.80
MW-7	10-04-21	3542.94 (f)	--	50.16	--	3593.10
MW-7	3-18-22	3542.94 (f)	--	50.40	--	3593.34
MW-7	10-10-22	3542.94 (f)	--	50.60	--	3593.54
MW-7	4-25-23	3542.94	--	50.72	--	3492.22
MW-7	10-24-23	3542.94	--	50.93	--	3492.01
MW-7	4-09-24	3542.94	--	51.15	--	3491.79
MW-7	10-29-24	3542.94	--	51.38	--	3491.56
MW-7	4-09-25	3542.94	--	51.82	--	3491.12
MW-7	10-06-25	3542.94	--	52.04	--	3490.90
MW-8	4-11-05	3541.49 (c)	--	51.47	--	3592.96
MW-8	12-01-05	3541.49 (c)	--	51.47	--	3592.96
MW-8	5-10-06	3541.49 (c)	--	51.35	--	3592.84
MW-8	12-13-06	3541.49 (c)	--	50.91	--	3592.40
MW-8	6-20-07	3541.49 (c)	--	50.76	--	3592.25
MW-8	12-06-07	3541.49 (c)	--	50.29	--	3591.78
MW-8	6-02-08	3541.49 (c)	--	50.45	--	3591.94
MW-8	12-10-08	3541.49 (c)	--	50.96	--	3592.45
MW-8	4-27-09	3541.49 (c)	--	50.93	--	3592.42
MW-8	6-11-10	3541.49 (c)	--	51.15	--	3592.64
MW-8	11-09-11	3541.49 (c)	--	51.85	--	3593.34
MW-8	6-26-12	3541.49 (c)	--	51.71	--	3593.20
MW-8	6-20-13	3541.49 (c)	--	52.43	--	3593.92
MW-8	6-24-14	3541.49 (c)	--	54.20	--	3595.69
MW-8	4-17-15	3541.49 (c)	--	53.86	--	3595.35
MW-8	10-21-15	3541.49 (c)	--	53.78	--	3595.27
MW-8	11-24-15	3541.49 (c)	--	--	--	--
MW-8	12-16-15	3541.49 (c)	--	52.46	--	3593.95
MW-8	1-27-16	3541.49 (c)	--	52.57	--	3594.06
MW-8	2-25-16	3541.49 (c)	--	52.60	--	3594.09
MW-8	3-29-16	3541.49 (c)	--	52.05	--	3593.54
MW-8	4-12-16	3541.49 (c)	--	52.53	--	3594.02
MW-8	5-25-16	3541.49 (c)	--	52.43	--	3593.92
MW-8	6-30-16	3541.49 (c)	--	52.45	--	3593.94
MW-8	7-27-16	3541.49 (c)	--	--	--	--
MW-8	9-23-16	3541.49 (c)	--	--	--	--
MW-8	4-25-17	3541.49 (c)	--	51.54	--	3593.03
MW-8	4-23-18	3542.44 (f)	--	51.93	--	3594.37
MW-8	7-02-18	3542.44 (f)	--	51.85	--	3594.29
MW-8	11-13-18	3542.44 (f)	--	52.01	--	3594.45
MW-8	3-19-19	3542.44 (f)	--	51.13	--	3593.57
MW-8	12-05-19	3542.44 (f)	--	51.08	--	3593.52
MW-8	3-23-20	3542.44 (f)	--	50.97	--	3593.41
MW-8	6-02-20	3542.44 (f)	--	51.12	--	3593.56
MW-8	9-21-20	3542.44 (f)	--	51.32	--	3593.76
MW-8	12-14-20	3542.44 (f)	--	51.33	--	3593.77
MW-8	3-10-21	3542.44 (f)	--	51.31	--	3593.75
MW-8	10-04-21	3542.44 (f)	--	51.66	--	3594.10
MW-8	3-18-22	3542.44 (f)	--	52.00	--	3594.44
MW-8	10-10-22	3542.44 (f)	--	52.04	--	3594.48
MW-8	4-25-23	3542.44	--	52.19	--	3490.25
MW-8	10-24-23	3542.44	--	52.41	--	3490.03
MW-8	4-09-24	3542.44	--	52.65	--	3489.79
MW-8	10-29-24	3542.44	--	52.82	--	3489.62
MW-8	4-09-25	3542.44	--	53.27	--	3489.17
MW-8	10-06-25	3542.44	--	53.43	--	3489.01
MW-9	4-11-05	3557.31	--	53.80	--	3611.11
MW-9	12-01-05	3557.31	--	53.03	--	3610.34
MW-9	5-10-06	3557.31	--	52.64	--	3609.95
MW-9	12-14-06	3557.31	--	52.08	--	3609.39
MW-9	6-20-07	3557.31	--	51.84	--	3609.15
MW-9	12-07-07	3557.31	--	51.57	--	3608.88
MW-9	5-30-08	3557.31	--	51.79	--	3609.10
MW-9	12-10-08	3557.31	--	52.32	--	3609.63
MW-9	5-01-09	3557.31	--	52.36	--	3609.67
MW-9	6-11-10	3557.31	--	52.92	--	3610.23
MW-9	11-10-11	3557.31	--	52.82	--	3610.13
MW-9	6-26-12	3557.31	--	53.14	--	3610.45
MW-9	6-20-13	3557.31	--	53.78	--	3611.09
MW-9	6-24-14	3557.31	--	54.37	--	3611.68
MW-9	4-17-15	3557.31	--	54.19	--	3611.50
MW-9	10-21-15	3557.31	--	54.15	--	3611.46
MW-9	11-24-15	3557.31	--	53.95	--	3611.26
MW-9	12-16-15	3557.31	--	53.90	--	3611.21
MW-9	1-27-16	3557.31	--	53.75	--	3611.06
MW-9	2-25-16	3557.31	--	53.76	--	3611.07

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-9	3-29-16	3557.31	--	53.33	--	3610.64
MW-9	4-12-16	3557.31	--	--	--	--
MW-9	5-25-16	3557.31	--	53.39	--	3610.70
MW-9	7-01-16	3557.31	--	53.22	--	3610.53
MW-9	7-27-16	3557.31	--	--	--	--
MW-9	9-23-16	3557.31	--	--	--	--
MW-9	4-24-17	3557.31	--	52.02	--	3609.33
MW-9	4-23-18	3558.26 (f)	--	52.11	--	3610.37
MW-9	3-19-19	3558.26 (f)	--	51.77	--	3610.03
MW-9	3-23-20	3558.26 (f)	--	51.92	--	3610.18
MW-9	3-10-21	3558.26 (f)	--	52.55	--	3610.81
MW-9	10-04-21	3558.26 (f)	--	52.74	--	3611.00
MW-9	3-18-22	3558.26 (f)	--	52.43	--	3610.69
MW-9	10-10-22	3558.26 (f)	--	52.25	--	3610.51
MW-9	4-25-23	3558.26	--	52.71	--	3505.55
MW-9	10-24-23	3558.26	--	53.03	--	3505.23
MW-9	4-09-24	3558.26	--	53.25	--	3505.01
MW-9	10-28-24	3558.26	--	53.43	--	3504.83
MW-9	4-09-25	3558.26	--	53.91	--	3504.35
MW-9	10-06-25	3558.26	--	54.01	--	3504.25
MW-10	4-11-05	3554.31 (c)	51.66	52.22	0.56	3689.63
MW-10	12-01-05	3554.31 (c)	50.97	51.58	0.61	3687.93
MW-10	5-10-06	3554.31 (c)	50.33	51.04	0.71	3686.45
MW-10	12-14-06	3554.31 (c)	49.87	50.77	0.90	3685.59
MW-10	6-20-07	3554.31 (c)	49.47	50.54	1.07	3684.86
MW-10	12-07-07	3554.31 (c)	49.19	50.36	1.17	3684.31
MW-10	5-30-08	3554.31 (c)	49.31	50.52	1.21	3684.69
MW-10	12-10-08	3554.31 (c)	49.74	50.89	1.15	3685.70
MW-10	5-01-09	3554.31 (c)	50.07	50.09	0.02	3684.53
MW-10	8-22-09	3554.31 (c)	50.21	50.22	0.01	3684.87
MW-10	10-05-09	3554.31 (c)	49.91	49.91	sheen	3604.22
MW-10	6-11-10	3554.31 (c)	50.59	50.65	0.06	3685.95
MW-10	11-10-11	3554.31 (c)	50.50	50.53	0.03	3685.66
MW-10	6-26-12	3554.31 (c)	50.78	50.83	0.05	3686.43
MW-10	6-20-13	3554.31 (c)	51.35	51.35	sheen	3605.66
MW-10	6-24-14	3554.31 (c)	51.91	52.00	0.09	3689.44
MW-10	4-17-15	3554.31 (c)	--	51.89	--	3606.20
MW-10	10-21-15	3554.31 (c)	--	51.99	--	3606.30
MW-10	11-24-15	3554.31 (c)	--	51.80	--	3606.11
MW-10	12-16-15	3554.31 (c)	51.79	51.84	0.05	3689.05
MW-10	1-27-16	3554.31 (c)	--	51.93	--	3606.24
MW-10	2-25-16	3554.31 (c)	--	51.78	--	3606.09
MW-10	3-29-16	3554.31 (c)	--	51.31	--	3605.62
MW-10	4-12-16	3554.31 (c)	--	--	--	--
MW-10	5-25-16	3554.31 (c)	--	51.26	--	3605.57
MW-10	7-01-16	3554.31 (c)	--	51.19	--	3605.50
MW-10	7-27-16	3554.31 (c)	--	--	--	--
MW-10	9-23-16	3554.31 (c)	--	--	--	--
MW-10	4-24-15	3554.31 (c)	--	50.06	--	3604.37
MW-10	10-09-17	3554.31 (c)	--	50.07	--	3604.38
MW-10	2-01-18	3555.34 (f)	--	50.08	--	3605.42
MW-10	4-23-18	3555.34 (f)	--	50.04	--	3605.4
MW-10	11-13-18	3555.34 (f)	--	50.25	--	3605.59
MW-10	3-19-19	3555.34 (f)	--	49.85	--	3605.19
MW-10	6-28-19	3555.34 (f)	--	49.85	--	3605.19
MW-10	9-17-19	3555.34 (f)	--	49.86	--	3605.20
MW-10	12-05-19	3555.34 (f)	--	49.86	--	3605.20
MW-10	3-23-20	3555.34 (f)	--	50.02	--	3605.36
MW-10	6-02-20	3555.34 (f)	--	50.16	--	3605.50
MW-10	9-21-20	3555.34 (f)	--	49.48	--	3604.82
MW-10	3-10-21	3555.34 (f)	50.45	50.57	0.12	3686.73
MW-10	9-14-21	3555.34 (f)	50.54	50.65	0.11	3686.94
MW-10	10-04-21	3555.34 (f)	50.61	51.22	0.61	3688.02
MW-10	3-18-22	3555.34 (f)	50.40	50.42	0.02	3686.42
MW-10	10-10-22	3555.34 (f)	50.33	50.36	0.03	3686.25
MW-10	4-25-23	3555.34	--	50.01	--	3505.33
MW-10	10-24-23	3555.34	--	47.13	--	3508.21
MW-10	4-09-24	3555.34	--	51.24	--	3504.10
MW-10	10-29-24	3555.34	--	51.45	--	3503.89
MW-10	4-09-25	3555.34	--	51.82	--	3503.52
MW-10	10-06-25	3555.34	52.04	52.09	0.05	3503.25
MW-11	4-11-05	3547.84 (b)	--	51.18	--	3599.02
MW-11	12-01-05	3547.84 (b)	--	51.10	--	3598.94
MW-11	5-10-06	3547.84 (b)	--	50.75	--	3598.59
MW-11	12-14-06	3547.84 (b)	--	50.31	--	3598.15

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-11	6-20-07	3547.84 (b)	--	50.03	--	3597.87
MW-11	12-07-07	3547.84 (b)	--	49.32	--	3597.16
MW-11	5-30-08	3547.84 (b)	--	49.15	--	3596.99
MW-11	12-10-08	3547.84 (b)	--	49.01	--	3596.85
MW-11	5-01-09	3547.84 (b)	--	48.64	--	3596.48
MW-11	6-11-10	3547.84 (b)	--	48.23	--	3596.07
MW-11	11-10-11	3547.84 (b)	--	48.48	--	3596.32
MW-11	6-26-12	3547.84 (b)	--	48.07	--	3595.91
MW-11	6-20-13	3547.84 (b)	--	48.06	--	3595.90
MW-11	6-24-14	3547.84 (b)	--	48.25	--	3596.09
MW-11	4-17-15	3547.84 (b)	--	48.15	--	3595.99
MW-11	10-21-15	3547.84 (b)	--	--	--	--
MW-11	11-24-15	3547.84 (b)	--	--	--	--
MW-11	12-16-15	3547.84 (b)	--	48.18	--	3596.02
MW-11	1-27-16	3547.84 (b)	--	48.40	--	3596.24
MW-11	2-25-16	3547.84 (b)	--	48.44	--	3596.28
MW-11	3-29-16	3547.84 (b)	--	48.01	--	3595.85
MW-11	4-12-16	3547.84 (b)	--	--	--	--
MW-11	5-25-16	3547.84 (b)	--	48.17	--	3596.01
MW-11	7-01-16	3547.84 (b)	--	48.14	--	3595.98
MW-11	7-27-16	3547.84 (b)	--	--	--	--
MW-11	9-23-16	3547.84 (b)	--	--	--	--
MW-11	4-24-17	3547.84 (b)	--	47.52	--	3595.36
MW-11	4-23-18	3548.87 (f)	--	47.31	--	3596.18
MW-11	3-19-19	3548.87 (f)	--	47.12	--	3595.99
MW-11	3-23-20	3548.87 (f)	--	47.39	--	3596.26
MW-11	3-10-21	3548.87 (f)	--	46.38	--	3595.25
MW-11	10-04-21	3548.87 (f)	--	46.58	--	3595.45
MW-11	3-18-22	3548.87 (f)	--	47.60	--	3596.47
MW-11	10-10-22	3548.87 (f)	--	46.25	--	3595.12
MW-11	4-25-23	3548.87	--	46.18	--	3502.69
MW-11	10-24-23	3548.87	--	46.26	--	3502.61
MW-11	4-09-24	3548.87	--	46.37	--	3502.50
MW-11	10-29-24	3548.87	--	46.41	--	3502.46
MW-11	4-09-25	3548.87	--	46.86	--	3502.01
MW-11	10-06-25	3548.87	--	46.90	--	3501.97
MW-12	4-11-05	3551.19 (b)	--	49.37	--	3600.56
MW-12	12-01-05	3551.19 (b)	--	49.05	--	3600.24
MW-12	5-10-06	3551.19 (b)	--	48.51	--	3599.70
MW-12	12-14-06	3551.19 (b)	--	48.11	--	3599.30
MW-12	6-20-07	3551.19 (b)	--	47.85	--	3599.04
MW-12	12-07-07	3551.19 (b)	--	47.42	--	3598.61
MW-12	5-30-08	3551.19 (b)	--	47.55	--	3598.74
MW-12	12-10-08	3551.19 (b)	--	47.78	--	3598.97
MW-12	5-01-09	3551.19 (b)	--	47.65	--	3598.84
MW-12	6-11-10	3551.19 (b)	--	48.15	--	3599.34
MW-12	11-10-11	3551.19 (b)	--	48.49	--	3599.68
MW-12	6-26-12	3551.19 (b)	--	48.47	--	3599.66
MW-12	6-20-13	3551.19 (b)	--	48.94	--	3600.13
MW-12	6-24-14	3551.19 (b)	--	49.40	--	3600.59
MW-12	4-17-15	3551.19 (b)	--	49.26	--	3600.45
MW-12	10-21-15	3551.19 (b)	--	--	--	--
MW-12	11-24-15	3551.19 (b)	--	49.33	--	3600.52
MW-12	12-16-15	3551.19 (b)	--	49.42	--	3600.61
MW-12	1-27-16	3551.19 (b)	--	49.58	--	3600.77
MW-12	2-25-16	3551.19 (b)	--	49.61	--	3600.80
MW-12	3-29-16	3551.19 (b)	--	49.02	--	3600.21
MW-12	4-12-16	3551.19 (b)	--	--	--	--
MW-12	5-25-16	3551.19 (b)	--	49.18	--	3600.37
MW-12	6-30-16	3551.19 (b)	--	49.12	--	3600.31
MW-12	7-27-16	3551.19 (b)	--	--	--	--
MW-12	9-23-16	3551.19 (b)	--	--	--	--
MW-12	4-24-17	3551.19 (b)	--	48.02	--	3599.21
MW-12	4-23-18	3552.18 (f)	--	48.12	--	3600.30
MW-12	3-19-19	3552.18 (f)	--	48.07	--	3600.25
MW-12	3-23-20	3552.18 (f)	--	48.05	--	3600.23
MW-12	3-10-21	3552.18 (f)	--	48.85	--	3601.03
MW-12	10-04-21	3552.18 (f)	--	49.21	--	3601.39
MW-12	3-18-22	3552.18 (f)	--	48.97	--	3601.15
MW-12	10-10-22	3552.18 (f)	--	48.67	--	3600.85
MW-12	4-25-23	3552.18	--	48.76	--	3503.42
MW-12	10-24-23	3552.18	--	48.96	--	3503.22
MW-12	4-09-24	3552.18	--	49.15	--	3503.03
MW-12	10-28-24	3552.18	--	49.22	--	3502.96
MW-12	4-09-25	3552.18	--	49.73	--	3502.45
MW-12	10-06-25	3552.18	--	49.73	--	3502.45

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-13	4-11-05	3547.78 (b)	--	48.13	--	3595.91
MW-13	12-01-05	3547.78 (b)	--	47.75	--	3595.53
MW-13	5-10-06	3547.78 (b)	--	46.88	--	3594.66
MW-13	12-14-06	3547.78 (b)	--	46.02	--	3593.80
MW-13	6-20-07	3547.78 (b)	--	45.43	--	3593.21
MW-13	12-07-07	3547.78 (b)	--	45.07	--	3592.85
MW-13	5-30-08	3547.78 (b)	--	45.02	--	3592.80
MW-13	12-10-08	3547.78 (b)	--	45.18	--	3592.96
MW-13	5-01-09	3547.78 (b)	--	45.20	--	3592.98
MW-13	6-11-10	3547.78 (b)	--	45.65	--	3593.43
MW-13	11-10-11	3547.78 (b)	--	45.54	--	3593.32
MW-13	6-26-12	3547.78 (b)	--	45.79	--	3593.57
MW-13	6-20-13	3547.78 (b)	--	46.40	--	3594.18
MW-13	6-24-14	3547.78 (b)	--	46.89	--	3594.67
MW-13	4-16-15	3547.78 (b)	--	47.01	--	3594.79
MW-13	10-21-15	3547.78 (b)	--	--	--	--
MW-13	11-24-15	3547.78 (b)	--	47.12	--	3594.90
MW-13	12-16-15	3547.78 (b)	--	--	--	--
MW-13	1-27-16	3547.78 (b)	--	--	--	--
MW-13	2-25-16	3547.78 (b)	--	--	--	--
MW-13	3-29-16	3547.78 (b)	--	--	--	--
MW-13	4-12-16	3547.78 (b)	--	--	--	--
MW-13	5-25-16	3547.78 (b)	--	--	--	--
MW-13	6-30-16	3547.78 (b)	--	--	--	--
MW-13	7-27-16	3547.78 (b)	--	--	--	--
MW-13	9-23-16	3547.78 (b)	--	--	--	--
MW-13	4-24-17	3547.78 (b)	--	45.69	--	3593.47
MW-13	4-23-18	3548.77 (f)	--	45.39	--	3594.16
MW-13	3-19-19	3548.77 (f)	--	45.24	--	3594.01
MW-13	3-23-20	3548.77 (f)	--	45.19	--	3593.96
MW-13	3-10-21	3548.77 (f)	--	45.68	--	3594.45
MW-13	10-04-21	3548.77 (f)	--	45.90	--	3594.67
MW-13	3-18-22	3548.77 (f)	--	45.95	--	3594.72
MW-13	10-10-22	3548.77 (f)	--	45.81	--	3594.58
MW-13	4-25-23	3548.77	--	45.99	--	3502.78
MW-13	10-24-23	3548.77	--	46.23	--	3502.54
MW-13	4-09-24	3548.77	--	46.39	--	3502.38
MW-13	10-28-24	3548.77	--	46.02	--	3502.75
MW-13	4-09-25	3548.77	--	46.87	--	3501.90
MW-13	10-06-25	3548.77	--	46.99	--	3501.78
MW-14	4-11-05	3539.73 (c)	--	52.25	--	3591.98
MW-14	12-01-05	3539.73 (c)	--	52.16	--	3591.89
MW-14	5-10-06	3539.73 (c)	--	52.05	--	3591.78
MW-14	12-13-06	3539.73 (c)	--	51.86	--	3591.59
MW-14	6-20-07	3539.73 (c)	--	51.66	--	3591.39
MW-14	12-06-07	3539.73 (c)	--	51.29	--	3591.02
MW-14	6-02-08	3539.73 (c)	--	51.35	--	3591.08
MW-14	12-10-08	3539.73 (c)	--	51.77	--	3591.50
MW-14	4-27-09	3539.73 (c)	--	51.79	--	3591.52
MW-14	6-11-10	3539.73 (c)	--	51.89	--	3591.62
MW-14	11-09-11	3539.73 (c)	--	52.48	--	3592.21
MW-14	6-26-12	3539.73 (c)	--	52.36	--	3592.09
MW-14	6-20-13	3539.73 (c)	--	52.89	--	3592.62
MW-14	6-24-14	3539.73 (c)	--	53.68	--	3593.41
MW-14	4-15-15	3539.73 (c)	--	53.14	--	3592.87
MW-14	10-21-15	3539.73 (c)	--	53.37	--	3593.10
MW-14	11-24-15	3539.73 (c)	--	--	--	--
MW-14	12-16-15	3539.73 (c)	--	53.01	--	3592.74
MW-14	1-27-16	3539.73 (c)	--	53.12	--	3592.85
MW-14	2-25-16	3539.73 (c)	--	53.17	--	3592.90
MW-14	3-29-16	3539.73 (c)	--	52.68	--	3592.41
MW-14	4-12-16	3539.73 (c)	--	53.10	--	3592.83
MW-14	5-25-16	3539.73 (c)	--	53.00	--	3592.73
MW-14	6-30-16	3539.73 (c)	--	53.03	--	3592.76
MW-14	7-27-16	3539.73 (c)	--	--	--	--
MW-14	9-23-16	3539.73 (c)	--	--	--	--
MW-14	4-25-17	3539.73 (c)	--	52.33	--	3592.06
MW-14	4-23-18	3540.70 (f)	--	52.49	--	3593.19
MW-14	7-02-18	3540.70 (f)	--	52.40	--	3593.10
MW-14	3-19-19	3540.70 (f)	--	51.89	--	3592.59
MW-14	3-23-20	3540.70 (f)	--	51.65	--	3592.35
MW-14	3-10-21	3540.70 (f)	--	52.05	--	3592.75
MW-14	10-04-21	3540.70 (f)	--	52.34	--	3593.04
MW-14	3-18-22	3540.70 (f)	--	52.65	--	3593.35
MW-14	10-10-22	3540.70 (f)	--	54.25	--	3594.95
MW-14	4-25-23	3540.70	--	58.75	--	3481.95

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-14	10-24-23	3540.70	--	52.94	--	3487.76
MW-14	4-09-24	3540.70	--	53.16	--	3487.54
MW-14	10-28-24	3540.70	--	53.34	--	3487.36
MW-14	4-09-25	3540.70	--	53.67	--	3487.03
MW-14	10-06-25	3540.70	--	53.82	--	3486.88
MW-15	4-11-05	3542.82 (c)	--	48.39	--	3591.21
MW-15	12-01-05	3542.82 (c)	--	48.51	--	3591.33
MW-15	5-10-06	3542.82 (c)	--	48.54	--	3591.36
MW-15	12-13-06	3542.82 (c)	--	47.84	--	3590.66
MW-15	6-20-07	3542.82 (c)	--	47.79	--	3590.61
MW-15	12-06-07	3542.82 (c)	--	47.39	--	3590.21
MW-15	6-02-08	3542.82 (c)	--	47.60	--	3590.42
MW-15	12-10-08	3542.82 (c)	--	47.80	--	3590.62
MW-15	4-27-09	3542.82 (c)	--	47.87	--	3590.69
MW-15	6-11-10	3542.82 (c)	--	48.50	--	3591.32
MW-15	11-09-11	3542.82 (c)	--	48.82	--	3591.64
MW-15	6-26-12	3542.82 (c)	--	48.86	--	3591.68
MW-15	6-20-13	3542.82 (c)	--	49.77	--	3592.59
MW-15	6-24-14	3542.82 (c)	--	51.10	--	3593.92
MW-15	4-17-15	3542.82 (c)	--	50.33	--	3593.15
MW-15	10-21-15	3542.82 (c)	--	48.64	--	3591.46
MW-15	11-24-15	3542.82 (c)	--	48.54	--	3591.36
MW-15	12-16-15	3542.82 (c)	--	48.84	--	3591.66
MW-15	1-27-16	3542.82 (c)	--	49.19	--	3592.01
MW-15	2-25-16	3542.82 (c)	--	49.33	--	3592.15
MW-15	3-29-16	3542.82 (c)	--	49.04	--	3591.86
MW-15	4-12-16	3542.82 (c)	--	--	--	--
MW-15	5-25-16	3542.82 (c)	--	49.37	--	3592.19
MW-15	6-30-16	3542.82 (c)	--	49.53	--	3592.35
MW-15	7-27-16	3542.82 (c)	--	--	--	--
MW-15	9-23-16	3542.82 (c)	--	--	--	--
MW-15	4-25-17	3542.82 (c)	--	48.62	--	3591.44
MW-15	4-23-18	3543.75 (f)	--	49.43	--	3593.18
MW-15	3-19-19	3543.75 (f)	--	--	--	--
MW-15	3-23-20	3543.75 (f)	--	48.48	--	3592.23
MW-15	3-10-21	3543.75 (f)	--	48.38	--	3592.13
MW-15	10-04-21	3543.75 (f)	--	48.85	--	3592.60
MW-15	3-18-22	3543.75 (f)	--	48.99	--	3592.74
MW-15	10-10-22	3543.75 (f)	Unable to locate -- was not gauged			
MW-16	4-11-05	3545.68 (c)	--	47.32	--	3593.00
MW-16	12-01-05	3545.68 (c)	--	47.52	--	3593.20
MW-16	5-10-06	3545.68 (c)	--	47.76	--	3593.44
MW-16	12-13-06	3545.68 (c)	--	47.46	--	3593.14
MW-16	6-20-07	3545.68 (c)	--	47.48	--	3593.16
MW-16	12-06-07	3545.68 (c)	--	47.25	--	3592.93
MW-16	6-02-08	3545.68 (c)	--	47.42	--	3593.10
MW-16	12-10-08	3545.68 (c)	--	47.61	--	3593.29
MW-16	4-27-09	3545.68 (c)	--	47.76	--	3593.44
MW-16	6-11-10	3545.68 (c)	--	47.94	--	3593.62
MW-16	11-09-11	3545.68 (c)	--	48.22	--	3593.90
MW-16	6-26-12	3545.68 (c)	--	48.61	--	3594.29
MW-16	6-20-13	3545.68 (c)	--	49.68	--	3595.36
MW-16	6-24-14	3545.68 (c)	--	50.91	--	3596.59
MW-16	4-17-15	3545.68 (c)	--	50.32	--	3596.00
MW-16	10-21-15	3545.68 (c)	--	--	--	--
MW-16	11-24-15	3545.68 (c)	--	--	--	--
MW-16	12-16-15	3545.68 (c)	--	50.79	--	3596.47
MW-16	1-27-16	3545.68 (c)	--	50.09	--	3595.77
MW-16	2-25-16	3545.68 (c)	--	50.01	--	3595.69
MW-16	3-29-16	3545.68 (c)	--	49.50	--	3595.18
MW-16	4-12-16	3545.68 (c)	--	--	--	--
MW-16	5-25-16	3545.68 (c)	--	49.63	--	3595.31
MW-16	6-30-16	3545.68 (c)	--	49.59	--	3595.27
MW-16	7-27-16	3545.68 (c)	--	--	--	--
MW-16	9-23-16	3545.68 (c)	--	--	--	--
MW-16	4-25-17	3545.68 (c)	--	48.41	--	3594.09
MW-16	4-23-18	3546.68 (f)	--	48.73	--	3594.41
MW-16	3-19-19	3546.68 (f)	--	--	--	--
MW-16	3-23-20	3546.68 (f)	--	47.77	--	3594.45
MW-16	3-10-21	3546.68 (f)	--	48.40	--	3595.08
MW-16	10-04-21	3546.68 (f)	--	49.04	--	3595.72
MW-16	3-18-22	3546.68 (f)	--	49.47	--	3596.15
MW-16	10-10-22	3546.68 (f)	--	49.45	--	3596.13
MW-16	4-25-23	3546.68	--	49.64	--	3497.04
MW-16	10-24-23	3546.68	--	49.92	--	3496.76
MW-16	4-09-24	3546.68	--	50.11	--	3496.57

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
MW-16	10-29-24	3546.68	--	50.40	--	3496.28
MW-16	4-09-25	3546.68	--	50.75	--	3495.93
MW-16	10-06-25	3546.68	--	50.73	--	3495.95
MW-17	4-11-05	3538.60 (d)	--	54.05	--	3592.65
MW-17	12-01-05	3538.60 (d)	--	53.99	--	3592.59
MW-17	5-10-06	3538.60 (d)	--	53.89	--	3592.49
MW-17	12-13-06	3538.60 (d)	--	53.75	--	3592.35
MW-17	6-20-07	3538.60 (d)	--	53.61	--	3592.21
MW-17	12-06-07	3538.60 (d)	--	53.25	--	3591.85
MW-17	6-02-08	3538.60 (d)	--	53.28	--	3591.88
MW-17	12-10-08	3538.60 (d)	--	53.60	--	3592.20
MW-17	4-27-09	3538.60 (d)	--	53.57	--	3592.17
MW-17	6-11-10	3538.60 (d)	--	53.63	--	3592.23
MW-17	11-09-11	3538.60 (d)	--	54.20	--	3592.80
MW-17	6-26-12	3538.60 (d)	--	54.00	--	3592.60
MW-17	6-20-13	3538.60 (d)	--	54.43	--	3593.03
MW-17	6-24-14	3538.60 (d)	--	55.89	--	3594.49
MW-17	4-17-15	3538.60 (d)	--	55.22	--	3593.82
MW-17	10-21-15	3538.60 (d)	--	--	--	--
MW-17	11-24-15	3538.60 (d)	--	--	--	--
MW-17	12-16-15	3538.60 (d)	--	55.32	--	3593.92
MW-17	1-27-16	3538.60 (d)	--	55.43	--	3594.03
MW-17	2-25-16	3538.60 (d)	--	55.48	--	3594.08
MW-17	3-29-16	3538.60 (d)	--	55.08	--	3593.68
MW-17	4-12-16	3538.60 (d)	--	--	--	--
MW-17	5-25-16	3538.60 (d)	--	55.20	--	3593.80
MW-17	6-30-16	3538.60 (d)	--	55.41	--	3594.01
MW-17	7-27-16	3538.60 (d)	--	--	--	--
MW-17	9-23-16	3538.60 (d)	--	--	--	--
MW-17	4-25-17	3538.60 (d)	--	54.90	--	3593.50
MW-17	4-23-18	3539.56 (f)	--	54.20	--	3593.76
MW-17	3-19-19	3539.56 (f)	--	53.77	--	3593.33
MW-17	3-23-20	3539.56 (f)	--	53.42	--	3592.98
MW-17	6-02-20	3539.56 (f)	--	53.62	--	3593.18
MW-17	3-10-21	3539.56 (f)	--	53.72	--	3593.28
MW-17	10-04-21	3539.56 (f)	--	54.00	--	3593.56
MW-17	3-18-22	3539.56 (f)	--	54.23	--	3593.79
MW-17	10-10-22	3539.56 (f)	--	54.25	--	3593.81
MW-17	4-25-23	3539.56	--	54.33	--	3485.23
MW-17	10-24-23	3539.56	--	54.45	--	3485.11
MW-17	4-09-24	3539.56	--	54.65	--	3484.91
MW-17	10-28-24	3539.56	--	54.82	--	3484.74
MW-17	4-09-25	3539.56	--	55.14	--	3484.42
MW-17	10-06-25	3539.56	--	55.04	--	3484.52
SVE-1A	4-11-05	3545.59 (c)	--	48.75	--	3594.34
SVE-1A	12-01-05	3545.59 (c)	--	48.81	--	3594.40
SVE-1A	5-10-06	3545.59 (c)	--	48.72	--	3594.31
SVE-1A	12-13-06	3545.59 (c)	--	48.58	--	3594.17
SVE-1A	6-20-07	3545.59 (c)	--	48.45	--	3594.04
SVE-1A	12-06-07	3545.59 (c)	--	48.07	--	3593.66
SVE-1A	6-02-08	3545.59 (c)	--	48.19	--	3593.78
SVE-1A	12-10-08	3545.59 (c)	--	48.35	--	3593.94
SVE-1A	4-27-09	3545.59 (c)	--	48.37	--	3593.96
SVE-1A	6-11-10	3545.59 (c)	--	48.74	--	3594.33
SVE-1A	11-09-11	3545.59 (c)	--	49.00	--	3594.59
SVE-1A	6-26-12	3545.59 (c)	--	49.02	--	3594.61
SVE-1A	6-20-13	3545.59 (c)	--	49.59	--	3595.18
SVE-1A	6-24-14	3545.59 (c)	--	50.10	--	3595.69
SVE-1A	4-17-15	3545.59 (c)	--	49.93	--	3595.52
SVE-1A	10-21-15	3545.59 (c)	--	49.88	--	3595.47
SVE-1A	11-24-15	3545.59 (c)	--	--	--	--
SVE-1A	12-16-15	3545.59 (c)	--	49.77	--	3595.36
SVE-1A	1-27-16	3545.59 (c)	--	49.98	--	3595.57
SVE-1A	2-25-16	3545.59 (c)	--	49.93	--	3595.52
SVE-1A	3-29-16	3545.59 (c)	--	49.47	--	3595.06
SVE-1A	4-12-16	3545.59 (c)	--	49.84	--	3595.43
SVE-1A	5-25-16	3545.59 (c)	--	49.71	--	3595.30
SVE-1A	6-30-16	3545.59 (c)	--	49.68	--	3595.27
SVE-1A	7-27-16	3545.59 (c)	--	49.58	--	3595.17
SVE-1A	9-23-16	3545.59 (c)	--	49.53	--	3595.12
SVE-1A	4-25-17	3545.59 (c)	--	48.81	--	3594.40
SVE-1A	4-23-18	3546.54 (f)	--	49.38	--	3594.97
SVE-1A	7-02-18	3546.54 (f)	--	49.35	--	3595.89
SVE-1A	11-13-18	3546.54 (f)	--	51.24	--	3597.8
SVE-1A	3-19-19	3546.54 (f)	--	48.97	--	3595.51
SVE-1A	6-28-19	3546.54 (f)	--	48.93	--	3595.47

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-1A	9-17-19	3546.54 (f)	--	48.86	--	3595.40
SVE-1A	12-05-19	3546.54 (f)	--	48.86	--	3595.40
SVE-1A	3-23-20	3546.54 (f)	--	48.73	--	3595.27
SVE-1A	6-02-20	3546.54 (f)	--	48.96	--	3595.50
SVE-1A	9-21-20	3546.54 (f)	--	48.91	--	3595.45
SVE-1A	12-14-20	3546.54 (f)	--	48.20	--	3594.74
SVE-1A	3-10-21	3546.54 (f)	--	48.76	--	3595.30
SVE-1A	10-04-21	3546.54 (f)	--	49.19	--	3595.73
SVE-1A	3-18-22	3546.54 (f)	--	49.43	--	3595.97
SVE-1A	10-10-22	3546.54 (f)	--	49.50	--	3596.04
SVE-1A	4-25-23	3546.54	--	49.53	--	3497.01
SVE-1A	10-24-23	3546.54	--	49.63	--	3496.91
SVE-1A	4-09-24	3546.54	--	49.81	--	3496.73
SVE-1A	10-29-24	3546.54	--	49.81	--	3496.73
SVE-1A	4-09-25	3546.54	--	50.31	--	3496.23
SVE-1A	10-06-25	3546.54	50.29	50.38	0.09	3496.16
SVE-1	4-11-05	3551.22 (e)	--	50.72	--	3601.94
SVE-1	12-01-05	3551.22 (e)	--	50.44	--	3601.66
SVE-1	5-10-06	3551.22 (e)	--	50.05	--	3601.27
SVE-1	12-14-06	3551.22 (e)	--	48.37	--	3599.59
SVE-1	6-20-07	3551.22 (e)	--	49.09	--	3600.31
SVE-1	12-07-07	3551.22 (e)	--	48.57	--	3599.79
SVE-1	5-30-08	3551.22 (e)	--	48.42	--	3599.64
SVE-1	12-10-08	3551.22 (e)	--	48.43	--	3599.65
SVE-1	5-01-09	3551.22 (e)	--	48.24	--	3599.46
SVE-1	6-11-10	3551.22 (e)	--	48.44	--	3599.66
SVE-1	11-10-11	3551.22 (e)	--	48.70	--	3599.92
SVE-1	6-26-12	3551.22 (e)	--	48.62	--	3599.84
SVE-1	6-20-13	3551.22 (e)	--	49.04	--	3600.26
SVE-1	6-24-14	3551.22 (e)	--	49.57	--	3600.79
SVE-1	4-17-15	3551.22 (e)	--	49.57	--	3600.79
SVE-1	10-21-15	3551.22 (e)	--	49.78	--	3601.00
SVE-1	11-24-15	3551.22 (e)	--	49.63	--	3600.85
SVE-1	12-16-15	3551.22 (e)	--	49.69	--	3600.91
SVE-1	1-27-16	3551.22 (e)	--	49.82	--	3601.04
SVE-1	2-25-16	3551.22 (e)	--	49.88	--	3601.10
SVE-1	3-29-16	3551.22 (e)	--	49.42	--	3600.64
SVE-1	4-12-16	3551.22 (e)	--	49.74	--	3600.96
SVE-1	5-25-16	3551.22 (e)	--	49.54	--	3600.76
SVE-1	7-01-16	3551.22 (e)	--	49.46	--	3600.68
SVE-1	7-27-16	3551.22 (e)	--	49.37	--	3600.59
SVE-1	9-23-16	3551.22 (e)	--	49.20	--	3600.42
SVE-1	4-24-17	3551.22 (e)	--	48.49	--	3599.71
SVE-1	5-02-17	3551.22 (e)	--	50.41	--	3601.63
SVE-1	4-23-18	3552.19 (f)	--	48.27	--	3600.46
SVE-1	7-02-18	3552.19 (f)	--	48.15	--	3600.34
SVE-1	3-19-19	3552.19 (f)	--	48.05	--	3600.24
SVE-1	3-23-20	3552.19 (f)	--	47.71	--	3599.90
SVE-1	3-10-21	3552.19 (f)	--	48.11	--	3600.30
SVE-1	10-04-21	3552.19 (f)	--	48.37	--	3600.56
SVE-1	3-18-22	3552.19 (f)	--	48.51	--	3600.70
SVE-1	10-10-22	3552.19 (f)	--	48.18	--	3600.37
SVE-1	4-25-23	3552.19	--	48.25	--	3503.94
SVE-1	10-24-23	3552.19	--	48.50	--	3503.69
SVE-1	4-09-24	3552.19	--	48.70	--	3503.49
SVE-1	10-29-24	3552.19	--	48.85	--	3503.34
SVE-1	4-09-25	3552.19	--	49.21	--	3502.98
SVE-1	10-06-25	3552.19	--	49.53	--	3502.66
SVE-2	5-24-04	3551.96 (e)	--	49.70	--	3601.66
SVE-2	11-09-04	3551.96 (e)	--	49.85	--	3601.81
SVE-2	4-11-05	3551.96 (e)	--	50.31	--	3602.27
SVE-2	12-01-05	3551.96 (e)	--	49.62	--	3601.58
SVE-2	5-10-06	3551.96 (e)	--	48.15	--	3600.11
SVE-2	12-14-06	3551.96 (e)	--	47.82	--	3599.78
SVE-2	6-20-07	3551.96 (e)	--	47.48	--	3599.44
SVE-2	12-07-07	3551.96 (e)	--	47.28	--	3599.24
SVE-2	5-30-08	3551.96 (e)	--	47.40	--	3599.36
SVE-2	12-10-08	3551.96 (e)	--	47.84	--	3599.80
SVE-2	5-01-09	3551.96 (e)	--	47.92	--	3599.88
SVE-2	6-11-10	3551.96 (e)	--	48.56	--	3600.52
SVE-2	11-10-11	3551.96 (e)	--	48.33	--	3600.29
SVE-2	6-26-12	3551.96 (e)	--	48.64	--	3600.60
SVE-2	6-20-13	3551.96 (e)	--	49.20	--	3601.16
SVE-2	6-24-14	3551.96 (e)	--	49.75	--	3601.71
SVE-2	4-17-15	3551.96 (e)	Well could not be located			
SVE-2	10-21-15	3551.96 (e)	Well could not be located			

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-2	11-24-15	3551.96 (e)	Well could not be located			
SVE-2	12-16-15	3551.96 (e)	Well could not be located -- will no longer gauge			
SVE-3	5-24-04	3552.75 (e)	----	Dry	----	----
SVE-3	11-09-04	3552.75 (e)	----	Dry	----	----
SVE-3	12-01-04	3552.75 (e)	Well plugged and abandoned			
SVE-5	4-11-05	3554.39 (e)	51.40	51.99	0.59	3689.09
SVE-5	12-01-05	3554.39 (e)	50.81	51.57	0.76	3687.86
SVE-5	5-10-06	3554.39 (e)	50.24	51.09	0.85	3686.54
SVE-5	12-14-06	3554.39 (e)	47.85	48.12	0.27	3679.29
SVE-5	6-20-07	3554.39 (e)	--	46.76	--	3601.15
SVE-5	12-07-07	3554.39 (e)	--	47.37	--	3601.76
SVE-5	5-30-08	3554.39 (e)	--	47.98	--	3602.37
SVE-5	12-10-08	3554.39 (e)	--	48.73	--	3603.12
SVE-5	5-01-09	3554.39 (e)	--	49.66	--	3604.05
SVE-5	6-11-10	3554.39 (e)	50.08	50.12	0.04	3684.67
SVE-5	11-10-11	3554.39 (e)	--	50.28	--	3604.67
SVE-5	6-26-12	3554.39 (e)	50.61	50.67	0.06	3605.11
SVE-5	6-20-13	3554.39 (e)	51.25	51.42	0.17	3605.95
SVE-5	6-24-14	3554.39 (e)	51.74	51.99	0.25	3689.36
SVE-5	4-17-15	3554.39 (e)	51.38	51.40	0.02	3605.81
SVE-5	10-21-15	3554.39 (e)	--	49.72	--	3604.11
SVE-5	11-24-15	3554.39 (e)	--	49.29	--	3603.68
SVE-5	12-16-15	3554.39 (e)	--	48.70	--	3603.09
SVE-5	1-27-16	3554.39 (e)	--	47.73	--	3602.12
SVE-5	2-25-16	3554.39 (e)	--	47.30	--	3601.69
SVE-5	3-29-16	3554.39 (e)	--	47.03	--	3601.42
SVE-5	4-12-16	3554.39 (e)	--	47.03	--	3601.42
SVE-5	5-25-16	3554.39 (e)	--	47.13	--	3601.52
SVE-5	7-01-16	3554.39 (e)	--	47.60	--	3601.99
SVE-5	7-27-16	3554.39 (e)	--	47.43	--	3601.82
SVE-5	9-23-16	3554.39 (e)	--	47.19	--	3601.58
SVE-5	4-24-17	3554.39 (e)	--	45.00	--	3599.39
SVE-5	10-09-17	3554.39 (e)	--	49.42	--	3603.81
SVE-5	2-01-18	3555.37 (f)	--	49.09	--	3604.46
SVE-5	4-23-18	3555.37 (f)	--	49.33	--	3604.70
SVE-5	11-13-18	3555.37 (f)	--	49.66	--	3605.03
SVE-5	3-19-19	3555.37 (f)	--	49.29	--	3604.66
SVE-5	6-28-19	3555.37 (f)	--	49.36	--	3604.73
SVE-5	9-17-19	3555.37 (f)	--	49.53	--	3604.90
SVE-5	12-05-19	3555.37 (f)	--	49.65	--	3605.02
SVE-5	3-23-20	3555.37 (f)	--	50.52	--	3605.89
SVE-5	6-02-20	3555.37 (f)	--	49.96	--	3605.33
SVE-5	9-21-20	3555.37 (f)	--	50.24	--	3605.61
SVE-5	12-14-20	3555.37 (f)	--	50.14	--	3605.51
SVE-5	3-10-21	3555.37 (f)	--	50.38	--	3605.75
SVE-5	10-04-21	3555.37 (f)	--	51.36	--	3606.73
SVE-5	3-18-22	3555.37 (f)	--	50.30	--	3605.67
SVE-5	10-10-22	3555.37 (f)	--	50.24	--	3605.61
SVE-5	4-25-23	3555.37	--	--	--	--
SVE-5	4-09-24	3555.37	--	--	--	--
SVE-5	10-28-24	3555.37	--	--	--	--
SVE-5	4-09-25	3555.37	--	Dry	----	----
SVE-5	10-06-25	3555.37	--	--	--	--
SVE-6	4-11-05	3553.74 (e)	--	51.82	--	3605.56
SVE-6	12-01-05	3553.74 (e)	--	49.94	--	3603.68
SVE-6	5-10-06	3553.74 (e)	--	49.45	--	3603.19
SVE-6	12-14-06	3553.74 (e)	--	48.88	--	3602.62
SVE-6	6-20-07	3553.74 (e)	--	48.50	--	3602.24
SVE-6	12-07-07	3553.74 (e)	--	48.18	--	3601.92
SVE-6	5-30-08	3553.74 (e)	--	48.32	--	3602.06
SVE-6	12-10-08	3553.74 (e)	--	48.81	--	3602.55
SVE-6	5-01-09	3553.74 (e)	--	48.79	--	3602.53
SVE-6	6-11-10	3553.74 (e)	--	49.31	--	3603.05
SVE-6	11-10-11	3553.74 (e)	--	49.33	--	3603.07
SVE-6	6-26-12	3553.74 (e)	--	49.50	--	3603.24
SVE-6	6-20-13	3553.74 (e)	--	50.13	--	3603.87
SVE-6	6-24-14	3553.74 (e)	--	50.63	--	3604.37
SVE-6	4-17-15	3553.74 (e)	--	51.61	--	3605.35
SVE-6	10-21-15	3553.74 (e)	--	50.61	--	3604.35
SVE-6	11-24-15	3553.74 (e)	--	50.48	--	3604.22
SVE-6	12-16-15	3553.74 (e)	--	50.56	--	3604.30
SVE-6	1-27-16	3553.74 (e)	--	50.53	--	3604.27
SVE-6	2-25-16	3553.74 (e)	--	50.54	--	3604.28
SVE-6	3-29-16	3553.74 (e)	--	50.04	--	3603.78
SVE-6	4-12-16	3553.74 (e)	--	50.30	--	3604.04

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-6	5-25-16	3553.74 (e)	--	50.08	--	3603.82
SVE-6	7-01-16	3553.74 (e)	--	49.95	--	3603.69
SVE-6	7-27-16	3553.74 (e)	--	49.82	--	3603.56
SVE-6	9-23-16	3553.74 (e)	--	49.64	--	3603.38
SVE-6	4-24-17	3553.74 (e)	--	48.71	--	3602.45
SVE-6	4-23-18	3554.70 (f)		Bailer stuck in well		
SVE-6	3-19-19	3554.70 (f)	--	48.39	--	3603.09
SVE-6	3-23-20	3554.70 (f)	--	48.41	--	3603.11
SVE-6	3-10-21	3554.70 (f)	--	49.03	--	3603.73
SVE-6	10-04-21	3554.70 (f)	--	49.26	--	3603.96
SVE-6	3-18-22	3554.70 (f)	--	49.22	--	3603.92
SVE-6	10-10-22	3554.70 (f)	--	Dry	----	----
SVE-6	4-25-23	3554.70	--	--	--	--
SVE-6	4-09-24	3554.70	--	--	--	--
SVE-6	10-28-24	3554.70	--	--	--	--
SVE-6	4-09-25	3554.70	--	Dry	----	----
SVE-6	10-06-25	3554.70	--	--	--	--
SVE-7	4-11-05	3553.81 (e)	--	52.38	--	3606.19
SVE-7	12-01-05	3553.81 (e)	--	51.85	--	3605.66
SVE-7	5-10-06	3553.81 (e)	--	51.23	--	3605.04
SVE-7	12-14-06	3553.81 (e)	--	50.46	--	3604.27
SVE-7	6-20-07	3553.81 (e)	--	50.04	--	3603.85
SVE-7	12-07-07	3553.81 (e)	--	49.53	--	3603.34
SVE-7	5-30-08	3553.81 (e)	--	49.45	--	3603.26
SVE-7	12-10-08	3553.81 (e)	--	49.71	--	3603.52
SVE-7	5-01-09	3553.81 (e)	--	49.65	--	3603.46
SVE-7	6-11-10	3553.81 (e)	--	50.11	--	3603.92
SVE-7	11-10-11	3553.81 (e)	--	50.15	--	3603.96
SVE-7	6-26-12	3553.81 (e)	--	50.24	--	3604.05
SVE-7	6-20-13	3553.81 (e)	--	50.78	--	3604.59
SVE-7	6-24-14	3553.81 (e)	--	51.39	--	3605.20
SVE-7	4-17-15	3553.81 (e)	--	51.30	--	3605.11
SVE-7	10-21-15	3553.81 (e)	--	51.46	--	3605.27
SVE-7	11-24-15	3553.81 (e)	--	51.33	--	3605.14
SVE-7	12-16-15	3553.81 (e)	--	51.30	--	3605.11
SVE-7	1-27-16	3553.81 (e)	--	51.40	--	3605.21
SVE-7	2-25-16	3553.81 (e)	--	51.36	--	3605.17
SVE-7	3-29-16	3553.81 (e)	--	50.87	--	3604.68
SVE-7	4-12-16	3553.81 (e)	--	51.17	--	3604.98
SVE-7	5-25-16	3553.81 (e)	--	50.85	--	3604.66
SVE-7	7-01-16	3553.81 (e)	--	50.73	--	3604.54
SVE-7	7-27-16	3553.81 (e)	--	50.63	--	3604.44
SVE-7	9-23-16	3553.81 (e)	--	50.43	--	3604.24
SVE-7	4-24-17	3553.81 (e)	--	49.64	--	3603.45
SVE-7	4-23-18	3554.82 (f)	--	49.37	--	3604.19
SVE-7	3-19-19	3554.82 (f)	--	49.08	--	3603.90
SVE-7	3-23-20	3554.82 (f)	--	47.95	--	3602.77
SVE-7	3-10-21	3554.82 (f)	--	49.45	--	3604.27
SVE-7	10-04-21	3554.82 (f)	--	49.65	--	3604.47
SVE-7	3-18-22	3554.82 (f)	--	49.47	--	3604.29
SVE-7	10-10-22	3554.82 (f)	--	49.16	--	3603.98
SVE-7	4-25-23	3554.82	--	49.51	--	3505.31
SVE-7	10-24-23	3554.82	--	49.79	--	3505.03
SVE-7	4-09-24	3554.82	--	50.07	--	3504.75
SVE-7	10-29-24	3554.82	--	50.21	--	3504.61
SVE-7	4-09-25	3554.82	--	50.81	--	3504.01
SVE-7	10-06-25	3554.82	--	51.00	--	3503.82
SVE-8	4-11-05	3555.25 (e)	--	52.39	--	3607.64
SVE-8	12-01-05	3555.25 (e)	--	51.60	--	3606.85
SVE-8	5-10-06	3555.25 (e)	--	51.07	--	3606.32
SVE-8	12-14-06	3555.25 (e)	--	50.67	--	3605.92
SVE-8	6-20-07	3555.25 (e)	--	50.18	--	3605.43
SVE-8	12-07-07	3555.25 (e)	--	50.03	--	3605.28
SVE-8	5-30-08	3555.25 (e)	--	50.12	--	3605.37
SVE-8	12-10-08	3555.25 (e)	--	50.58	--	3605.83
SVE-8	5-01-09	3555.25 (e)	--	50.63	--	3605.88
SVE-8	6-11-10	3555.25 (e)	--	52.13	--	3607.38
SVE-8	11-10-11	3555.25 (e)	--	52.04	--	3607.29
SVE-8	6-26-12	3555.25 (e)	--	52.34	--	3607.59
SVE-8	6-20-13	3555.25 (e)	--	52.95	--	3608.20
SVE-8	6-24-14	3555.25 (e)	--	53.49	--	3608.74
SVE-8	4-17-15	3555.25 (e)	--	53.48	--	3608.73
SVE-8	10-21-15	3555.25 (e)	--	53.35	--	3608.60
SVE-8	11-24-15	3555.25 (e)	--	53.28	--	3608.53
SVE-8	12-16-15	3555.25 (e)	--	53.18	--	3608.43
SVE-8	1-27-16	3555.25 (e)	--	53.11	--	3608.36

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-8	2-25-16	3555.25 (e)	--	53.03	--	3608.28
SVE-8	3-29-16	3555.25 (e)	--	52.78	--	3608.03
SVE-8	4-12-16	3555.25 (e)	--	52.86	--	3608.11
SVE-8	5-25-16	3555.25 (e)	--	52.63	--	3607.88
SVE-8	7-01-16	3555.25 (e)	--	52.54	--	3607.79
SVE-8	7-27-16	3555.25 (e)	--	52.42	--	3607.67
SVE-8	9-23-16	3555.25 (e)	--	52.29	--	3607.54
SVE-8	4-24-17	3555.25 (e)	--	51.51	--	3606.76
SVE-8	10-09-17	3555.25 (e)	--	49.85	--	3605.10
SVE-8	4-23-18	3555.66 (f)	--	49.76	--	3605.4
SVE-8	11-13-18	3555.66 (f)	--	49.90	--	3605.56
SVE-8	3-19-19	3555.66 (f)	--	49.49	--	3605.15
SVE-8	3-23-20	3555.66 (f)	--	49.50	--	3605.16
SVE-8	3-10-21	3555.66 (f)	--	50.14	--	3605.80
SVE-8	10-04-21	3555.66 (f)	--	50.26	--	3605.92
SVE-8	3-18-22	3555.66 (f)	--	49.80	--	3605.46
SVE-8	10-10-22	3555.66 (f)	--	49.82	--	3605.48
SVE-8	4-25-23	3555.66	--	50.28	--	3505.38
SVE-8	10-24-23	3555.66	--	50.54	--	3505.12
SVE-8	4-09-24	3555.66	--	50.78	--	3504.88
SVE-8	10-29-24	3555.66	--	51.05	--	3504.61
SVE-8	4-09-25	3555.66	--	51.43	--	3504.23
SVE-8	10-06-25	3555.66	--	--	--	--
SVE-9	4-11-05	3555.36 (e)	--	53.53	--	3608.89
SVE-9	12-01-05	3555.36 (e)	--	51.81	--	3607.17
SVE-9	5-10-06	3555.36 (e)	--	51.10	--	3606.46
SVE-9	12-14-06	3555.36 (e)	--	50.61	--	3605.97
SVE-9	6-20-07	3555.36 (e)	--	50.31	--	3605.67
SVE-9	12-07-07	3555.36 (e)	--	49.91	--	3605.27
SVE-9	5-30-08	3555.36 (e)	--	50.00	--	3605.36
SVE-9	12-10-08	3555.36 (e)	--	50.46	--	3605.82
SVE-9	5-01-09	3555.36 (e)	--	50.48	--	3605.84
SVE-9	6-11-10	3555.36 (e)	--	51.03	--	3606.39
SVE-9	11-10-11	3555.36 (e)	--	50.97	--	3606.33
SVE-9	6-26-12	3555.36 (e)	--	51.22	--	3606.58
SVE-9	6-20-13	3555.36 (e)	--	51.85	--	3607.21
SVE-9	6-24-14	3555.36 (e)	--	52.39	--	3607.75
SVE-9	4-17-15	3555.36 (e)	--	52.46	--	3607.82
SVE-9	10-21-15	3555.36 (e)	--	52.33	--	3607.69
SVE-9	11-24-15	3555.36 (e)	--	52.22	--	3607.58
SVE-9	12-16-15	3555.36 (e)	--	52.25	--	3607.61
SVE-9	1-27-16	3555.36 (e)	--	52.15	--	3607.51
SVE-9	2-25-16	3555.36 (e)	--	52.17	--	3607.53
SVE-9	3-29-16	3555.36 (e)	--	51.70	--	3607.06
SVE-9	4-12-16	3555.36 (e)	--	51.93	--	3607.29
SVE-9	5-25-16	3555.36 (e)	--	51.68	--	3607.04
SVE-9	7-01-16	3555.36 (e)	--	53.22	--	3608.58
SVE-9	7-27-16	3555.36 (e)	--	51.44	--	3606.80
SVE-9	9-23-16	3555.36 (e)	--	51.27	--	3606.63
SVE-9	4-24-17	3555.36 (e)	--	50.26	--	3605.62
SVE-9	7-02-18	3556.29 (f)	--	50.74	--	3607.03
SVE-9	3-19-19	3556.29 (f)	--	49.90	--	3606.19
SVE-9	3-23-20	3556.29 (f)	--	50.10	--	3606.39
SVE-9	12-14-20	3556.29 (f)	--	50.25	--	3606.54
SVE-9	3-10-21	3556.29 (f)	--	50.69	--	3606.98
SVE-9	10-04-21	3556.29 (f)	--	50.90	--	3607.19
SVE-9	3-18-22	3556.29 (f)	--	50.66	--	3606.95
SVE-9	10-10-22	3556.29 (f)	--	50.44	--	3606.73
SVE-9	4-25-23	3556.29	--	50.80	--	3505.49
SVE-9	10-24-23	3556.29	--	50.98	--	3505.31
SVE-9	4-09-24	3556.29	--	51.45	--	3504.84
SVE-9	10-28-24	3556.29	--	51.60	--	3504.69
SVE-9	4-09-25	3556.29	--	51.99	--	3504.30
SVE-9	10-06-25	3556.29	--	52.10	--	3504.19
SVE-10	4-11-05	3554.40 (e)	--	52.06	--	3606.46
SVE-10	12-01-05	3554.40 (e)	--	51.50	--	3605.90
SVE-10	5-10-06	3554.40 (e)	50.89	50.89	sheen	3605.29
SVE-10	12-14-06	3554.40 (e)	--	50.53	--	3604.93
SVE-10	6-20-07	3554.40 (e)	50.10	50.10	sheen	3604.50
SVE-10	12-07-07	3554.40 (e)	49.85	49.85	sheen	3604.25
SVE-10	5-30-08	3554.40 (e)	--	49.82	--	3604.22
SVE-10	12-10-08	3554.40 (e)	--	50.12	--	3604.52
SVE-10	5-01-09	3554.40 (e)	--	50.23	--	3604.63
SVE-10	6-11-10	3554.40 (e)	--	50.71	--	3605.11
SVE-10	11-10-11	3554.40 (e)	--	50.58	--	3604.98
SVE-10	6-26-12	3554.40 (e)	--	50.82	--	3605.22

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-10	6-20-13	3554.40 (e)	--	51.41	--	3605.81
SVE-10	6-24-14	3554.40 (e)	--	51.85	--	3606.25
SVE-10	4-17-15	3554.40 (e)	--	52.02	--	3606.42
SVE-10	10-21-15	3554.40 (e)	--	52.11	--	3606.51
SVE-10	11-24-15	3554.40 (e)	--	52.03	--	3606.43
SVE-10	12-16-15	3554.40 (e)	--	51.95	--	3606.35
SVE-10	1-27-16	3554.40 (e)	--	51.93	--	3606.33
SVE-10	2-25-16	3554.40 (e)	--	51.85	--	3606.25
SVE-10	3-29-16	3554.40 (e)	--	51.70	--	3606.10
SVE-10	4-12-16	3554.40 (e)	--	52.74	--	3607.14
SVE-10	5-25-16	3554.40 (e)	--	51.62	--	3606.02
SVE-10	7-01-16	3554.40 (e)	--	51.42	--	3605.82
SVE-10	7-27-16	3554.40 (e)	--	51.28	--	3605.68
SVE-10	9-23-16	3554.40 (e)	--	51.21	--	3605.61
SVE-10	4-24-17	3554.40 (e)	--	50.50	--	3604.90
SVE-10	5-02-17	3554.40 (e)	--	48.75	--	3603.15
SVE-10	4-23-18	3555.52 (f)	----	Dry	----	----
SVE-10	7-02-18	3555.52 (f)	----	Dry	----	----
SVE-10	11-13-18	3555.52 (f)	----	Dry	----	----
SVE-10	3-19-19	3555.52 (f)	----	Dry	----	----
SVE-10	3-23-20	3555.52 (f)	----	Dry	----	----
SVE-10	3-10-21	3555.52 (f)	--	49.80	--	3605.32
SVE-10	10-04-21	3555.52 (f)	--	50.04	--	3605.56
SVE-10	3-18-22	3555.52 (f)	--	49.46	--	3604.98
SVE-10	10-10-22	3555.52 (f)	--	49.72	--	3605.24
SVE-10	4-25-23	3555.52	--	50.74	--	3504.78
SVE-10	10-24-23	3555.52	--	50.20	--	3505.32
SVE-10	4-09-24	3555.52	--	50.44	--	3505.08
SVE-10	10-29-24	3555.52	--	50.72	--	3504.80
SVE-10	4-09-25	3555.52	--	Dry	----	----
SVE-10	10-06-25	3555.52	--	--	--	--
SVE-11	4-11-05	3555.33 (e)	52.54	52.55	0.01	3691.95
SVE-11	12-01-05	3555.33 (e)	51.81	53.05	1.24	3692.27
SVE-11	5-10-06	3555.33 (e)	51.19	52.55	1.36	3690.87
SVE-11	12-14-06	3555.33 (e)	50.71	50.71	sheen	3606.04
SVE-11	6-20-07	3555.33 (e)	50.36	52.04	1.68	3689.29
SVE-11	12-07-07	3555.33 (e)	50.05	51.90	1.85	3688.79
SVE-11	5-30-08	3555.33 (e)	50.09	52.35	2.26	3689.63
SVE-11	12-10-08	3555.33 (e)	50.58	52.72	2.14	3690.69
SVE-11	5-01-09	3555.33 (e)	--	51.08	--	3606.41
SVE-11	8-22-09	3555.33 (e)	--	51.60	--	3606.93
SVE-11	10-05-09	3555.33 (e)	51.23	51.23	sheen	3688.53
SVE-11	6-11-10	3555.33 (e)	51.49	51.61	0.12	3689.42
SVE-11	11-10-11	3555.33 (e)	51.54	51.55	0.01	3689.35
SVE-11	6-26-12	3555.33 (e)	51.66	52.24	0.58	3690.69
SVE-11	6-20-13	3555.33 (e)	52.42	52.49	0.07	3691.75
SVE-11	6-24-14	3555.33 (e)	52.71	53.52	0.81	3693.83
SVE-11	4-17-15	3555.33 (e)	52.85	53.34	0.49	3693.62
SVE-11	10-21-15	3555.33 (e)	52.76	53.29	0.53	3693.46
SVE-11	11-24-15	3555.33 (e)	--	52.88	--	3608.21
SVE-11	12-16-15	3555.33 (e)	--	52.85	--	3608.18
SVE-11	1-27-16	3555.33 (e)	52.82	53.05	0.23	3693.08
SVE-11	2-25-16	3555.33 (e)	52.72	52.96	0.24	3692.83
SVE-11	3-29-16	3555.33 (e)	52.34	52.50	0.16	3691.70
SVE-11	4-12-16	3555.33 (e)	--	--	--	--
SVE-11	5-25-16	3555.33 (e)	52.41	52.46	0.05	3691.69
SVE-11	7-01-16	3555.33 (e)	--	52.27	--	3607.60
SVE-11	7-27-16	3555.33 (e)	--	52.09	--	3607.42
SVE-11	9-23-16	3555.33 (e)	--	51.92	--	3607.25
SVE-11	4-24-17	3555.33 (e)	--	51.17	--	3606.50
SVE-11	4-23-18	3556.32 (f)	51.05	51.63	0.58	3690.09
SVE-11	3-19-19	3556.32 (f)	--	50.71	--	3607.03
SVE-11	3-23-20	3556.32 (f)	50.95	51.95	1.00	3690.59
SVE-11	3-10-21	3556.32 (f)	--	51.30	--	3607.62
SVE-11	9-14-21	3556.32 (f)	51.40	52.30	0.90	3691.58
SVE-11	10-04-21	3556.32 (f)	--	51.60	--	3607.92
SVE-11	3-18-22	3556.32 (f)	51.30	52.25	0.95	3608.57
SVE-11	10-10-22	3556.32 (f)	51.44	52.23	0.79	3608.55
SVE-11	4-25-23	3556.32	51.43	51.72	0.29	3504.83
SVE-11	4-09-24	3556.32	--	--	--	--
SVE-11	10-28-24	3556.32	--	--	--	--
SVE-11	4-09-25	3556.32	--	Dry	----	----
SVE-11	10-06-25	3556.32	--	53.44	--	3502.88
SVE-12	4-11-05	3555.64 (e)	52.97	52.98	0.01	3693.38
SVE-12	12-01-05	3555.64 (e)	52.20	52.90	0.70	3692.62
SVE-12	5-10-06	3555.64 (e)	51.61	52.37	0.76	3691.19

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-12	12-14-06	3555.64 (e)	51.22	52.12	0.90	3690.43
SVE-12	6-20-07	3555.64 (e)	50.81	51.81	1.00	3689.55
SVE-12	12-07-07	3555.64 (e)	50.52	51.57	1.05	3688.88
SVE-12	5-30-08	3555.64 (e)	50.65	51.75	1.10	3689.31
SVE-12	12-10-08	3555.64 (e)	51.11	52.34	1.23	3690.74
SVE-12	5-01-09	3555.64 (e)	--	51.53	--	3607.17
SVE-12	8-22-09	3555.64 (e)	51.58	51.60	0.02	3689.78
SVE-12	10-05-09	3555.64 (e)	--	51.39	--	3607.03
SVE-12	6-11-10	3555.64 (e)	52.04	52.08	0.04	3691.02
SVE-12	11-10-11	3555.64 (e)	51.91	52.02	0.11	3690.80
SVE-12	6-26-12	3555.64 (e)	52.25	52.40	0.15	3691.76
SVE-12	6-20-13	3555.64 (e)	52.90	52.90	sheen	3693.18
SVE-12	6-24-14	3555.64 (e)	53.31	53.34	0.03	3694.30
SVE-12	4-17-15	3555.64 (e)	53.38	53.43	0.05	3694.52
SVE-12	10-21-15	3555.64 (e)	53.33	53.40	0.07	3694.42
SVE-12	11-24-15	3555.64 (e)	--	53.25	--	3608.89
SVE-12	12-16-15	3555.64 (e)	--	53.28	--	3608.92
SVE-12	1-27-16	3555.64 (e)	--	53.26	--	3608.90
SVE-12	2-25-16	3555.64 (e)	--	53.18	--	3608.82
SVE-12	3-29-16	3555.64 (e)	--	52.77	--	3608.41
SVE-12	4-12-16	3555.64 (e)	--	52.97	--	3608.61
SVE-12	5-25-16	3555.64 (e)	--	52.72	--	3608.36
SVE-12	7-01-16	3555.64 (e)	--	52.59	--	3608.23
SVE-12	7-27-16	3555.64 (e)	--	52.53	--	3608.17
SVE-12	9-23-16	3555.64 (e)	--	52.37	--	3608.01
SVE-12	4-24-17	3555.64 (e)	--	51.50	--	3607.14
SVE-12	4-23-18	3556.66 (f)	--	51.51	--	3608.17
SVE-12	11-13-18	3556.66 (f)	--	51.70	--	3608.36
SVE-12	3-19-19	3556.66 (f)	--	51.31	--	3607.97
SVE-12	6-28-19	3556.66 (f)	--	50.78	--	3607.44
SVE-12	9-17-19	3556.66 (f)	--	50.73	--	3607.39
SVE-12	12-05-19	3556.66 (f)	--	50.90	--	3607.56
SVE-12	3-23-20	3556.66 (f)	--	50.90	--	3607.56
SVE-12	6-02-20	3556.66 (f)	--	51.09	--	3607.75
SVE-12	9-21-20	3556.66 (f)	--	51.39	--	3608.05
SVE-12	12-14-20	3556.66 (f)	--	51.48	--	3608.14
SVE-12	3-10-21	3556.66 (f)	--	51.47	--	3608.13
SVE-12	10-04-21	3556.66 (f)	--	51.62	--	3608.28
SVE-12	3-18-22	3556.66 (f)	--	51.40	--	3608.06
SVE-12	10-10-22	3556.66 (f)	--	52.33	--	3608.99
SVE-12	4-25-23	3556.66	--	51.67	--	3504.99
SVE-12	10-24-23	3556.66	--	51.99	--	3504.67
SVE-12	4-09-24	3556.66	--	52.27	--	3504.39
SVE-12	10-28-24	3556.66	--	52.44	--	3504.22
SVE-12	4-09-25	3556.66	--	52.84	--	3503.82
SVE-12	10-06-25	3556.66	--	52.95	--	3503.71
SVE-13	4-11-05	3554.11 (e)	--	51.49	--	3605.60
SVE-13	12-01-05	3554.11 (e)	--	50.86	--	3604.97
SVE-13	5-10-06	3554.11 (e)	--	49.18	--	3603.29
SVE-13	12-14-06	3554.11 (e)	--	48.76	--	3602.87
SVE-13	6-20-07	3554.11 (e)	--	48.46	--	3602.57
SVE-13	12-07-07	3554.11 (e)	--	48.21	--	3602.32
SVE-13	5-30-08	3554.11 (e)	--	49.38	--	3603.49
SVE-13	12-10-08	3554.11 (e)	--	49.86	--	3603.97
SVE-13	5-01-09	3554.11 (e)	--	49.98	--	3604.09
SVE-13	6-11-10	3554.11 (e)	--	49.11	--	3603.22
SVE-13	11-10-11	3554.11 (e)	--	50.34	--	3604.45
SVE-13	6-26-12	3554.11 (e)	--	49.65	--	3603.76
SVE-13	6-20-13	3554.11 (e)	--	50.21	--	3604.32
SVE-13	6-24-14	3554.11 (e)	51.74	51.75	0.01	3688.65
SVE-13	4-17-15	3554.11 (e)	51.86	51.87	0.01	3688.96
SVE-13	10-21-15	3554.11 (e)	51.75	51.76	0.01	3688.68
SVE-13	11-24-15	3554.11 (e)	--	51.75	--	3605.86
SVE-13	12-16-15	3554.11 (e)	--	51.70	--	3605.81
SVE-13	1-27-16	3554.11 (e)	--	51.64	--	3605.75
SVE-13	2-25-16	3554.11 (e)	--	51.54	--	3605.65
SVE-13	3-29-16	3554.11 (e)	--	51.19	--	3605.30
SVE-13	4-12-16	3554.11 (e)	--	51.34	--	3605.45
SVE-13	5-25-16	3554.11 (e)	--	51.10	--	3605.21
SVE-13	7-01-16	3554.11 (e)	--	50.99	--	3605.10
SVE-13	7-27-16	3554.11 (e)	--	50.89	--	3605.00
SVE-13	9-23-16	3554.11 (e)	--	50.74	--	3604.85
SVE-13	4-24-17	3554.11 (e)	--	49.94	--	3604.05
SVE-13	2-01-18	3554.52 (f)	--	49.35	--	3603.87
SVE-13	4-23-18	3554.52 (f)	--	49.34	--	3603.86
SVE-13	11-13-18	3554.52 (f)	--	49.58	--	3604.10

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
SVE-13	3-19-19	3554.52 (f)	--	49.18	--	3603.70
SVE-13	6-28-19	3554.52 (f)	--	49.18	--	3603.70
SVE-13	9-17-19	3554.52 (f)	--	49.18	--	3603.70
SVE-13	3-23-20	3554.52 (f)	--	49.31	--	3603.83
SVE-13	6-02-20	3554.52 (f)	--	49.52	--	3604.04
SVE-13	9-21-20	3554.52 (f)	--	49.82	--	3604.34
SVE-13	12-14-20	3554.52 (f)	--	49.91	--	3604.43
SVE-13	3-10-21	3554.52 (f)	--	49.90	--	3604.42
SVE-13	10-04-21	3554.52 (f)	--	50.02	--	3604.54
SVE-13	3-18-22	3554.52 (f)	--	49.87	--	3604.39
SVE-13	10-10-22	3554.52 (f)	--	49.77	--	3604.29
SVE-13	4-25-23	3554.52	--	50.18	--	3504.34
SVE-13	10-24-23	3554.52	--	50.41	--	3504.11
SVE-13	4-09-24	3554.52	--	50.69	--	3503.83
SVE-13	10-28-24	3554.52	--	50.89	--	3503.63
SVE-13	4-09-25	3554.52	--	51.21	--	3503.31
SVE-13	10-06-25	3554.52	--	51.34	--	3503.18
SVE-14	4-11-05	3554.83 (e)	--	49.37	--	3604.20
SVE-14	12-01-05	3554.83 (e)	51.65	51.66	0.01	3689.14
SVE-14	5-10-06	3554.83 (e)	--	50.02	--	3604.85
SVE-14	12-14-06	3554.83 (e)	--	49.56	--	3604.39
SVE-14	6-20-07	3554.83 (e)	--	49.08	--	3603.91
SVE-14	12-07-07	3554.83 (e)	48.64	48.64	sheen	3603.47
SVE-14	5-30-08	3554.83 (e)	49.92	49.92	sheen	3604.75
SVE-14	12-10-08	3554.83 (e)	50.34	50.34	sheen	3605.17
SVE-14	5-01-09	3554.83 (e)	50.42	50.42	sheen	3605.25
SVE-14	6-11-10	3554.83 (e)	49.99	49.99	sheen	3604.82
SVE-14	11-10-11	3554.83 (e)	50.97	50.97	sheen	3605.80
SVE-14	6-26-12	3554.83 (e)	50.22	50.22	sheen	3605.05
SVE-14	6-20-13	3554.83 (e)	50.91	50.91	sheen	3605.74
SVE-14	6-24-14	3554.83 (e)	52.34	52.35	0.01	3690.93
SVE-14	4-17-15	3554.83 (e)	52.54	52.55	0.01	3691.45
SVE-14	10-21-15	3554.83 (e)	--	52.38	--	3607.21
SVE-14	11-24-15	3554.83 (e)	--	52.37	--	3607.20
SVE-14	12-16-15	3554.83 (e)	--	52.33	--	3607.16
SVE-14	1-27-16	3554.83 (e)	--	52.39	--	3607.22
SVE-14	2-25-16	3554.83 (e)	--	52.25	--	3607.08
SVE-14	3-29-16	3554.83 (e)	--	51.88	--	3606.71
SVE-14	4-12-16	3554.83 (e)	--	52.11	--	3606.94
SVE-14	5-25-16	3554.83 (e)	--	51.86	--	3606.69
SVE-14	7-01-16	3554.83 (e)	--	51.73	--	3606.56
SVE-14	7-27-16	3554.83 (e)	--	51.63	--	3606.46
SVE-14	9-23-16	3554.83 (e)	--	51.55	--	3606.38
SVE-14	4-24-17	3554.83 (e)	--	51.71	--	3606.54
SVE-14	2-01-18	3555.85 (f)	--	50.59	--	3606.44
SVE-14	4-23-18	3555.85 (f)	--	50.60	--	3606.45
SVE-14	3-19-19	3555.85 (f)	--	50.45	--	3606.30
SVE-14	3-23-20	3555.85 (f)	--	49.56	--	3606.30
SVE-14	12-14-20	3555.85 (f)	--	51.09	--	3605.41
SVE-14	3-10-21	3555.85 (f)	--	51.03	--	3606.94
SVE-14	10-04-21	3555.85 (f)	--	52.14	--	3606.88
SVE-14	3-18-22	3555.85 (f)	--	51.10	--	3607.99
SVE-14	10-10-22	3555.85 (f)	--	50.97	--	3606.95
SVE-14	4-25-23	3555.85	--	51.29	--	3504.56
SVE-14	10-24-23	3555.85	--	51.67	--	3504.18
SVE-14	4-09-24	3555.85	--	51.84	--	3504.01
SVE-14	10-29-24	3555.85	--	52.07	--	3503.78
SVE-14	4-09-25	3555.85	--	52.39	--	3503.46
SVE-14	10-06-25	3555.85	--	52.54	--	3503.31
RW-1	4-11-05	3545.97 (c)	--	52.29	--	3598.26
RW-1	12-01-05	3545.97 (c)	--	52.40	--	3598.37
RW-1	5-10-06	3545.97 (c)	--	52.41	--	3598.38
RW-1	12-13-06	3545.97 (c)	--	51.72	--	3597.69
RW-1	6-20-07	3545.97 (c)	--	51.62	--	3597.59
RW-1	12-06-07	3545.97 (c)	--	51.30	--	3597.27
RW-1	6-02-08	3545.97 (c)	--	51.38	--	3597.35
RW-1	12-10-08	3545.97 (c)	--	51.74	--	3597.71
RW-1	4-27-09	3545.97 (c)	--	51.79	--	3597.76
RW-1	6-11-10	3545.97 (c)	--	52.33	--	3598.30
RW-1	11-09-11	3545.97 (c)	--	52.80	--	3598.77
RW-1	6-26-12	3545.97 (c)	--	52.80	--	3598.77
RW-1	6-20-13	3545.97 (c)	--	53.64	--	3599.61
RW-1	6-24-14	3545.97 (c)	--	54.30	--	3600.27
RW-1	4-17-15	3545.97 (c)	--	53.47	--	3599.44
RW-1	10-21-15	3545.97 (c)	--	--	--	--
RW-1	11-24-15	3545.97 (c)	--	--	--	--

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
RW-1	12-16-15	3545.97 (c)	--	52.80	--	3598.77
RW-1	1-27-16	3545.97 (c)	--	53.16	--	3599.13
RW-1	2-25-16	3545.97 (c)	--	53.29	--	3599.26
RW-1	3-29-16	3545.97 (c)	--	52.88	--	3598.85
RW-1	4-12-16	3545.97 (c)	--	--	--	--
RW-1	5-24-16	3545.97 (c)	--	53.21	--	3599.18
RW-1	6-30-16	3545.97 (c)	Well plugged and abandoned			
RW-2	4-11-05	3546.26 (c)	52.57	52.57	sheen	3598.83
RW-2	12-01-05	3546.26 (c)	--	52.68	--	3598.94
RW-2	5-10-06	3546.26 (c)	52.68	52.68	sheen	3598.94
RW-2	12-13-06	3546.26 ©	--	52.01	--	3598.27
RW-2	6-20-07	3546.26 ©	--	51.95	--	3598.21
RW-2	12-06-07	3546.26 ©	51.55	51.55	sheen	3597.81
RW-2	6-02-08	3546.26 ©	--	51.63	--	3597.89
RW-2	12-10-08	3546.26 ©	--	52.03	--	3598.29
RW-2	4-27-09	3546.26 ©	--	52.08	--	3598.34
RW-2	6-11-10	3546.26 ©	--	52.56	--	3598.82
RW-2	11-09-11	3546.26 ©	--	53.07	--	3599.33
RW-2	6-26-12	3546.26 ©	53.02	53.03	0.01	3684.13
RW-2	7-28-12	3546.26 ©	53.24	53.25	0.01	3684.70
RW-2	8-31-12	3546.26 ©	53.23	53.25	0.02	3684.69
RW-2	10-11-12	3546.26 ©	53.38	53.40	0.02	3685.08
RW-2	6-20-13	3546.26 ©	53.81	53.90	0.09	3686.33
RW-2	6-24-14	3546.26 ©	--	54.46	--	3600.72
RW-2	4-17-15	3546.26 ©	--	53.71	--	3599.97
RW-2	10-21-15	3546.26 ©	--	52.89	--	3599.15
RW-2	11-24-15	3546.26 ©	--	52.85	--	3599.11
RW-2	12-16-15	3546.26 ©	--	53.10	--	3599.36
RW-2	1-27-16	3546.26 ©	--	53.47	--	3599.73
RW-2	2-25-16	3546.26 ©	--	53.57	--	3599.83
RW-2	3-29-16	3546.26 ©	--	53.12	--	3599.38
RW-2	4-12-16	3546.26 ©	--	--	--	--
RW-2	5-24-16	3546.26 ©	--	53.45	--	3599.71
RW-2	6-30-16	3546.26 ©	Well plugged and abandoned			
RW-3	4-11-05	3546.41 (c)	--	52.49	--	3598.90
RW-3	12-01-05	3546.41 (c)	--	52.65	--	3599.06
RW-3	5-10-06	3546.41 (c)	--	52.51	--	3598.92
RW-3	12-13-06	3546.41 (c)	--	52.06	--	3598.47
RW-3	6-20-07	3546.41 (c)	--	51.97	--	3598.38
RW-3	12-06-07	3546.41 (c)	--	51.56	--	3597.97
RW-3	6-02-08	3546.41 (c)	--	51.65	--	3598.06
RW-3	12-10-08	3546.41 (c)	--	52.07	--	3598.48
RW-3	4-27-09	3546.41 (c)	--	51.90	--	3598.31
RW-3	6-11-10	3546.41 (c)	--	52.39	--	3598.80
RW-3	11-09-11	3546.41 (c)	--	52.91	--	3599.32
RW-3	6-26-12	3546.41 (c)	--	52.90	--	3599.31
RW-3	6-20-13	3546.41 (c)	--	53.57	--	3599.98
RW-3	6-24-14	3546.41 (c)	--	54.12	--	3600.53
RW-3	4-17-15	3546.41 (c)	--	53.54	--	3599.95
RW-3	10-21-15	3546.41 (c)	--	--	--	--
RW-3	11-24-15	3546.41 (c)	--	--	--	--
RW-3	12-16-15	3546.41 (c)	--	53.08	--	3599.49
RW-3	1-27-16	3546.41 (c)	--	53.48	--	3599.89
RW-3	2-25-16	3546.41 (c)	--	53.45	--	3599.86
RW-3	3-29-16	3546.41 (c)	--	53.12	--	3599.53
RW-3	4-12-16	3546.41 (c)	--	--	--	--
RW-3	4-12-16	3546.41 (c)	--	53.27	--	3599.68
RW-3	6-30-16	3546.41 (c)	Well plugged and abandoned			
RW-4	4-11-05	3546.96 (c)	--	52.54	--	3599.50
RW-4	12-01-05	3546.96 (c)	--	52.68	--	3599.64
RW-4	5-10-06	3546.96 (c)	--	52.49	--	3599.45
RW-4	12-13-06	3546.96 (c)	--	52.25	--	3599.21
RW-4	6-20-07	3546.96 (c)	--	51.72	--	3598.68
RW-4	12-06-07	3546.96 (c)	--	51.70	--	3598.66
RW-4	6-02-08	3546.96 (c)	--	51.77	--	3598.73
RW-4	12-10-08	3546.96 (c)	--	52.16	--	3599.12
RW-4	4-27-09	3546.96 (c)	--	52.00	--	3598.96
RW-4	6-11-10	3546.96 (c)	--	52.42	--	3599.38
RW-4	11-09-11	3546.96 (c)	--	52.98	--	3599.94
RW-4	6-26-12	3546.96 (c)	--	52.95	--	3599.91
RW-4	6-20-13	3546.96 (c)	--	53.55	--	3600.51
RW-4	6-24-14	3546.96 (c)	--	54.10	--	3601.06
RW-4	4-17-15	3546.96 (c)	--	53.57	--	3600.53
RW-4	10-21-15	3546.96 (c)	--	--	--	--
RW-4	11-24-15	3546.96 (c)	--	--	--	--
RW-4	12-16-15	3546.96 (c)	--	53.31	--	3600.27

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
RW-4	1-27-16	3546.96 (c)	--	53.72	--	3600.68
RW-4	2-25-16	3546.96 (c)	--	53.64	--	3600.60
RW-4	3-29-16	3546.96 (c)	--	53.25	--	3600.21
RW-4	4-12-16	3546.96 (c)	--	--	--	--
RW-4	5-24-16	3546.96 (c)	--	53.40	--	3600.36
RW-4	6-30-16			Well plugged and abandoned		
RW-5	4-11-05	3546.75 (c)	--	51.10	--	3597.85
RW-5	12-01-05	3546.75 (c)	--	51.11	--	3597.86
RW-5	5-10-06	3546.75 (c)	--	50.92	--	3597.67
RW-5	12-13-06	3546.75 (c)	--	50.88	--	3597.63
RW-5	6-20-07	3546.75 (c)	--	50.76	--	3597.51
RW-5	12-06-07	3546.75 (c)	--	50.32	--	3597.07
RW-5	6-02-08	3546.75 (c)	--	50.35	--	3597.10
RW-5	12-10-08	3546.75 (c)	--	50.80	--	3597.55
RW-5	4-27-09	3546.75 (c)	--	50.64	--	3597.39
RW-5	6-11-10	3546.75 (c)	--	50.92	--	3597.67
RW-5	11-09-11	3546.75 (c)	--	51.46	--	3598.21
RW-5	6-26-12	3546.75 (c)	--	51.41	--	3598.16
RW-5	6-20-13	3546.75 (c)	--	51.95	--	3598.70
RW-5	6-24-14	3546.75 (c)	--	52.42	--	3599.17
RW-5	4-17-15	3546.75 (c)	--	52.57	--	3599.32
RW-5	10-21-15	3546.75 (c)	--	--	--	--
RW-5	11-24-15	3546.75 (c)	--	--	--	--
RW-5	12-16-15	3546.75 (c)	--	52.26	--	3599.01
RW-5	1-27-16	3546.75 (c)	--	52.56	--	3599.31
RW-5	2-25-16	3546.75 (c)	--	52.45	--	3599.20
RW-5	3-29-16	3546.75 (c)	--	52.00	--	3598.75
RW-5	4-12-16	3546.75 (c)	--	--	--	--
RW-5	5-24-16	3546.75 (c)	--	52.09	--	3598.84
RW-5	6-30-16	3546.75 (c)		Well plugged and abandoned		
RW-6	4-11-05	3546.69 (c)	--	50.57	--	3597.26
RW-6	12-01-05	3546.69 (c)	--	50.64	--	3597.33
RW-6	5-10-06	3546.69 (c)	--	50.37	--	3597.06
RW-6	12-13-06	3546.69 (c)	--	50.62	--	3597.31
RW-6	6-20-07	3546.69 (c)	--	50.33	--	3597.02
RW-6	12-06-07	3546.69 (c)	--	49.95	--	3596.64
RW-6	6-02-08	3546.69 (c)	--	49.99	--	3596.68
RW-6	12-10-08	3546.69 (c)	--	50.28	--	3596.97
RW-6	4-27-09	3546.69 (c)	--	50.23	--	3596.92
RW-6	6-11-10	3546.69 (c)	--	50.53	--	3597.22
RW-6	11-09-11	3546.69 (c)	--	50.90	--	3597.59
RW-6	6-26-12	3546.69 (c)	--	51.05	--	3597.74
RW-6	6-20-13	3546.69 (c)	--	51.69	--	3598.38
RW-6	6-24-14	3546.69 (c)	--	52.28	--	3598.97
RW-6	4-17-15	3546.69 (c)	--	52.22	--	3598.91
RW-6	10-21-15	3546.69 (c)	--	--	--	--
RW-6	11-24-15	3546.69 (c)	--	--	--	--
RW-6	12-16-15	3546.69 (c)	--	52.00	--	3598.69
RW-6	1-27-16	3546.69 (c)	--	52.33	--	3599.02
RW-6	2-25-16	3546.69 (c)	--	52.17	--	3598.86
RW-6	3-29-16	3546.69 (c)	--	51.77	--	3598.46
RW-6	4-12-16	3546.69 (c)	--	--	--	--
RW-6	5-24-16	3546.69 (c)	--	51.80	--	3598.49
RW-6	6-30-16	3546.69 (c)		Well plugged and abandoned		
RW-7	4-11-05	3547.50 (c)	--	50.92	--	3598.42
RW-7	12-01-05	3547.50 (c)	--	50.96	--	3598.46
RW-7	5-10-06	3547.50 (c)	--	50.76	--	3598.26
RW-7	12-13-06	3547.50 (c)	--	50.91	--	3598.41
RW-7	6-20-07	3547.50 (c)	--	50.70	--	3598.20
RW-7	12-06-07	3547.50 (c)	--	50.34	--	3597.84
RW-7	6-02-08	3547.50 (c)	--	50.40	--	3597.90
RW-7	12-10-08	3547.50 (c)	--	50.78	--	3598.28
RW-7	4-27-09	3547.50 (c)	--	50.70	--	3598.20
RW-7	6-11-10	3547.50 (c)	--	50.95	--	3598.45
RW-7	11-09-11	3547.50 (c)	--	51.38	--	3598.88
RW-7	6-26-12	3547.50 (c)	--	51.51	--	3599.01
RW-7	6-20-13	3547.50 (c)	--	52.10	--	3599.60
RW-7	6-24-14	3547.50 (c)	--	52.59	--	3600.09
RW-7	4-17-15	3547.50 (c)	--	52.67	--	3600.17
RW-7	10-21-15	3547.50 (c)	--	--	--	--
RW-7	11-24-15	3547.50 (c)	--	--	--	--
RW-7	12-16-15	3547.50 (c)	--	52.38	--	3599.88
RW-7	1-27-16	3547.50 (c)	--	52.71	--	3600.21
RW-7	2-25-16	3547.50 (c)	--	52.54	--	3600.04
RW-7	3-29-16	3547.50 (c)	--	52.10	--	3599.60
RW-7	4-12-16	3547.50 (c)	--	--	--	--

Table 1

**Summary of Groundwater Gauging Data
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC**

Well ID	Date	Top of Casing (ft AMSL)	Depth to LNAPL (ft below TOC)	Depth to Water (ft below TOC)	LNAPL Thickness (ft)	Surface Elevation (ft AMSL)
RW-7	5-24-16	3547.50 (c)	--	52.10	--	3599.60
RW-7	6-30-16	3547.50 (c)	Well plugged and abandoned			
RW-8	4-11-05	3547.04 (c)	49.77	49.79	0.02	3676.48
RW-8	12-01-05	3547.04 (c)	--	49.71	--	3596.75
RW-8	5-10-06	3547.04 (c)	49.66	49.66	sheen	3596.70
RW-8	12-13-06	3547.04 (c)	49.76	49.76	sheen	3596.80
RW-8	6-20-07	3547.04 (c)	--	49.64	--	3596.68
RW-8	12-06-07	3547.04 (c)	--	49.36	--	3596.40
RW-8	6-02-08	3547.04 (c)	--	49.32	--	3596.36
RW-8	12-10-08	3547.04 (c)	--	49.75	--	3596.79
RW-8	4-27-09	3547.04 (c)	--	49.76	--	3596.80
RW-8	6-11-10	3547.04 (c)	--	50.03	--	3597.07
RW-8	11-09-11	3547.04 (c)	--	50.34	--	3597.38
RW-8	6-26-12	3547.04 (c)	--	50.47	--	3597.51
RW-8	6-20-13	3547.04 (c)	--	51.05	--	3598.09
RW-8	6-24-14	3547.04 (c)	--	51.57	--	3598.61
RW-8	4-17-15	3547.04 (c)	--	51.61	--	3598.65
RW-8	10-21-15	3547.04 (c)	--	--	--	--
RW-8	11-24-15	3547.04 (c)	--	--	--	--
RW-8	12-16-15	3547.04 (c)	--	51.40	--	3598.44
RW-8	1-27-16	3547.04 (c)	--	51.60	--	3598.64
RW-8	2-25-16	3547.04 (c)	--	51.43	--	3598.47
RW-8	3-29-16	3547.04 (c)	--	51.03	--	3598.07
RW-8	4-12-16	3547.04 (c)	--	--	--	--
RW-8	5-24-16	3547.04 (c)	--	51.02	--	3598.06
RW-8	6-30-16	3547.04 (c)	Well plugged and abandoned			
RW-9	6-24-14	3545.84 (c)	Well could not be located			
RW-9	4-17-15	3545.84 (c)	Well could not be located			
RW-9	10-21-15	3545.84 (c)	Well could not be located			
RW-9	11-24-15	3545.84 (c)	Well could not be located			
RW-9	12-16-15	3545.84 (c)	Well could not be located -- will no longer gauge			
RW-10	4-11-05	3546.32 (c)	--	48.15	--	3594.47
RW-10	12-01-05	3546.32 (c)	--	48.17	--	3594.49
RW-10	5-10-06	3546.32 (c)	--	48.23	--	3594.55
RW-10	12-13-06	3546.32 (c)	--	47.98	--	3594.30
RW-10	6-20-07	3546.32 (c)	--	48.09	--	3594.41
RW-10	12-06-07	3546.32 (c)	--	47.49	--	3593.81
RW-10	6-02-08	3546.32 (c)	--	47.62	--	3593.94
RW-10	12-10-08	3546.32 (c)	--	47.89	--	3594.21
RW-10	4-27-09	3546.32 (c)	--	48.01	--	3594.33
RW-10	6-11-10	3546.32 (c)	--	48.39	--	3594.71
RW-10	11-09-11	3546.32 (c)	--	48.70	--	3595.02
RW-10	6-26-12	3546.32 (c)	--	48.81	--	3595.13
RW-10	6-20-13	3546.32 (c)	--	49.41	--	3595.73
RW-10	6-24-14	3546.32 (c)	--	49.84	--	3596.16
RW-10	4-17-15	3546.32 (c)	--	49.75	--	3596.07
RW-10	10-21-15	3546.32 (c)	--	49.60	--	3595.92
RW-10	11-24-15	3546.32 (c)	--	--	--	--
RW-10	12-16-15	3546.32 (c)	--	49.58	--	3595.90
RW-10	1-27-16	3546.32 (c)	--	49.80	--	3596.12
RW-10	2-25-16	3546.32 (c)	--	49.73	--	3596.05
RW-10	3-29-16	3546.32 (c)	--	49.12	--	3595.44
RW-10	4-12-16	3546.32 (c)	--	--	--	--
RW-10	5-24-16	3546.32 (c)	--	49.26	--	3595.58
RW-10	6-30-16	3546.32 (c)	Well plugged and abandoned			
RW-11	4-11-05	3545.74 (c)	--	48.67	--	3594.41
RW-11	12-01-05	3545.74 (c)	--	48.78	--	3594.52
RW-11	5-10-06	3545.74 (c)	--	48.78	--	3594.52
RW-11	12-13-06	3545.74 (c)	--	48.41	--	3594.15
RW-11	6-20-07	3545.74 (c)	--	48.43	--	3594.17
RW-11	12-06-07	3545.74 (c)	--	47.81	--	3593.55
RW-11	6-02-08	3545.74 (c)	--	47.94	--	3593.68
RW-11	12-10-08	3545.74 (c)	--	48.16	--	3593.90
RW-11	4-27-09	3545.74 (c)	--	48.27	--	3594.01
RW-11	6-11-10	3545.74 (c)	--	48.87	--	3594.61
RW-11	11-09-11	3545.74 (c)	--	49.15	--	3594.89
RW-11	6-26-12	3545.74 (c)	--	49.29	--	3595.03
RW-11	6-20-13	3545.74 (c)	--	49.98	--	3595.72
RW-11	6-24-14	3545.74 (c)	--	49.35	--	3595.09
RW-11	4-17-15	3545.74 (c)	--	50.23	--	3595.97
RW-11	10-21-15	3545.74 (c)	--	--	--	--
RW-11	11-24-15	3545.74 (c)	--	--	--	--
RW-11	12-16-15	3545.74 (c)	--	49.90	--	3595.64
RW-11	1-27-16	3545.74 (c)	--	50.17	--	3595.91
RW-11	2-25-16	3545.74 ©	--	50.10	--	3595.84

Table 2

Summary of 2025 Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-4	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	869
	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	667
MW-5	4-08-25		0.015	0.0022	0.0053	0.0068	<0.0010	0.022	0.0270	<0.0010	0.11	<0.0010	0.0016	0.0035	<0.0020	0.0100	0.0034	0.0044	--	<0.500
	4-08-25	DUP	0.015	0.0022	0.0054	0.0071	<0.0010	0.023	0.0270	<0.0010	0.11	<0.0010	0.0014	<0.0010	<0.0020	0.0110	0.0034	0.0044	--	--
	10-07-25		0.021	0.0029	0.0079	0.0075	<0.0020	0.024	0.0600	<0.0010	0.2	<0.0020	0.0023	<0.0010	<0.0100	0.0088	0.0041	0.0055	--	<0.500
MW-6	4-08-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	0.0016	0.0012	<0.0010	0.0025	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	903
	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	0.0023	<0.0020	<0.0010	0.0033	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	714
MW-7	4-08-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	0.0011	0.0059	<0.0010	0.0150	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	4,840
	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	0.0021	0.0031	<0.0010	0.0140	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	408
MW-8	4-08-25		0.0034	<0.0010	<0.0010	<0.0030	<0.0010	0.02	0.067	<0.0010	0.055	<0.0010	0.0020	0.0091	<0.0020	<0.0010	<0.0010	<0.0010	--	142
	10-07-25		0.0035	<0.0020	<0.0020	<0.0060	<0.0020	0.019	0.064	<0.0010	0.077	<0.0020	0.0024	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	106
MW-11	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	487
	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	283
MW-12	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	790
	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	614
	10-06-25	DUP	<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	--
MW-13	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	334
	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	270
MW-14	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.0041	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	680
	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	0.0046	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	574
MW-17	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0013	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	535
	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	580
SVE-1A	4-07-25		0.042	0.0044	0.0041	<0.0030	0.0023	0.011	0.33	0.0021	0.37	0.0027	0.0089	0.0510	<0.0020	0.0029	0.0032	<0.0010	--	28.8
SVE-1	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	694
	10-07-25		0.0048	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	24.2

Summary of 2025 Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
SVE-7	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	774
	10-07-25		<0.0010	0.0035	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	98.0
	10-07-25	DUP	0.0013	0.0058	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	--
SVE-8	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	1,000
SVE-9	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	470
	10-08-25		0.0050	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	93.8
SVE-12	4-09-25		0.018	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	311
	10-08-25		4.500	<0.0020	0.26	0.024	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	0.026	0.03	<0.0050	--	496
SVE-13	4-09-25		3.400	<0.0250	0.2400	<0.0750	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0500	<0.0250	<0.0250	<0.0250	--	77.5
	10-08-25		0.760	<0.0020	0.0057	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	0.014	<0.0050	--	195
SVE-14	4-09-25		0.041	<0.0050	0.018	0.017	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	0.0051	<0.0050	--	579
	4-09-25	DUP	0.040	<0.0050	0.018	0.017	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	--
	10-08-25		0.042	<0.0020	0.02	0.014	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	0.0033	0.0034	<0.0050	--	466

Notes:

- 1) Analytical results are presented in milligrams per liter (mg/L).
- 2) ne - not established.
- 3) DCA - Dichloroethane, DCE - Dichloroethene, PCE - Tetrachloroethene, TCE - Trichloroethene.
- 4) * = Naphthalene data by VOC method 8260 not included in 2015 data.
- 5) Total Naphthalenes = Naphthalene + 1-Methylnaphthalene + 2-Methylnaphthalene.
- 6) < - Analyte was not detected at or above the laboratory reported detection limit.
- 7) -- = not analyzed or analyte reported below laboratory detection limit.
- 8) J = Concentration is less than the quantitation limit and is an estimated value.
- 9) Bolded/shaded results exceed the respective NMWQCC standard.
- 10) Italicized results indicate the laboratory reported detection limit was higher than the NMWQCC standard.
- 11) Analytical data from 2004 to 2015 was supplied by Apex TITAN, Inc.
- 12) For full list of VOC analytical data, refer to Appendix A.

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-1	5-25-04		0.0250	0.0630	0.0140	0.1200	0.0320	0.0380	0.0085	<0.0050	0.6400	0.0071	0.0210	0.1700	0.1900	0.0210	0.0200	0.0200	0.0210	--
MW-1	11-09-04		0.0230	0.0530	0.0160	0.1600	0.0110	0.0420	0.0100	<0.0100	0.4100	<0.0100	<0.0100	0.0390	<0.0300	0.0230	0.0400	0.0400	0.0230	--
MW-1	4-12-05		0.0260	0.0600	0.0180	0.1500	0.0130	0.0370	0.0089	<0.0050	0.2500	0.0064	0.0050	0.0220	0.0170	0.0300	0.0200	0.0200	0.0300	--
MW-1	12-02-05		0.0370	0.0940	0.0230	0.1900	0.0320	0.0540	0.0099	0.0130	0.4400	0.0050	0.0120	0.0890	0.1000	0.0310	0.0200	0.0320	0.0630	--
MW-1	5-11-06		0.0260	0.0610	0.0170	0.1200	0.0190	0.0300	0.0064	<0.0050	0.2800	0.0067	0.0054	0.0150	<0.0150	0.0270	0.0200	0.0200	0.0270	--
MW-1	12-17-06		0.0480	0.1300	0.0320	0.2100	0.0200	0.0580	0.0120	<0.0100	0.3800	<0.0100	<0.0100	0.0180	<0.0300	0.0320	0.0400	0.0400	0.0320	--
MW-1	6-21-07		0.0250	0.0660	0.0160	0.0920	0.0420	0.0410	0.0056	0.0016	0.3500	0.0031	0.0049	0.0310	0.0090	0.0220	0.0069	0.0096	0.0385	--
MW-1	12-07-07		0.0200	0.0620	0.0110	0.0790	0.0460	0.0580	0.0100	<0.0100	0.6000	<0.0100	<0.0100	0.0380	<0.0300	0.0200	0.0400	0.0400	<0.1000	--
MW-1	6-02-08		0.0290	0.0800	0.0150	0.1000	0.0760	0.0660	0.0100	<0.0100	0.7600	<0.0100	0.0140	0.0940	<0.0300	0.0220	0.0400	0.0400	0.0220	--
MW-1	6-20-13		Not sampled due to presence of LNAPL - June 2013 to October 2022																	
MW-4	5-25-04		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0016	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	11-09-04		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	4-12-05		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0014	0.001	0.0013	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	12-02-05		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	5-11-06		0.001	0.001	0.001	0.003	0.001	0.001	0.001	0.001	0.002	0.001	0.0011	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	12-17-06		0.001	0.001	0.001	0.003	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	6-21-07		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	12-07-07		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	6-02-08		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	12-11-08		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	4-28-09		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	6-13-10		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	11-10-11		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	6-26-12		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	6-20-13		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-4	6-25-14		<0.0002	0.0003 J	<0.0002	<0.0008	<0.0003	<0.0002	<0.0003	<0.0003	<0.0003	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	652
MW-4	4-15-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-4	4-13-16		0.001	<0.0010	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0100	<0.0100	<0.0100	<0.0300	740
MW-4	4-27-17		0.001	<0.0010	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-4	4-24-18		0.001	<0.0010	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	700
MW-4	3-21-19		0.001	<0.0010	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	660
MW-4	3-24-20		0.001	<0.0010	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	570
MW-4	3-11-21		0.001	<0.0010	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	670
MW-4	3-15-22		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	650
MW-4	4-25-23		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.00023	<0.0010	<0.0030	<0.0020				

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
New Mexico Water Quality Control Commission Standard																				
MW-5	4-24-18		0.0100	0.0018	0.0038	0.0063	<0.0010	0.0230	0.027	<0.0010	0.098	<0.0010	0.0018	<0.0010	<0.0030	0.0064	<0.0040	<0.0040	0.0064	< 2.5
MW-5	3-21-19		0.0130	0.0014	0.0037	0.0047	<0.0010	0.0200	0.028	<0.0010	0.084	0.001	0.0012	<0.0010	<0.0030	0.0046	<0.0040	<0.0040	0.0046	< 2.5
MW-5	6-28-19		0.0160	0.0026	0.0054	0.0088	<0.0020	0.0200	0.027	<0.0020	0.100	<0.0020	<0.0020	<0.0020	<0.0060	0.007	<0.0080	<0.0080	0.007	< 5.0
MW-5	9-17-19		0.0150	0.0024	0.0059	0.0089	<0.0020	0.0250	0.032	<0.0020	0.110	<0.0020	<0.0020	<0.0020	<0.0060	0.0083	<0.0080	<0.0080	0.0083	< 5.0
MW-5	12-05-19		0.0120	<0.0020	0.0042	0.0071	<0.0020	0.0170	0.021	<0.0020	0.079	<0.0020	<0.0020	<0.0020	<0.0060	0.0068	<0.0080	<0.0080	0.0068	< 5.0
MW-5	3-24-20		0.0160	0.0022	0.0054	0.0083	<0.0020	0.0210	0.027	<0.0020	0.110	<0.0020	<0.0020	<0.0020	<0.0060	0.0078	<0.0080	<0.0080	0.0078	< 5.0
MW-5	6-02-20		0.0160	0.0027	0.0068	0.01	<0.0010	0.0210	0.03	<0.0010	0.110	0.0012	0.0012	<0.0010	<0.0030	0.0094	<0.0040	<0.0040	0.0094	< 5.0
MW-5	9-22-20		0.0130	0.0023	0.0058	0.0082	<0.0010	0.0220	0.027	<0.0010	0.110	<0.0010	0.0017	<0.0010	<0.0030	0.008	<0.0040	<0.0040	0.008	3.2
MW-5	12-14-20		0.0150	0.0022	0.0054	0.006	<0.0010	0.0210	0.032	<0.0010	0.097	<0.0010	0.0017	<0.0010	<0.0030	0.0076	<0.0040	<0.0040	0.0076	1.8
MW-5	3-10-21		0.0150	0.0026	0.0063	0.0087	<0.0010	0.0230	0.037	0.0011	0.082	<0.0010	0.0015	<0.0010	<0.0030	0.0096	<0.0040	0.0048	0.0144	< 2.5
MW-5	10-05-21		0.0057	<0.0010	0.0021	0.0032	0.0011	0.0250	0.017	<0.0010	0.130	<0.0010	0.0019	0.0011	<0.0030	0.0035	<0.0040	<0.0040	0.0035	7.5
MW-5	3-15-22		0.0044	<0.0010	0.002	0.0023	<0.0010	0.0170	0.017	<0.0010	0.092	<0.0010	0.0011	<0.0010	<0.0030	0.0025	<0.0040	<0.0040	0.0025	7.0
MW-5	10-11-22		0.0130	0.0019	0.0052	0.0073	0.0012	0.0240	0.0096	<0.0010	0.140	<0.0010	0.0013	<0.0010	<0.0030	0.0086	<0.0040	<0.0040	0.0086	--
MW-5	4-26-23		0.0120	0.0016	0.0044	0.0062	<0.0020	0.0180	0.011	<0.0020	0.110	0.00095	0.0011	0.00038	<0.0060	0.006	0.003	0.0038	--	3.9
MW-5	10-25-23		0.0170	0.0018	0.0055	0.007	<0.0010	0.0220	0.021	<0.0010	0.320	<0.0010	<0.0010	<0.0010	<0.0020	0.0083	0.0028	0.004	--	2.17
MW-5	4-09-24		0.0170	<0.0010	0.0074	0.009	<0.0010	0.0260	0.026	<0.0010	0.130	<0.0010	<0.0010	<0.0010	<0.0020	0.012	0.0041	0.0046	--	1.45
MW-5	4-11-24		0.0180	0.0026	0.0051	0.0093	<0.0010	0.0220	0.027	<0.0010	0.110	<0.0010	<0.0010	<0.0010	<0.0020	0.011	0.0029	0.0029	--	3.53
MW-5	4-11-24	DUP	0.0160	0.0024	0.0045	0.0082	<0.0010	0.0210	0.024	<0.0010	0.110	<0.0010	<0.0010	<0.0010	<0.0020	0.0094	0.0026	0.0026	--	3.39
MW-5	10-30-24		0.0190	0.0028	0.0079	0.0092	<0.0010	0.0280	0.038	<0.0010	0.150	<0.0010	0.0021	0.0027	<0.0020	0.012	0.0046	0.0058	--	0.526
MW-5	4-08-25		0.0150	0.0022	0.0053	0.0068	<0.0010	0.0220	0.027	<0.0010	0.110	<0.0010	0.0016	0.0035	<0.0020	0.01	0.0034	0.0044	--	<0.500
MW-5	4-08-25	DUP	0.0150	0.0022	0.0054	0.0071	<0.0010	0.0230	0.027	<0.0010	0.110	<0.0010	0.0014	<0.0010	<0.0020	0.011	0.0034	0.0044	--	--
MW-5	10-07-25		0.0210	0.0029	0.0079	0.0075	<0.0020	0.0240	0.06	<0.0010	0.200	<0.0020	0.0023	<0.0010	<0.0100	0.0088	0.0041	0.0055	--	<0.500
MW-6	5-25-04		0.001	0.001	0.001	0.001	0.001	0.0120	0.0052	0.001	0.0069	0.001	0.0011	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	11-09-04		0.001	0.001	0.001	0.001	0.001	0.0100	0.0046	0.001	0.0055	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	4-12-05		0.0011	0.001	0.001	0.001	0.001	0.0100	0.0051	0.001	0.0067	0.001	0.0013	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	12-02-05		0.001	0.001	0.001	0.001	0.001	0.0100	0.0042	0.001	0.0053	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	5-11-06		0.0011	0.001	0.001	0.003	0.001	0.0099	0.0046	0.001	0.0064	0.001	0.0012	0.001	0.001	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	12-17-06		0.001	0.001	0.001	0.003	0.001	0.0110	0.0041	0.001	0.0065	0.001	0.001	0.001	0.001	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	6-21-07		0.001	0.001	0.001	0.0015	0.001	0.0091	0.0035	0.001	0.0047	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	12-07-07		0.001	0.001	0.001	0.0015	0.001	0.0091	0.0031	0.001	0.0041	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	6-02-08		0.001	0.001	0.001	0.0015	0.001	0.0092	0.0035	0.001	0.0053	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	12-11-08		0.001	0.001	0.001	0.0015	0.001	0.0085	0.0032	0.001	0.0036	0.001	0.001	0.001	0.003	<0.0020	<0.0040	<0.0040	<0.0100	--
MW-6	4-28-09		0.001	0.001	0.001	0.0015	0.001	0.0076	0											

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene *	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-7	12-14-06		0.001	0.001	0.001	0.003	0.001	0.0210	0.041	0.001	0.038	0.001	0.0014	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-7	6-21-07		0.001	0.001	0.001	0.0015	0.001	0.0100	0.036	0.001	0.030	0.001	0.0014	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	12-07-07		0.001	0.001	0.001	0.0015	0.001	0.0097	0.036	0.001	0.033	0.001	0.0012	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	6-02-08		0.001	0.001	0.001	0.0015	0.001	0.0088	0.033	0.001	0.032	0.001	0.0014	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	12-11-08		0.001	0.001	0.001	0.0015	0.001	0.0100	0.048	0.001	0.041	0.001	0.0016	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	4-28-09		0.001	0.001	0.001	0.0015	0.001	0.0082	0.036	0.001	0.032	0.001	0.0011	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	6-13-10		0.001	0.001	0.001	0.0015	0.001	0.0073	0.034	0.001	0.029	0.001	0.0012	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	11-10-11		0.001	0.001	0.001	0.0015	0.001	0.0066	0.052	0.001	0.037	0.001	0.0014	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	6-27-12		0.001	0.001	0.001	0.0015	0.001	0.0086	0.05	0.001	0.042	0.001	0.0019	0.001	0.001	0.002	0.004	0.004	<0.0100	--
MW-7	6-21-13		0.001	0.001	0.001	0.0015	0.001	0.0092	0.06	0.001	0.053	0.001	0.0018	0.001	<0.0030	0.002	0.004	0.004	<0.0100	--
MW-7	6-26-14		0.00104		<0.0002	<0.0008	<0.0003	0.0075	0.068	0.00101	0.059	0.0004 J	0.00142	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	400
MW-7	4-15-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	0.0099	0.057	<0.0010	0.058	<0.0010	0.0018 J	<0.0010	<0.0025	--	--	--	--	--
MW-7	4-14-16		<0.0010	0.001	0.001	0.0015	<0.0010	0.0062	0.041	<0.0010	0.037	<0.0010	<0.0010	<0.0010	<0.0030	<0.0100	<0.0100	<0.0100	<0.0300	400
MW-7	4-26-17		<0.0010	0.001	0.001	0.0015	<0.0010	0.0045	0.032	<0.0010	0.030	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	--
MW-7	4-24-18		<0.0010	0.001	0.001	0.0015	<0.0010	0.0035	0.018	<0.0010	0.024	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	340
MW-7	7-02-18		<0.0010	0.001	0.001	0.0015	<0.0010	0.003	0.023	<0.0010	0.030	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	370
MW-7	3-21-19		<0.0010	0.001	0.001	0.0015	<0.0010	0.0024	0.0063	<0.0010	0.01	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	390
MW-7	3-24-20		<0.0010	0.001	0.001	0.0015	<0.0010	0.002	0.0051	<0.0010	0.011	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	400
MW-7	3-10-21		<0.0010	0.001	0.001	0.0015	<0.0010	0.0016	0.0032	<0.0010	0.0064	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	410
MW-7	10-05-21		<0.0010	0.001	0.001	0.0015	<0.0010	0.0014	0.0039	<0.0010	0.0095	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	430
MW-7	3-15-22		<0.0010	0.001	0.001	0.0015	<0.0010	0.0012	0.0028	<0.0010	0.0063	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	460
MW-7	10-11-22		<0.0010	0.001	0.001	0.0015	<0.0010	0.0014	0.0017	<0.0010	0.005	<0.0010	<0.0010	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	410
MW-7	4-26-23		0.00026	<0.0010	<0.0010	<0.0015	<0.0010	0.0011	0.012	<0.0010	0.021	<0.0010	0.00041	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	--	400 *
MW-7	4-26-23	DUP	<0.0050 D	<0.0050 D	<0.0050 D	<0.0075 D	<0.0050 D	0.0014 D	0.0110 D	<0.0050 D	0.0190 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0150 D	<0.0100 D	<0.0200 D	<0.0200 D	--	440 *
MW-7	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	0.0039	<0.0010	0.014	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	473
MW-7	10-25-23	DUP	<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	0.0036	<0.0010	0.016	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	478
MW-7	4-11-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	0.0092	<0.0010	0.017	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	463
MW-7	4-08-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	0.0011	0.0059	<0.0010	0.015	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	4,840
MW-7	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	0.0021	0.0031	<0.0010	0.014	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	408
MW-8	5-25-04		0.0120	0.002	0.002	0.002	0.002	0.058	0.072	0.002	0.120	0.0021	0.0055	0.002	0.006	0.004	0.008	0.008	<0.0200	--
MW-8	11-09-04		0.0075	0.005	0.005	0.005	0.005	0.054	0.059	0.005	0.092	0.005	0.005	0.005	0.015	0.01	0.02	0.02	<0.0500	--
MW-8	4-12-05		0.0064	0.005	0.005	0.005	0.005	0.035	0.036	0.005	0.063	0.005	0.005	0.005	0.015	0.01	0.02	0.02	<0.0500	--
MW-8	12-02-05		0.0056	0.001	0.001	0.001	0.001	0.042	0.047	0.0026	0.067	0.0014	0.0037	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	5-11-06		0.004	0.001	0.001	0.003	0.001	0.035	0.046	0.0012	0.082	0.0031	0.0034	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	12-17-06		0.0021	0.001	0.001	0.003	0.001	0.018	0.019	0.001	0.033	0.0011	0.0012	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-21-07		0.0028	0.001	0.001	0.0015	0.001	0.029	0.03	0.001	0.045	0.001	0.0023	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	12-07-07		0.0039	0.001	0.001	0.0015	0.001	0.041	0.048	0.001	0.068	0.0027	0.0034	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-02-08		0.0036	0.001	0.001	0.0015	0.001	0.040	0.05	0.001	0.066	0.0011	0.0037	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	12-11-08		0.0035	0.001	0.001	0.0015	0.001	0.041	0.066	0.001	0.078	0.0012	0.0036	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	4-28-09		0.0033	0.001	0.001	0.0015	0.001	0.039	0.065	0.001	0.073	0.0011	0.0037	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-13-10		0.0036	0.001	0.001	0.0015	0.001	0.028	0.057	0.001	0.055	0.001	0.0032	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	11-10-11		0.0031	0.001	0.001	0.0015	0.001	0.023	0.06	0.001	0.047	0.001	0.0023	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-27-12		0.0036	0.001	0.001	0.0015	0.001	0.029	0.058	0.001	0.049	0.001	0.003	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-20-13		0.0035	0.001	0.001	0.0015	0.001	0.031	0.065	0.001	0.057	0.001	0.0028	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-20-13	DUP	0.0035	0.001	0.001	0.0015	0.001	0.030	0.067	0.001	0.058	0.0012	0.0028	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-8	6-26-14		Insufficient Well Volume - Not Sampled																	
MW-8	4-14-16		0.0026	0.001	0.001	0.0015	<0.0010	0.022	0.051	<0.0010	0.048	<0.0010	0.002	<0.0010	<0.0030	<0.0100	<0.0100	<0.0100	<0.0300	96
MW-8	4-26-17		0.0027	0.001	0.001	0.0015	<0.0010	0.021	0.056	<0.0010	0.048	<0.0010	0.0019	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	--
MW-8	4-24-18		0.0029	0.001	0.001	0.0015	<0.0010	0.028	0.069	<0.0010	0.063	0.0011	0.0026	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	96
MW-8	7-02-18		0.003	0.001	0.001	0.0015	<0.0010	0.025	0.069	<0.0010	0.061	<0.0010	0.0026	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	96
MW-8	11-14-18		0.0042	0.001	0.001	0.0015	<0.0010	0.018	0.043	<0.0010	0.040	<0.0010	0.0016	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	150
MW-8	3-21-19		0.0015	0.001	0.001	0.0015	<0.0010	0.015	0.034	<0.0010	0.032	<0.0010	0.0011	<0.0010	<0.0030	0.002	0.004	0.004	<0.0100	150
MW-8	12-05-19		<0.0020	<0.0020	<0.0020	<0.0030	<0.0020	<0.0020	<0.0020	0.002	<0.0020	<0.0020	<0.0020	<0.0020	0.006	0.004	<0.0080	<0.0080	<0.0200	30,000

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene *	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-8	3-15-22		0.0026	<0.0010	<0.0010	<0.0015	<0.0010	0.017	0.062	<0.0010	0.043	<0.0010	0.0014	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	130
MW-8	10-11-22		0.003	<0.0010	<0.0010	<0.0015	<0.0010	0.023	0.081	<0.0010	0.062	<0.0010	0.0015	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	110
MW-8	4-26-23		0.0033	0.00068	<0.0020	<0.0030	<0.0020	0.019	0.07	<0.0020	0.057	<0.0020	0.0017	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	--	110
MW-8	10-25-23		0.0042	<0.0010	<0.0010	<0.0030	<0.0010	0.020	0.100	<0.0010	0.082	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	144
MW-8	4-11-24		0.0036	<0.0010	<0.0010	<0.0030	<0.0010	0.023	0.073	<0.0010	0.051	<0.0010	0.0017	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	139
MW-8	10-29-24		0.0033	<0.0010	<0.0010	<0.0030	<0.0010	0.021	0.069	<0.0010	0.057	<0.0010	0.0023	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	117
MW-8	4-08-25		0.0034	<0.0010	<0.0010	<0.0030	<0.0010	0.020	0.067	<0.0010	0.055	<0.0010	0.002	0.0091	<0.0020	<0.0010	<0.0010	<0.0010	--	142
MW-8	10-07-25		0.0035	<0.0020	<0.0020	<0.0060	<0.0020	0.019	0.084	<0.0010	0.077	<0.0020	0.0024	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	106
MW-9	5-24-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	11-09-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	4-11-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	12-01-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	5-10-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	12-14-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	6-21-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	12-07-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	5-30-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	12-11-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	4-27-09		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	6-11-10		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	11-10-11		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	6-26-12		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	6-21-13		<0.0010	<0.0010	<0.0010	<0.0020	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	6-25-14		<0.0002	<0.0002	<0.0002	<0.0008	<0.0003	<0.0002	<0.0003	<0.0003	<0.0003	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	913
MW-9	4-16-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-10	5-24-04		Not sampled due to presence of LNAPL																	
MW-10	11-09-04																			
MW-10	4-11-05																			
MW-10	12-01-05																			
MW-10	5-10-06																			
MW-10	12-14-06																			
MW-10	6-20-07																			
MW-10	12-07-07																			
MW-10	5-30-08																			
MW-10	12-10-08																			
MW-10	5-01-09																			
MW-10	8-22-09																			
MW-10	10-05-09																			
MW-10	6-11-10																			
MW-10	11-10-11																			
MW-10	6-25-14																			
MW-10	4-25-17		5.550	0.010	0.490	2.400	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.190	0.280	0.360	0.830	13
MW-10	10-09-17		5.200	<0.0010	0.330	2.100	--	--	--	<0.0100	<0.0100	<0.0100	--	<0.0100	<0.0300	<0.0300	<0.0300	<0.0300	<0.0900	640
MW-10	2-01-18		5.900	0.023	0.390	2.000	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.051	0.030	0.034	0.116	900
MW-10	4-26-18		5.500	<0.0200	0.340	1.900	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	<0.0400	<0.0800	<0.0800	<0.2000	26,000
MW-10	11-14-18		5.100	<0.0200	0.340	2.300	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	<0.0400	<0.0800	<0.0800	<0.2000	72
MW-10	3-20-19		6.300	<0.0200	0.450	2.900	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.044	<0.0800	<0.0800	0.044	< 2.5
MW-10	6-28-19		4.900	<0.0200	0.290	1.900	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.044	<0.0800	<0.0800	0.044	38
MW-10	9-17-19		Well Obstructed																	
MW-10	12-05-19		Not Sampled Due to Presence of LNAPL																	
MW-10	3-25-20		5.800	<0.0200	0.370	2.400	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0100	<0.0200	<0.0200	<0.0600	0.045	<0.0800	<0.0800	0.045	54
MW-10	6-22-20		6.200	<0.0200	0.370	2.400	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0100	<0.0200	<0.0200	<0.0600	0.041	<0.0800	<0.0800	0.041	15
MW-10	9-22-20		Not sampled due to presence of LNAPL																	
MW-10	12-14-20																			
MW-10	3-11-21																			
MW-10	10-05-21																			
MW-10	3-15-22																			
MW-10	10-11-22																			
MW-11	5-24-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene *	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-11	11-09-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	4-11-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	12-01-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	5-10-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	12-14-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	6-21-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	12-07-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	5-30-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	12-11-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	4-27-09		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	6-11-10		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	11-10-11		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	6-26-12		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	6-21-13		<0.0010	<0.0010	<0.0010	<0.0020	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	6-25-14		<0.0002	<0.0002	<0.0002	<0.0008	<0.0003	<0.0002	<0.0003	<0.0003	<0.0003	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	272
MW-11	4-16-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-11	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	376
MW-11	4-11-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	422
MW-11	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	487
MW-11	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	283
MW-12	5-24-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	11-09-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	4-11-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	12-01-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	5-10-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	12-14-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	6-21-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	12-07-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	5-30-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	12-11-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	4-27-09		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	6-11-10		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	11-10-11		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	6-26-12		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	6-21-13		<0.0010	<0.0010	<0.0010	<0.0020	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	6-25-14		<0.0002	0.0003 J	<0.0002	<0.0008	<0.0003	<0.0002	<0.0003	<0.0003	<0.0003	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	750
MW-12	4-15-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-12	4-26-23		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	--	560 *
MW-12	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	731
MW-12	10-25-23	DUP	<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	738
MW-12	4-10-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	752
MW-12	10-29-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	640
MW-12	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	790
MW-12	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	614
MW-12	10-06-25	DUP	<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	--
MW-13	5-24-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	11-09-04		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	4-11-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	12-01-05		0.0005	0.0005	0.0005	0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	5-10-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	12-14-06		0.001	0.001	0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	6-21-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	12-07-07		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	5-30-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	12-11-08		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	4-27-09		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	6-11-10		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	11-10-11		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	6-26-12		0.001	0.001	0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene *	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-13	6-21-13		<0.0010	<0.0010	<0.0010	<0.0020	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	6-25-14		<0.0002	<0.0003 J	<0.0002	<0.0008	<0.0003	<0.0002	<0.0003	<0.0003	<0.0003	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	168
MW-13	4-16-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-13	3-11-21		0.001	0.001	0.001	0.0015	0.001	<0.0010	<0.0010	<0.0010	<0.0010	0.001	<0.0010	0.001	<0.0030	0.002	0.004	0.004	<0.0100	300
MW-13	3-16-22		0.001	0.001	0.001	0.0015	0.001	<0.0010	<0.0010	<0.0010	<0.0010	0.001	<0.0010	0.001	<0.0030	0.002	0.004	0.004	<0.0100	370
MW-13	4-26-23		<0.0050 D	<0.0050 D	<0.0050 D	<0.0075 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0050 D	<0.0150 D	0.0016 D	<0.0200 D	<0.0200 D	--	330 *
MW-13	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	370
MW-13	4-11-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	346
MW-13	4-07-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	334
MW-13	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	270
MW-14	5-25-04		0.001	0.001	0.001	0.001	0.001	0.0120	0.0058	0.001	0.0290	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	11-10-04		0.001	0.001	0.001	0.001	0.001	0.0100	0.005	0.001	0.024	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	4-12-05		0.001	0.001	0.001	0.001	0.001	0.0098	0.0053	0.001	0.0270	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	12-02-05		0.001	0.001	0.001	0.001	0.001	0.0089	0.005	0.001	0.0260	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	5-11-06		0.001	0.001	0.001	0.003	0.001	0.0068	0.0041	0.001	0.0280	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	12-17-06		0.001	0.001	0.001	0.003	0.001	0.0074	0.0045	0.001	0.0280	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	6-21-07		0.001	0.001	0.001	0.0015	0.001	0.0052	0.0031	0.001	0.019	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	12-07-07		0.001	0.001	0.001	0.0015	0.001	0.0047	0.0024	0.001	0.018	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	6-02-08		0.001	0.001	0.001	0.0015	0.001	0.0043	0.0024	0.001	0.019	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	12-11-08		0.001	0.001	0.001	0.0015	0.001	0.0037	0.0027	0.001	0.019	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	4-28-09		0.001	0.001	0.001	0.0015	0.001	0.0035	0.0023	0.001	0.02	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	6-13-10		0.001	0.001	0.001	0.0015	0.001	0.0024	0.0018	0.001	0.016	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	11-09-11		0.001	0.001	0.001	0.0015	0.001	0.0012	0.0011	0.001	0.012	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	6-27-12		0.001	0.001	0.001	0.0015	0.001	0.0013	0.001	0.001	0.012	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	6-20-13		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.011	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	6-26-14		0.0004 J	<0.0002	<0.0002	<0.0008	<0.0003	0.0005 J	0.0003 J	<0.0003	0.011	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	506
MW-14	4-15-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.01	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-14	4-14-16		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.0067	0.001	0.001	0.001	0.003	<0.0100	<0.0100	<0.0100	<0.0300	520
MW-14	4-26-17		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.0067	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-14	4-24-18		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.0067	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	540
MW-14	7-02-18		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.0063	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	470
MW-14	3-21-19		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.0063	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	650
MW-14	3-25-20		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.006	0.001	0.001	<0.0010	0.003	0.002	0.004	0.004	<0.0100	590
MW-14	3-10-21		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.0032	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	710
MW-14	3-16-22		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	<0.0010	0.003	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	680
MW-14	4-26-23		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	0.00065	<0.0010	<0.0010	0.0047	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	--	610 *
MW-14	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.0023	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	747
MW-14	4-11-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.0041	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	660
MW-14	10-30-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.004	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	603
MW-14	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.0041	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	680
MW-14	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	0.0046	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	574
MW-15	5-25-04		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.0025	0.001	0.0026	0.0019	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	5-25-04		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0024	0.001	0.0026	0.0019	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	11-09-04		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0025	0.001	0.0019	0.0027	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	4-12-05		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0037	0.001	0.0026	0.0019	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	12-02-05		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0025	0.001	0.0021	0.0019	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	5-11-06		0.001	0.001	0.001	0.003	0.001	0.001	0.001	0.001	0.0023	0.001	0.0024	0.0017	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	12-17-06		0.001	0.001	0.001	0.003	0.001	0.001	0.001	0.001	0.0031	0.001	0.0017	0.0019	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	6-21-07		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.0021	0.001	0.0016	0.0014	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	12-07-07		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.0017	0.001	0.0014	0.0011	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	6-02-08		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.002	0.001	0.0019	0.0011	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	12-11-08		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.0016	0.001	0.0017	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	4-28-09		0.001	0.001	0.001	0.0015	0.001	0.001	0.001	0.001	0.0016	0.001	0.0014	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-15	6-13-10																			

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene *	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-16	11-09-04		0.001	0.001	0.001	0.001	0.0083	0.001	0.001	0.001	0.0013	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	4-12-05		0.001	0.001	0.001	0.001	0.0056	0.001	0.001	0.001	0.0023	0.001	0.002	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	12-02-05		0.001	0.001	0.001	0.001	0.0052	0.001	0.001	0.001	0.002	0.001	0.0014	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	5-11-06		0.001	0.001	0.001	0.003	0.0051	0.0013	0.001	0.001	0.002	0.001	0.0018	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	12-17-06		0.001	0.001	0.001	0.003	0.004	0.0013	0.001	0.001	0.002	0.001	0.0012	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	6-21-07		0.001	0.001	0.001	0.0015	0.0048	0.001	0.001	0.001	0.0011	0.001	0.0012	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	12-07-07		0.001	0.001	0.001	0.0015	0.0039	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	6-02-08		0.001	0.001	0.001	0.0015	0.004	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	12-11-08		0.001	0.001	0.001	0.0015	0.0043	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	4-28-09		0.001	0.001	0.001	0.0015	0.0044	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	6-13-10		0.001	0.001	0.001	0.0015	0.0037	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	11-10-11		0.001	0.001	0.001	0.0015	0.0025	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	6-26-12		0.001	0.001	0.001	0.0015	0.0029	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	6-21-13		0.001	0.001	0.001	0.0015	0.0022	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-16	6-26-14		<0.0002	0.0003 J	<0.0002	<0.0008	0.00104	0.0002 J	<0.0003	<0.0003	0.0007 J	<0.0003	<0.0004	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	606
MW-16	4-15-15		<0.0010	<0.0010	<0.0010	<0.0030	0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-17	11-10-04		0.001	0.001	0.001	0.001	0.0017	0.001	0.001	0.001	0.0019	0.001	0.0026	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	4-12-05		0.001	0.001	0.001	0.001	0.0017	0.001	0.001	0.001	0.003	0.001	0.0028	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	12-02-05		0.001	0.001	0.001	0.001	0.0021	0.001	0.001	0.001	0.0021	0.001	0.0027	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	5-11-06		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0017	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	12-15-06		0.001	0.001	0.001	0.003	0.0014	0.0012	0.001	0.001	0.002	0.001	0.0019	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	6-21-07		0.001	0.001	0.001	0.0015	0.0017	0.001	0.001	0.001	0.0015	0.001	0.002	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	12-07-07		0.001	0.001	0.001	0.0015	0.0017	0.001	0.001	0.001	0.0012	0.001	0.0016	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	6-02-08		0.001	0.001	0.001	0.0015	0.0016	0.001	0.001	0.001	0.0015	0.001	0.0018	0.002	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	12-11-08		0.001	0.001	0.001	0.0015	0.0018	0.001	0.001	0.001	0.0012	0.001	0.0016	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	4-28-09		0.001	0.001	0.001	0.0015	0.002	0.001	0.001	0.001	0.0012	0.001	0.0015	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	6-13-10		0.001	0.001	0.001	0.0015	0.0018	0.001	0.001	0.001	0.0011	0.001	0.0012	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	11-09-11		0.001	0.001	0.001	0.0015	0.0015	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	6-27-12		0.001	0.001	0.001	0.0015	0.0015	0.001	0.001	0.001	0.001	0.001	0.0011	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	6-20-13		0.001	0.001	0.001	0.0015	0.0013	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.003	0.002	0.004	0.004	<0.0100	--
MW-17	6-26-14		<0.0002	<0.0002	<0.0002	<0.0008	0.0006 J	0.0002 J	<0.0003	<0.0003	0.0008 J	<0.0003	0.0005 J	<0.0003	<0.0005	<0.00018	<0.0001	<0.00014	<0.0003	558
MW-17	4-15-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
MW-17	6-02-20		0.001	0.001	0.001	0.0015	<0.0010	<0.0010	0.001	<0.0010	0.001	0.001	0.001	<0.0010	0.003	0.002	0.004	0.004	<0.0100	490
MW-17	3-10-21		0.001	0.001	0.001	0.0015	<0.0010	<0.0010	0.001	<0.0010	0.001	0.001	0.001	<0.0010	0.003	0.002	0.004	0.004	<0.0100	570
MW-17	3-16-22		0.001	0.001	0.001	0.0015	<0.0010	<0.0010	0.001	<0.0010	0.001	0.001	0.001	<0.0010	0.003	0.002	0.004	0.004	<0.0100	580
MW-17	4-26-23		<0.0010	<0.0010	<0.0010	<0.0015	0.00048	<0.0010	<0.0010	<0.0010	0.00036	<0.0010	0.00033	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	--	500 *
MW-17	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	666
MW-17	4-11-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	654
MW-17	10-30-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	607
MW-17	4-09-25		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	0.0013	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	535
MW-17	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	580
SVE-1A	5-25-04		0.090	0.047	0.025	0.095	<0.0100	0.080	0.120	<0.0100	0.380	<0.0100	0.010	0.04	<0.0300	0.023	<0.0400	<0.0400	0.023	--
SVE-1A	11-10-04		0.091	0.099	0.032	0.19	<0.0050	0.140	0.310	<0.0050	0.680	<0.0050	0.019	0.041	<0.0150	0.026	<0.0200	0.021	0.047	--
SVE-1A	4-12-05		0.085	0.036	0.029	0.079	<0.0100	0.035	0.085	<0.0100	0.150	<0.0100	<0.0100	<0.0100	<0.0300	0.028	<0.0400	<0.0400	0.028	--
SVE-1A	12-02-05		0.170	0.037	0.06	0.11	<0.0100	0.048	0.076	<0.0100	0.150	<0.0100	<0.0100	0.012	<0.0300	0.039	0.04	0.051	0.09	--
SVE-1A	5-11-06		0.110	0.023	0.041	0.089	<0.0050	0.037	0.074	<0.0050	0.150	0.008	<0.0050	<0.0050	<0.0150	0.033	0.02	0.02	0.033	--
SVE-1A	12-14-06		0.160	0.031	0.065	0.12	<0.0100	0.060	0.095	<0.0100	0.230	<0.0100	<0.0100	0.015	<0.0300	0.037	0.04	0.04	0.037	--
SVE-1A	6-21-07		0.072	0.012	0.028	0.056	0.008	0.042	0.059	0.0011	0.240	0.0014	0.009	0.021	0.003	0.021	0.0068	0.0085	0.0363	--
SVE-1A	12-07-07		0.073	0.0088	0.025	0.039	<0.0050	0.024	0.037	<0.0050	0.096	<0.0050	<0.0050	0.0062	<0.0150	0.019	<0.0200	<0.0200	0.019	--
SVE-1A	6-02-08		0.140	0.022	0.059	0.081	0.015	0.041	0.061	<0.0050	0.180	<0.0050	0.008	0.016	<0.0150	0.044	<0.0200	<0.0200	0.044	--
SVE-1A	12-11-08		0.071	0.0075	0.029	0.035	0.007	0.022	0.042	0.001	0.150	0.0037	0.0052	0.012	0.003	0.021	0.008	0.012	0.041	--
SVE-1A	4-28-09		0.069	0.0057	0.031	0.031	0.0011	0.011	0.019	0.001	0.038	<0.0010	<0.0010	<0.0010	0.003	0.021	0.0082	0.012	0.0412	--
SVE-1A	6-13-10		0.062	<0.0100	0.031	0.02	<0.0100	0.016	0.027	<0.0100	0.055	<0.0100	<0.0100	<0.0100	<0.0300	<0.0200	<0.0400	<0.0400	<0.1000	--
SVE-1A	11-09-11		0.052	0.018	0.023	0.054	0.014	0.040	0.190	<0.0100</										

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
SVE-1A	4-27-17		0.050	0.0075	0.016	0.017	0.006	0.014	0.220	<0.0050	0.240	<0.0050	0.0062	<0.0050	<0.0150	0.014	<0.0200	<0.0200	0.014	--
SVE-1A	4-25-18		0.057	0.017	0.021	0.047	<0.0050	0.018	0.480	--	0.440	<0.0050	0.013	<0.0050	<0.0150	0.017	<0.0050	<0.0050	0.017	< 2.5
SVE-1A	7-02-18		0.055	0.013	0.016	0.035	<0.0050	0.016	0.440	<0.0050	0.430	<0.0050	0.013	0.0053	<0.0150	0.014	<0.0200	<0.0500	0.014	< 5.0
SVE-1A	3-21-19		0.046	0.012	0.017	0.027	0.007	0.014	0.390	<0.0020	0.320	<0.0020	0.007	<0.0020	<0.0060	0.014	<0.0080	<0.0080	0.014	< 2.5
SVE-1A	6-28-19		0.0036	<0.0020	0.0025	0.011	<0.0020	0.0026	0.032	<0.0020	0.028	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	7,000
SVE-1A	9-17-19		0.026	0.0023	0.0069	0.006	<0.0020	0.018	0.390	<0.0020	0.400	<0.0020	0.011	<0.0020	<0.0060	0.0053	<0.0080	<0.0080	0.0053	4,400
SVE-1A	12-05-19		0.019	<0.0020	0.0087	<0.0030	<0.0020	0.006	0.074	<0.0020	0.073	<0.0020	0.0023	<0.0020	<0.0060	0.0081	<0.0020	<0.0020	0.0081	7,900
SVE-1A	3-25-20		0.030	<0.0100	0.017	<0.0150	0.0044	0.016	0.200	<0.0020	0.210	<0.0020	0.0058	0.0035	<0.0060	0.015	<0.0080	<0.0080	0.015	2,400
SVE-1A	6-02-20		0.023	0.0024	0.016	<0.0030	0.0043	0.017	0.260	<0.0020	0.280	<0.0020	0.006	<0.0020	<0.0060	0.015	<0.0080	<0.0080	0.015	1,400
SVE-1A	9-22-20		0.020	<0.0050	0.019	<0.0075	<0.0050	0.013	0.190	<0.0050	0.200	<0.0050	0.007	<0.0050	<0.0150	0.015	<0.0200	<0.0200	0.015	1,200
SVE-1A	12-14-20		0.020	<0.0020	0.014	<0.0030	<0.0020	0.007	0.078	<0.0020	0.070	<0.0020	0.0022	<0.0020	<0.0060	0.017	<0.0080	<0.0080	0.017	720
SVE-1A	3-11-21		0.019	<0.0020	0.0096	<0.0030	0.0039	0.011	0.120	<0.0020	0.150	<0.0020	0.0031	0.005	<0.0060	0.016	<0.0080	0.0084	0.016	630
SVE-1A	10-05-21		0.024	0.0045	0.012	<0.0030	0.005	0.016	0.370	<0.0020	0.360	<0.0020	0.009	0.0058	<0.0060	0.012	<0.0080	0.0084	0.016	100
SVE-1A	3-15-22		0.033	0.007	0.017	0.004	0.006	0.012	0.420	<0.0020	0.360	<0.0020	0.008	0.005	<0.0060	0.014	<0.0080	<0.0080	0.014	54
SVE-1A	10-11-22		0.037	0.0065	0.015	0.0036	0.010	0.013	0.540	<0.0020	0.490	<0.0020	0.010	0.0093	<0.0060	0.015	<0.0080	<0.0080	0.015	25
SVE-1A	4-25-23		0.038	0.0053	0.0092	0.0027	0.004	0.013	0.410	<0.0020	0.420	0.003	0.009	0.0056	<0.0060	0.0054	0.005	<0.0080	--	90
SVE-1A	10-24-23		0.055	0.0048	0.0083	<0.0030	0.006	0.018	0.530	<0.0010	0.550	<0.0010	0.012	<0.0010	<0.0020	0.0038	0.0035	<0.0010	--	134
SVE-1A	4-10-24		0.041	0.0052	0.0091	<0.0030	0.0028	0.014	0.510	0.0013	0.580	<0.0010	0.009	<0.0010	<0.0020	0.004	0.0048	<0.0010	--	44.9
SVE-1A	10-30-24		<0.0500	<0.0500	<0.0500	<0.1500	<0.0500	<0.0500	0.370	<0.0500	0.410	<0.0500	<0.0500	<0.0500	<0.1000	<0.0500	<0.0500	<0.0500	--	30.8
SVE-1A	4-07-25		0.042	0.0044	0.0041	<0.0030	0.0023	0.011	0.330	0.002	0.370	0.0027	0.009	0.051	<0.0020	0.0029	0.0032	<0.0010	--	28.8
SVE-1	4-16-15		0.017	<0.0010	0.35	0.034	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
SVE-1	4-15-16		0.011	<0.0010	0.15	0.018	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.0035	<0.0040	0.0041	0.0076	9.8
SVE-1	5-02-17		0.019	<0.0010	0.35	0.028	--	--	--	<0.0050	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0100	<0.0200	<0.0200	<0.0300	--
SVE-1	4-26-18		0.017	<0.0020	0.25	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.006	0.0075	<0.0080	<0.0080	0.0075	0.88
SVE-1	7-02-18		0.024	<0.0010	0.34	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.006	0.0081	<0.0080	0.0087	0.0168	< 5.0
SVE-1	3-20-19		0.013	<0.0010	0.23	0.0084	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.0048	0.0053	0.0068	0.0169	5.7
SVE-1	3-25-20		0.007	<0.0050	0.033	<0.0075	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0100	<0.0200	<0.0200	<0.0300	17
SVE-1	3-11-21		0.008	<0.0010	0.0047	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	26
SVE-1	10-05-21		0.0023	<0.0010	0.0011	0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	43
SVE-1	3-15-22		0.003	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	0.0018	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	25
SVE-1	10-12-22		0.0021	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	21
SVE-1	4-26-23		0.005	<0.0010	0.00092	0.00056	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.00046	0.0013			

Table 3

Well ID	Sampling Date	Sample Type	New Mexico Water Quality Control Commission Standard																	
			Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
SVE-6	6-26-12		<0.0010	<0.0010	<0.0010	<0.0020	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SVE-6	4-16-15		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0011	<0.0010	<0.0025	--	--	--	--	--
SVE-6	4-15-16		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0100	<0.0100	<0.0100	<0.0300	360
SVE-7	4-15-16		0.028	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0100	<0.0100	<0.0100	<0.0300	580
SVE-7	4-25-17		0.015	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	680
SVE-7	4-26-18		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	530
SVE-7	3-20-19		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	820
SVE-7	3-25-20		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	680
SVE-7	3-11-21		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	870
SVE-7	10-05-21		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	740
SVE-7	3-16-22		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	750
SVE-7	10-12-22		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	710
SVE-7	4-26-23		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.00042	<0.0040	0.00083	--	630 *
SVE-7	10-25-23		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	813
SVE-7	4-11-24		<0.0010	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	732</

Table 3

Cumulative Summary of Groundwater Analytical Results
WT-1 Compressor Station
Lea County, New Mexico
Transwestern Pipeline Company, LLC

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene *	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality Control Commission Standard			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
SVE-13	10-11-22	DUP	0.450	<0.0050	<0.0050	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	430
SVE-13	4-26-23		0.4100 D	<0.0100 D	<0.0100 D	0.0059 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0050 D	<0.0100 D	<0.0100 D	<0.0300 D	<0.0200 D	0.0140 D	<0.0400 D	--	460 *
SVE-13	4-26-23	DUP	0.4500 D	<0.0100 D	<0.0100 D	0.0058 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0050 D	<0.0100 D	<0.0100 D	<0.0300 D	0.0032 D	0.0140 D	<0.0400 D	--	430 *
SVE-13	10-25-23		0.590	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	0.0085	<0.0010	--	534
SVE-13	4-10-24		0.480	<0.0010	0.0014	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	0.0083	<0.0010	--	445
SVE-13	10-29-24		0.430	<0.0010	<0.0010	0.003	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	0.0052	0.0034	--	259
SVE-13	10-29-24	DUP	0.400	<0.0050	<0.0050	<0.0150	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	271
SVE-13	4-09-25		3.400	<0.0250	0.24	<0.0750	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0500	<0.0250	<0.0250	<0.0250	--	77.5
SVE-13	10-08-25		0.760	<0.0020	0.0057	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	0.014	<0.0050	--	195
SVE-14	5-24-04		0.260	0.34	0.26	1.800	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SVE-14	11-10-11		0.650	0.086	0.760	5.700	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SVE-14	6-26-12		0.950	<0.0200	0.36	2.400	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SVE-14	6-21-13		0.990	0.049	0.39	2.500	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SVE-14	6-25-14		Not Sampled Due to Presence of LNAPL																	
SVE-14	4-15-16		0.037	<0.0100	0.034	0.160	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	<0.0200	<0.0400	<0.0400	<0.1000	91
SVE-14	4-25-17		0.210	0.001	0.073	0.260	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.007	0.007	0.004	0.018	50
SVE-14	2-01-18		0.083	<0.0010	0.039	0.110	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.005	0.009	0.004	0.019	160
SVE-14	4-25-18		0.051	<0.0050	0.031	0.055	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	180
SVE-14	3-20-19		0.029	<0.0025	0.025	0.042	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0075	<0.0050	<0.0100	<0.0100	<0.0250	330
SVE-14	3-25-20		0.017	<0.0050	0.022	0.023	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0075	<0.0050	<0.0100	<0.0100	<0.0250	450
SVE-14	9-22-20		0.017	<0.0050	0.017	0.009	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	510
SVE-14	12-14-20		0.077	<0.0020	0.029	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	400
SVE-14	3-11-21		0.027	<0.0020	0.019	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	550
SVE-14	10-05-21		0.026	<0.0010/0	0.001	0.004	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	580
SVE-14	3-16-22		0.034	<0.0050	0.013	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	630
SVE-14	10-11-22		0.023	<0.0050	0.010	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	720
SVE-14	4-26-23		0.250	<0.0050	0.055	0.072	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.005	0.016	0.008	--	420 *
SVE-14	10-25-23		0.260	<0.0010	0.038	0.036	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	0.003	0.006	0.003	--	589
SVE-14	4-11-24		0.300	<0.0010	0.042	0.036	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	0.003	0.007	0.003	--	593
SVE-14	4-11-24	DUP	0.320	<0.0010	0.041	0.035	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	0.005	0.002	--	592
SVE-14	10-29-24		0.049	<0.0050	0.013	<0.0150	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	575
SVE-14	4-09-25		0.041	<0.0050	0.018	0.017	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	0.005	<0.0050	--	579
SVE-14	4-09-25	DUP	0.040	<0.0050	0.018	0.017	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	--
SVE-14	10-08-25		0.042	<0.0020	0.020	0.014	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	0.003	0.003	<0.0050	--	466

- Notes:
- 1) Analytical results are presented in milligrams per liter (mg/L).
 - 2) ne - not established
 - 3) DCA - Dichloroethane, DCE - Dichloroethene, PCE - Tetrachloroethene, TCE - Trichloroethene
 - 4) * = Naphthalene data by VOC method 8260 not included in 2015 data
 - 5) Total Naphthalenes = Naphthalene + 1-Methylnaphthalene + 2-Methylnaphthalene
 - 6) < - Analyte was not detected at or above the laboratory reported detection limit.
 - 7) -- = not analyzed or analyte reported below laboratory detection limit.
 - 8) J = Concentration is less than the quantitation limit and is an estimated value.
 - 9) Bolded/shaded results exceed the respective NMWQCC standard.
 - 10) Italicized results indicate the laboratory reported detection limit was higher than the NMWQCC standard.
 - 11) Analytical data from 2004 to 2015 was supplied by Apex TITAN, Inc.
 - 12) For full list of VOC analytical data, refer to Appendix A.

**Cumulative Summary of Groundwater Analytical Data for ISEB Monitoring Wells
WT-1 Compressor Station
Lea County, New Mexico**

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-4	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	667
MW-5	3-21-19		0.0130	0.0014	0.0037	0.0047	<0.0010	0.0200	0.0280	<0.0010	0.0840	0.0010	0.0012	<0.0010	<0.0030	0.0046	<0.0040	<0.0040	0.0046	< 2.5
MW-5	6-28-19		0.0160	0.0026	0.0054	0.0088	<0.0020	0.0200	0.0270	<0.0020	0.1000	<0.0020	<0.0020	<0.0020	<0.0060	0.0070	<0.0080	<0.0080	0.0070	< 5.0
MW-5	9-17-19		0.0150	0.0024	0.0059	0.0089	<0.0020	0.0250	0.0320	<0.0020	0.1100	<0.0020	<0.0020	<0.0020	<0.0060	0.0083	<0.0080	<0.0080	0.0083	< 5.0
MW-5	12-05-19		0.0120	<0.0020	0.0042	0.0071	<0.0020	0.0170	0.0210	<0.0020	0.0790	<0.0020	<0.0020	<0.0020	<0.0060	0.0068	<0.0080	<0.0080	0.0068	< 5.0
MW-5	3-24-20		0.0160	0.0022	0.0054	0.0083	<0.0020	0.0210	0.0270	<0.0020	0.1100	<0.0020	<0.0020	<0.0020	<0.0060	0.0078	<0.0080	<0.0080	0.0078	< 5.0
MW-5	6-02-20		0.0160	0.0027	0.0068	0.0100	<0.0010	0.0210	0.0300	<0.0010	0.1100	0.0012	0.0012	<0.0010	<0.0030	0.0094	<0.0040	<0.0040	0.0094	< 5.0
MW-5	9-22-20		0.0130	0.0023	0.0058	0.0082	<0.0010	0.0220	0.0270	<0.0010	0.1100	<0.0010	0.0017	<0.0010	<0.0030	0.0080	<0.0040	<0.0040	0.0080	3.2
MW-5	12-14-20		0.0150	0.0022	0.0054	0.0060	<0.0010	0.0210	0.0320	<0.0010	0.0970	<0.0010	0.0017	<0.0010	<0.0030	0.0076	<0.0040	<0.0040	0.0076	1.8
MW-5	3-10-21		0.0150	0.0026	0.0063	0.0087	<0.0010	0.0230	0.0370	0.0011	0.0820	<0.0010	0.0015	<0.0010	<0.0030	0.0096	<0.0040	0.0048	0.0144	< 2.5
MW-5	10-05-21		0.0057	<0.0010	0.0021	0.0032	0.0011	0.0250	0.0170	<0.0010	0.1300	<0.0010	0.0019	0.0011	<0.0030	0.0035	<0.0040	<0.0040	0.0035	7.5
MW-5	3-15-22		0.0044	<0.0010	0.0020	0.0023	<0.0010	0.0170	0.0170	<0.0010	0.0920	<0.0010	0.0011	<0.0010	<0.0030	0.0025	<0.0040	<0.0040	0.0025	7.0
MW-5	10-11-22		0.0130	0.0019	0.0052	0.0073	0.0012	0.0240	0.0096	<0.0010	0.1400	<0.0010	0.0013	<0.0010	<0.0030	0.0086	<0.0040	<0.0040	0.0086	<5.0
MW-5	4-26-23		0.0120	0.0016	0.0044	0.006	<0.0020	0.0180	0.0110	<0.0020	0.1100	0.0010	0.0011	0.0004	<0.0060	0.0060	< 0.0030	0.0038	--	3.9
MW-5	10-25-23		0.0170	0.0018	0.0055	0.007	<0.0010	0.0220	0.0210	<0.0010	0.3200	<0.0010	<0.0010	<0.0010	<0.0020	0.0083	< 0.0028	0.004	--	2.17
MW-5	4-09-24		0.0170	<0.0010	0.0074	0.009	<0.0010	0.0260	0.0260	<0.0010	0.1300	<0.0010	<0.0010	<0.0010	<0.0020	0.0120	< 0.0041	0.0046	--	1.45
MW-5	4-11-24		0.0180	0.0026	0.0051	0.0093	<0.0010	0.0220	0.0270	<0.0010	0.1100	<0.0010	<0.0010	<0.0010	<0.0020	0.0110	< 0.0029	0.0029	--	3.53
MW-5	4-11-24	DUP	0.0160	0.0024	0.0045	0.0082	<0.0010	0.0210	0.0240	<0.0010	0.1100	<0.0010	<0.0010	<0.0010	<0.0020	0.0094	< 0.0026	0.0026	--	3.39
MW-5	10-30-24		0.0190	0.0028	0.0079	0.0092	<0.0010	0.0280	0.0380	<0.0010	0.1500	<0.0010	0.0021	0.0027	<0.0020	0.0120	< 0.0046	0.0058	--	0.526
MW-5	4-08-25		0.0150	0.0022	0.0053	0.0068	<0.0010	0.0220	0.0270	<0.0010	0.1100	<0.0010	0.0016	0.0035	<0.0020	0.0100	< 0.0034	0.0044	--	<0.500
MW-5	4-08-25	DUP	0.0150	0.0022	0.0054	0.0071	<0.0010	0.0230	0.0270	<0.0010	0.1100	<0.0010	0.0014	<0.0010	<0.0020	0.0110	< 0.0034	0.0044	--	--
MW-5	10-07-25		0.0210	0.0029	0.0079	0.0075	<0.0020	0.0240	0.0600	<0.0010	0.2000	<0.0020	0.0023	<0.0010	<0.0100	0.0088	< 0.0041	0.0055	--	<0.500
MW-6	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	< 0.0023	<0.0020	<0.0010	0.0033	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	714
MW-7	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	< 0.0021	< 0.0031	<0.0010	0.0140	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	408
MW-8	4-24-18		0.0029	0.0010	0.0010	0.0015	<0.0010	0.0280	0.0690	<0.0010	0.0630	0.0011	0.0026	<0.0010	<0.0030	0.0020	< 0.0040	0.0040	<0.0100	96
MW-8	7-02-18		0.0030	0.0010	0.0010	0.0015	<0.0010	0.0250	0.0690	<0.0010	0.0610	<0.0010	0.0026	<0.0010	<0.0030	0.0020	< 0.0040	0.0040	<0.0100	96
MW-8	11-14-18		0.0042	0.0010	0.0010	0.0015	<0.0010	0.0180	0.0430	<0.0010	0.0400	<0.0010	0.0016	<0.0010	<0.0030	0.0020	< 0.0040	0.0040	<0.0100	150
MW-8	3-21-19		0.0015	0.0010	0.0010	0.0015	<0.0010	0.0150	0.0340	<0.0010	0.0320	<0.0010	0.0011	<0.0010	<0.0030	0.0020	< 0.0040	0.0040	<0.0100	150
MW-8	12-05-19		<0.0020	<0.0020	<0.0020	<0.0030	<0.0020	<0.0020	<0.0020	0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	0.0040	<0.0080	<0.0080	<0.0200	30,000
MW-8	3-24-20		0.0025	0.0010	0.0010	0.0015	<0.0020	<0.0020	<0.0020	0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	0.0040	<0.0080	<0.0080	<0.0200	3,100
MW-8	6-02-20		0.0025	<0.0010	<0.0010	<0.0015	<0.0010	0.0200	0.0540	<0.0010	0.0460	<0.0010	0.0018	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	1,100
MW-8	9-22-20		0.0022	<0.0010	<0.0010	<0.0015	<0.0010	0.0170	0.0510	<0.0010	0.0430	<0.0010	0.0020	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	340
MW-8	12-14-20		0.0028	<0.0010	<0.0010	<0.0015	<0.0010	0.0190	0.0610	<0.0010	0.0380	<0.0010	0.0016	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	290
MW-8	3-10-21		0.0031	<0.0010	<0.0010	<0.0015	<0.0010	0.0220	0.0680	0.0010	0.0440	<0.0010	0.0016	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	270
MW-8	10-05-21		0.0031	<0.0010	<0.0010	<0.0015	<0.0010	0.0220	0.0730	0.0010	0.0500	<0.0010	0.0021	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	150
MW-8	3-15-22		0.0026	<0.0010	<0.0010	<0.0015	<0.0010	0.0170	0.0620	<0.0010	0.0430	<0.0010	0.0014	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	130
MW-8	10-11-22		0.0030	<0.0010	<0.0010	<0.0015	<0.0010	0.0230	0.0810	<0.0010	0.0620	<0.0010	0.0015	<0.0010	<0.0030	<0.0020	<0.0040	<0.0040	<0.0100	110
MW-8	4-26-23		0.0033	< 0.0007	<0.0020	<0.0030	<0.0020	0.0190	0.0700	<0.0020	0.0570	<0.0020	0.0017	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	--	110
MW-8	10-25-23		0.0042	<0.0010	<0.0010	<0.0030	<0.0010	0.0200	0.1000	<0.0010	0.0820	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	144
MW-8	4-11-24		0.0036	<0.0010	<0.0010	<0.0030	<0.0010	0.0230	0.0730	<0.0010	0.0510	<0.0010	0.0017	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	139
MW-8	10-29-24		0.0033	<0.0010	<0.0010	<0.0030	<0.0010	0.0210	0.0690	<0.0010	0.0570	<0.0010	0.0023	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	--	117
MW-8	4-08-25		0.0034	<0.0010	<0.0010	<0.0030	<0.0010	0.0200	0.0670	<0.0010	0.0550	<0.0010	0.0020	0.0091	<0.0020	<0.0010	<0.0010	<0.0010	--	142
MW-8	10-07-25		0.0035	<0.0020	<0.0020	<0.0060	<0.0020	0.0190	0.0840	<0.0010	0.0770	<0.0020	0.0024	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	106
MW-10	4-25-17		5.5000	0.0100	0.4900	2.4000	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.1900	< 0.2800	0.3600	0.8300	13
MW-10	10-09-17		5.2000	<0.0010	0.3300	2.1000	--	--	--	<0.0100	<0.0100	<0.0100	--	<0.0100	<0.0300	<0.0300	<0.0300	<0.0300	<0.0900	640
MW-10	2-01-18		5.9000	0.0230	0.3900	2.0000	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0510	< 0.0300	0.0340	0.1160	900
MW-10	4-26-18		5.5000	<0.0200	0.3400	1.9000	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	<0.0400	<0.0800	<0.0800	<0.2000	26,000
MW-10	11-14-18		5.1000	<0.0200	0.3400	2.3000	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	<0.0400	<0.0800	<0.0800	<0.2000	72
MW-10	3-20-19		6.3000	<0.0200	0.4500	2.9000	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.0440	<0.0800	<0.0800	0.0440	< 2.5
MW-10	6-28-19		4.9000	<0.0200	0.2900	1.9000	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.0440	<0.08			

Table 4

Cumulative Summary of Groundwater Analytical Data for ISEB Monitoring Wells
WT-1 Compressor Station
Lea County, New Mexico


Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnapthalene	2-Methylnapthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
MW-13	10-07-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	270
MW-14	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	< 0.0046	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	574
MW-17	10-06-25		<0.0010	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	580
SVE-1	10-07-25		< 0.0048	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	24.2
SVE-1A	3-21-19		0.0460	0.0120	0.0170	0.0270	0.0072	0.0140	0.3900	<0.0020	0.3200	<0.0020	0.0072	<0.0020	<0.0060	0.0140	<0.0080	<0.0080	0.0140	< 2.5
SVE-1A	6-28-19		0.0036	<0.0020	0.0025	0.0110	<0.0020	0.0026	0.0320	<0.0020	0.0280	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	7,000
SVE-1A	9-17-19		0.0260	0.0023	0.0069	0.0060	<0.0020	0.0180	0.3900	<0.0020	0.4000	<0.0020	0.0110	<0.0020	<0.0060	0.0053	<0.0080	<0.0080	0.0053	4,400
SVE-1A	12-05-19		0.0190	<0.0020	0.0087	<0.0030	<0.0020	0.0064	0.0740	<0.0020	0.0730	<0.0020	0.0023	<0.0020	<0.0060	0.0081	<0.0020	<0.0020	0.0081	7,900
SVE-1A	3-25-20		0.0300	<0.0100	0.0170	<0.0150	0.0044	0.0160	0.2000	<0.0020	0.2100	<0.0020	0.0058	0.0035	<0.0060	0.0150	<0.0080	<0.0080	0.0150	2,400
SVE-1A	6-02-20		0.0230	0.0024	0.0160	<0.0030	0.0043	0.0170	0.2600	<0.0020	0.2800	<0.0020	0.0060	<0.0020	<0.0060	0.0150	<0.0080	<0.0080	0.0150	1,400
SVE-1A	9-22-20		0.0200	<0.0050	0.0190	<0.0075	<0.0050	0.0130	0.1900	<0.0050	0.2000	<0.0050	0.0070	<0.0050	<0.0150	0.0150	<0.0200	<0.0200	0.0150	1,200
SVE-1A	12-14-20		0.0200	<0.0020	0.0140	<0.0030	<0.0020	0.0073	0.0780	<0.0020	0.0700	<0.0020	0.0022	<0.0020	<0.0060	0.0170	<0.0080	<0.0080	0.0170	720
SVE-1A	3-11-21		0.0190	<0.0020	0.0096	<0.0030	0.0039	0.0110	0.1200	<0.0020	0.1500	<0.0020	0.0031	0.0050	<0.0060	0.0160	<0.0080	0.0084	0.0160	630
SVE-1A	10-05-21		0.0240	0.0045	0.0120	<0.0030	0.0052	0.0160	0.3700	<0.0020	0.3600	<0.0020	0.0091	0.0058	<0.0060	0.0120	<0.0080	0.0084	0.0160	100
SVE-1A	3-15-22		0.0330	0.0070	0.0170	0.0040	0.0055	0.0120	0.4200	<0.0020	0.3600	<0.0020	0.0083	0.0050	<0.0060	0.0140	<0.0080	<0.0080	0.0140	54
SVE-1A	10-11-22		0.0370	0.0065	0.0150	0.0036	0.0097	0.0130	0.5400	<0.0020	0.4900	<0.0020	0.0097	0.0093	<0.0060	0.0150	<0.0080	<0.0080	0.0150	25
SVE-1A	4-25-23		0.0380	0.0053	0.0092	0.0027	0.0040	0.0130	0.4100	<0.0020	0.4200	0.0030	0.0087	0.0056	<0.0060	0.0054	0.0050	<0.0080	--	90
SVE-1A	10-24-23		0.0550	0.0048	0.0083	<0.0030	0.0055	0.0180	0.5300	<0.0010	0.5500	<0.0010	0.0120	<0.0010	<0.0020	0.0038	0.0035	<0.0010	--	134
SVE-1A	4-10-24		0.0410	0.0052	0.0091	<0.0030	0.0028	0.0140	0.5100	0.0013	0.5800	<0.0010	0.0088	<0.0010	<0.0020	0.0040	0.0048	<0.0010	--	44.9
SVE-1A	10-30-24		<0.0500	<0.0500	<0.0500	<0.1500	<0.0500	<0.0500	0.3700	<0.0500	0.4100	<0.0500	<0.0500	<0.0500	<0.1000	<0.0500	<0.0500	<0.0500	--	30.8
SVE-1A	4-07-25		0.0420	<0.0044	0.0041	<0.0030	0.0023	0.0110	0.3300	0.0021	0.3700	0.0027	0.0089	0.0510	<0.0020	0.0029	0.0032	<0.0010	--	28.8
SVE-5	4-15-16		1.6000	0.0270	0.1000	0.6400	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0300	<0.0400	<0.0400	0.0300	< 2.5
SVE-5	4-25-17		1.4000	<0.0100	0.1400	0.8100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0400	<0.0400	<0.0400	0.0400	< 2.5
SVE-5	10-09-17		0.7000	0.0088	0.0670	--	--	--	--	<0.0100	--	--	--	<0.0100	<0.0300	0.0330	<0.0200	<0.0200	0.0330	5,700
SVE-5	2-01-18		0.2500	0.0200	0.1300	0.5500	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0580	0.0390	0.0560	0.1530	250
SVE-5	4-25-18		0.9500	0.0240	0.2600	1.1000	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.1800	0.1400	0.2200	0.5400	36
SVE-5	11-14-18		0.6700	<0.0100	0.0790	0.2700	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0380	<0.0400	0.0410	0.0790	--
SVE-5	3-20-19		0.8400	<0.0100	0.1400	0.5200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0380	<0.0400	<0.0400	0.0380	6.0
SVE-5	6-28-19		0.5200	<0.0100	0.0740	0.3000	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0320	<0.0400	<0.0400	0.0320	8,900
SVE-5	9-17-19		0.5500	<0.0100	0.0780	0.3200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0230	<0.0400	<0.0400	0.0230	6,700
SVE-5	12-05-19		1.2000	<0.0200	<0.0200	0.9000	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.0700	<0.0800	0.0800	0.1500	4,100
SVE-5	3-25-20		0.7100	<0.0200	0.0690	0.3600	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	0.0700	<0.0800	0.0800	0.1500	2,600
SVE-5	6-02-20		0.4300	<0.0100	0.0580	0.3000	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0050	<0.0100	<0.0100	<0.0300	0.0290	<0.0400	<0.0400	0.0290	1,700
SVE-5	9-22-20		0.4700	0.0074	0.0630	0.1900	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0250	<0.0200	0.0210	0.0460	660
SVE-5	12-14-20		0.9500	0.0077	0.1200	0.4500	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0200	<0.0200	0.0200	0.0400	18,000
SVE-5	3-11-21		0.4000	<0.0050	0.0620	0.2400	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0240	<0.0200	0.0240	0.0480	15,000
SVE-5	10-05-21		0.3600	0.0089	0.0760	0.3000	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0420	0.0360	0.0620	0.1400	9,400
SVE-5	3-16-22		0.6200	0.0150	0.0620	0.2600	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	0.0230	<0.0200	0.0200	0.0430	6,200
SVE-5	10-11-22		0.7200	0.0290	0.1100	0.5000	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.1000	<0.2000	<0.2000	<0.2000	2,800
SVE-7	10-07-25		<0.0010	< 0.0035	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	98.0
SVE-7	10-07-25	DUP	< 0.0013	< 0.0058	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	--
SVE-9	10-08-25		< 0.0050	<0.0020	<0.0020	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	<0.0020	<0.0050	--	93.8
SVE-12	4-15-16		<0.0010	<0.0010	<0.0010	<0.0015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0100	<0.0100	<0.0100	<0.0300	760
SVE-12	4-25-17		0.4300	0.0011	0.0600	0.0130	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	<0.0020	0.0070	<0.0040	0.0070	--
SVE-12	4-25-18		2.1000	<0.0100	0.2100	0.2700	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	0.0300	<0.0400	<0.0400	0.0300	8,400
SVE-12	11-14-18		2.1000	<0.0100	0.1400	0.2000	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	<0.0200	<0.0400	<0.0400	<0.1000	200
SVE-12	3-20-19		2.5000	<0.0100	0.1800	0.2700	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	<0.0200	<0.0400	<0.0400	<0.1000	200
SVE-12	6-28-19		2.2000	<0.0100	0.1400	0.1800	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	<0.0200	<0.0400	<0.0400	<0.1000	5,700
SVE-12	9-17-19		2																	


Table 4

Cumulative Summary of Groundwater Analytical Data for ISEB Monitoring Wells
WT-1 Compressor Station
Lea County, New Mexico

Well ID	Sampling Date	Sample Type	Benzene	Toluene	Ethylbenzene	Xylenes (total)	PCE	TCE	cis-1,2-DCE	Vinyl chloride	1,1-DCA	1,2-DCA (EDC)	1,1-DCE	1,1,1-Trichloroethane	Methylene chloride	Naphthalene*	1-Methylnaphthalene	2-Methylnaphthalene	Total Naphthalenes	Sulfate
New Mexico Water Quality			0.005	1.000	0.700	0.620	0.005	0.005	0.070	0.002	0.025	0.005	0.007	0.200	0.005	ne	ne	ne	0.030	600
SVE-13	4-25-18		0.4300	<0.0050	0.0610	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	430
SVE-13	11-14-18		0.4000	<0.0020	0.0450	0.0072	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	510
SVE-13	3-20-19		0.3800	<0.0020	0.0310	0.0040	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	640
SVE-13	6-28-19		0.4000	<0.0020	0.0430	0.0076	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	700
SVE-13	9-17-19		0.4400	<0.0020	0.0380	0.0040	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	610
SVE-13	3-25-20		0.4700	<0.0050	0.0160	<0.0075	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	470
SVE-13	6-02-20		0.4900	<0.0050	0.0100	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0300	470
SVE-13	9-22-20		0.4700	<0.0050	<0.0050	0.0096	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0300	500
SVE-13	12-14-20		0.4600	<0.0020	0.0067	0.0120	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	700
SVE-13	3-11-21		0.4600	<0.0020	0.0028	0.0100	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	560
SVE-13	10-05-21		0.4600	<0.0020	<0.0020	0.0059	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	600
SVE-13	3-16-22		0.5400	<0.0050	<0.0050	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	560
SVE-13	10-11-22		0.4700	<0.0050	<0.0050	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	420
SVE-13	10-11-22	DUP	0.4500	<0.0050	<0.0050	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	430
SVE-13	4-26-23		0.4100 D	<0.0100 D	<0.0100 D	0.0059 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0050 D	<0.0100 D	<0.0100 D	<0.0300 D	<0.0200 D	0.0140 D	<0.0400 D	--	460 *
SVE-13	4-26-23	DUP	0.4500 D	<0.0100 D	<0.0100 D	0.0058 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0100 D	<0.0050 D	<0.0100 D	<0.0100 D	<0.0300 D	0.0032 D	0.0140 D	<0.0400 D	--	430 *
SVE-13	10-25-23		0.5900	<0.0010	<0.0010	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	< 0.0085	<0.0010	--	534
SVE-13	4-10-24		0.4800	<0.0010	0.0014	<0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	< 0.0083	<0.0010	--	445
SVE-13	10-29-24		0.4300	<0.0010	<0.0010	0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	< 0.0052	< 0.0034	--	259
SVE-13	10-29-24	DUP	0.4000	<0.0050	<0.0050	<0.0150	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	271
SVE-13	4-09-25		0.0034	<0.0250	0.2400	<0.0750	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0500	<0.0250	<0.0250	<0.0250	--	77.5
SVE-13	10-08-25		0.7600	<0.0020	0.0057	<0.0060	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	<0.0020	< 0.0140	<0.0050	--	195
SVE-14	4-15-16		0.0370	<0.0100	0.0340	0.1600	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0300	<0.0200	<0.0400	<0.0400	<0.1000	91
SVE-14	4-25-17		0.2100	0.0013	0.0730	0.2600	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.0071	0.0065	0.0042	0.0178	50
SVE-14	2-01-18		0.0830	<0.0010	0.0390	0.1100	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0030	0.0053	0.0091	0.0043	0.0187	160
SVE-14	4-25-18		0.0510	<0.0050	0.0310	0.0550	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	180
SVE-14	3-20-19		0.0290	<0.0025	0.0250	0.0420	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0075	<0.0050	<0.0100	<0.0100	<0.0250	330
SVE-14	3-25-20		0.0170	<0.0050	0.0220	0.0230	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0075	<0.0050	<0.0100	<0.0100	<0.0250	450
SVE-14	9-22-20		0.0170	<0.0050	0.0170	0.0092	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	510
SVE-14	12-14-20		0.0770	<0.0020	0.0290	0.0250	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	400
SVE-14	3-11-21		0.0270	<0.0020	0.0190	0.0130	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	550
SVE-14	10-05-21		0.0260	<0.0010	0.0012	0.0044	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0060	<0.0040	<0.0080	<0.0080	<0.0200	580
SVE-14	3-16-22		0.0340	<0.0050	0.0130	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	630
SVE-14	10-10-22		0.0230	<0.0050	0.0100	<0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	<0.0100	<0.0200	<0.0200	<0.0500	720
SVE-14	4-26-23		0.2500	<0.0050	0.0550	0.0720	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0150	< 0.0051	< 0.0160	< 0.0079	--	420 *
SVE-14	10-25-23		0.2600	<0.0010	0.0380	0.0360	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	< 0.0032	< 0.0063	< 0.0030	--	589
SVE-14	4-11-24		0.3000	<0.0010	0.0420	0.0360	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	< 0.0028	< 0.0069	< 0.0027	--	593
SVE-14	4-11-24	DUP	0.3200	<0.0010	0.0410	0.0350	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	< 0.0051	< 0.0021	--	592
SVE-14	10-29-24		0.0490	<0.0050	0.0130	<0.0150	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	575
SVE-14	4-09-25		0.0410	<0.0050	0.0180	0.0170	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	< 0.0051	<0.0050	--	579
SVE-14	4-09-25	DUP	0.0400	<0.0050	0.0180	0.0170	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	--	--
SVE-14	10-08-25		0.0420	<0.0020	0.0200	0.0140	<0.0020	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020	<0.0010	<0.0010	<0.0100	< 0.0033	< 0.0034	<0.0050	--	466



- Notes:
- 1) Analytical results are presented in milligrams per liter (mg/L).
 - 2) ne - not established
 - 3) DCA - Dichloroethane, DCE - Dichloroethene, PCE - Tetrachloroethene, TCE - Trichloroethene
 - 4) * = Naphthalene data by VOC method 8260 not included in 2015 data
 - 5) Total Naphthalenes = Naphthalene + 1-Methylnaphthalene + 2-Methylnaphthalene
 - 6) < - Analyte was not detected at or above the laboratory reported detection limit.
 - 7) -- = not analyzed or analyte reported below laboratory detection limit.
 - 8) Bolded/shaded results exceed the respective NMWQCC standard.
 - 9) Italicized results indicate the laboratory reported detection limit was higher than the NMWQCC standard.
 - 10) For full list of VOC analytical data, refer to Appendix A.



0 1000 2000 ft 1" = 2000 ft Coordinate System: NAD 1983 State Plane- New Mexico East (US Feet) 		TRANSWESTERN PIPELINE COMPANY, LLC LEA COUNTY, NEW MEXICO WT-1 COMPRESSOR STATION NMOCD AP-105 SITE LOCATION MAP	Project No. 12660614 Date December 2025 FIGURE 1
---	---	---	---

Filename: C:\ADSK\ACCDocs\GHD Services Pty Ltd\11230862-Enviro Proj\Project Files\12660614\01 WIP\Env\Figures\IPT-AGM2025\12660614-GHD-00-00-RPT-EN-D101_CH-AGM2025.dwg
Plot Date: 09 December 2025 12:03 PM

Data Source: USGS 7.5 Quadrangle Map - Williams Sink, NM (2020)
Lat/Long: 32.531549° North, 103.807904° West




TRANSWESTERN PIPELINE COMPANY, LLC
LEA COUNTY, NEW MEXICO
WT-1 COMPRESSOR STATION
NMOCD AP-105

SITE DETAILS MAP


Project No. 12660614
Date December 2025

FIGURE 2



0 125 250 ft
1" = 250 ft

Coordinate System:
NAD 1983 State Plane
New Mexico East (US Feet)





TRANSWESTERN PIPELINE COMPANY, LLC
LEA COUNTY, NEW MEXICO
WT-1 COMPRESSOR STATION
NMOCD AP-105

POTENTIOMETRIC SURFACE MAP
(APRIL 2025)

Project No. 12660614
Date February 2026

FIGURE 3





TRANSWESTERN PIPELINE COMPANY, LLC
LEA COUNTY, NEW MEXICO
WT-1 COMPRESSOR STATION
NMOCD AP-105

POTENTIOMETRIC SURFACE MAP (OCTOBER 2025)

Project No. 12660614
Date December 2025

FIGURE 4



TRANSWESTERN PIPELINE COMPANY, LLC
LEA COUNTY, NEW MEXICO
WT-1 COMPRESSOR STATION
NMOC AP-105

COC CONCENTRATIONS IN GROUNDWATER MAP (2025)

Project No. 12660614
Date January 2026

FIGURE 5

Appendices

Appendix A

Laboratory Analytical Reports



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

April 17, 2025

Deedee Whittington
GHD
6121 Indian School Rd NE Ste 200
Albuquerque, NM 87110

Work Order: **HS25040532**

Laboratory Results for: **12660614 - WT-1 Compressor Station 2025**

Dear Deedee Whittington,

ALS Environmental received 21 sample(s) on Apr 10, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
Alexis Dorenbosch

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
Work Order: HS25040532

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25040532-01	MW-4-20250407	Groundwater		07-Apr-2025 09:10	10-Apr-2025 09:05	☐
HS25040532-02	MW-12-20250407	Groundwater		07-Apr-2025 10:55	10-Apr-2025 09:05	☐
HS25040532-03	MW-13-20250407	Groundwater		07-Apr-2025 13:55	10-Apr-2025 09:05	☐
HS25040532-04	SVE-7-20250407	Groundwater		07-Apr-2025 15:00	10-Apr-2025 09:05	☐
HS25040532-05	SVE-1A-20250407	Groundwater		07-Apr-2025 10:20	10-Apr-2025 09:05	☐
HS25040532-06	MW-5-20250408	Groundwater		08-Apr-2025 10:45	10-Apr-2025 09:05	☐
HS25040532-07	MW-6-20250408	Groundwater		08-Apr-2025 09:15	10-Apr-2025 09:05	☐
HS25040532-08	MW-7-20250408	Groundwater		08-Apr-2025 09:30	10-Apr-2025 09:05	☐
HS25040532-09	MW-8-20250408	Groundwater		08-Apr-2025 10:10	10-Apr-2025 09:05	☐
HS25040532-10	SVE-9-20250407	Groundwater		07-Apr-2025 11:30	10-Apr-2025 09:05	☐
HS25040532-11	SVE-8-20250409	Groundwater		09-Apr-2025 10:20	10-Apr-2025 09:05	☐
HS25040532-12	SVE-12-20250409	Groundwater		09-Apr-2025 08:40	10-Apr-2025 09:05	☐
HS25040532-13	SVE-13-20250409	Groundwater		09-Apr-2025 09:05	10-Apr-2025 09:05	☐
HS25040532-14	SVE-14-20250409	Groundwater		09-Apr-2025 09:35	10-Apr-2025 09:05	☐
HS25040532-15	MW-11-20250409	Groundwater		09-Apr-2025 11:45	10-Apr-2025 09:05	☐
HS25040532-16	MW-14-20250409	Groundwater		09-Apr-2025 12:25	10-Apr-2025 09:05	☐
HS25040532-17	MW-17-20250409	Groundwater		09-Apr-2025 14:00	10-Apr-2025 09:05	☐
HS25040532-18	SVE-1-20250409	Groundwater		09-Apr-2025 13:15	10-Apr-2025 09:05	☐
HS25040532-19	DUP-01-20250408	Groundwater		08-Apr-2025 00:00	10-Apr-2025 09:05	☐
HS25040532-20	DUP-02-20250409	Groundwater		09-Apr-2025 00:00	10-Apr-2025 09:05	☐
HS25040532-21	Trip Blank	Water	cg-032625-715	07-Apr-2025 00:00	10-Apr-2025 09:05	☐

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
Work Order: HS25040532

CASE NARRATIVE

Work Order Comments

- Login Notes:
Dup-1 has no collection date but label list 4/8/25. Dup-2 has no collection date but label list 4/9/25. Logged in per Sample Labels.
For Sample SVE-8-20250409 2 of 3 vials have SVE-9-20250409 but date and time match SVE-8-20250409. Logged in under sample SVE-8-20250409.

GCMS Volatiles by Method SW8260

Batch ID: R511225

Sample ID: DUP-02-20250409 (HS25040532-20)

- Lowest possible dilution due to sample matrix and/or high concentration of target/non-target analyte(s).

Sample ID: SVE-14-20250409 (HS25040532-14)

- Lowest possible dilution due to sample matrix and/or high concentration of target/non-target analyte(s).

Sample ID: HS25040575-01MS

- MS/MSD was performed on an unrelated sample.

Batch ID: R511084

Sample ID: VLCSW-250415

- Not enough sample vials are received to run MS/MSD. LCS and LCSD are provided to meet QC criteria.

Batch ID: R511039

Sample ID: LCS-250414

- Not enough samples vials are provided to run MS/MSD. LCS and LCSD are analyzed to meet QC criteria,

Sample ID: SVE-13-20250409 (HS25040532-13)

- Lowest possible dilution due to sample matrix and/or high concentration of target/non-target analyte(s).

Batch ID: R511068

Sample ID: HS25040648-01MS

- MS/MSD was performed on an unrelated sample.

Batch ID: R511094

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Sample ID: SVE-13-20250409 (HS25040532-13)

- Lowest possible dilution due to sample matrix and/or high concentration of target/non-target analyte(s).

WetChemistry by Method E300

Batch ID: R510915

Sample ID: MW-4-20250407 (HS25040532-01MSD)

- The MS and/or MSD recovery was outside of the control limits; however, the result in the parent sample is greater than 4x the spike amount. (Sulfate)

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
Work Order: HS25040532

CASE NARRATIVE

WetChemistry by Method E300

Batch ID: R510916

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R510951

Sample ID: HS25040603-01MS

- MS and MSD are for an unrelated sample (Sulfate)

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-4-20250407
 Collection Date: 07-Apr-2025 09:10

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-4-20250407
 Collection Date: 07-Apr-2025 09:10

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 01:04
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 01:04
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 01:04
Surr: 1,2-Dichloroethane-d4	97.4		70-126	%REC	1	15-Apr-2025 01:04
Surr: 4-Bromofluorobenzene	97.8		77-113	%REC	1	15-Apr-2025 01:04
Surr: Dibromofluoromethane	99.8		77-123	%REC	1	15-Apr-2025 01:04
Surr: Toluene-d8	100.0		82-127	%REC	1	15-Apr-2025 01:04
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	869		10.0	mg/L	20	11-Apr-2025 11:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-12-20250407
 Collection Date: 07-Apr-2025 10:55

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Bromodichloromethane	0.0011		0.0010	mg/L	1	15-Apr-2025 01:25
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Chloroform	0.010		0.0010	mg/L	1	15-Apr-2025 01:25
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-12-20250407
 Collection Date: 07-Apr-2025 10:55

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 01:25
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 01:25
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 01:25
Surr: 1,2-Dichloroethane-d4	96.7		70-126	%REC	1	15-Apr-2025 01:25
Surr: 4-Bromofluorobenzene	98.8		77-113	%REC	1	15-Apr-2025 01:25
Surr: Dibromofluoromethane	102		77-123	%REC	1	15-Apr-2025 01:25
Surr: Toluene-d8	101		82-127	%REC	1	15-Apr-2025 01:25
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	790		10.0	mg/L	20	11-Apr-2025 13:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-13-20250407
 Collection Date: 07-Apr-2025 13:55

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-03
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-13-20250407
 Collection Date: 07-Apr-2025 13:55

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-03
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 01:46
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 01:46
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 01:46
Surr: 1,2-Dichloroethane-d4	96.5		70-126	%REC	1	15-Apr-2025 01:46
Surr: 4-Bromofluorobenzene	100		77-113	%REC	1	15-Apr-2025 01:46
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 01:46
Surr: Toluene-d8	100		82-127	%REC	1	15-Apr-2025 01:46
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	334		2.50	mg/L	5	11-Apr-2025 13:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-7-20250407
 Collection Date: 07-Apr-2025 15:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-04
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-7-20250407
 Collection Date: 07-Apr-2025 15:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-04
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 02:07
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:07
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 02:07
Surr: 1,2-Dichloroethane-d4	95.8		70-126	%REC	1	15-Apr-2025 02:07
Surr: 4-Bromofluorobenzene	99.2		77-113	%REC	1	15-Apr-2025 02:07
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 02:07
Surr: Toluene-d8	98.8		82-127	%REC	1	15-Apr-2025 02:07
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	774		5.00	mg/L	10	11-Apr-2025 14:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-1A-20250407
 Collection Date: 07-Apr-2025 10:20

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-05
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	0.051		0.0010	mg/L	1	15-Apr-2025 02:27
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,1-Dichloroethane	0.37		0.0050	mg/L	5	16-Apr-2025 15:42
1,1-Dichloroethene	0.0089		0.0010	mg/L	1	15-Apr-2025 02:27
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dichloroethane	0.0027		0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1-Methylnaphthalene	0.0032		0.0010	mg/L	1	15-Apr-2025 02:27
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Benzene	0.042		0.0010	mg/L	1	15-Apr-2025 02:27
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
cis-1,2-Dichloroethene	0.33		0.0050	mg/L	5	16-Apr-2025 15:42
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Cyclohexane	0.0090		0.0010	mg/L	1	15-Apr-2025 02:27
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Ethylbenzene	0.0041		0.0010	mg/L	1	15-Apr-2025 02:27
Isopropylbenzene	0.0016		0.0010	mg/L	1	15-Apr-2025 02:27
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-1A-20250407
 Collection Date: 07-Apr-2025 10:20

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-05
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Methylcyclohexane	0.0077		0.0010	mg/L	1	15-Apr-2025 02:27
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Naphthalene	0.0029		0.0010	mg/L	1	15-Apr-2025 02:27
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Tetrachloroethene	0.0023		0.0010	mg/L	1	15-Apr-2025 02:27
Toluene	0.0044		0.0010	mg/L	1	15-Apr-2025 02:27
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Trichloroethene	0.011		0.0010	mg/L	1	15-Apr-2025 02:27
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Vinyl chloride	0.0021		0.0010	mg/L	1	15-Apr-2025 02:27
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 02:27
Surr: 1,2-Dichloroethane-d4	97.2		70-126	%REC	1	15-Apr-2025 02:27
Surr: 1,2-Dichloroethane-d4	98.6		70-126	%REC	5	16-Apr-2025 15:42
Surr: 4-Bromofluorobenzene	99.3		77-113	%REC	1	15-Apr-2025 02:27
Surr: 4-Bromofluorobenzene	97.7		77-113	%REC	5	16-Apr-2025 15:42
Surr: Dibromofluoromethane	100		77-123	%REC	1	15-Apr-2025 02:27
Surr: Dibromofluoromethane	102		77-123	%REC	5	16-Apr-2025 15:42
Surr: Toluene-d8	101		82-127	%REC	1	15-Apr-2025 02:27
Surr: Toluene-d8	97.6		82-127	%REC	5	16-Apr-2025 15:42
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	28.8		0.500	mg/L	1	11-Apr-2025 12:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-5-20250408
 Collection Date: 08-Apr-2025 10:45

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-06
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	0.0035		0.0010	mg/L	1	15-Apr-2025 02:48
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,1-Dichloroethane	0.11		0.0010	mg/L	1	15-Apr-2025 02:48
1,1-Dichloroethene	0.0016		0.0010	mg/L	1	15-Apr-2025 02:48
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
1-Methylnaphthalene	0.0034		0.0010	mg/L	1	15-Apr-2025 02:48
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48
2-Methylnaphthalene	0.0044		0.0010	mg/L	1	15-Apr-2025 02:48
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48
Acetone	0.046		0.0020	mg/L	1	15-Apr-2025 02:48
Benzene	0.015		0.0010	mg/L	1	15-Apr-2025 02:48
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
cis-1,2-Dichloroethene	0.027		0.0010	mg/L	1	15-Apr-2025 02:48
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Ethylbenzene	0.0053		0.0010	mg/L	1	15-Apr-2025 02:48
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
m,p-Xylene	0.0024		0.0020	mg/L	1	15-Apr-2025 02:48
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-5-20250408
 Collection Date: 08-Apr-2025 10:45

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-06
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 02:48
Naphthalene	0.010		0.0010	mg/L	1	15-Apr-2025 02:48
o-Xylene	0.0044		0.0010	mg/L	1	15-Apr-2025 02:48
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Toluene	0.0022		0.0010	mg/L	1	15-Apr-2025 02:48
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Trichloroethene	0.022		0.0010	mg/L	1	15-Apr-2025 02:48
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:48
Xylenes, Total	0.0068		0.0030	mg/L	1	15-Apr-2025 02:48
Surr: 1,2-Dichloroethane-d4	97.0		70-126	%REC	1	15-Apr-2025 02:48
Surr: 4-Bromofluorobenzene	99.4		77-113	%REC	1	15-Apr-2025 02:48
Surr: Dibromofluoromethane	99.7		77-123	%REC	1	15-Apr-2025 02:48
Surr: Toluene-d8	99.9		82-127	%REC	1	15-Apr-2025 02:48
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	ND	U	0.500	mg/L	1	11-Apr-2025 12:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-6-20250408
 Collection Date: 08-Apr-2025 09:15

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-07
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,1-Dichloroethane	0.0025		0.0010	mg/L	1	15-Apr-2025 03:09
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
cis-1,2-Dichloroethene	0.0012		0.0010	mg/L	1	15-Apr-2025 03:09
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-6-20250408
 Collection Date: 08-Apr-2025 09:15

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-07
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 03:09
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Trichloroethene	0.0016		0.0010	mg/L	1	15-Apr-2025 03:09
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 03:09
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 03:09
Surr: 1,2-Dichloroethane-d4	95.9		70-126	%REC	1	15-Apr-2025 03:09
Surr: 4-Bromofluorobenzene	101		77-113	%REC	1	15-Apr-2025 03:09
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 03:09
Surr: Toluene-d8	98.5		82-127	%REC	1	15-Apr-2025 03:09
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	903		10.0	mg/L	20	11-Apr-2025 14:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-7-20250408
 Collection Date: 08-Apr-2025 09:30

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-08
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,1-Dichloroethane	0.015		0.0010	mg/L	1	15-Apr-2025 03:30
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
cis-1,2-Dichloroethene	0.0059		0.0010	mg/L	1	15-Apr-2025 03:30
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-7-20250408
 Collection Date: 08-Apr-2025 09:30

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-08
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 03:30
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Trichloroethene	0.0011		0.0010	mg/L	1	15-Apr-2025 03:30
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 03:30
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 03:30
Surr: 1,2-Dichloroethane-d4	96.5		70-126	%REC	1	15-Apr-2025 03:30
Surr: 4-Bromofluorobenzene	100		77-113	%REC	1	15-Apr-2025 03:30
Surr: Dibromofluoromethane	99.7		77-123	%REC	1	15-Apr-2025 03:30
Surr: Toluene-d8	99.7		82-127	%REC	1	15-Apr-2025 03:30
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	4,840		25.0	mg/L	50	11-Apr-2025 13:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-8-20250408
 Collection Date: 08-Apr-2025 10:10

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-09
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	0.0091		0.0010	mg/L	1	15-Apr-2025 03:51
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,1-Dichloroethane	0.055		0.0010	mg/L	1	15-Apr-2025 03:51
1,1-Dichloroethene	0.0020		0.0010	mg/L	1	15-Apr-2025 03:51
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
Benzene	0.0034		0.0010	mg/L	1	15-Apr-2025 03:51
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
cis-1,2-Dichloroethene	0.067		0.0010	mg/L	1	15-Apr-2025 03:51
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-8-20250408
 Collection Date: 08-Apr-2025 10:10

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-09
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 03:51
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Trichloroethene	0.020		0.0010	mg/L	1	15-Apr-2025 03:51
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 03:51
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 03:51
Surr: 1,2-Dichloroethane-d4	97.0		70-126	%REC	1	15-Apr-2025 03:51
Surr: 4-Bromofluorobenzene	98.5		77-113	%REC	1	15-Apr-2025 03:51
Surr: Dibromofluoromethane	102		77-123	%REC	1	15-Apr-2025 03:51
Surr: Toluene-d8	99.9		82-127	%REC	1	15-Apr-2025 03:51
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	142		2.50	mg/L	5	11-Apr-2025 14:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-9-20250407
 Collection Date: 07-Apr-2025 11:30

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-10
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
Acetone	0.0059		0.0020	mg/L	1	15-Apr-2025 04:07
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:27
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
Carbon tetrachloride	0.0077		0.0010	mg/L	1	15-Apr-2025 04:07
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Cyclohexane	0.0013		0.0010	mg/L	1	15-Apr-2025 04:07
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-9-20250407
 Collection Date: 07-Apr-2025 11:30

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-10
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 04:07
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 04:07
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 04:07
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	1	15-Apr-2025 04:07
Surr: 1,2-Dichloroethane-d4	105		70-126	%REC	1	15-Apr-2025 12:27
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	15-Apr-2025 04:07
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	15-Apr-2025 12:27
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 04:07
Surr: Dibromofluoromethane	102		77-123	%REC	1	15-Apr-2025 12:27
Surr: Toluene-d8	104		82-127	%REC	1	15-Apr-2025 04:07
Surr: Toluene-d8	99.0		82-127	%REC	1	15-Apr-2025 12:27
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	470		2.50	mg/L	5	11-Apr-2025 14:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-8-20250409
 Collection Date: 09-Apr-2025 10:20

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-11
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Acetone	0.39		0.0020	mg/L	1	15-Apr-2025 02:27
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:50
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-8-20250409
 Collection Date: 09-Apr-2025 10:20

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-11
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 02:27
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 02:27
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 02:27
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	1	15-Apr-2025 02:27
Surr: 1,2-Dichloroethane-d4	107		70-126	%REC	1	15-Apr-2025 12:50
Surr: 4-Bromofluorobenzene	106		77-113	%REC	1	15-Apr-2025 02:27
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	15-Apr-2025 12:50
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 02:27
Surr: Dibromofluoromethane	104		77-123	%REC	1	15-Apr-2025 12:50
Surr: Toluene-d8	102		82-127	%REC	1	15-Apr-2025 02:27
Surr: Toluene-d8	102		82-127	%REC	1	15-Apr-2025 12:50
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	1,000		10.0	mg/L	20	11-Apr-2025 14:52

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-12-20250409
 Collection Date: 09-Apr-2025 08:40

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-12
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
Benzene	0.018		0.0010	mg/L	1	15-Apr-2025 05:23
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-12-20250409
 Collection Date: 09-Apr-2025 08:40

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-12
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 05:23
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 05:23
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 05:23
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	1	15-Apr-2025 05:23
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	15-Apr-2025 13:38
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	15-Apr-2025 05:23
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	15-Apr-2025 13:38
Surr: Dibromofluoromethane	102		77-123	%REC	1	15-Apr-2025 05:23
Surr: Dibromofluoromethane	106		77-123	%REC	1	15-Apr-2025 13:38
Surr: Toluene-d8	104		82-127	%REC	1	15-Apr-2025 05:23
Surr: Toluene-d8	99.7		82-127	%REC	1	15-Apr-2025 13:38
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	311		2.50	mg/L	5	11-Apr-2025 15:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-13-20250409
 Collection Date: 09-Apr-2025 09:05

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-13
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,1,2,2-Tetrachloroethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
1,1,2-Trichloroethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,1-Dichloroethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,1-Dichloroethene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,2,4-Trichlorobenzene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,2-Dibromo-3-chloropropane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,2-Dibromoethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,2-Dichlorobenzene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,2-Dichloroethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,2-Dichloropropane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,3-Dichlorobenzene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1,4-Dichlorobenzene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
1-Methylnaphthalene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
2-Butanone	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
2-Hexanone	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
2-Methylnaphthalene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
4-Methyl-2-pentanone	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
Acetone	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
Benzene	3.4		0.025	mg/L	25	15-Apr-2025 05:48
Bromodichloromethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Bromoform	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Bromomethane	ND	U	0.025	mg/L	25	15-Apr-2025 13:15
Carbon disulfide	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
Carbon tetrachloride	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Chlorobenzene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Chloroethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Chloroform	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Chloromethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
cis-1,2-Dichloroethene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
cis-1,3-Dichloropropene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Cyclohexane	0.12		0.025	mg/L	25	15-Apr-2025 05:48
Dibromochloromethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Dichlorodifluoromethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Ethylbenzene	0.24		0.025	mg/L	25	15-Apr-2025 05:48
Isopropylbenzene	0.026		0.025	mg/L	25	15-Apr-2025 05:48
m,p-Xylene	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
Methyl acetate	ND	U	0.050	mg/L	25	15-Apr-2025 05:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-13-20250409
 Collection Date: 09-Apr-2025 09:05

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-13
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Methylcyclohexane	0.058		0.025	mg/L	25	15-Apr-2025 05:48
Methylene chloride	ND	U	0.050	mg/L	25	15-Apr-2025 05:48
Naphthalene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
o-Xylene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Styrene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Tetrachloroethene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Toluene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
trans-1,2-Dichloroethene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
trans-1,3-Dichloropropene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Trichloroethene	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Trichlorofluoromethane	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Vinyl chloride	ND	U	0.025	mg/L	25	15-Apr-2025 05:48
Xylenes, Total	ND	U	0.075	mg/L	25	15-Apr-2025 05:48
Surr: 1,2-Dichloroethane-d4	108		70-126	%REC	25	15-Apr-2025 05:48
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	25	15-Apr-2025 13:15
Surr: 4-Bromofluorobenzene	101		77-113	%REC	25	15-Apr-2025 05:48
Surr: 4-Bromofluorobenzene	102		77-113	%REC	25	15-Apr-2025 13:15
Surr: Dibromofluoromethane	103		77-123	%REC	25	15-Apr-2025 05:48
Surr: Dibromofluoromethane	97.9		77-123	%REC	25	15-Apr-2025 13:15
Surr: Toluene-d8	101		82-127	%REC	25	15-Apr-2025 05:48
Surr: Toluene-d8	100.0		82-127	%REC	25	15-Apr-2025 13:15
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	77.5		2.50	mg/L	5	11-Apr-2025 15:21

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-14-20250409
 Collection Date: 09-Apr-2025 09:35

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-14
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,1,2,2-Tetrachloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
1,1,2-Trichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,1-Dichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,1-Dichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,2,4-Trichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,2-Dibromo-3-chloropropane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,2-Dibromoethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,2-Dichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,2-Dichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,2-Dichloropropane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,3-Dichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1,4-Dichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
1-Methylnaphthalene	0.0051		0.0050	mg/L	5	16-Apr-2025 16:05
2-Butanone	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
2-Hexanone	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
2-Methylnaphthalene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
4-Methyl-2-pentanone	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
Acetone	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
Benzene	0.041		0.0050	mg/L	5	16-Apr-2025 16:05
Bromodichloromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Bromoform	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Bromomethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Carbon disulfide	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
Carbon tetrachloride	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Chlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Chloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Chloroform	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Chloromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
cis-1,2-Dichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
cis-1,3-Dichloropropene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Cyclohexane	0.12		0.0050	mg/L	5	16-Apr-2025 16:05
Dibromochloromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Dichlorodifluoromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Ethylbenzene	0.018		0.0050	mg/L	5	16-Apr-2025 16:05
Isopropylbenzene	0.0090		0.0050	mg/L	5	16-Apr-2025 16:05
m,p-Xylene	0.017		0.010	mg/L	5	16-Apr-2025 16:05
Methyl acetate	ND	U	0.010	mg/L	5	16-Apr-2025 16:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-14-20250409
 Collection Date: 09-Apr-2025 09:35

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-14
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Methylcyclohexane	0.27		0.0050	mg/L	5	16-Apr-2025 16:05
Methylene chloride	ND	U	0.010	mg/L	5	16-Apr-2025 16:05
Naphthalene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
o-Xylene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Styrene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Tetrachloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Toluene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
trans-1,2-Dichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
trans-1,3-Dichloropropene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Trichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Trichlorofluoromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Vinyl chloride	ND	U	0.0050	mg/L	5	16-Apr-2025 16:05
Xylenes, Total	0.017		0.015	mg/L	5	16-Apr-2025 16:05
Surr: 1,2-Dichloroethane-d4	95.8		70-126	%REC	5	16-Apr-2025 16:05
Surr: 4-Bromofluorobenzene	98.7		77-113	%REC	5	16-Apr-2025 16:05
Surr: Dibromofluoromethane	100		77-123	%REC	5	16-Apr-2025 16:05
Surr: Toluene-d8	99.2		82-127	%REC	5	16-Apr-2025 16:05
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	579		10.0	mg/L	20	12-Apr-2025 14:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-11-20250409
 Collection Date: 09-Apr-2025 11:45

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-15
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-11-20250409
 Collection Date: 09-Apr-2025 11:45

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-15
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 13:17
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 13:17
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 13:17
Surr: 1,2-Dichloroethane-d4	95.5		70-126	%REC	1	15-Apr-2025 13:17
Surr: 4-Bromofluorobenzene	98.6		77-113	%REC	1	15-Apr-2025 13:17
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 13:17
Surr: Toluene-d8	101		82-127	%REC	1	15-Apr-2025 13:17
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	487		2.50	mg/L	5	11-Apr-2025 15:33

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-14-20250409
 Collection Date: 09-Apr-2025 12:25

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-16
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,1-Dichloroethane	0.0041		0.0010	mg/L	1	15-Apr-2025 13:38
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-14-20250409
 Collection Date: 09-Apr-2025 12:25

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-16
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 13:38
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 13:38
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 13:38
Surr: 1,2-Dichloroethane-d4	98.9		70-126	%REC	1	15-Apr-2025 13:38
Surr: 4-Bromofluorobenzene	98.6		77-113	%REC	1	15-Apr-2025 13:38
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 13:38
Surr: Toluene-d8	98.2		82-127	%REC	1	15-Apr-2025 13:38
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	680		5.00	mg/L	10	11-Apr-2025 14:58

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-17-20250409
 Collection Date: 09-Apr-2025 14:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-17
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,1-Dichloroethane	0.0013		0.0010	mg/L	1	15-Apr-2025 13:59
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-17-20250409
 Collection Date: 09-Apr-2025 14:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-17
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 13:59
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 13:59
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 13:59
Surr: 1,2-Dichloroethane-d4	97.6		70-126	%REC	1	15-Apr-2025 13:59
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	15-Apr-2025 13:59
Surr: Dibromofluoromethane	99.9		77-123	%REC	1	15-Apr-2025 13:59
Surr: Toluene-d8	98.9		82-127	%REC	1	15-Apr-2025 13:59
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	535		5.00	mg/L	10	12-Apr-2025 14:33

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-1-20250409
 Collection Date: 09-Apr-2025 13:15

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-18
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Chloroform	0.0012		0.0010	mg/L	1	15-Apr-2025 15:02
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-1-20250409
 Collection Date: 09-Apr-2025 13:15

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-18
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 15:02
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 15:02
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 15:02
Surr: 1,2-Dichloroethane-d4	99.4		70-126	%REC	1	15-Apr-2025 15:02
Surr: 4-Bromofluorobenzene	99.0		77-113	%REC	1	15-Apr-2025 15:02
Surr: Dibromofluoromethane	101		77-123	%REC	1	15-Apr-2025 15:02
Surr: Toluene-d8	98.3		82-127	%REC	1	15-Apr-2025 15:02
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	694		5.00	mg/L	10	11-Apr-2025 16:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-01-20250408
 Collection Date: 08-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-19
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,1-Dichloroethane	0.11		0.0010	mg/L	1	15-Apr-2025 15:23
1,1-Dichloroethene	0.0014		0.0010	mg/L	1	15-Apr-2025 15:23
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
1-Methylnaphthalene	0.0034		0.0010	mg/L	1	15-Apr-2025 15:23
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23
2-Methylnaphthalene	0.0044		0.0010	mg/L	1	15-Apr-2025 15:23
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23
Acetone	0.060		0.0020	mg/L	1	15-Apr-2025 15:23
Benzene	0.015		0.0010	mg/L	1	15-Apr-2025 15:23
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
cis-1,2-Dichloroethene	0.027		0.0010	mg/L	1	15-Apr-2025 15:23
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Ethylbenzene	0.0054		0.0010	mg/L	1	15-Apr-2025 15:23
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
m,p-Xylene	0.0025		0.0020	mg/L	1	15-Apr-2025 15:23
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-01-20250408
 Collection Date: 08-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-19
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 15:23
Naphthalene	0.011		0.0010	mg/L	1	15-Apr-2025 15:23
o-Xylene	0.0046		0.0010	mg/L	1	15-Apr-2025 15:23
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Toluene	0.0022		0.0010	mg/L	1	15-Apr-2025 15:23
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Trichloroethene	0.023		0.0010	mg/L	1	15-Apr-2025 15:23
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 15:23
Xylenes, Total	0.0071		0.0030	mg/L	1	15-Apr-2025 15:23
Surr: 1,2-Dichloroethane-d4	97.3		70-126	%REC	1	15-Apr-2025 15:23
Surr: 4-Bromofluorobenzene	100		77-113	%REC	1	15-Apr-2025 15:23
Surr: Dibromofluoromethane	99.5		77-123	%REC	1	15-Apr-2025 15:23
Surr: Toluene-d8	102		82-127	%REC	1	15-Apr-2025 15:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-02-20250409
 Collection Date: 09-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-20
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,1,2,2-Tetrachloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
1,1,2-Trichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,1-Dichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,1-Dichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,2,4-Trichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,2-Dibromo-3-chloropropane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,2-Dibromoethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,2-Dichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,2-Dichloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,2-Dichloropropane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,3-Dichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1,4-Dichlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
1-Methylnaphthalene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
2-Butanone	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
2-Hexanone	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
2-Methylnaphthalene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
4-Methyl-2-pentanone	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
Acetone	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
Benzene	0.040		0.0050	mg/L	5	16-Apr-2025 16:29
Bromodichloromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Bromoform	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Bromomethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Carbon disulfide	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
Carbon tetrachloride	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Chlorobenzene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Chloroethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Chloroform	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Chloromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
cis-1,2-Dichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
cis-1,3-Dichloropropene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Cyclohexane	0.10		0.0050	mg/L	5	16-Apr-2025 16:29
Dibromochloromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Dichlorodifluoromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Ethylbenzene	0.018		0.0050	mg/L	5	16-Apr-2025 16:29
Isopropylbenzene	0.0085		0.0050	mg/L	5	16-Apr-2025 16:29
m,p-Xylene	0.017		0.010	mg/L	5	16-Apr-2025 16:29
Methyl acetate	ND	U	0.010	mg/L	5	16-Apr-2025 16:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-02-20250409
 Collection Date: 09-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-20
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Methylcyclohexane	0.18		0.0050	mg/L	5	16-Apr-2025 16:29
Methylene chloride	ND	U	0.010	mg/L	5	16-Apr-2025 16:29
Naphthalene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
o-Xylene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Styrene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Tetrachloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Toluene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
trans-1,2-Dichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
trans-1,3-Dichloropropene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Trichloroethene	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Trichlorofluoromethane	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Vinyl chloride	ND	U	0.0050	mg/L	5	16-Apr-2025 16:29
Xylenes, Total	0.017		0.015	mg/L	5	16-Apr-2025 16:29
Surr: 1,2-Dichloroethane-d4	96.5		70-126	%REC	5	16-Apr-2025 16:29
Surr: 4-Bromofluorobenzene	98.1		77-113	%REC	5	16-Apr-2025 16:29
Surr: Dibromofluoromethane	100		77-123	%REC	5	16-Apr-2025 16:29
Surr: Toluene-d8	97.6		82-127	%REC	5	16-Apr-2025 16:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: Trip Blank
 Collection Date: 07-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-21
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,1,2,2-Tetrachloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
1,1,2-Trichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,1-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,2,4-Trichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,2-Dibromo-3-chloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,2-Dibromoethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,2-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,2-Dichloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,2-Dichloropropane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,3-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1,4-Dichlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
1-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
2-Butanone	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
2-Hexanone	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
2-Methylnaphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
4-Methyl-2-pentanone	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
Acetone	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
Benzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Bromodichloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Bromoform	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Bromomethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Carbon disulfide	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
Carbon tetrachloride	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Chlorobenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Chloroethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Chloroform	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Chloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
cis-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
cis-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Cyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Dibromochloromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Dichlorodifluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Ethylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Isopropylbenzene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
m,p-Xylene	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
Methyl acetate	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: Trip Blank
 Collection Date: 07-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25040532
 Lab ID:HS25040532-21
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Methylcyclohexane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Methylene chloride	ND	U	0.0020	mg/L	1	15-Apr-2025 12:36
Naphthalene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
o-Xylene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Styrene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Tetrachloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Toluene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
trans-1,3-Dichloropropene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Trichloroethene	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Vinyl chloride	ND	U	0.0010	mg/L	1	15-Apr-2025 12:36
Xylenes, Total	ND	U	0.0030	mg/L	1	15-Apr-2025 12:36
Surr: 1,2-Dichloroethane-d4	95.0		70-126	%REC	1	15-Apr-2025 12:36
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	15-Apr-2025 12:36
Surr: Dibromofluoromethane	102		77-123	%REC	1	15-Apr-2025 12:36
Surr: Toluene-d8	101		82-127	%REC	1	15-Apr-2025 12:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R510915 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Groundwater	
HS25040532-01	MW-4-20250407	07 Apr 2025 09:10			11 Apr 2025 11:51	20
HS25040532-05	SVE-1A-20250407	07 Apr 2025 10:20			11 Apr 2025 12:32	1
HS25040532-06	MW-5-20250408	08 Apr 2025 10:45			11 Apr 2025 12:38	1
Batch ID: R510916 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Groundwater	
HS25040532-02	MW-12-20250407	07 Apr 2025 10:55			11 Apr 2025 13:42	20
HS25040532-03	MW-13-20250407	07 Apr 2025 13:55			11 Apr 2025 13:59	5
HS25040532-04	SVE-7-20250407	07 Apr 2025 15:00			11 Apr 2025 14:05	10
HS25040532-07	MW-6-20250408	08 Apr 2025 09:15			11 Apr 2025 14:11	20
HS25040532-08	MW-7-20250408	08 Apr 2025 09:30			11 Apr 2025 13:36	50
HS25040532-09	MW-8-20250408	08 Apr 2025 10:10			11 Apr 2025 14:17	5
HS25040532-10	SVE-9-20250407	07 Apr 2025 11:30			11 Apr 2025 14:46	5
HS25040532-11	SVE-8-20250409	09 Apr 2025 10:20			11 Apr 2025 14:52	20
HS25040532-12	SVE-12-20250409	09 Apr 2025 08:40			11 Apr 2025 15:16	5
HS25040532-13	SVE-13-20250409	09 Apr 2025 09:05			11 Apr 2025 15:21	5
HS25040532-15	MW-11-20250409	09 Apr 2025 11:45			11 Apr 2025 15:33	5
HS25040532-16	MW-14-20250409	09 Apr 2025 12:25			11 Apr 2025 14:58	10
HS25040532-18	SVE-1-20250409	09 Apr 2025 13:15			11 Apr 2025 16:14	10
Batch ID: R510951 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Groundwater	
HS25040532-14	SVE-14-20250409	09 Apr 2025 09:35			12 Apr 2025 14:27	20
HS25040532-17	MW-17-20250409	09 Apr 2025 14:00			12 Apr 2025 14:33	10
Batch ID: R511039 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25040532-10	SVE-9-20250407	07 Apr 2025 11:30			15 Apr 2025 04:07	1
HS25040532-11	SVE-8-20250409	09 Apr 2025 10:20			15 Apr 2025 02:27	1
HS25040532-12	SVE-12-20250409	09 Apr 2025 08:40			15 Apr 2025 05:23	1
HS25040532-13	SVE-13-20250409	09 Apr 2025 09:05			15 Apr 2025 05:48	25
Batch ID: R511068 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25040532-01	MW-4-20250407	07 Apr 2025 09:10			15 Apr 2025 01:04	1
HS25040532-02	MW-12-20250407	07 Apr 2025 10:55			15 Apr 2025 01:25	1
HS25040532-03	MW-13-20250407	07 Apr 2025 13:55			15 Apr 2025 01:46	1
HS25040532-04	SVE-7-20250407	07 Apr 2025 15:00			15 Apr 2025 02:07	1
HS25040532-05	SVE-1A-20250407	07 Apr 2025 10:20			15 Apr 2025 02:27	1
HS25040532-06	MW-5-20250408	08 Apr 2025 10:45			15 Apr 2025 02:48	1
HS25040532-07	MW-6-20250408	08 Apr 2025 09:15			15 Apr 2025 03:09	1
HS25040532-08	MW-7-20250408	08 Apr 2025 09:30			15 Apr 2025 03:30	1
HS25040532-09	MW-8-20250408	08 Apr 2025 10:10			15 Apr 2025 03:51	1
Batch ID: R511084 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25040532-21	Trip Blank	07 Apr 2025 00:00			15 Apr 2025 12:36	1

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R511084 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25040532-15	MW-11-20250409	09 Apr 2025 11:45			15 Apr 2025 13:17	1
HS25040532-16	MW-14-20250409	09 Apr 2025 12:25			15 Apr 2025 13:38	1
HS25040532-17	MW-17-20250409	09 Apr 2025 14:00			15 Apr 2025 13:59	1
HS25040532-18	SVE-1-20250409	09 Apr 2025 13:15			15 Apr 2025 15:02	1
HS25040532-19	DUP-01-20250408	08 Apr 2025 00:00			15 Apr 2025 15:23	1
Batch ID: R511094 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25040532-10	SVE-9-20250407	07 Apr 2025 11:30			15 Apr 2025 12:27	1
HS25040532-11	SVE-8-20250409	09 Apr 2025 10:20			15 Apr 2025 12:50	1
HS25040532-12	SVE-12-20250409	09 Apr 2025 08:40			15 Apr 2025 13:38	1
HS25040532-13	SVE-13-20250409	09 Apr 2025 09:05			15 Apr 2025 13:15	25
Batch ID: R511225 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25040532-05	SVE-1A-20250407	07 Apr 2025 10:20			16 Apr 2025 15:42	5
HS25040532-14	SVE-14-20250409	09 Apr 2025 09:35			16 Apr 2025 16:05	5
HS25040532-20	DUP-02-20250409	09 Apr 2025 00:00			16 Apr 2025 16:29	5

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511039 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250414	Units: ug/L		Analysis Date: 14-Apr-2025 21:52						
Client ID:	Run ID: VOA7_511039	SeqNo: 8781822		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	1.0								U
1,1,2,2-Tetrachloroethane	ND	1.0								U
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	2.0								U
1,1,2-Trichloroethane	ND	1.0								U
1,1-Dichloroethane	ND	1.0								U
1,1-Dichloroethene	ND	1.0								U
1,2,4-Trichlorobenzene	ND	1.0								U
1,2-Dibromo-3-chloropropane	ND	1.0								U
1,2-Dibromoethane	ND	1.0								U
1,2-Dichlorobenzene	ND	1.0								U
1,2-Dichloroethane	ND	1.0								U
1,2-Dichloropropane	ND	1.0								U
1,3-Dichlorobenzene	ND	1.0								U
1,4-Dichlorobenzene	ND	1.0								U
1-Methylnaphthalene	ND	1.0								U
2-Butanone	ND	2.0								U
2-Hexanone	ND	2.0								U
2-Methylnaphthalene	ND	1.0								U
4-Methyl-2-pentanone	ND	2.0								U
Acetone	ND	2.0								U
Benzene	ND	1.0								U
Bromodichloromethane	ND	1.0								U
Bromoform	ND	1.0								U
Carbon disulfide	ND	2.0								U
Carbon tetrachloride	ND	1.0								U
Chlorobenzene	ND	1.0								U
Chloroethane	ND	1.0								U
Chloroform	ND	1.0								U
Chloromethane	ND	1.0								U
cis-1,2-Dichloroethene	ND	1.0								U
cis-1,3-Dichloropropene	ND	1.0								U
Cyclohexane	ND	1.0								U
Dibromochloromethane	ND	1.0								U
Dichlorodifluoromethane	ND	1.0								U

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511039 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250414	Units: ug/L		Analysis Date: 14-Apr-2025 21:52						
Client ID:	Run ID: VOA7_511039	SeqNo: 8781822		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethylbenzene	ND	1.0								U
Isopropylbenzene	ND	1.0								U
m,p-Xylene	ND	2.0								U
Methyl acetate	ND	2.0								U
Methyl tert-butyl ether	ND	1.0								U
Methylcyclohexane	ND	1.0								U
Methylene chloride	ND	2.0								U
Naphthalene	ND	1.0								U
o-Xylene	ND	1.0								U
Styrene	ND	1.0								U
Tetrachloroethene	ND	1.0								U
Toluene	ND	1.0								U
trans-1,2-Dichloroethene	ND	1.0								U
trans-1,3-Dichloropropene	ND	1.0								U
Trichloroethene	ND	1.0								U
Trichlorofluoromethane	ND	1.0								U
Vinyl chloride	ND	1.0								U
Xylenes, Total	ND	3.0								U
Surr: 1,2-Dichloroethane-d4	50.8	1.0	50	0	102	70 - 123				
Surr: 4-Bromofluorobenzene	53.46	1.0	50	0	107	77 - 113				
Surr: Dibromofluoromethane	49.59	1.0	50	0	99.2	73 - 126				
Surr: Toluene-d8	50.56	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511039 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: LCS-250414		Units: ug/L		Analysis Date: 14-Apr-2025 20:43				
Client ID:		Run ID: VOA7_511039		SeqNo: 8781820		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	20.91	1.0	20	0	105	70 - 130				
1,1,2,2-Tetrachloroethane	20.52	1.0	20	0	103	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	20.1	2.0	20	0	100	70 - 130				
1,1,2-Trichloroethane	20.62	1.0	20	0	103	77 - 113				
1,1-Dichloroethane	21.14	1.0	20	0	106	71 - 122				
1,1-Dichloroethene	21.5	1.0	20	0	108	70 - 130				
1,2,4-Trichlorobenzene	18.67	1.0	20	0	93.3	77 - 126				
1,2-Dibromo-3-chloropropane	17.63	1.0	20	0	88.2	70 - 130				
1,2-Dibromoethane	20.17	1.0	20	0	101	76 - 123				
1,2-Dichlorobenzene	20.47	1.0	20	0	102	77 - 113				
1,2-Dichloroethane	21.37	1.0	20	0	107	70 - 124				
1,2-Dichloropropane	20.76	1.0	20	0	104	72 - 119				
1,3-Dichlorobenzene	20.7	1.0	20	0	104	78 - 118				
1,4-Dichlorobenzene	20.62	1.0	20	0	103	79 - 113				
1-Methylnaphthalene	17.5	1.0	20	0	87.5	60 - 140				
2-Butanone	93.82	2.0	100	0	93.8	70 - 130				
2-Hexanone	86.02	2.0	100	0	86.0	70 - 130				
2-Methylnaphthalene	16.86	1.0	20	0	84.3	55 - 140				
4-Methyl-2-pentanone	94.88	2.0	100	0	94.9	70 - 130				
Acetone	90.72	2.0	100	0	90.7	70 - 130				
Benzene	20.04	1.0	20	0	100	74 - 120				
Bromodichloromethane	20.48	1.0	20	0	102	74 - 122				
Bromoform	20.64	1.0	20	0	103	73 - 128				
Carbon disulfide	39.1	2.0	40	0	97.7	70 - 130				
Carbon tetrachloride	20.09	1.0	20	0	100	71 - 125				
Chlorobenzene	19.82	1.0	20	0	99.1	76 - 113				
Chloroethane	19.39	1.0	20	0	97.0	70 - 130				
Chloroform	20.97	1.0	20	0	105	71 - 121				
Chloromethane	17.08	1.0	20	0	85.4	70 - 129				
cis-1,2-Dichloroethene	21.13	1.0	20	0	106	75 - 122				
cis-1,3-Dichloropropene	20.51	1.0	20	0	103	73 - 127				
Cyclohexane	18.35	1.0	20	0	91.8	70 - 130				
Dibromochloromethane	20.47	1.0	20	0	102	77 - 122				
Dichlorodifluoromethane	17.74	1.0	20	0	88.7	70 - 130				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511039 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C					
LCS		Sample ID: LCS-250414		Units: ug/L		Analysis Date: 14-Apr-2025 20:43			
Client ID:		Run ID: VOA7_511039		SeqNo: 8781820		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Ethylbenzene	20.28	1.0	20	0	101	77 - 117			
Isopropylbenzene	20.17	1.0	20	0	101	73 - 127			
m,p-Xylene	39.52	2.0	40	0	98.8	77 - 122			
Methyl acetate	20.39	2.0	20	0	102	76 - 122			
Methyl tert-butyl ether	20.77	1.0	20	0	104	70 - 130			
Methylcyclohexane	18.68	1.0	20	0	93.4	61 - 157			
Methylene chloride	19.73	2.0	20	0	98.7	70 - 127			
Naphthalene	17.92	1.0	20	0	89.6	70 - 130			
o-Xylene	19.95	1.0	20	0	99.8	75 - 119			
Styrene	20.35	1.0	20	0	102	72 - 126			
Tetrachloroethene	19.74	1.0	20	0	98.7	76 - 119			
Toluene	19.86	1.0	20	0	99.3	77 - 118			
trans-1,2-Dichloroethene	19.29	1.0	20	0	96.4	72 - 127			
trans-1,3-Dichloropropene	20.49	1.0	20	0	102	77 - 119			
Trichloroethene	20.48	1.0	20	0	102	77 - 121			
Trichlorofluoromethane	20.27	1.0	20	0	101	70 - 130			
Vinyl chloride	20.09	1.0	20	0	100	70 - 130			
Xylenes, Total	59.48	3.0	60	0	99.1	75 - 122			
Surr: 1,2-Dichloroethane-d4	53.48	1.0	50	0	107	70 - 123			
Surr: 4-Bromofluorobenzene	51.1	1.0	50	0	102	77 - 113			
Surr: Dibromofluoromethane	51.32	1.0	50	0	103	73 - 126			
Surr: Toluene-d8	50.3	1.0	50	0	101	81 - 120			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511039 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: LCSD-250414		Units: ug/L		Analysis Date: 14-Apr-2025 21:06				
Client ID:		Run ID: VOA7_511039		SeqNo: 8781821		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.64	1.0	20	0	98.2	70 - 130	20.91	6.28	20	
1,1,2,2-Tetrachloroethane	19.66	1.0	20	0	98.3	70 - 120	20.52	4.29	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	19.93	2.0	20	0	99.6	70 - 130	20.1	0.854	20	
1,1,2-Trichloroethane	19.74	1.0	20	0	98.7	77 - 113	20.62	4.4	20	
1,1-Dichloroethane	19.99	1.0	20	0	100.0	71 - 122	21.14	5.59	20	
1,1-Dichloroethene	19.68	1.0	20	0	98.4	70 - 130	21.5	8.85	20	
1,2,4-Trichlorobenzene	17.94	1.0	20	0	89.7	77 - 126	18.67	3.98	20	
1,2-Dibromo-3-chloropropane	17.34	1.0	20	0	86.7	70 - 130	17.63	1.66	20	
1,2-Dibromoethane	19.62	1.0	20	0	98.1	76 - 123	20.17	2.77	20	
1,2-Dichlorobenzene	19.3	1.0	20	0	96.5	77 - 113	20.47	5.9	20	
1,2-Dichloroethane	20.15	1.0	20	0	101	70 - 124	21.37	5.89	20	
1,2-Dichloropropane	19.37	1.0	20	0	96.8	72 - 119	20.76	6.95	20	
1,3-Dichlorobenzene	19.39	1.0	20	0	97.0	78 - 118	20.7	6.53	20	
1,4-Dichlorobenzene	19.1	1.0	20	0	95.5	79 - 113	20.62	7.62	20	
1-Methylnaphthalene	16.38	1.0	20	0	81.9	60 - 140	17.5	6.63	20	
2-Butanone	95.15	2.0	100	0	95.1	70 - 130	93.82	1.4	20	
2-Hexanone	92.19	2.0	100	0	92.2	70 - 130	86.02	6.92	20	
2-Methylnaphthalene	15.68	1.0	20	0	78.4	55 - 140	16.86	7.27	20	
4-Methyl-2-pentanone	84.2	2.0	100	0	84.2	70 - 130	94.88	11.9	20	
Acetone	88.05	2.0	100	0	88.0	70 - 130	90.72	2.98	20	
Benzene	18.64	1.0	20	0	93.2	74 - 120	20.04	7.21	20	
Bromodichloromethane	19.6	1.0	20	0	98.0	74 - 122	20.48	4.4	20	
Bromoform	20.05	1.0	20	0	100	73 - 128	20.64	2.93	20	
Carbon disulfide	35.87	2.0	40	0	89.7	70 - 130	39.1	8.61	20	
Carbon tetrachloride	18.35	1.0	20	0	91.7	71 - 125	20.09	9.05	20	
Chlorobenzene	18.76	1.0	20	0	93.8	76 - 113	19.82	5.48	20	
Chloroethane	18.28	1.0	20	0	91.4	70 - 130	19.39	5.89	20	
Chloroform	20.01	1.0	20	0	100	71 - 121	20.97	4.68	20	
Chloromethane	17.2	1.0	20	0	86.0	70 - 129	17.08	0.648	20	
cis-1,2-Dichloroethene	20.01	1.0	20	0	100	75 - 122	21.13	5.46	20	
cis-1,3-Dichloropropene	19.24	1.0	20	0	96.2	73 - 127	20.51	6.4	20	
Cyclohexane	17.07	1.0	20	0	85.4	70 - 130	18.35	7.24	20	
Dibromochloromethane	19.73	1.0	20	0	98.7	77 - 122	20.47	3.64	20	
Dichlorodifluoromethane	16.65	1.0	20	0	83.3	70 - 130	17.74	6.32	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511039 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C					
LCSD		Sample ID: LCSD-250414		Units: ug/L		Analysis Date: 14-Apr-2025 21:06			
Client ID:		Run ID: VOA7_511039		SeqNo: 8781821		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Ethylbenzene	18.99	1.0	20	0	94.9	77 - 117	20.28	6.61	20
Isopropylbenzene	18.85	1.0	20	0	94.2	73 - 127	20.17	6.75	20
m,p-Xylene	37.11	2.0	40	0	92.8	77 - 122	39.52	6.3	20
Methyl acetate	17.29	2.0	20	0	86.4	76 - 122	20.39	16.5	20
Methyl tert-butyl ether	20.33	1.0	20	0	102	70 - 130	20.77	2.11	20
Methylcyclohexane	18.55	1.0	20	0	92.8	61 - 157	18.68	0.709	20
Methylene chloride	18.9	2.0	20	0	94.5	70 - 127	19.73	4.3	20
Naphthalene	17.28	1.0	20	0	86.4	70 - 130	17.92	3.6	20
o-Xylene	19.05	1.0	20	0	95.2	75 - 119	19.95	4.65	20
Styrene	19.4	1.0	20	0	97.0	72 - 126	20.35	4.78	20
Tetrachloroethene	17.93	1.0	20	0	89.7	76 - 119	19.74	9.61	20
Toluene	18.22	1.0	20	0	91.1	77 - 118	19.86	8.6	20
trans-1,2-Dichloroethene	19.97	1.0	20	0	99.8	72 - 127	19.29	3.46	20
trans-1,3-Dichloropropene	19.72	1.0	20	0	98.6	77 - 119	20.49	3.81	20
Trichloroethene	18.87	1.0	20	0	94.4	77 - 121	20.48	8.19	20
Trichlorofluoromethane	18.52	1.0	20	0	92.6	70 - 130	20.27	9.02	20
Vinyl chloride	18.54	1.0	20	0	92.7	70 - 130	20.09	8.05	20
Xylenes, Total	56.16	3.0	60	0	93.6	75 - 122	59.48	5.74	20
Surr: 1,2-Dichloroethane-d4	53.95	1.0	50	0	108	70 - 123	53.48	0.888	20
Surr: 4-Bromofluorobenzene	50.93	1.0	50	0	102	77 - 113	51.1	0.331	20
Surr: Dibromofluoromethane	52.48	1.0	50	0	105	73 - 126	51.32	2.24	20
Surr: Toluene-d8	49.98	1.0	50	0	100.0	81 - 120	50.3	0.626	20
The following samples were analyzed in this batch:									
HS25040532-10		HS25040532-11		HS25040532-12		HS25040532-13			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MBLK	Sample ID: VBLKW-250414	Units: ug/L		Analysis Date: 14-Apr-2025 20:54					
Client ID:	Run ID: VOA4_511068	SeqNo: 8782322		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	ND	1.0							U
1,1,2,2-Tetrachloroethane	ND	1.0							U
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	2.0							U
1,1,2-Trichloroethane	ND	1.0							U
1,1-Dichloroethane	ND	1.0							U
1,1-Dichloroethene	ND	1.0							U
1,2,4-Trichlorobenzene	ND	1.0							U
1,2-Dibromo-3-chloropropane	ND	1.0							U
1,2-Dibromoethane	ND	1.0							U
1,2-Dichlorobenzene	ND	1.0							U
1,2-Dichloroethane	ND	1.0							U
1,2-Dichloropropane	ND	1.0							U
1,3-Dichlorobenzene	ND	1.0							U
1,4-Dichlorobenzene	ND	1.0							U
1-Methylnaphthalene	ND	1.0							U
2-Butanone	ND	2.0							U
2-Hexanone	ND	2.0							U
2-Methylnaphthalene	ND	1.0							U
4-Methyl-2-pentanone	ND	2.0							U
Acetone	ND	2.0							U
Benzene	ND	1.0							U
Bromodichloromethane	ND	1.0							U
Bromoform	ND	1.0							U
Bromomethane	ND	1.0							U
Carbon disulfide	ND	2.0							U
Carbon tetrachloride	ND	1.0							U
Chlorobenzene	ND	1.0							U
Chloroethane	ND	1.0							U
Chloroform	ND	1.0							U
Chloromethane	ND	1.0							U
cis-1,2-Dichloroethene	ND	1.0							U
cis-1,3-Dichloropropene	ND	1.0							U
Cyclohexane	ND	1.0							U
Dibromochloromethane	ND	1.0							U

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: VBLKW-250414	Units: ug/L		Analysis Date: 14-Apr-2025 20:54						
Client ID:	Run ID: VOA4_511068	SeqNo: 8782322		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	1.0								U
Ethylbenzene	ND	1.0								U
Isopropylbenzene	ND	1.0								U
m,p-Xylene	ND	2.0								U
Methyl acetate	ND	2.0								U
Methyl tert-butyl ether	ND	1.0								U
Methylcyclohexane	ND	1.0								U
Methylene chloride	ND	2.0								U
Naphthalene	ND	1.0								U
o-Xylene	ND	1.0								U
Styrene	ND	1.0								U
Tetrachloroethene	ND	1.0								U
Toluene	ND	1.0								U
trans-1,2-Dichloroethene	ND	1.0								U
trans-1,3-Dichloropropene	ND	1.0								U
Trichloroethene	ND	1.0								U
Trichlorofluoromethane	ND	1.0								U
Vinyl chloride	ND	1.0								U
Xylenes, Total	ND	3.0								U
Surr: 1,2-Dichloroethane-d4	46.43	1.0	50	0	92.9	70 - 123				
Surr: 4-Bromofluorobenzene	50.22	1.0	50	0	100	77 - 113				
Surr: Dibromofluoromethane	50.03	1.0	50	0	100	73 - 126				
Surr: Toluene-d8	50.4	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
LCS		Sample ID: VLCSW-250414		Units: ug/L		Analysis Date: 14-Apr-2025 19:52			
Client ID:		Run ID: VOA4_511068		SeqNo: 8782320		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	19.71	1.0	20	0	98.5	70 - 130			
1,1,2,2-Tetrachloroethane	18.28	1.0	20	0	91.4	70 - 120			
1,1,2-Trichlor-1,2,2-trifluoroethane	18.52	2.0	20	0	92.6	70 - 130			
1,1,2-Trichloroethane	20.17	1.0	20	0	101	77 - 113			
1,1-Dichloroethane	17.63	1.0	20	0	88.2	71 - 122			
1,1-Dichloroethene	18.72	1.0	20	0	93.6	70 - 130			
1,2,4-Trichlorobenzene	18.25	1.0	20	0	91.2	77 - 126			
1,2-Dibromo-3-chloropropane	16.48	1.0	20	0	82.4	70 - 130			
1,2-Dibromoethane	21.22	1.0	20	0	106	76 - 123			
1,2-Dichlorobenzene	18.53	1.0	20	0	92.6	77 - 113			
1,2-Dichloroethane	17.68	1.0	20	0	88.4	70 - 124			
1,2-Dichloropropane	18.44	1.0	20	0	92.2	72 - 119			
1,3-Dichlorobenzene	18.5	1.0	20	0	92.5	78 - 118			
1,4-Dichlorobenzene	19.07	1.0	20	0	95.4	79 - 113			
1-Methylnaphthalene	18.8	1.0	20	0	94.0	60 - 140			
2-Butanone	96.25	2.0	100	0	96.2	70 - 130			
2-Hexanone	104.3	2.0	100	0	104	70 - 130			
2-Methylnaphthalene	19.33	1.0	20	0	96.7	55 - 140			
4-Methyl-2-pentanone	100.7	2.0	100	0	101	70 - 130			
Acetone	95.39	2.0	100	0	95.4	70 - 130			
Benzene	18.27	1.0	20	0	91.3	74 - 120			
Bromodichloromethane	18.59	1.0	20	0	92.9	74 - 122			
Bromoform	21.06	1.0	20	0	105	73 - 128			
Bromomethane	23.01	1.0	20	0	115	70 - 130			
Carbon disulfide	37.66	2.0	40	0	94.1	70 - 130			
Carbon tetrachloride	19.56	1.0	20	0	97.8	71 - 125			
Chlorobenzene	19.86	1.0	20	0	99.3	76 - 113			
Chloroethane	18.12	1.0	20	0	90.6	70 - 130			
Chloroform	18.49	1.0	20	0	92.5	71 - 121			
Chloromethane	21.48	1.0	20	0	107	70 - 129			
cis-1,2-Dichloroethene	19.06	1.0	20	0	95.3	75 - 122			
cis-1,3-Dichloropropene	18.31	1.0	20	0	91.5	73 - 127			
Cyclohexane	18.04	1.0	20	0	90.2	70 - 130			
Dibromochloromethane	20.18	1.0	20	0	101	77 - 122			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: VLCSW-250414		Units: ug/L		Analysis Date: 14-Apr-2025 19:52				
Client ID:		Run ID: VOA4_511068		SeqNo: 8782320		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	17.24	1.0	20	0	86.2	70 - 130				
Ethylbenzene	18.9	1.0	20	0	94.5	77 - 117				
Isopropylbenzene	19.44	1.0	20	0	97.2	73 - 127				
m,p-Xylene	39.05	2.0	40	0	97.6	77 - 122				
Methyl acetate	18.49	2.0	20	0	92.4	76 - 122				
Methyl tert-butyl ether	18.88	1.0	20	0	94.4	70 - 130				
Methylcyclohexane	17	1.0	20	0	85.0	61 - 157				
Methylene chloride	18.08	2.0	20	0	90.4	70 - 127				
Naphthalene	19.7	1.0	20	0	98.5	70 - 130				
o-Xylene	19.27	1.0	20	0	96.3	75 - 119				
Styrene	19.64	1.0	20	0	98.2	72 - 126				
Tetrachloroethene	19.16	1.0	20	0	95.8	76 - 119				
Toluene	19.22	1.0	20	0	96.1	77 - 118				
trans-1,2-Dichloroethene	18.72	1.0	20	0	93.6	72 - 127				
trans-1,3-Dichloropropene	19.23	1.0	20	0	96.1	77 - 119				
Trichloroethene	19.76	1.0	20	0	98.8	77 - 121				
Trichlorofluoromethane	17.99	1.0	20	0	90.0	70 - 130				
Vinyl chloride	18.23	1.0	20	0	91.2	70 - 130				
Xylenes, Total	58.32	3.0	60	0	97.2	75 - 122				
Surr: 1,2-Dichloroethane-d4	48.86	1.0	50	0	97.7	70 - 123				
Surr: 4-Bromofluorobenzene	49.16	1.0	50	0	98.3	77 - 113				
Surr: Dibromofluoromethane	50.9	1.0	50	0	102	73 - 126				
Surr: Toluene-d8	51.09	1.0	50	0	102	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: VLCSDW-250414		Units: ug/L		Analysis Date: 14-Apr-2025 20:12				
Client ID:		Run ID: VOA4_511068		SeqNo: 8782321		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	17.14	1.0	20	0	85.7	70 - 130	19.71	13.9	20	
1,1,2,2-Tetrachloroethane	17.59	1.0	20	0	87.9	70 - 120	18.28	3.88	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	17.51	2.0	20	0	87.5	70 - 130	18.52	5.62	20	
1,1,2-Trichloroethane	18.67	1.0	20	0	93.4	77 - 113	20.17	7.72	20	
1,1-Dichloroethane	16.55	1.0	20	0	82.8	71 - 122	17.63	6.3	20	
1,1-Dichloroethene	17.16	1.0	20	0	85.8	70 - 130	18.72	8.71	20	
1,2,4-Trichlorobenzene	17.87	1.0	20	0	89.3	77 - 126	18.25	2.12	20	
1,2-Dibromo-3-chloropropane	16.21	1.0	20	0	81.1	70 - 130	16.48	1.63	20	
1,2-Dibromoethane	19.75	1.0	20	0	98.8	76 - 123	21.22	7.17	20	
1,2-Dichlorobenzene	18.19	1.0	20	0	91.0	77 - 113	18.53	1.82	20	
1,2-Dichloroethane	17.08	1.0	20	0	85.4	70 - 124	17.68	3.48	20	
1,2-Dichloropropane	17.33	1.0	20	0	86.7	72 - 119	18.44	6.16	20	
1,3-Dichlorobenzene	17.82	1.0	20	0	89.1	78 - 118	18.5	3.74	20	
1,4-Dichlorobenzene	18.11	1.0	20	0	90.5	79 - 113	19.07	5.18	20	
1-Methylnaphthalene	17.62	1.0	20	0	88.1	60 - 140	18.8	6.49	20	
2-Butanone	92.15	2.0	100	0	92.2	70 - 130	96.25	4.35	20	
2-Hexanone	100.5	2.0	100	0	100	70 - 130	104.3	3.72	20	
2-Methylnaphthalene	17.83	1.0	20	0	89.2	55 - 140	19.33	8.06	20	
4-Methyl-2-pentanone	95.77	2.0	100	0	95.8	70 - 130	100.7	5	20	
Acetone	95.03	2.0	100	0	95.0	70 - 130	95.39	0.376	20	
Benzene	17.34	1.0	20	0	86.7	74 - 120	18.27	5.21	20	
Bromodichloromethane	17.74	1.0	20	0	88.7	74 - 122	18.59	4.65	20	
Bromoform	20.4	1.0	20	0	102	73 - 128	21.06	3.21	20	
Bromomethane	21.81	1.0	20	0	109	70 - 130	23.01	5.38	20	
Carbon disulfide	33.53	2.0	40	0	83.8	70 - 130	37.66	11.6	20	
Carbon tetrachloride	18.45	1.0	20	0	92.2	71 - 125	19.56	5.87	20	
Chlorobenzene	18.32	1.0	20	0	91.6	76 - 113	19.86	8.05	20	
Chloroethane	16.31	1.0	20	0	81.5	70 - 130	18.12	10.5	20	
Chloroform	17.4	1.0	20	0	87.0	71 - 121	18.49	6.07	20	
Chloromethane	20.36	1.0	20	0	102	70 - 129	21.48	5.33	20	
cis-1,2-Dichloroethene	17.15	1.0	20	0	85.7	75 - 122	19.06	10.5	20	
cis-1,3-Dichloropropene	17.53	1.0	20	0	87.6	73 - 127	18.31	4.33	20	
Cyclohexane	16.5	1.0	20	0	82.5	70 - 130	18.04	8.92	20	
Dibromochloromethane	19.36	1.0	20	0	96.8	77 - 122	20.18	4.16	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
LCSD		Sample ID: VLCSDW-250414		Units: ug/L		Analysis Date: 14-Apr-2025 20:12			
Client ID:		Run ID: VOA4_511068		SeqNo: 8782321		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	15.17	1.0	20	0	75.9	70 - 130	17.24	12.8	20
Ethylbenzene	17.24	1.0	20	0	86.2	77 - 117	18.9	9.2	20
Isopropylbenzene	17.93	1.0	20	0	89.7	73 - 127	19.44	8.08	20
m,p-Xylene	36.4	2.0	40	0	91.0	77 - 122	39.05	7.01	20
Methyl acetate	17.14	2.0	20	0	85.7	76 - 122	18.49	7.54	20
Methyl tert-butyl ether	18.19	1.0	20	0	90.9	70 - 130	18.88	3.76	20
Methylcyclohexane	16.19	1.0	20	0	80.9	61 - 157	17	4.88	20
Methylene chloride	17.26	2.0	20	0	86.3	70 - 127	18.08	4.64	20
Naphthalene	18.71	1.0	20	0	93.5	70 - 130	19.7	5.18	20
o-Xylene	18.08	1.0	20	0	90.4	75 - 119	19.27	6.35	20
Styrene	18.22	1.0	20	0	91.1	72 - 126	19.64	7.5	20
Tetrachloroethene	17.92	1.0	20	0	89.6	76 - 119	19.16	6.7	20
Toluene	17.9	1.0	20	0	89.5	77 - 118	19.22	7.12	20
trans-1,2-Dichloroethene	17.16	1.0	20	0	85.8	72 - 127	18.72	8.71	20
trans-1,3-Dichloropropene	18.04	1.0	20	0	90.2	77 - 119	19.23	6.37	20
Trichloroethene	18.39	1.0	20	0	92.0	77 - 121	19.76	7.18	20
Trichlorofluoromethane	16.47	1.0	20	0	82.4	70 - 130	17.99	8.82	20
Vinyl chloride	16.42	1.0	20	0	82.1	70 - 130	18.23	10.5	20
Xylenes, Total	54.48	3.0	60	0	90.8	75 - 122	58.32	6.79	20
Surr: 1,2-Dichloroethane-d4	47.78	1.0	50	0	95.6	70 - 123	48.86	2.23	20
Surr: 4-Bromofluorobenzene	48.88	1.0	50	0	97.8	77 - 113	49.16	0.561	20
Surr: Dibromofluoromethane	49.8	1.0	50	0	99.6	73 - 126	50.9	2.19	20
Surr: Toluene-d8	50.92	1.0	50	0	102	81 - 120	51.09	0.337	20

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25040648-01MS		Units: ug/L		Analysis Date: 15-Apr-2025 04:11			
Client ID:		Run ID: VOA4_511068		SeqNo: 8782338		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	15.71	1.0	20	0	78.5	70 - 130			
1,1,2,2-Tetrachloroethane	1.805	1.0	20	0.02	8.92	70 - 123			S
1,1,2-Trichlor-1,2,2-trifluoroethane	18.28	2.0	20	0	91.4	70 - 130			
1,1,2-Trichloroethane	17.24	1.0	20	0	86.2	70 - 117			
1,1-Dichloroethane	16.82	1.0	20	0	84.1	70 - 127			
1,1-Dichloroethene	17.3	1.0	20	0	86.5	70 - 130			
1,2,4-Trichlorobenzene	15.95	1.0	20	0.03	79.6	70 - 125			
1,2-Dibromo-3-chloropropane	15.2	1.0	20	0	76.0	70 - 130			
1,2-Dibromoethane	17.64	1.0	20	0	88.2	70 - 124			
1,2-Dichlorobenzene	16.49	1.0	20	0.021	82.3	70 - 115			
1,2-Dichloroethane	15.75	1.0	20	0.032	78.6	70 - 127			
1,2-Dichloropropane	16.77	1.0	20	0	83.8	70 - 122			
1,3-Dichlorobenzene	16.48	1.0	20	0.021	82.3	70 - 119			
1,4-Dichlorobenzene	17	1.0	20	0.075	84.6	70 - 114			
1-Methylnaphthalene	15.76	1.0	20	0.024	78.7	60 - 140			
2-Butanone	84.72	2.0	100	0.652	84.1	70 - 130			
2-Hexanone	87.62	2.0	100	0.109	87.5	70 - 130			
2-Methylnaphthalene	15.97	1.0	20	0.02	79.7	55 - 140			
4-Methyl-2-pentanone	84.05	2.0	100	0.706	83.3	70 - 130			
Acetone	85.8	2.0	100	0.786	85.0	70 - 130			
Benzene	16.84	1.0	20	0	84.2	70 - 127			
Bromodichloromethane	16.5	1.0	20	0	82.5	70 - 124			
Bromoform	18.12	1.0	20	0	90.6	70 - 129			
Bromomethane	19.79	1.0	20	4.053	78.7	70 - 130			
Carbon disulfide	33.78	2.0	40	0.07	84.3	70 - 130			
Carbon tetrachloride	18.77	1.0	20	7.828	54.7	70 - 130			S
Chlorobenzene	17.61	1.0	20	0.025	87.9	70 - 114			
Chloroethane	17.08	1.0	20	0	85.4	70 - 130			
Chloroform	16.94	1.0	20	0.011	84.6	70 - 125			
Chloromethane	19.69	1.0	20	0.079	98.0	70 - 130			
cis-1,2-Dichloroethene	17.13	1.0	20	0	85.6	70 - 128			
cis-1,3-Dichloropropene	15.82	1.0	20	0.016	79.0	70 - 125			
Cyclohexane	17.54	1.0	20	0	87.7	70 - 130			
Dibromochloromethane	17.43	1.0	20	0	87.1	70 - 124			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25040648-01MS		Units: ug/L		Analysis Date: 15-Apr-2025 04:11			
Client ID:		Run ID: VOA4_511068		SeqNo: 8782338		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	15.79	1.0	20	0.241	77.7	70 - 130			
Ethylbenzene	17.38	1.0	20	0	86.9	70 - 124			
Isopropylbenzene	17.55	1.0	20	0.006	87.7	70 - 130			
m,p-Xylene	35.13	2.0	40	0	87.8	70 - 130			
Methyl acetate	8.757	2.0	20	0.069	43.4	76 - 122			S
Methyl tert-butyl ether	16.65	1.0	20	0	83.3	70 - 130			
Methylcyclohexane	15.29	1.0	20	0.014	76.4	61 - 158			
Methylene chloride	16.68	2.0	20	0	83.4	70 - 128			
Naphthalene	16.36	1.0	20	0	81.8	70 - 130			
o-Xylene	17.37	1.0	20	0	86.8	70 - 124			
Styrene	17.25	1.0	20	0.017	86.2	70 - 130			
Tetrachloroethene	17.58	1.0	20	0.031	87.7	70 - 130			
Toluene	17.39	1.0	20	0	86.9	70 - 123			
trans-1,2-Dichloroethene	17.3	1.0	20	0	86.5	70 - 130			
trans-1,3-Dichloropropene	15.77	1.0	20	0	78.8	70 - 121			
Trichloroethene	31.26	1.0	20	0	156	70 - 129			S
Trichlorofluoromethane	17.71	1.0	20	0	88.5	70 - 130			
Vinyl chloride	17.5	1.0	20	0	87.5	70 - 130			
Xylenes, Total	52.49	3.0	60	0	87.5	70 - 130			
Surr: 1,2-Dichloroethane-d4	49.54	1.0	50	0	99.1	70 - 126			
Surr: 4-Bromofluorobenzene	50.2	1.0	50	0	100	77 - 113			
Surr: Dibromofluoromethane	50.14	1.0	50	0	100	77 - 123			
Surr: Toluene-d8	50.3	1.0	50	0	101	82 - 127			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MSD		Sample ID: HS25040648-01MSD		Units: ug/L		Analysis Date: 15-Apr-2025 04:32				
Client ID:		Run ID: VOA4_511068		SeqNo: 8782339		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	14.74	1.0	20	0	73.7	70 - 130	15.71	6.32	20	
1,1,2,2-Tetrachloroethane	1.674	1.0	20	0.02	8.27	70 - 123	1.805	7.53	20	S
1,1,2-Trichlor-1,2,2-trifluoroethane	17.7	2.0	20	0	88.5	70 - 130	18.28	3.19	20	
1,1,2-Trichloroethane	17.98	1.0	20	0	89.9	70 - 117	17.24	4.2	20	
1,1-Dichloroethane	16.24	1.0	20	0	81.2	70 - 127	16.82	3.52	20	
1,1-Dichloroethene	17.29	1.0	20	0	86.4	70 - 130	17.3	0.0752	20	
1,2,4-Trichlorobenzene	16.45	1.0	20	0.03	82.1	70 - 125	15.95	3.07	20	
1,2-Dibromo-3-chloropropane	16.22	1.0	20	0	81.1	70 - 130	15.2	6.46	20	
1,2-Dibromoethane	18.26	1.0	20	0	91.3	70 - 124	17.64	3.48	20	
1,2-Dichlorobenzene	17.18	1.0	20	0.021	85.8	70 - 115	16.49	4.1	20	
1,2-Dichloroethane	16.67	1.0	20	0.032	83.2	70 - 127	15.75	5.66	20	
1,2-Dichloropropane	17.05	1.0	20	0	85.2	70 - 122	16.77	1.64	20	
1,3-Dichlorobenzene	16.89	1.0	20	0.021	84.4	70 - 119	16.48	2.48	20	
1,4-Dichlorobenzene	16.97	1.0	20	0.075	84.5	70 - 114	17	0.171	20	
1-Methylnaphthalene	17.87	1.0	20	0.024	89.2	60 - 140	15.76	12.5	20	
2-Butanone	92.05	2.0	100	0.652	91.4	70 - 130	84.72	8.3	20	
2-Hexanone	95.72	2.0	100	0.109	95.6	70 - 130	87.62	8.84	20	
2-Methylnaphthalene	17.73	1.0	20	0.02	88.6	55 - 140	15.97	10.5	20	
4-Methyl-2-pentanone	91.18	2.0	100	0.706	90.5	70 - 130	84.05	8.14	20	
Acetone	98.17	2.0	100	0.786	97.4	70 - 130	85.8	13.4	20	
Benzene	17.29	1.0	20	0	86.4	70 - 127	16.84	2.61	20	
Bromodichloromethane	17.22	1.0	20	0	86.1	70 - 124	16.5	4.25	20	
Bromoform	18.78	1.0	20	0	93.9	70 - 129	18.12	3.59	20	
Bromomethane	20.42	1.0	20	4.053	81.8	70 - 130	19.79	3.15	20	
Carbon disulfide	33.36	2.0	40	0.07	83.2	70 - 130	33.78	1.26	20	
Carbon tetrachloride	18.92	1.0	20	7.828	55.4	70 - 130	18.77	0.775	20	S
Chlorobenzene	17.67	1.0	20	0.025	88.2	70 - 114	17.61	0.357	20	
Chloroethane	16.33	1.0	20	0	81.6	70 - 130	17.08	4.49	20	
Chloroform	16.54	1.0	20	0.011	82.6	70 - 125	16.94	2.41	20	
Chloromethane	19.02	1.0	20	0.079	94.7	70 - 130	19.69	3.44	20	
cis-1,2-Dichloroethene	17.05	1.0	20	0	85.3	70 - 128	17.13	0.445	20	
cis-1,3-Dichloropropene	16.3	1.0	20	0.016	81.4	70 - 125	15.82	3.02	20	
Cyclohexane	16.96	1.0	20	0	84.8	70 - 130	17.54	3.36	20	
Dibromochloromethane	18.23	1.0	20	0	91.1	70 - 124	17.43	4.5	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511068 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MSD		Sample ID: HS25040648-01MSD		Units: ug/L		Analysis Date: 15-Apr-2025 04:32			
Client ID:		Run ID: VOA4_511068		SeqNo: 8782339		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	15.58	1.0	20	0.241	76.7	70 - 130	15.79	1.32	20
Ethylbenzene	17.4	1.0	20	0	87.0	70 - 124	17.38	0.0748	20
Isopropylbenzene	17.74	1.0	20	0.006	88.7	70 - 130	17.55	1.1	20
m,p-Xylene	34.82	2.0	40	0	87.0	70 - 130	35.13	0.884	20
Methyl acetate	8.356	2.0	20	0.069	41.4	76 - 122	8.757	4.69	20
Methyl tert-butyl ether	17.6	1.0	20	0	88.0	70 - 130	16.65	5.52	20
Methylcyclohexane	15.96	1.0	20	0.014	79.7	61 - 158	15.29	4.28	20
Methylene chloride	16.52	2.0	20	0	82.6	70 - 128	16.68	0.964	20
Naphthalene	17.88	1.0	20	0	89.4	70 - 130	16.36	8.86	20
o-Xylene	17.69	1.0	20	0	88.5	70 - 124	17.37	1.87	20
Styrene	17.6	1.0	20	0.017	87.9	70 - 130	17.25	1.99	20
Tetrachloroethene	17.69	1.0	20	0.031	88.3	70 - 130	17.58	0.675	20
Toluene	17.52	1.0	20	0	87.6	70 - 123	17.39	0.751	20
trans-1,2-Dichloroethene	17.29	1.0	20	0	86.4	70 - 130	17.3	0.0752	20
trans-1,3-Dichloropropene	16.45	1.0	20	0	82.3	70 - 121	15.77	4.23	20
Trichloroethene	30.59	1.0	20	0	153	70 - 129	31.26	2.18	20
Trichlorofluoromethane	16.69	1.0	20	0	83.4	70 - 130	17.71	5.94	20
Vinyl chloride	17	1.0	20	0	85.0	70 - 130	17.5	2.88	20
Xylenes, Total	52.51	3.0	60	0	87.5	70 - 130	52.49	0.0343	20
Surr: 1,2-Dichloroethane-d4	48.1	1.0	50	0	96.2	70 - 126	49.54	2.94	20
Surr: 4-Bromofluorobenzene	49.66	1.0	50	0	99.3	77 - 113	50.2	1.07	20
Surr: Dibromofluoromethane	49.53	1.0	50	0	99.1	77 - 123	50.14	1.22	20
Surr: Toluene-d8	50.84	1.0	50	0	102	82 - 127	50.3	1.08	20
The following samples were analyzed in this batch:									
		HS25040532-01		HS25040532-02		HS25040532-03		HS25040532-04	
		HS25040532-05		HS25040532-06		HS25040532-07		HS25040532-08	
		HS25040532-09							

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511084 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MBLK	Sample ID: VBLKW-250415	Units: ug/L		Analysis Date: 15-Apr-2025 09:49					
Client ID:	Run ID: VOA4_511084	SeqNo: 8782696		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	ND	1.0							U
1,1,2,2-Tetrachloroethane	ND	1.0							U
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	2.0							U
1,1,2-Trichloroethane	ND	1.0							U
1,1-Dichloroethane	ND	1.0							U
1,1-Dichloroethene	ND	1.0							U
1,2,4-Trichlorobenzene	ND	1.0							U
1,2-Dibromo-3-chloropropane	ND	1.0							U
1,2-Dibromoethane	ND	1.0							U
1,2-Dichlorobenzene	ND	1.0							U
1,2-Dichloroethane	ND	1.0							U
1,2-Dichloropropane	ND	1.0							U
1,3-Dichlorobenzene	ND	1.0							U
1,4-Dichlorobenzene	ND	1.0							U
1-Methylnaphthalene	ND	1.0							
2-Butanone	ND	2.0							U
2-Hexanone	ND	2.0							U
2-Methylnaphthalene	ND	1.0							U
4-Methyl-2-pentanone	ND	2.0							U
Acetone	ND	2.0							U
Benzene	ND	1.0							U
Bromodichloromethane	ND	1.0							U
Bromoform	ND	1.0							U
Bromomethane	ND	1.0							U
Carbon disulfide	ND	2.0							U
Carbon tetrachloride	ND	1.0							U
Chlorobenzene	ND	1.0							U
Chloroethane	ND	1.0							U
Chloroform	ND	1.0							U
Chloromethane	ND	1.0							U
cis-1,2-Dichloroethene	ND	1.0							U
cis-1,3-Dichloropropene	ND	1.0							U
Cyclohexane	ND	1.0							U
Dibromochloromethane	ND	1.0							U

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511084 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: VBLKW-250415	Units: ug/L		Analysis Date: 15-Apr-2025 09:49						
Client ID:	Run ID: VOA4_511084	SeqNo: 8782696		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	1.0								U
Ethylbenzene	ND	1.0								U
Isopropylbenzene	ND	1.0								U
m,p-Xylene	ND	2.0								U
Methyl acetate	ND	2.0								U
Methyl tert-butyl ether	ND	1.0								U
Methylcyclohexane	ND	1.0								U
Methylene chloride	ND	2.0								U
Naphthalene	ND	1.0								U
o-Xylene	ND	1.0								U
Styrene	ND	1.0								U
Tetrachloroethene	ND	1.0								U
Toluene	ND	1.0								U
trans-1,2-Dichloroethene	ND	1.0								U
trans-1,3-Dichloropropene	ND	1.0								U
Trichloroethene	ND	1.0								U
Trichlorofluoromethane	ND	1.0								U
Vinyl chloride	ND	1.0								U
Xylenes, Total	ND	3.0								U
Surr: 1,2-Dichloroethane-d4	47.51	1.0	50	0	95.0	70 - 123				
Surr: 4-Bromofluorobenzene	49.9	1.0	50	0	99.8	77 - 113				
Surr: Dibromofluoromethane	50.23	1.0	50	0	100	73 - 126				
Surr: Toluene-d8	50.27	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511084 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: VLCSW-250415		Units: ug/L		Analysis Date: 15-Apr-2025 08:47				
Client ID:		Run ID: VOA4_511084		SeqNo: 8782694		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.52	1.0	20	0	97.6	70 - 130				
1,1,2,2-Tetrachloroethane	19.13	1.0	20	0	95.7	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	19.2	2.0	20	0	96.0	70 - 130				
1,1,2-Trichloroethane	20.02	1.0	20	0	100	77 - 113				
1,1-Dichloroethane	18.28	1.0	20	0	91.4	71 - 122				
1,1-Dichloroethene	18.74	1.0	20	0	93.7	70 - 130				
1,2,4-Trichlorobenzene	19.14	1.0	20	0	95.7	77 - 126				
1,2-Dibromo-3-chloropropane	19.05	1.0	20	0	95.3	70 - 130				
1,2-Dibromoethane	20.58	1.0	20	0	103	76 - 123				
1,2-Dichlorobenzene	19.51	1.0	20	0	97.5	77 - 113				
1,2-Dichloroethane	18.21	1.0	20	0	91.1	70 - 124				
1,2-Dichloropropane	19.01	1.0	20	0	95.1	72 - 119				
1,3-Dichlorobenzene	19.31	1.0	20	0	96.6	78 - 118				
1,4-Dichlorobenzene	19.18	1.0	20	0	95.9	79 - 113				
1-Methylnaphthalene	20.19	1.0	20	0	101	60 - 140				
2-Butanone	100.6	2.0	100	0	101	70 - 130				
2-Hexanone	105.3	2.0	100	0	105	70 - 130				
2-Methylnaphthalene	20.14	1.0	20	0	101	55 - 140				
4-Methyl-2-pentanone	101.1	2.0	100	0	101	70 - 130				
Acetone	101	2.0	100	0	101	70 - 130				
Benzene	19.02	1.0	20	0	95.1	74 - 120				
Bromodichloromethane	19.17	1.0	20	0	95.9	74 - 122				
Bromoform	21.75	1.0	20	0	109	73 - 128				
Bromomethane	23.54	1.0	20	0	118	70 - 130				
Carbon disulfide	38.79	2.0	40	0	97.0	70 - 130				
Carbon tetrachloride	20.12	1.0	20	0	101	71 - 125				
Chlorobenzene	19.24	1.0	20	0	96.2	76 - 113				
Chloroethane	16.78	1.0	20	0	83.9	70 - 130				
Chloroform	18.65	1.0	20	0	93.2	71 - 121				
Chloromethane	21.8	1.0	20	0	109	70 - 129				
cis-1,2-Dichloroethene	18.58	1.0	20	0	92.9	75 - 122				
cis-1,3-Dichloropropene	19.34	1.0	20	0	96.7	73 - 127				
Cyclohexane	18.12	1.0	20	0	90.6	70 - 130				
Dibromochloromethane	20.88	1.0	20	0	104	77 - 122				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511084 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: VLCSW-250415		Units: ug/L		Analysis Date: 15-Apr-2025 08:47				
Client ID:		Run ID: VOA4_511084		SeqNo: 8782694		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	16.71	1.0	20	0	83.5	70 - 130				
Ethylbenzene	18.31	1.0	20	0	91.6	77 - 117				
Isopropylbenzene	19.29	1.0	20	0	96.4	73 - 127				
m,p-Xylene	38.43	2.0	40	0	96.1	77 - 122				
Methyl acetate	19.21	2.0	20	0	96.0	76 - 122				
Methyl tert-butyl ether	19.54	1.0	20	0	97.7	70 - 130				
Methylcyclohexane	17.94	1.0	20	0	89.7	61 - 157				
Methylene chloride	18.94	2.0	20	0	94.7	70 - 127				
Naphthalene	20.02	1.0	20	0	100	70 - 130				
o-Xylene	19.21	1.0	20	0	96.1	75 - 119				
Styrene	19.42	1.0	20	0	97.1	72 - 126				
Tetrachloroethene	20.14	1.0	20	0	101	76 - 119				
Toluene	18.96	1.0	20	0	94.8	77 - 118				
trans-1,2-Dichloroethene	18.74	1.0	20	0	93.7	72 - 127				
trans-1,3-Dichloropropene	19.64	1.0	20	0	98.2	77 - 119				
Trichloroethene	19.99	1.0	20	0	99.9	77 - 121				
Trichlorofluoromethane	18.29	1.0	20	0	91.4	70 - 130				
Vinyl chloride	18.24	1.0	20	0	91.2	70 - 130				
Xylenes, Total	57.64	3.0	60	0	96.1	75 - 122				
Surr: 1,2-Dichloroethane-d4	48.5	1.0	50	0	97.0	70 - 123				
Surr: 4-Bromofluorobenzene	48.95	1.0	50	0	97.9	77 - 113				
Surr: Dibromofluoromethane	49.84	1.0	50	0	99.7	73 - 126				
Surr: Toluene-d8	50.23	1.0	50	0	100	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511084 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: VLCSDW-250415		Units: ug/L		Analysis Date: 15-Apr-2025 09:08				
Client ID:		Run ID: VOA4_511084		SeqNo: 8782695		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	18.44	1.0	20	0	92.2	70 - 130	19.52	5.72	20	
1,1,2,2-Tetrachloroethane	18.76	1.0	20	0	93.8	70 - 120	19.13	1.98	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	18.02	2.0	20	0	90.1	70 - 130	19.2	6.37	20	
1,1,2-Trichloroethane	19.2	1.0	20	0	96.0	77 - 113	20.02	4.21	20	
1,1-Dichloroethane	17.51	1.0	20	0	87.5	71 - 122	18.28	4.3	20	
1,1-Dichloroethene	17.37	1.0	20	0	86.8	70 - 130	18.74	7.57	20	
1,2,4-Trichlorobenzene	18.51	1.0	20	0	92.6	77 - 126	19.14	3.34	20	
1,2-Dibromo-3-chloropropane	18.62	1.0	20	0	93.1	70 - 130	19.05	2.28	20	
1,2-Dibromoethane	20.01	1.0	20	0	100	76 - 123	20.58	2.82	20	
1,2-Dichlorobenzene	18.23	1.0	20	0	91.2	77 - 113	19.51	6.76	20	
1,2-Dichloroethane	17.94	1.0	20	0	89.7	70 - 124	18.21	1.53	20	
1,2-Dichloropropane	19.13	1.0	20	0	95.6	72 - 119	19.01	0.593	20	
1,3-Dichlorobenzene	18.24	1.0	20	0	91.2	78 - 118	19.31	5.67	20	
1,4-Dichlorobenzene	18.43	1.0	20	0	92.1	79 - 113	19.18	4.02	20	
1-Methylnaphthalene	18.67	1.0	20	0	93.4	60 - 140	20.19	7.82	20	
2-Butanone	99.86	2.0	100	0	99.9	70 - 130	100.6	0.746	20	
2-Hexanone	106.8	2.0	100	0	107	70 - 130	105.3	1.39	20	
2-Methylnaphthalene	18.28	1.0	20	0	91.4	55 - 140	20.14	9.69	20	
4-Methyl-2-pentanone	100.7	2.0	100	0	101	70 - 130	101.1	0.334	20	
Acetone	93.04	2.0	100	0	93.0	70 - 130	101	8.23	20	
Benzene	18.32	1.0	20	0	91.6	74 - 120	19.02	3.72	20	
Bromodichloromethane	18.54	1.0	20	0	92.7	74 - 122	19.17	3.34	20	
Bromoform	21.02	1.0	20	0	105	73 - 128	21.75	3.4	20	
Bromomethane	22.92	1.0	20	0	115	70 - 130	23.54	2.67	20	
Carbon disulfide	35.71	2.0	40	0	89.3	70 - 130	38.79	8.27	20	
Carbon tetrachloride	18.09	1.0	20	0	90.5	71 - 125	20.12	10.6	20	
Chlorobenzene	18.98	1.0	20	0	94.9	76 - 113	19.24	1.36	20	
Chloroethane	17.17	1.0	20	0	85.9	70 - 130	16.78	2.29	20	
Chloroform	17.83	1.0	20	0	89.2	71 - 121	18.65	4.48	20	
Chloromethane	19.6	1.0	20	0	98.0	70 - 129	21.8	10.6	20	
cis-1,2-Dichloroethene	18.01	1.0	20	0	90.0	75 - 122	18.58	3.14	20	
cis-1,3-Dichloropropene	19.01	1.0	20	0	95.1	73 - 127	19.34	1.69	20	
Cyclohexane	16.85	1.0	20	0	84.2	70 - 130	18.12	7.3	20	
Dibromochloromethane	20.3	1.0	20	0	102	77 - 122	20.88	2.81	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511084 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
LCSD	Sample ID: VLCSDW-250415	Units: ug/L			Analysis Date: 15-Apr-2025 09:08				
	Client ID:	Run ID: VOA4_511084	SeqNo: 8782695		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Dichlorodifluoromethane	16.4	1.0	20	0	82.0	70 - 130	16.71	1.84	20
Ethylbenzene	18.61	1.0	20	0	93.1	77 - 117	18.31	1.62	20
Isopropylbenzene	18.4	1.0	20	0	92.0	73 - 127	19.29	4.74	20
m,p-Xylene	37.62	2.0	40	0	94.1	77 - 122	38.43	2.13	20
Methyl acetate	18.16	2.0	20	0	90.8	76 - 122	19.21	5.6	20
Methyl tert-butyl ether	19.27	1.0	20	0	96.4	70 - 130	19.54	1.4	20
Methylcyclohexane	17.34	1.0	20	0	86.7	61 - 157	17.94	3.4	20
Methylene chloride	18.37	2.0	20	0	91.9	70 - 127	18.94	3.04	20
Naphthalene	19.14	1.0	20	0	95.7	70 - 130	20.02	4.52	20
o-Xylene	18.63	1.0	20	0	93.1	75 - 119	19.21	3.09	20
Styrene	19.05	1.0	20	0	95.2	72 - 126	19.42	1.92	20
Tetrachloroethene	18.87	1.0	20	0	94.3	76 - 119	20.14	6.51	20
Toluene	18.4	1.0	20	0	92.0	77 - 118	18.96	3.02	20
trans-1,2-Dichloroethene	17.37	1.0	20	0	86.8	72 - 127	18.74	7.57	20
trans-1,3-Dichloropropene	19.23	1.0	20	0	96.1	77 - 119	19.64	2.12	20
Trichloroethene	18.86	1.0	20	0	94.3	77 - 121	19.99	5.82	20
Trichlorofluoromethane	16.89	1.0	20	0	84.4	70 - 130	18.29	7.98	20
Vinyl chloride	17.23	1.0	20	0	86.1	70 - 130	18.24	5.71	20
Xylenes, Total	56.25	3.0	60	0	93.8	75 - 122	57.64	2.45	20
Surr: 1,2-Dichloroethane-d4	47.44	1.0	50	0	94.9	70 - 123	48.5	2.23	20
Surr: 4-Bromofluorobenzene	47.62	1.0	50	0	95.2	77 - 113	48.95	2.75	20
Surr: Dibromofluoromethane	49.5	1.0	50	0	99.0	73 - 126	49.84	0.683	20
Surr: Toluene-d8	49.77	1.0	50	0	99.5	81 - 120	50.23	0.924	20
The following samples were analyzed in this batch:									
HS25040532-15		HS25040532-16		HS25040532-17		HS25040532-18			
HS25040532-19		HS25040532-21							

ALS Houston, US

Date: 17-Apr-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511094 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250415	Units: ug/L		Analysis Date: 15-Apr-2025 10:03						
Client ID:	Run ID: VOA7_511094	SeqNo: 8782810		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromomethane	ND	1.0								U
Surr: 1,2-Dichloroethane-d4	51.9	1.0	50	0	104	70 - 123				
Surr: 4-Bromofluorobenzene	54	1.0	50	0	108	77 - 113				
Surr: Dibromofluoromethane	49.81	1.0	50	0	99.6	73 - 126				
Surr: Toluene-d8	52.22	1.0	50	0	104	81 - 120				
LCS	Sample ID: LCS-250415	Units: ug/L		Analysis Date: 15-Apr-2025 08:54						
Client ID:	Run ID: VOA7_511094	SeqNo: 8782819		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromomethane	20.46	1.0	20	0	102	70 - 130				
Surr: 1,2-Dichloroethane-d4	55.43	1.0	50	0	111	70 - 123				
Surr: 4-Bromofluorobenzene	49.81	1.0	50	0	99.6	77 - 113				
Surr: Dibromofluoromethane	53.58	1.0	50	0	107	73 - 126				
Surr: Toluene-d8	49.25	1.0	50	0	98.5	81 - 120				
LCSD	Sample ID: LCSD-250415	Units: ug/L		Analysis Date: 15-Apr-2025 09:17						
Client ID:	Run ID: VOA7_511094	SeqNo: 8782820		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromomethane	19.24	1.0	20	0	96.2	70 - 130	20.46	6.16	20	
Surr: 1,2-Dichloroethane-d4	55.36	1.0	50	0	111	70 - 123	55.43	0.132	20	
Surr: 4-Bromofluorobenzene	51.22	1.0	50	0	102	77 - 113	49.81	2.79	20	
Surr: Dibromofluoromethane	52.98	1.0	50	0	106	73 - 126	53.58	1.13	20	
Surr: Toluene-d8	49.86	1.0	50	0	99.7	81 - 120	49.25	1.24	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511094 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25040520-03MS		Units: ug/L		Analysis Date: 15-Apr-2025 18:15			
Client ID:		Run ID: VOA7_511094		SeqNo: 8784589		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Bromomethane	17.01	1.0	20	0	85.0	70 - 130			
Surr: 1,2-Dichloroethane-d4	53.48	1.0	50	0	107	70 - 126			
Surr: 4-Bromofluorobenzene	50.08	1.0	50	0	100	77 - 113			
Surr: Dibromofluoromethane	51.99	1.0	50	0	104	77 - 123			
Surr: Toluene-d8	51.31	1.0	50	0	103	82 - 127			

MSD		Sample ID: HS25040520-03MSD		Units: ug/L		Analysis Date: 15-Apr-2025 18:38			
Client ID:		Run ID: VOA7_511094		SeqNo: 8784590		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Bromomethane	17.45	1.0	20	0	87.3	70 - 130	17.01	2.59	20
Surr: 1,2-Dichloroethane-d4	54.46	1.0	50	0	109	70 - 126	53.48	1.81	20
Surr: 4-Bromofluorobenzene	51.27	1.0	50	0	103	77 - 113	50.08	2.35	20
Surr: Dibromofluoromethane	53.13	1.0	50	0	106	77 - 123	51.99	2.18	20
Surr: Toluene-d8	50.58	1.0	50	0	101	82 - 127	51.31	1.45	20

The following samples were analyzed in this batch:

HS25040532-10	HS25040532-11	HS25040532-12	HS25040532-13
---------------	---------------	---------------	---------------

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MBLK	Sample ID: VBLKW-250416	Units: ug/L		Analysis Date: 16-Apr-2025 11:13					
Client ID:	Run ID: VOA4_511225		SeqNo: 8785717		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	ND	1.0							U
1,1,2,2-Tetrachloroethane	ND	1.0							U
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	2.0							U
1,1,2-Trichloroethane	ND	1.0							U
1,1-Dichloroethane	ND	1.0							U
1,1-Dichloroethene	ND	1.0							U
1,2,4-Trichlorobenzene	ND	1.0							U
1,2-Dibromo-3-chloropropane	ND	1.0							U
1,2-Dibromoethane	ND	1.0							U
1,2-Dichlorobenzene	ND	1.0							U
1,2-Dichloroethane	ND	1.0							U
1,2-Dichloropropane	ND	1.0							U
1,3-Dichlorobenzene	ND	1.0							U
1,4-Dichlorobenzene	ND	1.0							U
1-Methylnaphthalene	ND	1.0							U
2-Butanone	ND	2.0							U
2-Hexanone	ND	2.0							U
2-Methylnaphthalene	ND	1.0							U
4-Methyl-2-pentanone	ND	2.0							U
Acetone	ND	2.0							U
Benzene	ND	1.0							U
Bromodichloromethane	ND	1.0							U
Bromoform	ND	1.0							U
Bromomethane	ND	1.0							U
Carbon disulfide	ND	2.0							U
Carbon tetrachloride	ND	1.0							U
Chlorobenzene	ND	1.0							U
Chloroethane	ND	1.0							U
Chloroform	ND	1.0							U
Chloromethane	ND	1.0							U
cis-1,2-Dichloroethene	ND	1.0							U
cis-1,3-Dichloropropene	ND	1.0							U
Cyclohexane	ND	1.0							U
Dibromochloromethane	ND	1.0							U

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: VBLKW-250416	Units: ug/L		Analysis Date: 16-Apr-2025 11:13						
Client ID:	Run ID: VOA4_511225	SeqNo: 8785717		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	1.0								U
Ethylbenzene	ND	1.0								U
Isopropylbenzene	ND	1.0								U
m,p-Xylene	ND	2.0								U
Methyl acetate	ND	2.0								U
Methyl tert-butyl ether	ND	1.0								U
Methylcyclohexane	ND	1.0								U
Methylene chloride	ND	2.0								U
Naphthalene	ND	1.0								U
o-Xylene	ND	1.0								U
Styrene	ND	1.0								U
Tetrachloroethene	ND	1.0								U
Toluene	ND	1.0								U
trans-1,2-Dichloroethene	ND	1.0								U
trans-1,3-Dichloropropene	ND	1.0								U
Trichloroethene	ND	1.0								U
Trichlorofluoromethane	ND	1.0								U
Vinyl chloride	ND	1.0								U
Xylenes, Total	ND	3.0								U
Surr: 1,2-Dichloroethane-d4	51.02	1.0	50	0	102	70 - 123				
Surr: 4-Bromofluorobenzene	49.67	1.0	50	0	99.3	77 - 113				
Surr: Dibromofluoromethane	51.97	1.0	50	0	104	73 - 126				
Surr: Toluene-d8	47.26	1.0	50	0	94.5	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: VLCSW-250416		Units: ug/L		Analysis Date: 16-Apr-2025 10:03				
Client ID:		Run ID: VOA4_511225		SeqNo: 8785739		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	18.96	1.0	20	0	94.8	70 - 130				
1,1,2,2-Tetrachloroethane	19.04	1.0	20	0	95.2	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	18.79	2.0	20	0	94.0	70 - 130				
1,1,2-Trichloroethane	19.66	1.0	20	0	98.3	77 - 113				
1,1-Dichloroethane	17.95	1.0	20	0	89.8	71 - 122				
1,1-Dichloroethene	18.85	1.0	20	0	94.2	70 - 130				
1,2,4-Trichlorobenzene	18.16	1.0	20	0	90.8	77 - 126				
1,2-Dibromo-3-chloropropane	17.5	1.0	20	0	87.5	70 - 130				
1,2-Dibromoethane	20.62	1.0	20	0	103	76 - 123				
1,2-Dichlorobenzene	18.38	1.0	20	0	91.9	77 - 113				
1,2-Dichloroethane	17.9	1.0	20	0	89.5	70 - 124				
1,2-Dichloropropane	18.02	1.0	20	0	90.1	72 - 119				
1,3-Dichlorobenzene	17.64	1.0	20	0	88.2	78 - 118				
1,4-Dichlorobenzene	18.24	1.0	20	0	91.2	79 - 113				
1-Methylnaphthalene	18.41	1.0	20	0	92.1	60 - 140				
2-Butanone	95.94	2.0	100	0	95.9	70 - 130				
2-Hexanone	106	2.0	100	0	106	70 - 130				
2-Methylnaphthalene	18.63	1.0	20	0	93.2	55 - 140				
4-Methyl-2-pentanone	100.9	2.0	100	0	101	70 - 130				
Acetone	100.8	2.0	100	0	101	70 - 130				
Benzene	18.21	1.0	20	0	91.0	74 - 120				
Bromodichloromethane	18.96	1.0	20	0	94.8	74 - 122				
Bromoform	21.46	1.0	20	0	107	73 - 128				
Bromomethane	22.36	1.0	20	0	112	70 - 130				
Carbon disulfide	37.94	2.0	40	0	94.9	70 - 130				
Carbon tetrachloride	19.74	1.0	20	0	98.7	71 - 125				
Chlorobenzene	19.4	1.0	20	0	97.0	76 - 113				
Chloroethane	18.06	1.0	20	0	90.3	70 - 130				
Chloroform	18.31	1.0	20	0	91.5	71 - 121				
Chloromethane	21.01	1.0	20	0	105	70 - 129				
cis-1,2-Dichloroethene	18.36	1.0	20	0	91.8	75 - 122				
cis-1,3-Dichloropropene	18.48	1.0	20	0	92.4	73 - 127				
Cyclohexane	17.64	1.0	20	0	88.2	70 - 130				
Dibromochloromethane	20.61	1.0	20	0	103	77 - 122				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: VLCSW-250416		Units: ug/L		Analysis Date: 16-Apr-2025 10:03				
Client ID:		Run ID: VOA4_511225		SeqNo: 8785739		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	16.15	1.0	20	0	80.7	70 - 130				
Ethylbenzene	18.18	1.0	20	0	90.9	77 - 117				
Isopropylbenzene	18.78	1.0	20	0	93.9	73 - 127				
m,p-Xylene	37.95	2.0	40	0	94.9	77 - 122				
Methyl acetate	19.93	2.0	20	0	99.6	76 - 122				
Methyl tert-butyl ether	19.29	1.0	20	0	96.4	70 - 130				
Methylcyclohexane	17.41	1.0	20	0	87.0	61 - 157				
Methylene chloride	18.11	2.0	20	0	90.6	70 - 127				
Naphthalene	19.11	1.0	20	0	95.6	70 - 130				
o-Xylene	18.91	1.0	20	0	94.6	75 - 119				
Styrene	19.13	1.0	20	0	95.7	72 - 126				
Tetrachloroethene	19.12	1.0	20	0	95.6	76 - 119				
Toluene	18.89	1.0	20	0	94.4	77 - 118				
trans-1,2-Dichloroethene	18.85	1.0	20	0	94.2	72 - 127				
trans-1,3-Dichloropropene	18.63	1.0	20	0	93.1	77 - 119				
Trichloroethene	19.35	1.0	20	0	96.8	77 - 121				
Trichlorofluoromethane	18.06	1.0	20	0	90.3	70 - 130				
Vinyl chloride	18.05	1.0	20	0	90.2	70 - 130				
Xylenes, Total	56.86	3.0	60	0	94.8	75 - 122				
Surr: 1,2-Dichloroethane-d4	49.75	1.0	50	0	99.5	70 - 123				
Surr: 4-Bromofluorobenzene	48.24	1.0	50	0	96.5	77 - 113				
Surr: Dibromofluoromethane	50.92	1.0	50	0	102	73 - 126				
Surr: Toluene-d8	50.61	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: VLCSDW-250416		Units: ug/L		Analysis Date: 16-Apr-2025 10:24				
Client ID:		Run ID: VOA4_511225		SeqNo: 8785716		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.6	1.0	20	0	98.0	70 - 130	18.96	3.3	20	
1,1,2,2-Tetrachloroethane	19.28	1.0	20	0	96.4	70 - 120	19.04	1.22	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	17.71	2.0	20	0	88.5	70 - 130	18.79	5.96	20	
1,1,2-Trichloroethane	19.71	1.0	20	0	98.5	77 - 113	19.66	0.213	20	
1,1-Dichloroethane	17.42	1.0	20	0	87.1	71 - 122	17.95	3.03	20	
1,1-Dichloroethene	17.84	1.0	20	0	89.2	70 - 130	18.85	5.47	20	
1,2,4-Trichlorobenzene	19.06	1.0	20	0	95.3	77 - 126	18.16	4.82	20	
1,2-Dibromo-3-chloropropane	18.82	1.0	20	0	94.1	70 - 130	17.5	7.31	20	
1,2-Dibromoethane	20.1	1.0	20	0	100	76 - 123	20.62	2.58	20	
1,2-Dichlorobenzene	18.71	1.0	20	0	93.5	77 - 113	18.38	1.77	20	
1,2-Dichloroethane	17.85	1.0	20	0	89.2	70 - 124	17.9	0.308	20	
1,2-Dichloropropane	18.51	1.0	20	0	92.6	72 - 119	18.02	2.72	20	
1,3-Dichlorobenzene	18.3	1.0	20	0	91.5	78 - 118	17.64	3.66	20	
1,4-Dichlorobenzene	18.71	1.0	20	0	93.5	79 - 113	18.24	2.54	20	
1-Methylnaphthalene	19.15	1.0	20	0	95.8	60 - 140	18.41	3.93	20	
2-Butanone	100.2	2.0	100	0	100	70 - 130	95.94	4.35	20	
2-Hexanone	105.9	2.0	100	0	106	70 - 130	106	0.136	20	
2-Methylnaphthalene	18.91	1.0	20	0	94.5	55 - 140	18.63	1.46	20	
4-Methyl-2-pentanone	99.49	2.0	100	0	99.5	70 - 130	100.9	1.43	20	
Acetone	105.9	2.0	100	0	106	70 - 130	100.8	4.98	20	
Benzene	17.98	1.0	20	0	89.9	74 - 120	18.21	1.24	20	
Bromodichloromethane	18.46	1.0	20	0	92.3	74 - 122	18.96	2.68	20	
Bromoform	21.18	1.0	20	0	106	73 - 128	21.46	1.32	20	
Bromomethane	21.14	1.0	20	0	106	70 - 130	22.36	5.58	20	
Carbon disulfide	35.86	2.0	40	0	89.7	70 - 130	37.94	5.63	20	
Carbon tetrachloride	18.41	1.0	20	0	92.1	71 - 125	19.74	6.96	20	
Chlorobenzene	19.03	1.0	20	0	95.1	76 - 113	19.4	1.95	20	
Chloroethane	16.13	1.0	20	0	80.6	70 - 130	18.06	11.3	20	
Chloroform	17.81	1.0	20	0	89.1	71 - 121	18.31	2.74	20	
Chloromethane	19.79	1.0	20	0	99.0	70 - 129	21.01	5.99	20	
cis-1,2-Dichloroethene	18.02	1.0	20	0	90.1	75 - 122	18.36	1.87	20	
cis-1,3-Dichloropropene	18.26	1.0	20	0	91.3	73 - 127	18.48	1.25	20	
Cyclohexane	16.87	1.0	20	0	84.3	70 - 130	17.64	4.49	20	
Dibromochloromethane	20	1.0	20	0	100	77 - 122	20.61	2.99	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
LCSD		Sample ID: VLCSDW-250416		Units: ug/L		Analysis Date: 16-Apr-2025 10:24			
Client ID:		Run ID: VOA4_511225		SeqNo: 8785716		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	15.53	1.0	20	0	77.6	70 - 130	16.15	3.9	20
Ethylbenzene	17.77	1.0	20	0	88.9	77 - 117	18.18	2.28	20
Isopropylbenzene	18.36	1.0	20	0	91.8	73 - 127	18.78	2.29	20
m,p-Xylene	37.36	2.0	40	0	93.4	77 - 122	37.95	1.56	20
Methyl acetate	19.47	2.0	20	0	97.3	76 - 122	19.93	2.33	20
Methyl tert-butyl ether	19.37	1.0	20	0	96.8	70 - 130	19.29	0.409	20
Methylcyclohexane	16.88	1.0	20	0	84.4	61 - 157	17.41	3.07	20
Methylene chloride	18.54	2.0	20	0	92.7	70 - 127	18.11	2.36	20
Naphthalene	19.79	1.0	20	0	99.0	70 - 130	19.11	3.48	20
o-Xylene	18.02	1.0	20	0	90.1	75 - 119	18.91	4.82	20
Styrene	18.83	1.0	20	0	94.1	72 - 126	19.13	1.62	20
Tetrachloroethene	18	1.0	20	0	90.0	76 - 119	19.12	6.02	20
Toluene	17.9	1.0	20	0	89.5	77 - 118	18.89	5.38	20
trans-1,2-Dichloroethene	17.84	1.0	20	0	89.2	72 - 127	18.85	5.47	20
trans-1,3-Dichloropropene	18.68	1.0	20	0	93.4	77 - 119	18.63	0.306	20
Trichloroethene	18.56	1.0	20	0	92.8	77 - 121	19.35	4.15	20
Trichlorofluoromethane	17.24	1.0	20	0	86.2	70 - 130	18.06	4.65	20
Vinyl chloride	17.27	1.0	20	0	86.3	70 - 130	18.05	4.42	20
Xylenes, Total	55.39	3.0	60	0	92.3	75 - 122	56.86	2.63	20
Surr: 1,2-Dichloroethane-d4	49.62	1.0	50	0	99.2	70 - 123	49.75	0.252	20
Surr: 4-Bromofluorobenzene	49.35	1.0	50	0	98.7	77 - 113	48.24	2.28	20
Surr: Dibromofluoromethane	50.62	1.0	50	0	101	73 - 126	50.92	0.605	20
Surr: Toluene-d8	50.79	1.0	50	0	102	81 - 120	50.61	0.355	20

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25040575-01MS		Units: ug/L		Analysis Date: 16-Apr-2025 18:54			
Client ID:		Run ID: VOA4_511225		SeqNo: 8785735		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	17.29	1.0	20	0	86.4	70 - 130			
1,1,2,2-Tetrachloroethane	17	1.0	20	0.021	84.9	70 - 123			
1,1,2-Trichlor-1,2,2-trifluoroethane	17.48	2.0	20	0	87.4	70 - 130			
1,1,2-Trichloroethane	17.06	1.0	20	0.037	85.1	70 - 117			
1,1-Dichloroethane	15.5	1.0	20	0	77.5	70 - 127			
1,1-Dichloroethene	16.91	1.0	20	0	84.6	70 - 130			
1,2,4-Trichlorobenzene	16.3	1.0	20	0	81.5	70 - 125			
1,2-Dibromo-3-chloropropane	14.75	1.0	20	0	73.8	70 - 130			
1,2-Dibromoethane	17.06	1.0	20	0	85.3	70 - 124			
1,2-Dichlorobenzene	16.56	1.0	20	0	82.8	70 - 115			
1,2-Dichloroethane	23.74	1.0	20	9.01	73.6	70 - 127			
1,2-Dichloropropane	16.65	1.0	20	0.026	83.1	70 - 122			
1,3-Dichlorobenzene	16.3	1.0	20	0.015	81.4	70 - 119			
1,4-Dichlorobenzene	16.1	1.0	20	0.057	80.2	70 - 114			
1-Methylnaphthalene	18.76	1.0	20	0.089	93.4	60 - 140			
2-Butanone	82.72	2.0	100	0.09	82.6	70 - 130			
2-Hexanone	97.11	2.0	100	0.926	96.2	70 - 130			
2-Methylnaphthalene	18.33	1.0	20	0.082	91.3	55 - 140			
4-Methyl-2-pentanone	96.91	2.0	100	0.79	96.1	70 - 130			
Acetone	83.62	2.0	100	1.647	82.0	70 - 130			
Benzene	17.27	1.0	20	0.933	81.7	70 - 127			
Bromodichloromethane	15.78	1.0	20	0.018	78.8	70 - 124			
Bromoform	17	1.0	20	0	85.0	70 - 129			
Bromomethane	14.46	1.0	20	3.963	52.5	70 - 130			S
Carbon disulfide	34	2.0	40	0.298	84.3	70 - 130			
Carbon tetrachloride	17.96	1.0	20	8.014	49.7	70 - 130			S
Chlorobenzene	18.09	1.0	20	1.467	83.1	70 - 114			
Chloroethane	18.08	1.0	20	10.52	37.8	70 - 130			S
Chloroform	15.98	1.0	20	0.012	79.8	70 - 125			
Chloromethane	18.41	1.0	20	1.056	86.8	70 - 130			
cis-1,2-Dichloroethene	15.69	1.0	20	0.076	78.1	70 - 128			
cis-1,3-Dichloropropene	15.62	1.0	20	0	78.1	70 - 125			
Cyclohexane	16.33	1.0	20	0	81.6	70 - 130			
Dibromochloromethane	16.89	1.0	20	0	84.4	70 - 124			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25040575-01MS		Units: ug/L		Analysis Date: 16-Apr-2025 18:54			
Client ID:		Run ID: VOA4_511225		SeqNo: 8785735		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	15.77	1.0	20	0.218	77.8	70 - 130			
Ethylbenzene	16.27	1.0	20	0	81.3	70 - 124			
Isopropylbenzene	17.08	1.0	20	0.201	84.4	70 - 130			
m,p-Xylene	33.83	2.0	40	0	84.6	70 - 130			
Methyl acetate	15.32	2.0	20	0.133	75.9	76 - 122			S
Methyl tert-butyl ether	16.41	1.0	20	0	82.1	70 - 130			
Methylcyclohexane	16.38	1.0	20	0.398	79.9	61 - 158			
Methylene chloride	16.01	2.0	20	0.244	78.8	70 - 128			
Naphthalene	18.17	1.0	20	0	90.8	70 - 130			
o-Xylene	16.71	1.0	20	0	83.6	70 - 124			
Styrene	16.64	1.0	20	0.058	82.9	70 - 130			
Tetrachloroethene	17.5	1.0	20	0	87.5	70 - 130			
Toluene	26.76	1.0	20	11.6	75.8	70 - 123			
trans-1,2-Dichloroethene	16.91	1.0	20	0	84.6	70 - 130			
trans-1,3-Dichloropropene	16.05	1.0	20	0	80.2	70 - 121			
Trichloroethene	17.34	1.0	20	0.381	84.8	70 - 129			
Trichlorofluoromethane	39.82	1.0	20	25.89	69.6	70 - 130			S
Vinyl chloride	16.67	1.0	20	0.025	83.2	70 - 130			
Xylenes, Total	50.54	3.0	60	0	84.2	70 - 130			
Surr: 1,2-Dichloroethane-d4	46.75	1.0	50	0	93.5	70 - 126			
Surr: 4-Bromofluorobenzene	48.84	1.0	50	0	97.7	77 - 113			
Surr: Dibromofluoromethane	49.34	1.0	50	0	98.7	77 - 123			
Surr: Toluene-d8	49.91	1.0	50	0	99.8	82 - 127			

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MSD		Sample ID: HS25040575-01MSD		Units: ug/L		Analysis Date: 16-Apr-2025 19:15				
Client ID:		Run ID: VOA4_511225		SeqNo: 8785736		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	15.84	1.0	20	0	79.2	70 - 130	17.29	8.71	20	
1,1,2,2-Tetrachloroethane	16.42	1.0	20	0.021	82.0	70 - 123	17	3.47	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	16.98	2.0	20	0	84.9	70 - 130	17.48	2.91	20	
1,1,2-Trichloroethane	16.72	1.0	20	0.037	83.4	70 - 117	17.06	2.01	20	
1,1-Dichloroethane	15.2	1.0	20	0	76.0	70 - 127	15.5	1.91	20	
1,1-Dichloroethene	16.4	1.0	20	0	82.0	70 - 130	16.91	3.06	20	
1,2,4-Trichlorobenzene	15.61	1.0	20	0	78.1	70 - 125	16.3	4.3	20	
1,2-Dibromo-3-chloropropane	15.33	1.0	20	0	76.6	70 - 130	14.75	3.84	20	
1,2-Dibromoethane	17.2	1.0	20	0	86.0	70 - 124	17.06	0.835	20	
1,2-Dichlorobenzene	16.04	1.0	20	0	80.2	70 - 115	16.56	3.18	20	
1,2-Dichloroethane	23.86	1.0	20	9.01	74.3	70 - 127	23.74	0.525	20	
1,2-Dichloropropane	16.11	1.0	20	0.026	80.4	70 - 122	16.65	3.34	20	
1,3-Dichlorobenzene	15.49	1.0	20	0.015	77.4	70 - 119	16.3	5.09	20	
1,4-Dichlorobenzene	15.98	1.0	20	0.057	79.6	70 - 114	16.1	0.792	20	
1-Methylnaphthalene	17.72	1.0	20	0.089	88.2	60 - 140	18.76	5.7	20	
2-Butanone	84.23	2.0	100	0.09	84.1	70 - 130	82.72	1.81	20	
2-Hexanone	100	2.0	100	0.926	99.1	70 - 130	97.11	2.97	20	
2-Methylnaphthalene	17.38	1.0	20	0.082	86.5	55 - 140	18.33	5.31	20	
4-Methyl-2-pentanone	97.71	2.0	100	0.79	96.9	70 - 130	96.91	0.82	20	
Acetone	83.15	2.0	100	1.647	81.5	70 - 130	83.62	0.561	20	
Benzene	17.07	1.0	20	0.933	80.7	70 - 127	17.27	1.2	20	
Bromodichloromethane	16.28	1.0	20	0.018	81.3	70 - 124	15.78	3.11	20	
Bromoform	17.78	1.0	20	0	88.9	70 - 129	17	4.46	20	
Bromomethane	15.15	1.0	20	3.963	56.0	70 - 130	14.46	4.71	20	S
Carbon disulfide	33.02	2.0	40	0.298	81.8	70 - 130	34	2.94	20	
Carbon tetrachloride	17.11	1.0	20	8.014	45.5	70 - 130	17.96	4.83	20	S
Chlorobenzene	17.75	1.0	20	1.467	81.4	70 - 114	18.09	1.91	20	
Chloroethane	15.83	1.0	20	10.52	26.5	70 - 130	18.08	13.2	20	S
Chloroform	15.58	1.0	20	0.012	77.8	70 - 125	15.98	2.52	20	
Chloromethane	17.23	1.0	20	1.056	80.9	70 - 130	18.41	6.64	20	
cis-1,2-Dichloroethene	15.96	1.0	20	0.076	79.4	70 - 128	15.69	1.68	20	
cis-1,3-Dichloropropene	15.99	1.0	20	0	79.9	70 - 125	15.62	2.3	20	
Cyclohexane	15.58	1.0	20	0	77.9	70 - 130	16.33	4.67	20	
Dibromochloromethane	16.7	1.0	20	0	83.5	70 - 124	16.89	1.1	20	

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R511225 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MSD		Sample ID: HS25040575-01MSD		Units: ug/L		Analysis Date: 16-Apr-2025 19:15			
Client ID:		Run ID: VOA4_511225		SeqNo: 8785736		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	15.32	1.0	20	0.218	75.5	70 - 130	15.77	2.89	20
Ethylbenzene	16.29	1.0	20	0	81.4	70 - 124	16.27	0.123	20
Isopropylbenzene	16.77	1.0	20	0.201	82.9	70 - 130	17.08	1.8	20
m,p-Xylene	33.03	2.0	40	0	82.6	70 - 130	33.83	2.39	20
Methyl acetate	14.75	2.0	20	0.133	73.1	76 - 122	15.32	3.74	20 S
Methyl tert-butyl ether	16.61	1.0	20	0	83.0	70 - 130	16.41	1.18	20
Methylcyclohexane	15.85	1.0	20	0.398	77.3	61 - 158	16.38	3.26	20
Methylene chloride	15.72	2.0	20	0.244	77.4	70 - 128	16.01	1.84	20
Naphthalene	17.12	1.0	20	0	85.6	70 - 130	18.17	5.92	20
o-Xylene	16.57	1.0	20	0	82.9	70 - 124	16.71	0.841	20
Styrene	16.68	1.0	20	0.058	83.1	70 - 130	16.64	0.276	20
Tetrachloroethene	17.34	1.0	20	0	86.7	70 - 130	17.5	0.907	20
Toluene	26.75	1.0	20	11.6	75.7	70 - 123	26.76	0.0449	20
trans-1,2-Dichloroethene	16.4	1.0	20	0	82.0	70 - 130	16.91	3.06	20
trans-1,3-Dichloropropene	15.82	1.0	20	0	79.1	70 - 121	16.05	1.47	20
Trichloroethene	17.32	1.0	20	0.381	84.7	70 - 129	17.34	0.156	20
Trichlorofluoromethane	38.88	1.0	20	25.89	64.9	70 - 130	39.82	2.4	20 S
Vinyl chloride	15.73	1.0	20	0.025	78.5	70 - 130	16.67	5.84	20
Xylenes, Total	49.6	3.0	60	0	82.7	70 - 130	50.54	1.88	20
Surr: 1,2-Dichloroethane-d4	48.46	1.0	50	0	96.9	70 - 126	46.75	3.58	20
Surr: 4-Bromofluorobenzene	48.52	1.0	50	0	97.0	77 - 113	48.84	0.659	20
Surr: Dibromofluoromethane	49.4	1.0	50	0	98.8	77 - 123	49.34	0.126	20
Surr: Toluene-d8	50.79	1.0	50	0	102	82 - 127	49.91	1.75	20
The following samples were analyzed in this batch:									
HS25040532-05		HS25040532-14		HS25040532-20					

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R510915 (0)		Instrument: ICS-Integrion		Method: ANIONS BY E300.0, REV 2.1, 1993						
MBLK	Sample ID: MBLK	Units: mg/L		Analysis Date: 11-Apr-2025 08:55						
Client ID:	Run ID: ICS-Integrion_510915		SeqNo: 8778630		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	ND	0.500								U
LCS	Sample ID: LCS	Units: mg/L		Analysis Date: 11-Apr-2025 09:07						
Client ID:	Run ID: ICS-Integrion_510915		SeqNo: 8778631		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	20.6	0.500	20	0	103	90 - 110				
MS	Sample ID: HS25040532-01MS	Units: mg/L		Analysis Date: 11-Apr-2025 11:57						
Client ID: MW-4-20250407	Run ID: ICS-Integrion_510915		SeqNo: 8778654		PrepDate:		DF: 20			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	1029	10.0	200	868.5	80.3	80 - 120				O
MS	Sample ID: HS25040496-06MS	Units: mg/L		Analysis Date: 11-Apr-2025 11:04						
Client ID:	Run ID: ICS-Integrion_510915		SeqNo: 8778647		PrepDate:		DF: 100			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	2954	50.0	1000	1920	103	80 - 120				
MSD	Sample ID: HS25040532-01MSD	Units: mg/L		Analysis Date: 11-Apr-2025 12:03						
Client ID: MW-4-20250407	Run ID: ICS-Integrion_510915		SeqNo: 8778655		PrepDate:		DF: 20			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	1027	10.0	200	868.5	79.4	80 - 120	1029	0.176	20	SO
MSD	Sample ID: HS25040496-06MSD	Units: mg/L		Analysis Date: 11-Apr-2025 11:10						
Client ID:	Run ID: ICS-Integrion_510915		SeqNo: 8778648		PrepDate:		DF: 100			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	2954	50.0	1000	1920	103	80 - 120	2954	0.00745	20	
The following samples were analyzed in this batch:										
HS25040532-01			HS25040532-05			HS25040532-06				

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R510916 (0)		Instrument: ICS-Integrion		Method: ANIONS BY E300.0, REV 2.1, 1993						
MBLK	Sample ID: MBLK	Units: mg/L			Analysis Date: 11-Apr-2025 13:13					
Client ID:	Run ID: ICS-Integrion_510916		SeqNo: 8778711		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	ND	0.500								U
LCS	Sample ID: LCS	Units: mg/L			Analysis Date: 11-Apr-2025 13:19					
Client ID:	Run ID: ICS-Integrion_510916		SeqNo: 8778712		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	20.26	0.500	20	0	101	90 - 110				
MS	Sample ID: HS25040532-16MS	Units: mg/L			Analysis Date: 11-Apr-2025 15:04					
Client ID: MW-14-20250409	Run ID: ICS-Integrion_510916		SeqNo: 8778726		PrepDate:		DF: 10			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	775.3	5.00	100	679.9	95.4	80 - 120				O
MS	Sample ID: HS25040532-02MS	Units: mg/L			Analysis Date: 11-Apr-2025 13:48					
Client ID: MW-12-20250407	Run ID: ICS-Integrion_510916		SeqNo: 8778715		PrepDate:		DF: 20			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	950.2	10.0	200	789.8	80.2	80 - 120				
MSD	Sample ID: HS25040532-16MSD	Units: mg/L			Analysis Date: 11-Apr-2025 15:10					
Client ID: MW-14-20250409	Run ID: ICS-Integrion_510916		SeqNo: 8778727		PrepDate:		DF: 10			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	775.2	5.00	100	679.9	95.3	80 - 120	775.3	0.021	20	O
MSD	Sample ID: HS25040532-02MSD	Units: mg/L			Analysis Date: 11-Apr-2025 13:54					
Client ID: MW-12-20250407	Run ID: ICS-Integrion_510916		SeqNo: 8778716		PrepDate:		DF: 20			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	952.1	10.0	200	789.8	81.2	80 - 120	950.2	0.201	20	
The following samples were analyzed in this batch:										
		HS25040532-02		HS25040532-03		HS25040532-04		HS25040532-07		
		HS25040532-08		HS25040532-09		HS25040532-10		HS25040532-11		
		HS25040532-12		HS25040532-13		HS25040532-15		HS25040532-16		
		HS25040532-18								

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

QC BATCH REPORT

Batch ID: R510951 (0)		Instrument: ICS-Integrion		Method: ANIONS BY E300.0, REV 2.1, 1993						
MBLK	Sample ID: MBLK	Units: mg/L		Analysis Date: 12-Apr-2025 14:09						
Client ID:	Run ID: ICS-Integrion_510951		SeqNo: 8779486		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	ND	0.500								U
LCS	Sample ID: LCS	Units: mg/L		Analysis Date: 12-Apr-2025 14:15						
Client ID:	Run ID: ICS-Integrion_510951		SeqNo: 8779487		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	19.9	0.500	20	0	99.5	90 - 110				
MS	Sample ID: HS25040603-01MS	Units: mg/L		Analysis Date: 12-Apr-2025 13:11						
Client ID:	Run ID: ICS-Integrion_510951		SeqNo: 8779498		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	59.61	0.500	10	56.92	26.9	80 - 120				SO
MS	Sample ID: HS25040165-14MS	Units: mg/L		Analysis Date: 12-Apr-2025 13:34						
Client ID:	Run ID: ICS-Integrion_510951		SeqNo: 8779482		PrepDate:		DF: 50			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	2672	25.0	500	2262	82.0	80 - 120				O
MSD	Sample ID: HS25040603-01MSD	Units: mg/L		Analysis Date: 12-Apr-2025 13:17						
Client ID:	Run ID: ICS-Integrion_510951		SeqNo: 8779499		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	63.06	0.500	10	56.92	61.4	80 - 120	59.61	5.63	20	SO
MSD	Sample ID: HS25040165-14MSD	Units: mg/L		Analysis Date: 12-Apr-2025 13:40						
Client ID:	Run ID: ICS-Integrion_510951		SeqNo: 8779483		PrepDate:		DF: 50			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	2667	25.0	500	2262	81.0	80 - 120	2672	0.18	20	O
The following samples were analyzed in this batch: HS25040532-14 HS25040532-17										

ALS Houston, US

Date: 17-Apr-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25040532

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

ALS Houston, US

Date: 17-Apr-25

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2026
Arkansas	88-00356_2024	17-Mar-2026
California	2919; 2025	30-Apr-2025
Dept of Defense	L24-240	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Florida	E87611-38	30-Jun-2025
Illinois	2000322023-11	31-Jul-2025
Kansas	E-10352 2023-2024	31-Jul-2025
Kentucky	123043	30-Apr-2025
Louisiana	03087 2023-2024	30-Jun-2025
Maine	2024017	23-Jun-2026
Michigan	9971	30-Apr-2025
Nebraska	NE-OS-25-13	30-Apr-2025
New Jersey	TX008	30-Jun-2025
North Carolina	624 - 2024	31-Dec-2025
North Dakota	R-193 2023-2024	30-Sep-2025
Oklahoma	2023-140	31-Aug-2025
Pennsylvania	018	30-Jun-2025
Tennessee	04016	30-Apr-2025
Texas	T104704231 TX-C24-00130	30-Apr-2026
Utah	TX026932023-14	31-Jul-2025

ALS Houston, US

Date: 17-Apr-25

Sample Receipt Checklist

Work Order ID: HS25040532

Date/Time Received: 10-Apr-2025 09:05

Client Name: GHD Albuquerque

Received by: Edgar Zheku

Completed By: /S/ Belinda Gomez	10-Apr-2025 13:43	Reviewed by: /S/ Caden.Lafontaine	10-Apr-2025 15:11
eSignature	Date/Time	eSignature	Date/Time

Matrices: GroundwaterCarrier name: FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	3 Page(s)
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	COC
Samplers name present on COC?	Yes ☒	No ☐	IDs:338382,338381,338380
Chain of custody agrees with sample labels?	Yes ☐	No ☒	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	
Temperature(s)/Thermometer(s):	2.3C UC/C IR 34		
Cooler(s)/Kit(s):	53441		
Date/Time sample(s) sent to storage:	4/10/25 1400		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☒
pH adjusted?	Yes ☐	No ☐	N/A ☒
pH adjusted by:			

Login Notes: Login Notes:
Dup-1 has no collection date but label list 4/8/25. Dup-2 has no collection date but label list 4/9/25. Logged in per Sample Labels.
For Sample SVE-8-20250409 2 of 3 vials have SVE-9-20250409 but date and time match SVE-8-20250409.

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

Cincinnati, OH
+1 513 733 5336Everett, WA
+1 425 356 2600Fort Collins, CO
+1 970 490 1511Holland, MI
+1 616 399 6070

Chain of Custody Form

Page ____ of ____

COC ID: 338382

HS25040532

GHD

12660614 - WT-1 Compressor Station 2025



ALS Project Manager:

Customer Information		Project Information		
Purchase Order	12660614	Project Name	12660614 - WT-1 Compressor Station	A 8260_LL_W (VOCs)
Work Order		Project Number	12660614	B 300_W (Sulfate)
Company Name	GHD Services Inc. - 340	Bill To Company	ETC Texas Pipeline, LTD	C
Send Report To	Angela Bown	Invoice Attn	ETC Pipeline A/P	D
Address	2055 Niagara Falls Blvd	Address	1300 Main Street	E
				F
City/State/Zip	Niagara Falls, NY 14304	City/State/Zip	Houston TX 77002	G
Phone	(716) 205-1907	Phone		H
Fax		Fax		I
e-Mail Address	angela.bown@ghd.com	e-Mail Address	apinvoicesetp.mailbox@energytransfer	J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	MW-4-20250407	4-7-25	9:10	GW		4	X	X									
2	MW-12-20250407	4-7-25	10:55	GW		4	X	X									
3	MW-13-20250407	4-7-25	13:55	GW		4	X	X									
4	SVE-7-20250407	4-7-25	15:00	GW		4	X	X									
5	SVE-1A-20250407	4-7-25	10:20	GW		4	X	X									
6	MW-5-20240408	4-8-25	10:45	GW		4	X	X									
7	MW-6-20240408	4-8-25	9:15	GW		4	X	X									
8	MW-7-20240408	4-8-25	9:30	GW		4	X	X									
9	MW-8-20240408	4-8-25	10:10	GW		4	X	X									
10	SVE-9-20240407	4-7-25	11:30	GW		4	X	X									

Sampler(s) Please Print & Sign Krystle Fitzwater KB		Shipment Method		Required Turnaround Time: (Check Box) ☒ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour				Results Due Date:				
Relinquished by: K Fitzwater	Date: 4-9-25	Time:	Received by:	Notes: 12603946 - WT-1 Compressor Station 2024								
Relinquished by:	Date:	Time:	Received by (Laboratory): E 04/10/2025 09:05	Cooler ID: 53441	Cooler Temp.: 2.5°	QC Package: (Check One Box Below) ☒ Level II Std QC ☐ Level III Std QC/Phw Lab ☐ Level IV SWM WCLP ☐ Other:						
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):									
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035												

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

Page 89 of 92

Cincinnati, OH
+1 513 733 5336Everett, WA
+1 425 356 2600Fort Collins, CO
+1 970 490 1511Holland, MI
+1 616 399 6070

Chain of Custody Form

Page ____ of ____

COC ID: 338381

ALS Project Manager:

HS25040532

GHD

12660614 - WT-1 Compressor Station 2025



Customer Information		Project Information		
Purchase Order	12660614	Project Name	12660614 - WT-1 Compressor Station	A 8260_LL_W (VOCs)
Work Order		Project Number	12660614	B 300_W (Sulfate)
Company Name	GHD Services Inc. - 340	Bill To Company	ETC Texas Pipeline, LTD	C
Send Report To	Angela Bown	Invoice Attn	ETC Pipeline A/P	D
Address	2055 Niagara Falls Blvd	Address	1300 Main Street	E
				F
City/State/Zip	Niagara Falls, NY 14304	City/State/Zip	Houston TX 77002	G
Phone	(716) 205-1907	Phone		H
Fax		Fax		I
e-Mail Address	angela.bown@ghd.com	e-Mail Address	apinvoicesetp.mailbox@energytransfer	J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SVE-8-20250409	4-9-25	10:20	GW			X	X									
2	SVE-12-20250409	4-9-25	8:40	GW			X	X									
3	SVE-13-20250409	4-9-25	9:05	GW			X	X									
4	SVE-14-20250409	4-9-25	9:35	GW			X	X									
5	MW-11-20250409	4-9-25	11:45	GW			X	X									
6	MW-14-20250409	4-9-25	12:25	GW			X	X									
7	MW-17-20250409	4-9-25	14:00	GW			X	X									
8	SVE-1-20250409	4-9-25	13:15	GW			X	X									
9	DUP-01-20250408						X										
10	DUP-02-20250409						X										

Sampler(s) Please Print & Sign Kristle Fitzwater KB		Shipment Method		Required Turnaround Time: (Check Box) ☒ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour				Results Due Date:	
Relinquished by: K. Fitzwater	Date: 4-9-25	Time:	Received by:	Notes: 12603946 - WT-1 Compressor Station 2024					
Relinquished by:	Date:	Time:	Received by (Laboratory): 2 04/16/2015 09:05	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below) ☒ Level II Std OC ☐ Level III Std QC/Raw Data ☐ Level IV SW846/CLP Other:			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):						
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035									

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

Page 90 of 92

Cincinnati, OH
+1 513 733 5336Everett, WA
+1 425 356 2600Fort Collins, CO
+1 970 490 1511Holland, MI
+1 616 399 6070

Chain of Custody Form


Page ____ of ____

COC ID: 338380

HS25040532

GHD

12660614 - WT-1 Compressor Station 2025



ALS Project Manager:

Customer Information		Project Information		
Purchase Order	12660614	Project Name	12660614 - WT-1 Compressor Station	A 8250_LL_W(VOCs)
Work Order		Project Number	12660614	B 300_W(Sulfate)
Company Name	GHD Services Inc. - 340	Bill To Company	ETC Texas Pipeline, LTD	C
Send Report To	Angela Bown	Invoice Attn	ETC Pipeline A/P	D
Address	2055 Niagara Falls Blvd	Address	1300 Main Street	E
				F
City/State/Zip	Niagara Falls, NY 14304	City/State/Zip	Houston TX 77002	G
Phone	(716) 205-1907	Phone		H
Fax		Fax		I
e-Mail Address	angela.bown@ghd.com	e-Mail Address	apinvoiceselp.mailbox@energytransfer	J

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	Trip Blank						X										
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign <i>Kristle Fitzwater</i> KB		Shipment Method		Required Turnaround Time: (Check Box) ☒ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour				Results Due Date:	
Relinquished by: <i>K Fitzwater</i>	Date: <i>4-9-25</i>	Time:	Received by:	Notes: 12603946 - WT-1 Compressor Station 2024					
Relinquished by:	Date:	Time:	Received by (Laboratory): <i>E 04/10/2025 09:05</i>	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			☒ Level II Std. 12 ☐ Level III Std. GC/MS/TOC ☐ Level IV SV/MS/TOC/P Other:	☐ TRRP Lab. Std. ☐ TRRP Lab. Std.		
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035									

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.


Page 91 of 92

ORIGIN ID:SGRA (505) 546-2198
KRYSTLE FITZWATER
GHD SERVICES
608 LA FONDA DR
ROSMELL, NM 88201
UNITED STATES US

SHIP DATE: 01APR25
ACTWGT: 8.00 LB MAN
CAD: 0221247/GAFES355
DIMS: 26x14x14 IN

TO **SAMPLE RECEIVING**
ALS GROUP USA
10450 STANCLIFF RD
SUITE 210
HOUSTON TX 77099
(281) 530-6666
REF: ID 106732

RMA: III IIII



FedEx
TRK# 4345 8797 4950
0221

THU - 10 APR 5:00P
STANDARD OVERNIGHT

AB SGRA

77099
TX-US



#5680422 04/09 58CJ5/1184/C6C4

588C3/489E/FE23



ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5666
Fax. +1 281 530 5887

CUSTODY SEAL	
Date: 4-9-25	Time: 1540
Name: Krystle Fitzwater	
Company: GHD	
Seal Broken By:	
Date:	



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 22, 2025

Angela Bown
GHD
6121 Indian School Rd NE Ste 200
Albuquerque, NM 87110

Work Order: **HS25100446**

Laboratory Results for: **12660614 - WT-1 Compressor Station 2025**

Dear Angela Bown ,

ALS Environmental received 19 sample(s) on Oct 09, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL

Alexis Dorenbosch
Project Manager

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
Work Order: HS25100446

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25100446-01	MW-4-20251006	Water		06-Oct-2025 13:20	09-Oct-2025 08:45	☐
HS25100446-02	MW-14-20251006	Water		06-Oct-2025 14:35	09-Oct-2025 08:45	☐
HS25100446-03	MW-12-20251006	Water		06-Oct-2025 14:00	09-Oct-2025 08:45	☐
HS25100446-04	MW-17-20251006	Water		06-Oct-2025 15:05	09-Oct-2025 08:45	☐
HS25100446-05	MW-5-20251007	Water		07-Oct-2025 09:40	09-Oct-2025 08:45	☐
HS25100446-06	MW-6-20251007	Water		07-Oct-2025 10:25	09-Oct-2025 08:45	☐
HS25100446-07	MW-7-20251007	Water		07-Oct-2025 09:00	09-Oct-2025 08:45	☐
HS25100446-08	MW-8-20251007	Water		07-Oct-2025 10:00	09-Oct-2025 08:45	☐
HS25100446-09	MW-11-20251007	Water		07-Oct-2025 13:30	09-Oct-2025 08:45	☐
HS25100446-10	MW-13-20251007	Water		07-Oct-2025 12:45	09-Oct-2025 08:45	☐
HS25100446-11	SVE-1-20251007	Water		07-Oct-2025 12:05	09-Oct-2025 08:45	☐
HS25100446-12	SVE-7-20251007	Water		07-Oct-2025 11:10	09-Oct-2025 08:45	☐
HS25100446-13	SVE-9-20251008	Water		08-Oct-2025 08:55	09-Oct-2025 08:45	☐
HS25100446-14	SVE-13-20251008	Water		08-Oct-2025 09:25	09-Oct-2025 08:45	☐
HS25100446-15	SVE-12-20251008	Water		08-Oct-2025 08:25	09-Oct-2025 08:45	☐
HS25100446-16	SVE-14-20251008	Water		08-Oct-2025 09:55	09-Oct-2025 08:45	☐
HS25100446-17	DUP-01-20251006	Water		06-Oct-2025 00:00	09-Oct-2025 08:45	☐
HS25100446-18	DUP-02-20251007	Water		07-Oct-2025 00:00	09-Oct-2025 08:45	☐
HS25100446-19	Trip Blank	Water	CG-081225 -568	07-Oct-2025 00:00	09-Oct-2025 08:45	☐

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
Work Order: HS25100446

CASE NARRATIVE

GCMS Volatiles by Method SW8260**Batch ID: R524364**

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R524604

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R524484

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R524307

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R524157**Sample ID: CCV**

- CCV failed outside control limits high for multiple analytes. Associated samples are non-detect.

Sample ID: HS25100689-02MSD

- MSD is for an unrelated sample

Sample ID: LCSD-102515

- The RPD between the LCS and LCSD was outside of the control limit.

WetChemistry by Method E300**Batch ID: R523868**

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.
-

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-4-20251006
 Collection Date: 06-Oct-2025 13:20

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 02:51
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 02:51
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 02:51
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 02:51
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 02:51
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 02:51
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 02:51
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-4-20251006
 Collection Date: 06-Oct-2025 13:20

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 02:51
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 02:51
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:51
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 02:51
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 02:51
Surr: 1,2-Dichloroethane-d4	98.6		70-126	%REC	1	16-Oct-2025 02:51
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Oct-2025 02:51
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Oct-2025 02:51
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 02:51
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	667		5.00	mg/L	10	13-Oct-2025 08:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-14-20251006
 Collection Date: 06-Oct-2025 14:35

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,1-Dichloroethane	0.0046		0.0020	mg/L	1	16-Oct-2025 03:14
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 03:14
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 03:14
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 03:14
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 03:14
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 03:14
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 03:14
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 03:14
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-14-20251006
 Collection Date: 06-Oct-2025 14:35

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 03:14
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 03:14
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:14
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 03:14
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 03:14
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	1	16-Oct-2025 03:14
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Oct-2025 03:14
Surr: Dibromofluoromethane	98.6		77-123	%REC	1	16-Oct-2025 03:14
Surr: Toluene-d8	107		82-127	%REC	1	16-Oct-2025 03:14
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	574		5.00	mg/L	10	13-Oct-2025 08:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-12-20251006
 Collection Date: 06-Oct-2025 14:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 03:37
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 03:37
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 03:37
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 03:37
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 03:37
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 03:37
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Chloroform	0.012		0.0020	mg/L	1	16-Oct-2025 03:37
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 03:37
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-12-20251006
 Collection Date: 06-Oct-2025 14:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 03:37
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 03:37
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 03:37
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 03:37
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 03:37
Surr: 1,2-Dichloroethane-d4	101		70-126	%REC	1	16-Oct-2025 03:37
Surr: 4-Bromofluorobenzene	106		77-113	%REC	1	16-Oct-2025 03:37
Surr: Dibromofluoromethane	104		77-123	%REC	1	16-Oct-2025 03:37
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 03:37
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	614		5.00	mg/L	10	13-Oct-2025 08:57

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-17-20251006
 Collection Date: 06-Oct-2025 15:05

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 04:00
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:00
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:00
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 04:00
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:00
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 04:00
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 04:00
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-17-20251006
 Collection Date: 06-Oct-2025 15:05

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 04:00
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 04:00
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:00
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 04:00
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 04:00
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	1	16-Oct-2025 04:00
Surr: 4-Bromofluorobenzene	109		77-113	%REC	1	16-Oct-2025 04:00
Surr: Dibromofluoromethane	102		77-123	%REC	1	16-Oct-2025 04:00
Surr: Toluene-d8	105		82-127	%REC	1	16-Oct-2025 04:00
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	580		5.00	mg/L	10	13-Oct-2025 10:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-5-20251007
 Collection Date: 07-Oct-2025 09:40

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 04:23
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,1-Dichloroethane	0.20		0.0020	mg/L	1	16-Oct-2025 04:23
1,1-Dichloroethene	0.0023		0.0010	mg/L	1	16-Oct-2025 04:23
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 04:23
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
1-Methylnaphthalene	0.0041		0.0020	mg/L	1	21-Oct-2025 13:25
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:23
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:23
2-Methylnaphthalene	0.0055		0.0050	mg/L	1	21-Oct-2025 13:25
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:23
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 04:23
Benzene	0.021		0.0010	mg/L	1	16-Oct-2025 04:23
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
cis-1,2-Dichloroethene	0.060		0.0020	mg/L	1	16-Oct-2025 04:23
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Ethylbenzene	0.0079		0.0020	mg/L	1	16-Oct-2025 04:23
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 04:23
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-5-20251007
 Collection Date: 07-Oct-2025 09:40

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 04:23
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 04:23
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 04:23
Naphthalene	0.0088		0.0020	mg/L	1	16-Oct-2025 04:23
o-Xylene	0.0046		0.0020	mg/L	1	16-Oct-2025 04:23
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Toluene	0.0029		0.0020	mg/L	1	16-Oct-2025 04:23
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:23
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:23
Trichloroethene	0.024		0.0020	mg/L	1	16-Oct-2025 04:23
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 04:23
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 04:23
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 04:23
Surr: 1,2-Dichloroethane-d4	101		70-126	%REC	1	16-Oct-2025 04:23
Surr: 1,2-Dichloroethane-d4	87.2		70-126	%REC	1	21-Oct-2025 13:25
Surr: 4-Bromofluorobenzene	101		77-113	%REC	1	16-Oct-2025 04:23
Surr: 4-Bromofluorobenzene	98.3		77-113	%REC	1	21-Oct-2025 13:25
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Oct-2025 04:23
Surr: Dibromofluoromethane	93.6		77-123	%REC	1	21-Oct-2025 13:25
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 04:23
Surr: Toluene-d8	101		82-127	%REC	1	21-Oct-2025 13:25
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	ND	U	0.500	mg/L	1	13-Oct-2025 09:08

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-6-20251007
 Collection Date: 07-Oct-2025 10:25

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-06
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,1-Dichloroethane	0.0033		0.0020	mg/L	1	16-Oct-2025 04:45
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 04:45
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:45
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:45
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 04:45
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 04:45
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 04:45
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 04:45
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-6-20251007
 Collection Date: 07-Oct-2025 10:25

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-06
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 04:45
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 04:45
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 04:45
Trichloroethene	0.0023		0.0020	mg/L	1	16-Oct-2025 04:45
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 04:45
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 04:45
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	1	16-Oct-2025 04:45
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Oct-2025 04:45
Surr: Dibromofluoromethane	99.2		77-123	%REC	1	16-Oct-2025 04:45
Surr: Toluene-d8	105		82-127	%REC	1	16-Oct-2025 04:45
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	714		5.00	mg/L	10	13-Oct-2025 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-7-20251007
 Collection Date: 07-Oct-2025 09:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-07
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,1-Dichloroethane	0.014		0.0020	mg/L	1	16-Oct-2025 05:08
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 05:08
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:08
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:08
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 05:08
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:08
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 05:08
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
cis-1,2-Dichloroethene	0.0031		0.0020	mg/L	1	16-Oct-2025 05:08
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 05:08
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-7-20251007
 Collection Date: 07-Oct-2025 09:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-07
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 05:08
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 05:08
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:08
Trichloroethene	0.0021		0.0020	mg/L	1	16-Oct-2025 05:08
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 05:08
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 05:08
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	1	16-Oct-2025 05:08
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Oct-2025 05:08
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Oct-2025 05:08
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 05:08
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	408		5.00	mg/L	10	13-Oct-2025 10:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-8-20251007
 Collection Date: 07-Oct-2025 10:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-08
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 05:31
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,1-Dichloroethane	0.077		0.0020	mg/L	1	16-Oct-2025 05:31
1,1-Dichloroethene	0.0024		0.0010	mg/L	1	16-Oct-2025 05:31
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 05:31
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:31
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:31
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 05:31
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:31
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 05:31
Benzene	0.0035		0.0010	mg/L	1	16-Oct-2025 05:31
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
cis-1,2-Dichloroethene	0.084		0.0020	mg/L	1	16-Oct-2025 05:31
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 05:31
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-8-20251007
 Collection Date: 07-Oct-2025 10:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-08
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 05:31
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 05:31
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 05:31
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
trans-1,2-Dichloroethene	0.0010		0.0010	mg/L	1	16-Oct-2025 05:31
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:31
Trichloroethene	0.019		0.0020	mg/L	1	16-Oct-2025 05:31
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 05:31
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 05:31
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 05:31
Surr: 1,2-Dichloroethane-d4	97.8		70-126	%REC	1	16-Oct-2025 05:31
Surr: 4-Bromofluorobenzene	104		77-113	%REC	1	16-Oct-2025 05:31
Surr: Dibromofluoromethane	102		77-123	%REC	1	16-Oct-2025 05:31
Surr: Toluene-d8	105		82-127	%REC	1	16-Oct-2025 05:31
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	106		1.00	mg/L	2	13-Oct-2025 10:24

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-11-20251007
 Collection Date: 07-Oct-2025 13:30

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-09
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 05:54
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:54
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:54
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 05:54
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 05:54
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 05:54
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 05:54
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-11-20251007
 Collection Date: 07-Oct-2025 13:30

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-09
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 05:54
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 05:54
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 05:54
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 05:54
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 05:54
Surr: 1,2-Dichloroethane-d4	99.1		70-126	%REC	1	16-Oct-2025 05:54
Surr: 4-Bromofluorobenzene	108		77-113	%REC	1	16-Oct-2025 05:54
Surr: Dibromofluoromethane	104		77-123	%REC	1	16-Oct-2025 05:54
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 05:54
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	283		2.50	mg/L	5	13-Oct-2025 11:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-13-20251007
 Collection Date: 07-Oct-2025 12:45

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-10
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 06:17
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 06:17
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 06:17
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 06:17
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 06:17
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 06:17
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 06:17
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: MW-13-20251007
 Collection Date: 07-Oct-2025 12:45

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-10
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 06:17
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 06:17
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:17
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 06:17
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 06:17
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	1	16-Oct-2025 06:17
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Oct-2025 06:17
Surr: Dibromofluoromethane	98.3		77-123	%REC	1	16-Oct-2025 06:17
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 06:17
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	270		2.50	mg/L	5	13-Oct-2025 11:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-1-20251007
 Collection Date: 07-Oct-2025 12:05

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-11
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 06:40
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 06:40
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 06:40
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 06:40
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 06:40
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 06:40
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 06:40
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 06:40
Benzene	0.0048		0.0010	mg/L	1	16-Oct-2025 06:40
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 06:40
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-1-20251007
 Collection Date: 07-Oct-2025 12:05

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-11
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 06:40
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 06:40
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 06:40
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 06:40
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 06:40
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 06:40
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 06:40
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 06:40
Surr: 1,2-Dichloroethane-d4	99.8		70-126	%REC	1	16-Oct-2025 06:40
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	16-Oct-2025 06:40
Surr: Dibromofluoromethane	96.9		77-123	%REC	1	16-Oct-2025 06:40
Surr: Toluene-d8	101		82-127	%REC	1	16-Oct-2025 06:40
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	24.2		0.500	mg/L	1	13-Oct-2025 10:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-7-20251007
 Collection Date: 07-Oct-2025 11:10

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-12
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 07:02
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:02
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:02
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 07:02
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:02
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 07:02
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 07:02
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-7-20251007
 Collection Date: 07-Oct-2025 11:10

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-12
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 07:02
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 07:02
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Toluene	0.0035		0.0020	mg/L	1	16-Oct-2025 07:02
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:02
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 07:02
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 07:02
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	1	16-Oct-2025 07:02
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Oct-2025 07:02
Surr: Dibromofluoromethane	102		77-123	%REC	1	16-Oct-2025 07:02
Surr: Toluene-d8	106		82-127	%REC	1	16-Oct-2025 07:02
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	98.0		0.500	mg/L	1	13-Oct-2025 10:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-9-20251008
 Collection Date: 08-Oct-2025 08:55

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-13
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 07:25
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:25
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 07:25
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:25
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:25
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 07:25
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:25
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 07:25
Benzene	0.0050		0.0010	mg/L	1	16-Oct-2025 07:25
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 07:25
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-9-20251008
 Collection Date: 08-Oct-2025 08:55

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-13
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 07:25
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 07:25
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 07:25
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:25
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:25
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 07:25
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 07:25
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 07:25
Surr: 1,2-Dichloroethane-d4	100		70-126	%REC	1	16-Oct-2025 07:25
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Oct-2025 07:25
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Oct-2025 07:25
Surr: Toluene-d8	108		82-127	%REC	1	16-Oct-2025 07:25
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	93.8		5.00	mg/L	10	13-Oct-2025 11:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-13-20251008
 Collection Date: 08-Oct-2025 09:25

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-14
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 07:48
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:48
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 07:48
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
1-Methylnaphthalene	0.014		0.0020	mg/L	1	21-Oct-2025 15:50
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:48
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:48
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 07:48
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 07:48
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 07:48
Benzene	0.76		0.010	mg/L	10	18-Oct-2025 16:55
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Carbon disulfide	0.0021		0.0020	mg/L	1	16-Oct-2025 07:48
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Cyclohexane	0.0086		0.0020	mg/L	1	16-Oct-2025 07:48
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Ethylbenzene	0.0057		0.0020	mg/L	1	16-Oct-2025 07:48
Isopropylbenzene	0.0023		0.0020	mg/L	1	16-Oct-2025 07:48
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 07:48
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-13-20251008
 Collection Date: 08-Oct-2025 09:25

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-14
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 07:48
Methylcyclohexane	0.011		0.0050	mg/L	1	16-Oct-2025 07:48
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 07:48
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 07:48
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 07:48
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 07:48
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 07:48
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 07:48
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	1	16-Oct-2025 07:48
Surr: 1,2-Dichloroethane-d4	107		70-126	%REC	10	18-Oct-2025 16:55
Surr: 1,2-Dichloroethane-d4	90.0		70-126	%REC	1	21-Oct-2025 15:50
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	16-Oct-2025 07:48
Surr: 4-Bromofluorobenzene	110		77-113	%REC	10	18-Oct-2025 16:55
Surr: 4-Bromofluorobenzene	95.6		77-113	%REC	1	21-Oct-2025 15:50
Surr: Dibromofluoromethane	102		77-123	%REC	1	16-Oct-2025 07:48
Surr: Dibromofluoromethane	105		77-123	%REC	10	18-Oct-2025 16:55
Surr: Dibromofluoromethane	94.2		77-123	%REC	1	21-Oct-2025 15:50
Surr: Toluene-d8	105		82-127	%REC	1	16-Oct-2025 07:48
Surr: Toluene-d8	108		82-127	%REC	10	18-Oct-2025 16:55
Surr: Toluene-d8	102		82-127	%REC	1	21-Oct-2025 15:50
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	195		2.50	mg/L	5	13-Oct-2025 11:22

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-12-20251008
 Collection Date: 08-Oct-2025 08:25

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-15
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 08:11
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:11
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 08:11
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
1-Methylnaphthalene	0.030		0.0020	mg/L	1	21-Oct-2025 16:11
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:11
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:11
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 08:11
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:11
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 08:11
Benzene	4.5		0.050	mg/L	50	18-Oct-2025 17:18
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Carbon disulfide	0.0024		0.0020	mg/L	1	16-Oct-2025 08:11
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Cyclohexane	0.29		0.10	mg/L	50	18-Oct-2025 17:18
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Ethylbenzene	0.26		0.10	mg/L	50	18-Oct-2025 17:18
Isopropylbenzene	0.042		0.0020	mg/L	1	16-Oct-2025 08:11
m,p-Xylene	0.022		0.0040	mg/L	1	16-Oct-2025 08:11
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-12-20251008
 Collection Date: 08-Oct-2025 08:25

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-15
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 08:11
Methylcyclohexane	ND	U	0.25	mg/L	50	18-Oct-2025 17:18
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 08:11
Naphthalene	0.026		0.0020	mg/L	1	16-Oct-2025 08:11
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:11
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:11
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 08:11
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 08:11
Xylenes, Total	0.024		0.0060	mg/L	1	16-Oct-2025 08:11
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	1	16-Oct-2025 08:11
Surr: 1,2-Dichloroethane-d4	108		70-126	%REC	50	18-Oct-2025 17:18
Surr: 1,2-Dichloroethane-d4	92.2		70-126	%REC	1	21-Oct-2025 16:11
Surr: 4-Bromofluorobenzene	98.9		77-113	%REC	1	16-Oct-2025 08:11
Surr: 4-Bromofluorobenzene	109		77-113	%REC	50	18-Oct-2025 17:18
Surr: 4-Bromofluorobenzene	95.3		77-113	%REC	1	21-Oct-2025 16:11
Surr: Dibromofluoromethane	91.4		77-123	%REC	1	16-Oct-2025 08:11
Surr: Dibromofluoromethane	106		77-123	%REC	50	18-Oct-2025 17:18
Surr: Dibromofluoromethane	93.2		77-123	%REC	1	21-Oct-2025 16:11
Surr: Toluene-d8	104		82-127	%REC	1	16-Oct-2025 08:11
Surr: Toluene-d8	107		82-127	%REC	50	18-Oct-2025 17:18
Surr: Toluene-d8	111		82-127	%REC	1	21-Oct-2025 16:11
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	496		5.00	mg/L	10	13-Oct-2025 11:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-14-20251008
 Collection Date: 08-Oct-2025 09:55

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-16
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 08:34
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:34
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 08:34
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
1-Methylnaphthalene	0.0034		0.0020	mg/L	1	22-Oct-2025 12:58
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:34
2-Hexanone	0.48		0.050	mg/L	5	18-Oct-2025 17:41
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	22-Oct-2025 12:58
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:34
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 08:34
Benzene	0.042		0.0010	mg/L	1	16-Oct-2025 08:34
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Cyclohexane	0.10		0.0020	mg/L	1	16-Oct-2025 08:34
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Ethylbenzene	0.020		0.0020	mg/L	1	16-Oct-2025 08:34
Isopropylbenzene	0.0097		0.0020	mg/L	1	16-Oct-2025 08:34
m,p-Xylene	0.014		0.0040	mg/L	1	16-Oct-2025 08:34
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: SVE-14-20251008
 Collection Date: 08-Oct-2025 09:55

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-16
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 08:34
Methylcyclohexane	0.36		0.025	mg/L	5	18-Oct-2025 17:41
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 08:34
Naphthalene	0.0033		0.0020	mg/L	1	16-Oct-2025 08:34
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:34
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:34
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 08:34
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 08:34
Xylenes, Total	0.014		0.0060	mg/L	1	16-Oct-2025 08:34
Surr: 1,2-Dichloroethane-d4	95.8		70-126	%REC	1	16-Oct-2025 08:34
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	5	18-Oct-2025 17:41
Surr: 1,2-Dichloroethane-d4	86.0		70-126	%REC	1	22-Oct-2025 12:58
Surr: 4-Bromofluorobenzene	106		77-113	%REC	1	16-Oct-2025 08:34
Surr: 4-Bromofluorobenzene	99.7		77-113	%REC	5	18-Oct-2025 17:41
Surr: 4-Bromofluorobenzene	95.6		77-113	%REC	1	22-Oct-2025 12:58
Surr: Dibromofluoromethane	90.5		77-123	%REC	1	16-Oct-2025 08:34
Surr: Dibromofluoromethane	99.1		77-123	%REC	5	18-Oct-2025 17:41
Surr: Dibromofluoromethane	91.8		77-123	%REC	1	22-Oct-2025 12:58
Surr: Toluene-d8	96.3		82-127	%REC	1	16-Oct-2025 08:34
Surr: Toluene-d8	107		82-127	%REC	5	18-Oct-2025 17:41
Surr: Toluene-d8	104		82-127	%REC	1	22-Oct-2025 12:58
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Sulfate	466		5.00	mg/L	10	13-Oct-2025 12:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-01-20251006
 Collection Date: 06-Oct-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-17
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 08:56
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	20-Oct-2025 14:05
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:56
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:56
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 08:56
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 08:56
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 08:56
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Chloroform	0.012		0.0020	mg/L	1	16-Oct-2025 08:56
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 08:56
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-01-20251006
 Collection Date: 06-Oct-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-17
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 08:56
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 08:56
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 08:56
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 08:56
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 08:56
Surr: 1,2-Dichloroethane-d4	100		70-126	%REC	1	16-Oct-2025 08:56
Surr: 1,2-Dichloroethane-d4	86.7		70-126	%REC	1	20-Oct-2025 14:05
Surr: 4-Bromofluorobenzene	109		77-113	%REC	1	16-Oct-2025 08:56
Surr: 4-Bromofluorobenzene	97.8		77-113	%REC	1	20-Oct-2025 14:05
Surr: Dibromofluoromethane	101		77-123	%REC	1	16-Oct-2025 08:56
Surr: Dibromofluoromethane	94.8		77-123	%REC	1	20-Oct-2025 14:05
Surr: Toluene-d8	103		82-127	%REC	1	16-Oct-2025 08:56
Surr: Toluene-d8	100		82-127	%REC	1	20-Oct-2025 14:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-02-20251007
 Collection Date: 07-Oct-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-18
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 09:19
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 09:19
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 09:19
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 09:19
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 09:19
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 09:19
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 09:19
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 09:19
Benzene	0.0013		0.0010	mg/L	1	16-Oct-2025 09:19
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 09:19
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: DUP-02-20251007
 Collection Date: 07-Oct-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-18
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 09:19
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 09:19
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 09:19
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Toluene	0.0058		0.0020	mg/L	1	16-Oct-2025 09:19
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 09:19
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 09:19
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 09:19
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 09:19
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 09:19
Surr: 1,2-Dichloroethane-d4	105		70-126	%REC	1	16-Oct-2025 09:19
Surr: 4-Bromofluorobenzene	104		77-113	%REC	1	16-Oct-2025 09:19
Surr: Dibromofluoromethane	101		77-123	%REC	1	16-Oct-2025 09:19
Surr: Toluene-d8	108		82-127	%REC	1	16-Oct-2025 09:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: Trip Blank
 Collection Date: 07-Oct-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-19
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
1,1,1-Trichloroethane	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
1,1,2,2-Tetrachloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,1,2-Trichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,1-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,1-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
1,2,4-Trichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,2-Dibromo-3-chloropropane	ND	U	0.010	mg/L	1	16-Oct-2025 02:29
1,2-Dibromoethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,2-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,2-Dichloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,2-Dichloropropane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,3-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1,4-Dichlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
1-Methylnaphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
2-Butanone	ND	U	0.010	mg/L	1	16-Oct-2025 02:29
2-Hexanone	ND	U	0.010	mg/L	1	16-Oct-2025 02:29
2-Methylnaphthalene	ND	U	0.0050	mg/L	1	16-Oct-2025 02:29
4-Methyl-2-pentanone	ND	U	0.010	mg/L	1	16-Oct-2025 02:29
Acetone	ND	U	0.10	mg/L	1	16-Oct-2025 02:29
Benzene	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
Bromodichloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Bromoform	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Bromomethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Carbon disulfide	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Carbon tetrachloride	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Chlorobenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Chloroethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Chloroform	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Chloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
cis-1,2-Dichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
cis-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Cyclohexane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Dibromochloromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Dichlorodifluoromethane	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Ethylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Isopropylbenzene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
m,p-Xylene	ND	U	0.0040	mg/L	1	16-Oct-2025 02:29
Methyl acetate	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
 Project: 12660614 - WT-1 Compressor Station 2025
 Sample ID: Trip Blank
 Collection Date: 07-Oct-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25100446
 Lab ID:HS25100446-19
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: LA		
Methyl tert-butyl ether	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
Methylcyclohexane	ND	U	0.0050	mg/L	1	16-Oct-2025 02:29
Methylene chloride	ND	U	0.010	mg/L	1	16-Oct-2025 02:29
Naphthalene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
o-Xylene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Styrene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Tetrachloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Toluene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
trans-1,2-Dichloroethene	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
trans-1,3-Dichloropropene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Trichloroethene	ND	U	0.0020	mg/L	1	16-Oct-2025 02:29
Trichlorofluoromethane	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
Vinyl chloride	ND	U	0.0010	mg/L	1	16-Oct-2025 02:29
Xylenes, Total	ND	U	0.0060	mg/L	1	16-Oct-2025 02:29
Surr: 1,2-Dichloroethane-d4	99.6		70-126	%REC	1	16-Oct-2025 02:29
Surr: 4-Bromofluorobenzene	109		77-113	%REC	1	16-Oct-2025 02:29
Surr: Dibromofluoromethane	101		77-123	%REC	1	16-Oct-2025 02:29
Surr: Toluene-d8	104		82-127	%REC	1	16-Oct-2025 02:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R523868 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Water	
HS25100446-01	MW-4-20251006	06 Oct 2025 13:20			13 Oct 2025 08:45	10
HS25100446-02	MW-14-20251006	06 Oct 2025 14:35			13 Oct 2025 08:51	10
HS25100446-03	MW-12-20251006	06 Oct 2025 14:00			13 Oct 2025 08:57	10
HS25100446-04	MW-17-20251006	06 Oct 2025 15:05			13 Oct 2025 10:12	10
HS25100446-05	MW-5-20251007	07 Oct 2025 09:40			13 Oct 2025 09:08	1
HS25100446-06	MW-6-20251007	07 Oct 2025 10:25			13 Oct 2025 09:14	10
HS25100446-07	MW-7-20251007	07 Oct 2025 09:00			13 Oct 2025 10:18	10
HS25100446-08	MW-8-20251007	07 Oct 2025 10:00			13 Oct 2025 10:24	2
HS25100446-09	MW-11-20251007	07 Oct 2025 13:30			13 Oct 2025 11:05	5
HS25100446-10	MW-13-20251007	07 Oct 2025 12:45			13 Oct 2025 11:11	5
HS25100446-11	SVE-1-20251007	07 Oct 2025 12:05			13 Oct 2025 10:30	1
HS25100446-12	SVE-7-20251007	07 Oct 2025 11:10			13 Oct 2025 10:36	1
HS25100446-13	SVE-9-20251008	08 Oct 2025 08:55			13 Oct 2025 11:16	10
HS25100446-14	SVE-13-20251008	08 Oct 2025 09:25			13 Oct 2025 11:22	5
HS25100446-15	SVE-12-20251008	08 Oct 2025 08:25			13 Oct 2025 11:28	10
HS25100446-16	SVE-14-20251008	08 Oct 2025 09:55			13 Oct 2025 12:38	10
Batch ID: R524157 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25100446-01	MW-4-20251006	06 Oct 2025 13:20			16 Oct 2025 02:51	1
HS25100446-02	MW-14-20251006	06 Oct 2025 14:35			16 Oct 2025 03:14	1
HS25100446-03	MW-12-20251006	06 Oct 2025 14:00			16 Oct 2025 03:37	1
HS25100446-04	MW-17-20251006	06 Oct 2025 15:05			16 Oct 2025 04:00	1
HS25100446-05	MW-5-20251007	07 Oct 2025 09:40			16 Oct 2025 04:23	1
HS25100446-06	MW-6-20251007	07 Oct 2025 10:25			16 Oct 2025 04:45	1
HS25100446-07	MW-7-20251007	07 Oct 2025 09:00			16 Oct 2025 05:08	1
HS25100446-08	MW-8-20251007	07 Oct 2025 10:00			16 Oct 2025 05:31	1
HS25100446-09	MW-11-20251007	07 Oct 2025 13:30			16 Oct 2025 05:54	1
HS25100446-10	MW-13-20251007	07 Oct 2025 12:45			16 Oct 2025 06:17	1
HS25100446-11	SVE-1-20251007	07 Oct 2025 12:05			16 Oct 2025 06:40	1
HS25100446-12	SVE-7-20251007	07 Oct 2025 11:10			16 Oct 2025 07:02	1
HS25100446-13	SVE-9-20251008	08 Oct 2025 08:55			16 Oct 2025 07:25	1
HS25100446-14	SVE-13-20251008	08 Oct 2025 09:25			16 Oct 2025 07:48	1
HS25100446-15	SVE-12-20251008	08 Oct 2025 08:25			16 Oct 2025 08:11	1
HS25100446-16	SVE-14-20251008	08 Oct 2025 09:55			16 Oct 2025 08:34	1
HS25100446-17	DUP-01-20251006	06 Oct 2025 00:00			16 Oct 2025 08:56	1
HS25100446-18	DUP-02-20251007	07 Oct 2025 00:00			16 Oct 2025 09:19	1
HS25100446-19	Trip Blank	07 Oct 2025 00:00			16 Oct 2025 02:29	1

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R524307 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25100446-14	SVE-13-20251008	08 Oct 2025 09:25			18 Oct 2025 16:55	10
HS25100446-15	SVE-12-20251008	08 Oct 2025 08:25			18 Oct 2025 17:18	50
HS25100446-16	SVE-14-20251008	08 Oct 2025 09:55			18 Oct 2025 17:41	5
Batch ID: R524364 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25100446-17	DUP-01-20251006	06 Oct 2025 00:00			20 Oct 2025 14:05	1
Batch ID: R524484 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25100446-05	MW-5-20251007	07 Oct 2025 09:40			21 Oct 2025 13:25	1
HS25100446-14	SVE-13-20251008	08 Oct 2025 09:25			21 Oct 2025 15:50	1
HS25100446-15	SVE-12-20251008	08 Oct 2025 08:25			21 Oct 2025 16:11	1
Batch ID: R524604 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25100446-16	SVE-14-20251008	08 Oct 2025 09:55			22 Oct 2025 12:58	1

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-102515	Units: ug/L		Analysis Date: 16-Oct-2025 02:06						
Client ID:	Run ID: VOA13_524157	SeqNo: 9086344		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	1.0								U
1,1,2,2-Tetrachloroethane	ND	2.0								U
1,1,2-Trichlor-1,2,2-trifluoroethane	ND	2.0								U
1,1,2-Trichloroethane	ND	2.0								U
1,1-Dichloroethane	ND	2.0								U
1,1-Dichloroethene	ND	1.0								U
1,2,4-Trichlorobenzene	ND	2.0								U
1,2-Dibromo-3-chloropropane	ND	10								U
1,2-Dibromoethane	ND	2.0								U
1,2-Dichlorobenzene	ND	2.0								U
1,2-Dichloroethane	ND	2.0								U
1,2-Dichloropropane	ND	2.0								U
1,3-Dichlorobenzene	ND	2.0								U
1,4-Dichlorobenzene	ND	2.0								U
1-Methylnaphthalene	ND	2.0								U
2-Butanone	ND	10								U
2-Hexanone	ND	10								U
2-Methylnaphthalene	ND	5.0								U
4-Methyl-2-pentanone	ND	10								U
Acetone	ND	100								U
Benzene	ND	1.0								U
Bromodichloromethane	ND	2.0								U
Bromoform	ND	2.0								U
Bromomethane	ND	2.0								U
Carbon disulfide	ND	2.0								U
Carbon tetrachloride	ND	2.0								U
Chlorobenzene	ND	2.0								U
Chloroethane	ND	2.0								U
Chloroform	ND	2.0								U
Chloromethane	ND	2.0								U
cis-1,2-Dichloroethene	ND	2.0								U
cis-1,3-Dichloropropene	ND	2.0								U
Cyclohexane	ND	2.0								U
Dibromochloromethane	ND	2.0								U

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-102515	Units: ug/L		Analysis Date: 16-Oct-2025 02:06						
Client ID:	Run ID: VOA13_524157	SeqNo: 9086344		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	ND	2.0								U
Ethylbenzene	ND	2.0								U
Isopropylbenzene	ND	2.0								U
m,p-Xylene	ND	4.0								U
Methyl acetate	ND	2.0								U
Methyl tert-butyl ether	ND	1.0								U
Methylcyclohexane	ND	5.0								U
Methylene chloride	ND	10								U
Naphthalene	ND	2.0								U
o-Xylene	ND	2.0								U
Styrene	ND	2.0								U
Tetrachloroethene	ND	2.0								U
Toluene	ND	2.0								U
trans-1,2-Dichloroethene	ND	1.0								U
trans-1,3-Dichloropropene	ND	2.0								U
Trichloroethene	ND	2.0								U
Trichlorofluoromethane	ND	1.0								U
Vinyl chloride	ND	1.0								U
Xylenes, Total	ND	6.0								U
Surr: 1,2-Dichloroethane-d4	52.04	1.0	50	0	104	70 - 123				
Surr: 4-Bromofluorobenzene	52.81	1.0	50	0	106	77 - 113				
Surr: Dibromofluoromethane	50.24	1.0	50	0	100	73 - 126				
Surr: Toluene-d8	52.71	1.0	50	0	105	81 - 120				

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS		Sample ID: LCS-102515		Units: ug/L		Analysis Date: 16-Oct-2025 00:58				
Client ID:		Run ID: VOA13_524157		SeqNo: 9086343		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	22.95	1.0	20	0	115	70 - 130				
1,1,2,2-Tetrachloroethane	20.16	2.0	20	0	101	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	23.82	2.0	20	0	119	70 - 130				
1,1,2-Trichloroethane	19.16	2.0	20	0	95.8	77 - 113				
1,1-Dichloroethane	22.08	2.0	20	0	110	71 - 122				
1,1-Dichloroethene	21.79	1.0	20	0	109	70 - 130				
1,2,4-Trichlorobenzene	18.79	2.0	20	0	93.9	77 - 126				
1,2-Dibromo-3-chloropropane	16.96	10	20	0	84.8	70 - 130				
1,2-Dibromoethane	21.13	2.0	20	0	106	76 - 123				
1,2-Dichlorobenzene	21.64	2.0	20	0	108	77 - 113				
1,2-Dichloroethane	21.04	2.0	20	0	105	70 - 124				
1,2-Dichloropropane	19.82	2.0	20	0	99.1	72 - 119				
1,3-Dichlorobenzene	20.67	2.0	20	0	103	78 - 118				
1,4-Dichlorobenzene	21.23	2.0	20	0	106	79 - 113				
1-Methylnaphthalene	25.35	2.0	20	0	127	60 - 140				
2-Butanone	87.81	10	100	0	87.8	70 - 130				
2-Hexanone	108.1	10	100	0	108	70 - 130				
2-Methylnaphthalene	22.81	5.0	20	0	114	55 - 140				
4-Methyl-2-pentanone	107.5	10	100	0	108	70 - 130				
Acetone	95.17	100	100	0	95.2	70 - 130				J
Benzene	21.6	1.0	20	0	108	74 - 120				
Bromodichloromethane	21.82	2.0	20	0	109	74 - 122				
Bromoform	17.82	2.0	20	0	89.1	73 - 128				
Bromomethane	21.26	2.0	20	0	106	70 - 130				
Carbon disulfide	42.43	2.0	40	0	106	70 - 130				
Carbon tetrachloride	22.77	2.0	20	0	114	71 - 125				
Chlorobenzene	20.8	2.0	20	0	104	76 - 113				
Chloroethane	21.34	2.0	20	0	107	70 - 130				
Chloroform	21.46	2.0	20	0	107	71 - 121				
Chloromethane	21.14	2.0	20	0	106	70 - 129				
cis-1,2-Dichloroethene	21.58	2.0	20	0	108	75 - 122				
cis-1,3-Dichloropropene	18.58	2.0	20	0	92.9	73 - 127				
Cyclohexane	21.89	2.0	20	0	109	70 - 130				
Dibromochloromethane	18.34	2.0	20	0	91.7	77 - 122				

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C					
LCS		Sample ID: LCS-102515		Units: ug/L		Analysis Date: 16-Oct-2025 00:58			
Client ID:		Run ID: VOA13_524157		SeqNo: 9086343		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	24.5	2.0	20	0	122	70 - 130			
Ethylbenzene	21.71	2.0	20	0	109	77 - 117			
Isopropylbenzene	21.55	2.0	20	0	108	73 - 127			
m,p-Xylene	43.83	4.0	40	0	110	77 - 122			
Methyl acetate	20.64	2.0	20	0	103	76 - 122			
Methyl tert-butyl ether	18.58	1.0	20	0	92.9	70 - 130			
Methylcyclohexane	23.03	5.0	20	0	115	61 - 157			
Methylene chloride	20.19	10	20	0	101	70 - 127			
Naphthalene	18.55	2.0	20	0	92.7	70 - 130			
o-Xylene	21.51	2.0	20	0	108	75 - 119			
Styrene	19.33	2.0	20	0	96.6	72 - 126			
Tetrachloroethene	20.59	2.0	20	0	103	76 - 119			
Toluene	20.89	2.0	20	0	104	77 - 118			
trans-1,2-Dichloroethene	21.35	1.0	20	0	107	72 - 127			
trans-1,3-Dichloropropene	18.26	2.0	20	0	91.3	77 - 119			
Trichloroethene	19.12	2.0	20	0	95.6	77 - 121			
Trichlorofluoromethane	23.43	1.0	20	0	117	70 - 130			
Vinyl chloride	21.84	1.0	20	0	109	70 - 130			
Xylenes, Total	65.34	6.0	60	0	109	75 - 122			
Surr: 1,2-Dichloroethane-d4	51.26	1.0	50	0	103	70 - 123			
Surr: 4-Bromofluorobenzene	48.12	1.0	50	0	96.2	77 - 113			
Surr: Dibromofluoromethane	51.07	1.0	50	0	102	73 - 126			
Surr: Toluene-d8	49.15	1.0	50	0	98.3	81 - 120			

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: LCSD-102515		Units: ug/L		Analysis Date: 16-Oct-2025 01:20				
Client ID:		Run ID: VOA13_524157		SeqNo: 9086338		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	23.05	1.0	20	0	115	70 - 130	22.95	0.448	20	
1,1,2,2-Tetrachloroethane	19.42	2.0	20	0	97.1	70 - 120	20.16	3.75	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	22.9	2.0	20	0	114	70 - 130	23.82	3.93	20	
1,1,2-Trichloroethane	18.53	2.0	20	0	92.7	77 - 113	19.16	3.33	20	
1,1-Dichloroethane	22.54	2.0	20	0	113	71 - 122	22.08	2.03	20	
1,1-Dichloroethene	22.52	1.0	20	0	113	70 - 130	21.79	3.29	20	
1,2,4-Trichlorobenzene	17.9	2.0	20	0	89.5	77 - 126	18.79	4.83	20	
1,2-Dibromo-3-chloropropane	18.03	10	20	0	90.2	70 - 130	16.96	6.11	20	
1,2-Dibromoethane	20.96	2.0	20	0	105	76 - 123	21.13	0.822	20	
1,2-Dichlorobenzene	22.4	2.0	20	0	112	77 - 113	21.64	3.47	20	
1,2-Dichloroethane	21.22	2.0	20	0	106	70 - 124	21.04	0.871	20	
1,2-Dichloropropane	19.78	2.0	20	0	98.9	72 - 119	19.82	0.207	20	
1,3-Dichlorobenzene	21.27	2.0	20	0	106	78 - 118	20.67	2.83	20	
1,4-Dichlorobenzene	21.39	2.0	20	0	107	79 - 113	21.23	0.765	20	
1-Methylnaphthalene	20.78	2.0	20	0	104	60 - 140	25.35	19.8	20	
2-Butanone	83.05	10	100	0	83.0	70 - 130	87.81	5.57	20	
2-Hexanone	103.2	10	100	0	103	70 - 130	108.1	4.61	20	
2-Methylnaphthalene	18	5.0	20	0	90.0	55 - 140	22.81	23.6	20	R
4-Methyl-2-pentanone	102.9	10	100	0	103	70 - 130	107.5	4.41	20	
Acetone	94.48	100	100	0	94.5	70 - 130	95.17	0	20	J
Benzene	21.69	1.0	20	0	108	74 - 120	21.6	0.402	20	
Bromodichloromethane	21.9	2.0	20	0	109	74 - 122	21.82	0.339	20	
Bromoform	17.58	2.0	20	0	87.9	73 - 128	17.82	1.33	20	
Bromomethane	22.58	2.0	20	0	113	70 - 130	21.26	6.01	20	
Carbon disulfide	43.05	2.0	40	0	108	70 - 130	42.43	1.44	20	
Carbon tetrachloride	23.1	2.0	20	0	116	71 - 125	22.77	1.46	20	
Chlorobenzene	21.21	2.0	20	0	106	76 - 113	20.8	1.94	20	
Chloroethane	21.22	2.0	20	0	106	70 - 130	21.34	0.587	20	
Chloroform	21.78	2.0	20	0	109	71 - 121	21.46	1.48	20	
Chloromethane	21.76	2.0	20	0	109	70 - 129	21.14	2.88	20	
cis-1,2-Dichloroethene	21.89	2.0	20	0	109	75 - 122	21.58	1.43	20	
cis-1,3-Dichloropropene	18.36	2.0	20	0	91.8	73 - 127	18.58	1.21	20	
Cyclohexane	21.93	2.0	20	0	110	70 - 130	21.89	0.169	20	
Dibromochloromethane	18.36	2.0	20	0	91.8	77 - 122	18.34	0.109	20	

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: LCSD-102515		Units: ug/L		Analysis Date: 16-Oct-2025 01:20				
Client ID:		Run ID: VOA13_524157		SeqNo: 9086338		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Dichlorodifluoromethane	23.88	2.0	20	0	119	70 - 130	24.5	2.55	20	
Ethylbenzene	22.43	2.0	20	0	112	77 - 117	21.71	3.26	20	
Isopropylbenzene	22.04	2.0	20	0	110	73 - 127	21.55	2.26	20	
m,p-Xylene	45.69	4.0	40	0	114	77 - 122	43.83	4.14	20	
Methyl acetate	19.76	2.0	20	0	98.8	76 - 122	20.64	4.38	20	
Methyl tert-butyl ether	17.9	1.0	20	0	89.5	70 - 130	18.58	3.7	20	
Methylcyclohexane	22.46	5.0	20	0	112	61 - 157	23.03	2.5	20	
Methylene chloride	20.71	10	20	0	104	70 - 127	20.19	2.55	20	
Naphthalene	16.76	2.0	20	0	83.8	70 - 130	18.55	10.1	20	
o-Xylene	22.25	2.0	20	0	111	75 - 119	21.51	3.4	20	
Styrene	19.79	2.0	20	0	99.0	72 - 126	19.33	2.37	20	
Tetrachloroethene	21.41	2.0	20	0	107	76 - 119	20.59	3.87	20	
Toluene	21.37	2.0	20	0	107	77 - 118	20.89	2.3	20	
trans-1,2-Dichloroethene	22.14	1.0	20	0	111	72 - 127	21.35	3.64	20	
trans-1,3-Dichloropropene	18.26	2.0	20	0	91.3	77 - 119	18.26	0.0438	20	
Trichloroethene	19.71	2.0	20	0	98.6	77 - 121	19.12	3.06	20	
Trichlorofluoromethane	23.25	1.0	20	0	116	70 - 130	23.43	0.793	20	
Vinyl chloride	22.55	1.0	20	0	113	70 - 130	21.84	3.23	20	
Xylenes, Total	67.94	6.0	60	0	113	75 - 122	65.34	3.9	20	
Surr: 1,2-Dichloroethane-d4	51.75	1.0	50	0	104	70 - 123	51.26	0.963	20	
Surr: 4-Bromofluorobenzene	49	1.0	50	0	98.0	77 - 113	48.12	1.81	20	
Surr: Dibromofluoromethane	51.26	1.0	50	0	103	73 - 126	51.07	0.371	20	
Surr: Toluene-d8	49.54	1.0	50	0	99.1	81 - 120	49.15	0.796	20	

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25100689-02MS		Units: ug/L		Analysis Date: 16-Oct-2025 10:05			
Client ID:		Run ID: VOA13_524157		SeqNo: 9086339		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,1,1-Trichloroethane	25.43	1.0	20	0	127	70 - 130			
1,1,2,2-Tetrachloroethane	19.8	2.0	20	0	99.0	70 - 123			
1,1,2-Trichlor-1,2,2-trifluoroethane	24.43	2.0	20	0	122	70 - 130			
1,1,2-Trichloroethane	21.2	2.0	20	0	106	70 - 117			
1,1-Dichloroethane	24.53	2.0	20	0	123	70 - 127			
1,1-Dichloroethene	23.73	1.0	20	0	119	70 - 130			
1,2,4-Trichlorobenzene	16.18	2.0	20	0	80.9	70 - 125			
1,2-Dibromo-3-chloropropane	17.48	10	20	0	87.4	70 - 130			
1,2-Dibromoethane	22.91	2.0	20	0	115	70 - 124			
1,2-Dichlorobenzene	22.08	2.0	20	0	110	70 - 115			
1,2-Dichloroethane	24.08	2.0	20	0.012	120	70 - 127			
1,2-Dichloropropane	21.28	2.0	20	0	106	70 - 122			
1,3-Dichlorobenzene	20.44	2.0	20	0	102	70 - 119			
1,4-Dichlorobenzene	21.55	2.0	20	0	108	70 - 114			
1-Methylnaphthalene	17.38	2.0	20	0	86.9	60 - 140			
2-Butanone	94.46	10	100	0	94.5	70 - 130			
2-Hexanone	115.2	10	100	0.059	115	70 - 130			
2-Methylnaphthalene	15.44	5.0	20	0	77.2	55 - 140			
4-Methyl-2-pentanone	120.3	10	100	0	120	70 - 130			
Acetone	100.9	100	100	0	101	70 - 130			
Benzene	24.37	1.0	20	0	122	70 - 127			
Bromodichloromethane	23.82	2.0	20	0	119	70 - 124			
Bromoform	18.18	2.0	20	0	90.9	70 - 129			
Bromomethane	16.79	2.0	20	0	84.0	70 - 130			
Carbon disulfide	41.64	2.0	40	0	104	70 - 130			
Carbon tetrachloride	25.88	2.0	20	0	129	70 - 130			
Chlorobenzene	22.6	2.0	20	0	113	70 - 114			
Chloroethane	24.05	2.0	20	0	120	70 - 130			
Chloroform	23.65	2.0	20	0	118	70 - 125			
Chloromethane	23.8	2.0	20	0.013	119	70 - 130			
cis-1,2-Dichloroethene	22.94	2.0	20	0	115	70 - 128			
cis-1,3-Dichloropropene	18.61	2.0	20	0	93.0	70 - 125			
Cyclohexane	24.38	2.0	20	0	122	70 - 130			
Dibromochloromethane	20.24	2.0	20	0	101	70 - 124			

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C					
MS	Sample ID: HS25100689-02MS	Units: ug/L			Analysis Date: 16-Oct-2025 10:05				
Client ID:	Run ID: VOA13_524157	SeqNo: 9086339		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	23.84	2.0	20	0.035	119	70 - 130			
Ethylbenzene	23.44	2.0	20	0.017	117	70 - 124			
Isopropylbenzene	22.54	2.0	20	0.009	113	70 - 130			
m,p-Xylene	47.58	4.0	40	0.013	119	70 - 130			
Methyl acetate	24.06	2.0	20	0.026	120	76 - 122			
Methyl tert-butyl ether	20.37	1.0	20	0	102	70 - 130			
Methylcyclohexane	22.71	5.0	20	0	114	61 - 158			
Methylene chloride	21.93	10	20	0	110	70 - 128			
Naphthalene	16.43	2.0	20	0	82.1	70 - 130			
o-Xylene	23.78	2.0	20	0	119	70 - 124			
Styrene	20.79	2.0	20	0	104	70 - 130			
Tetrachloroethene	21.54	2.0	20	0	108	70 - 130			
Toluene	23.83	2.0	20	0	119	70 - 123			
trans-1,2-Dichloroethene	21.89	1.0	20	0	109	70 - 130			
trans-1,3-Dichloropropene	18.18	2.0	20	0	90.9	70 - 121			
Trichloroethene	20.72	2.0	20	0	104	70 - 129			
Trichlorofluoromethane	24.65	1.0	20	0	123	70 - 130			
Vinyl chloride	24.09	1.0	20	0	120	70 - 130			
Xylenes, Total	71.36	6.0	60	0	119	70 - 130			
Surr: 1,2-Dichloroethane-d4	52.46	1.0	50	0	105	70 - 126			
Surr: 4-Bromofluorobenzene	46.05	1.0	50	0	92.1	77 - 113			
Surr: Dibromofluoromethane	50.2	1.0	50	0	100	77 - 123			
Surr: Toluene-d8	51.83	1.0	50	0	104	82 - 127			

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
MSD		Sample ID: HS25100689-02MSD		Units: ug/L		Analysis Date: 16-Oct-2025 10:28				
Client ID:		Run ID: VOA13_524157		SeqNo: 9086340		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	25.82	1.0	20	0	129	70 - 130	25.43	1.54	20	
1,1,2,2-Tetrachloroethane	19.81	2.0	20	0	99.0	70 - 123	19.8	0.0252	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	25.34	2.0	20	0	127	70 - 130	24.43	3.66	20	
1,1,2-Trichloroethane	20.52	2.0	20	0	103	70 - 117	21.2	3.27	20	
1,1-Dichloroethane	24.85	2.0	20	0	124	70 - 127	24.53	1.3	20	
1,1-Dichloroethene	24.41	1.0	20	0	122	70 - 130	23.73	2.85	20	
1,2,4-Trichlorobenzene	16.65	2.0	20	0	83.2	70 - 125	16.18	2.85	20	
1,2-Dibromo-3-chloropropane	16.59	10	20	0	83.0	70 - 130	17.48	5.23	20	
1,2-Dibromoethane	22.81	2.0	20	0	114	70 - 124	22.91	0.433	20	
1,2-Dichlorobenzene	22.75	2.0	20	0	114	70 - 115	22.08	3.01	20	
1,2-Dichloroethane	23.25	2.0	20	0.012	116	70 - 127	24.08	3.5	20	
1,2-Dichloropropane	21.31	2.0	20	0	107	70 - 122	21.28	0.146	20	
1,3-Dichlorobenzene	21.07	2.0	20	0	105	70 - 119	20.44	3.05	20	
1,4-Dichlorobenzene	22.1	2.0	20	0	110	70 - 114	21.55	2.51	20	
1-Methylnaphthalene	20.63	2.0	20	0	103	60 - 140	17.38	17.1	20	
2-Butanone	93.59	10	100	0	93.6	70 - 130	94.46	0.922	20	
2-Hexanone	110.3	10	100	0.059	110	70 - 130	115.2	4.32	20	
2-Methylnaphthalene	19.63	5.0	20	0	98.1	55 - 140	15.44	23.9	20	R
4-Methyl-2-pentanone	113.6	10	100	0	114	70 - 130	120.3	5.75	20	
Acetone	103.3	100	100	0	103	70 - 130	100.9	2.44	20	
Benzene	23.81	1.0	20	0	119	70 - 127	24.37	2.32	20	
Bromodichloromethane	24.04	2.0	20	0	120	70 - 124	23.82	0.924	20	
Bromoform	17.87	2.0	20	0	89.4	70 - 129	18.18	1.69	20	
Bromomethane	18.91	2.0	20	0	94.5	70 - 130	16.79	11.8	20	
Carbon disulfide	43.05	2.0	40	0	108	70 - 130	41.64	3.34	20	
Carbon tetrachloride	25.81	2.0	20	0	129	70 - 130	25.88	0.279	20	
Chlorobenzene	23	2.0	20	0	115	70 - 114	22.6	1.75	20	S
Chloroethane	25.22	2.0	20	0	126	70 - 130	24.05	4.75	20	
Chloroform	23.8	2.0	20	0	119	70 - 125	23.65	0.628	20	
Chloromethane	24.42	2.0	20	0.013	122	70 - 130	23.8	2.58	20	
cis-1,2-Dichloroethene	23.33	2.0	20	0	117	70 - 128	22.94	1.68	20	
cis-1,3-Dichloropropene	18.61	2.0	20	0	93.0	70 - 125	18.61	0.0215	20	
Cyclohexane	24.49	2.0	20	0	122	70 - 130	24.38	0.462	20	
Dibromochloromethane	20.08	2.0	20	0	100	70 - 124	20.24	0.799	20	

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524157 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C					
MSD		Sample ID: HS25100689-02MSD		Units: ug/L		Analysis Date: 16-Oct-2025 10:28			
Client ID:		Run ID: VOA13_524157		SeqNo: 9086340		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Dichlorodifluoromethane	25.39	2.0	20	0.035	127	70 - 130	23.84	6.29	20
Ethylbenzene	23.96	2.0	20	0.017	120	70 - 124	23.44	2.21	20
Isopropylbenzene	23.5	2.0	20	0.009	117	70 - 130	22.54	4.18	20
m,p-Xylene	48.83	4.0	40	0.013	122	70 - 130	47.58	2.59	20
Methyl acetate	22.57	2.0	20	0.026	113	76 - 122	24.06	6.4	20
Methyl tert-butyl ether	20.12	1.0	20	0	101	70 - 130	20.37	1.27	20
Methylcyclohexane	24.32	5.0	20	0	122	61 - 158	22.71	6.84	20
Methylene chloride	22.15	10	20	0	111	70 - 128	21.93	1.02	20
Naphthalene	16.77	2.0	20	0	83.8	70 - 130	16.43	2.07	20
o-Xylene	23.97	2.0	20	0	120	70 - 124	23.78	0.817	20
Styrene	21.37	2.0	20	0	107	70 - 130	20.79	2.76	20
Tetrachloroethene	22.35	2.0	20	0	112	70 - 130	21.54	3.69	20
Toluene	23.6	2.0	20	0	118	70 - 123	23.83	0.94	20
trans-1,2-Dichloroethene	22.98	1.0	20	0	115	70 - 130	21.89	4.87	20
trans-1,3-Dichloropropene	19.05	2.0	20	0	95.2	70 - 121	18.18	4.67	20
Trichloroethene	21.07	2.0	20	0	105	70 - 129	20.72	1.68	20
Trichlorofluoromethane	24.86	1.0	20	0	124	70 - 130	24.65	0.849	20
Vinyl chloride	24.82	1.0	20	0	124	70 - 130	24.09	3.02	20
Xylenes, Total	72.8	6.0	60	0	121	70 - 130	71.36	2	20
Surr: 1,2-Dichloroethane-d4	52.04	1.0	50	0	104	70 - 126	52.46	0.804	20
Surr: 4-Bromofluorobenzene	46.3	1.0	50	0	92.6	77 - 113	46.05	0.546	20
Surr: Dibromofluoromethane	51.46	1.0	50	0	103	77 - 123	50.2	2.47	20
Surr: Toluene-d8	51.63	1.0	50	0	103	82 - 127	51.83	0.39	20
The following samples were analyzed in this batch:									
HS25100446-01		HS25100446-02		HS25100446-03		HS25100446-04			
HS25100446-05		HS25100446-06		HS25100446-07		HS25100446-08			
HS25100446-09		HS25100446-10		HS25100446-11		HS25100446-12			
HS25100446-13		HS25100446-14		HS25100446-15		HS25100446-16			
HS25100446-17		HS25100446-18		HS25100446-19					

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524307 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK	Units: ug/L		Analysis Date: 18-Oct-2025 10:27						
Client ID:	Run ID: VOA13_524307	SeqNo: 9089938		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Hexanone	ND	10								U
Benzene	ND	1.0								U
Cyclohexane	ND	2.0								U
Ethylbenzene	ND	2.0								U
Methylcyclohexane	ND	5.0								U
Surr: 1,2-Dichloroethane-d4	51.8	1.0	50	0	104	70 - 123				
Surr: 4-Bromofluorobenzene	54.01	1.0	50	0	108	77 - 113				
Surr: Dibromofluoromethane	53.32	1.0	50	0	107	73 - 126				
Surr: Toluene-d8	52.55	1.0	50	0	105	81 - 120				

LCS	Sample ID: LCS	Units: ug/L		Analysis Date: 18-Oct-2025 09:19						
Client ID:	Run ID: VOA13_524307	SeqNo: 9089960		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Hexanone	119.8	10	100	0	120	70 - 130				
Benzene	21.24	1.0	20	0	106	74 - 120				
Cyclohexane	20.82	2.0	20	0	104	70 - 130				
Ethylbenzene	20.44	2.0	20	0	102	77 - 117				
Methylcyclohexane	18.94	5.0	20	0	94.7	61 - 157				
Surr: 1,2-Dichloroethane-d4	52.84	1.0	50	0	106	70 - 123				
Surr: 4-Bromofluorobenzene	50.18	1.0	50	0	100	77 - 113				
Surr: Dibromofluoromethane	50.75	1.0	50	0	102	73 - 126				
Surr: Toluene-d8	48.19	1.0	50	0	96.4	81 - 120				

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524307 (0)		Instrument: VOA13		Method: LOW LEVEL VOLATILES BY SW8260C					
MS		Sample ID: HS25100815-01MS		Units: ug/L		Analysis Date: 18-Oct-2025 18:27			
Client ID:		Run ID: VOA13_524307		SeqNo: 9089956		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Hexanone	106	10	100	4.674	101	70 - 130			
Benzene	23.67	1.0	20	0	118	70 - 127			
Cyclohexane	25.24	2.0	20	4.175	105	70 - 130			
Ethylbenzene	22.84	2.0	20	0	114	70 - 124			
Methylcyclohexane	25.19	5.0	20	2.146	115	61 - 158			
Surr: 1,2-Dichloroethane-d4	51.69	1.0	50	0	103	70 - 126			
Surr: 4-Bromofluorobenzene	49.28	1.0	50	0	98.6	77 - 113			
Surr: Dibromofluoromethane	50.93	1.0	50	0	102	77 - 123			
Surr: Toluene-d8	50.34	1.0	50	0	101	82 - 127			

MSD		Sample ID: HS25100815-01MSD		Units: ug/L		Analysis Date: 18-Oct-2025 18:50			
Client ID:		Run ID: VOA13_524307		SeqNo: 9089957		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Hexanone	111.4	10	100	4.674	107	70 - 130	106	5.01	20
Benzene	23.49	1.0	20	0	117	70 - 127	23.67	0.785	20
Cyclohexane	25.36	2.0	20	4.175	106	70 - 130	25.24	0.506	20
Ethylbenzene	23.43	2.0	20	0	117	70 - 124	22.84	2.55	20
Methylcyclohexane	23.79	5.0	20	2.146	108	61 - 158	25.19	5.7	20
Surr: 1,2-Dichloroethane-d4	54.52	1.0	50	0	109	70 - 126	51.69	5.33	20
Surr: 4-Bromofluorobenzene	49.44	1.0	50	0	98.9	77 - 113	49.28	0.332	20
Surr: Dibromofluoromethane	51.75	1.0	50	0	103	77 - 123	50.93	1.58	20
Surr: Toluene-d8	50.4	1.0	50	0	101	82 - 127	50.34	0.139	20

The following samples were analyzed in this batch: HS25100446-14 HS25100446-15 HS25100446-16

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524364 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C					
MBLK	Sample ID: MBLK-251020	Units: ug/L		Analysis Date: 20-Oct-2025 12:42					
Client ID:	Run ID: VOA4_524364	SeqNo: 9090829		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1-Methylnaphthalene	ND	2.0							U
Surr: 1,2-Dichloroethane-d4	44.24	1.0	50	0	88.5	70 - 123			
Surr: 4-Bromofluorobenzene	48.82	1.0	50	0	97.6	77 - 113			
Surr: Dibromofluoromethane	49.24	1.0	50	0	98.5	73 - 126			
Surr: Toluene-d8	50.5	1.0	50	0	101	81 - 120			

LCS	Sample ID: LCS-251020	Units: ug/L		Analysis Date: 20-Oct-2025 11:40					
Client ID:	Run ID: VOA4_524364	SeqNo: 9090827		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1-Methylnaphthalene	22.53	2.0	20	0	113	60 - 140			
Surr: 1,2-Dichloroethane-d4	44.85	1.0	50	0	89.7	70 - 123			
Surr: 4-Bromofluorobenzene	48.49	1.0	50	0	97.0	77 - 113			
Surr: Dibromofluoromethane	48.62	1.0	50	0	97.2	73 - 126			
Surr: Toluene-d8	50.98	1.0	50	0	102	81 - 120			

LCSD	Sample ID: LCSD-251020	Units: ug/L		Analysis Date: 20-Oct-2025 12:01					
Client ID:	Run ID: VOA4_524364	SeqNo: 9090828		PrepDate:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1-Methylnaphthalene	21.54	2.0	20	0	108	60 - 140	22.53	4.51	20
Surr: 1,2-Dichloroethane-d4	45.99	1.0	50	0	92.0	70 - 123	44.85	2.53	20
Surr: 4-Bromofluorobenzene	48.77	1.0	50	0	97.5	77 - 113	48.49	0.588	20
Surr: Dibromofluoromethane	47.52	1.0	50	0	95.0	73 - 126	48.62	2.29	20
Surr: Toluene-d8	51.38	1.0	50	0	103	81 - 120	50.98	0.78	20

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524364 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MS		Sample ID: HS25100533-03MS		Units: ug/L		Analysis Date: 20-Oct-2025 19:59				
Client ID:		Run ID: VOA4_524364		SeqNo: 9092052		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	19.37	2.0	20	0	96.9	60 - 140				
Surr: 1,2-Dichloroethane-d4	46.34	1.0	50	0	92.7	70 - 126				
Surr: 4-Bromofluorobenzene	47.7	1.0	50	0	95.4	77 - 113				
Surr: Dibromofluoromethane	47.44	1.0	50	0	94.9	77 - 123				
Surr: Toluene-d8	51.53	1.0	50	0	103	82 - 127				

MSD		Sample ID: HS25100533-03MSD		Units: ug/L		Analysis Date: 20-Oct-2025 20:20				
Client ID:		Run ID: VOA4_524364		SeqNo: 9092053		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	19.09	2.0	20	0	95.5	60 - 140	19.37	1.45	20	
Surr: 1,2-Dichloroethane-d4	46.48	1.0	50	0	93.0	70 - 126	46.34	0.302	20	
Surr: 4-Bromofluorobenzene	48.03	1.0	50	0	96.1	77 - 113	47.7	0.7	20	
Surr: Dibromofluoromethane	48.04	1.0	50	0	96.1	77 - 123	47.44	1.28	20	
Surr: Toluene-d8	51.7	1.0	50	0	103	82 - 127	51.53	0.343	20	

The following samples were analyzed in this batch: HS25100446-17

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524484 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-251021	Units: ug/L		Analysis Date: 21-Oct-2025 11:17						
Client ID:	Run ID: VOA4_524484	SeqNo: 9093345		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	ND	2.0								U
2-Methylnaphthalene	ND	5.0								U
Surr: 1,2-Dichloroethane-d4	44.52	1.0	50	0	89.0	70 - 123				
Surr: 4-Bromofluorobenzene	48.37	1.0	50	0	96.7	77 - 113				
Surr: Dibromofluoromethane	46.72	1.0	50	0	93.4	73 - 126				
Surr: Toluene-d8	50.64	1.0	50	0	101	81 - 120				
LCS	Sample ID: LCS-251021	Units: ug/L		Analysis Date: 21-Oct-2025 10:15						
Client ID:	Run ID: VOA4_524484	SeqNo: 9093343		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	22.04	2.0	20	0	110	60 - 140				
2-Methylnaphthalene	22.68	5.0	20	0	113	55 - 140				
Surr: 1,2-Dichloroethane-d4	45.2	1.0	50	0	90.4	70 - 123				
Surr: 4-Bromofluorobenzene	48.01	1.0	50	0	96.0	77 - 113				
Surr: Dibromofluoromethane	47.18	1.0	50	0	94.4	73 - 126				
Surr: Toluene-d8	51.8	1.0	50	0	104	81 - 120				
LCSD	Sample ID: LCSD-251021	Units: ug/L		Analysis Date: 21-Oct-2025 10:35						
Client ID:	Run ID: VOA4_524484	SeqNo: 9093344		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	20.75	2.0	20	0	104	60 - 140	22.04	5.99	20	
2-Methylnaphthalene	20.65	5.0	20	0	103	55 - 140	22.68	9.39	20	
Surr: 1,2-Dichloroethane-d4	45.04	1.0	50	0	90.1	70 - 123	45.2	0.346	20	
Surr: 4-Bromofluorobenzene	47.35	1.0	50	0	94.7	77 - 113	48.01	1.4	20	
Surr: Dibromofluoromethane	47.27	1.0	50	0	94.5	73 - 126	47.18	0.178	20	
Surr: Toluene-d8	51.07	1.0	50	0	102	81 - 120	51.8	1.41	20	

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524484 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MS		Sample ID: HS25100762-02MS		Units: ug/L		Analysis Date: 21-Oct-2025 18:36				
Client ID:		Run ID: VOA4_524484		SeqNo: 9095181		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	17.81	2.0	20	0	89.0	60 - 140				
2-Methylnaphthalene	16.76	5.0	20	0	83.8	55 - 140				
Surr: 1,2-Dichloroethane-d4	45.41	1.0	50	0	90.8	70 - 126				
Surr: 4-Bromofluorobenzene	46.48	1.0	50	0	93.0	77 - 113				
Surr: Dibromofluoromethane	47.4	1.0	50	0	94.8	77 - 123				
Surr: Toluene-d8	50.22	1.0	50	0	100	82 - 127				

MSD		Sample ID: HS25100762-02MSD		Units: ug/L		Analysis Date: 21-Oct-2025 18:57				
Client ID:		Run ID: VOA4_524484		SeqNo: 9095182		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	19.68	2.0	20	0	98.4	60 - 140	17.81	10	20	
2-Methylnaphthalene	18.39	5.0	20	0	91.9	55 - 140	16.76	9.25	20	
Surr: 1,2-Dichloroethane-d4	45.66	1.0	50	0	91.3	70 - 126	45.41	0.549	20	
Surr: 4-Bromofluorobenzene	47.98	1.0	50	0	96.0	77 - 113	46.48	3.19	20	
Surr: Dibromofluoromethane	48.68	1.0	50	0	97.4	77 - 123	47.4	2.67	20	
Surr: Toluene-d8	51.79	1.0	50	0	104	82 - 127	50.22	3.06	20	

The following samples were analyzed in this batch:

HS25100446-05	HS25100446-14	HS25100446-15
---------------	---------------	---------------

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R524604 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-251022	Units: ug/L		Analysis Date: 22-Oct-2025 11:14						
Client ID:	Run ID: VOA4_524604	SeqNo: 9096098		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	ND	2.0								U
2-Methylnaphthalene	ND	5.0								U
Surr: 1,2-Dichloroethane-d4	43.38	1.0	50	0	86.8	70 - 123				
Surr: 4-Bromofluorobenzene	48.79	1.0	50	0	97.6	77 - 113				
Surr: Dibromofluoromethane	47.84	1.0	50	0	95.7	73 - 126				
Surr: Toluene-d8	50.34	1.0	50	0	101	81 - 120				

LCS	Sample ID: LCS-251022	Units: ug/L		Analysis Date: 22-Oct-2025 10:12						
Client ID:	Run ID: VOA4_524604	SeqNo: 9096096		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	22.15	2.0	20	0	111	60 - 140				
2-Methylnaphthalene	22.05	5.0	20	0	110	55 - 140				
Surr: 1,2-Dichloroethane-d4	44.08	1.0	50	0	88.2	70 - 123				
Surr: 4-Bromofluorobenzene	48.21	1.0	50	0	96.4	77 - 113				
Surr: Dibromofluoromethane	47.26	1.0	50	0	94.5	73 - 126				
Surr: Toluene-d8	50.19	1.0	50	0	100	81 - 120				

LCSD	Sample ID: LCSD-251022	Units: ug/L		Analysis Date: 22-Oct-2025 10:33						
Client ID:	Run ID: VOA4_524604	SeqNo: 9096097		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	21.56	2.0	20	0	108	60 - 140	22.15	2.73	20	
2-Methylnaphthalene	22.07	5.0	20	0	110	55 - 140	22.05	0.122	20	
Surr: 1,2-Dichloroethane-d4	45.4	1.0	50	0	90.8	70 - 123	44.08	2.95	20	
Surr: 4-Bromofluorobenzene	47.95	1.0	50	0	95.9	77 - 113	48.21	0.541	20	
Surr: Dibromofluoromethane	47.22	1.0	50	0	94.4	73 - 126	47.26	0.091	20	
Surr: Toluene-d8	51.82	1.0	50	0	104	81 - 120	50.19	3.18	20	

The following samples were analyzed in this batch: HS25100446-16

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

QC BATCH REPORT

Batch ID: R523868 (0)		Instrument: ICS-Integrion		Method: ANIONS BY E300.0, REV 2.1, 1993					
MBLK	Sample ID: MBLK	Units: mg/L		Analysis Date: 13-Oct-2025 08:11					
Client ID:	Run ID: ICS-Integrion_523868		SeqNo: 9079939		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Sulfate	ND	0.500							U
LCS	Sample ID: LCS	Units: mg/L		Analysis Date: 13-Oct-2025 08:34					
Client ID:	Run ID: ICS-Integrion_523868		SeqNo: 9079940		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Sulfate	19.52	0.500	20	0	97.6	90 - 110			
MS	Sample ID: HS25100446-11MS	Units: mg/L		Analysis Date: 13-Oct-2025 12:15					
Client ID: SVE-1-20251007	Run ID: ICS-Integrion_523868		SeqNo: 9079960		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Sulfate	33.63	0.500	10	24.19	94.5	80 - 120			
MS	Sample ID: HS25100446-05MS	Units: mg/L		Analysis Date: 13-Oct-2025 12:26					
Client ID: MW-5-20251007	Run ID: ICS-Integrion_523868		SeqNo: 9079962		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Sulfate	8.966	0.500	10	0	89.7	80 - 120			
MSD	Sample ID: HS25100446-11MSD	Units: mg/L		Analysis Date: 13-Oct-2025 12:21					
Client ID: SVE-1-20251007	Run ID: ICS-Integrion_523868		SeqNo: 9079961		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Sulfate	33.34	0.500	10	24.19	91.5	80 - 120	33.63	0.874	20
MSD	Sample ID: HS25100446-05MSD	Units: mg/L		Analysis Date: 13-Oct-2025 12:32					
Client ID: MW-5-20251007	Run ID: ICS-Integrion_523868		SeqNo: 9079963		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit Qual
Sulfate	8.985	0.500	10	0	89.8	80 - 120	8.966	0.207	20
The following samples were analyzed in this batch:									
HS25100446-01		HS25100446-02		HS25100446-03		HS25100446-04			
HS25100446-05		HS25100446-06		HS25100446-07		HS25100446-08			
HS25100446-09		HS25100446-10		HS25100446-11		HS25100446-12			
HS25100446-13		HS25100446-14		HS25100446-15		HS25100446-16			

ALS Houston, US

Date: 22-Oct-25

Client: GHD
Project: 12660614 - WT-1 Compressor Station 2025
WorkOrder: HS25100446

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

ALS Houston, US

Date: 22-Oct-25

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2026
Arkansas	88-00356_2024	17-Mar-2026
California	2919 - 2025	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Dept of Defense	L24-240	30-Apr-2026
Florida	E87611-2025	30-Jun-2026
Illinois	200032 - 2025	31-Jul-2026
Kansas	KS-C25-00168	31-Jul-2026
Kentucky	123043-2025	30-Apr-2026
Louisiana	03087-2025	30-Jun-2026
Maine	2024017	23-Jun-2026
Michigan	9971-2025	30-Apr-2026
Minnesota	2856348	31-Dec-2025
Missouri	136	30-Sep-2026
Nebraska	NE-OS-25-13 - 2025	30-Apr-2026
Nevada	NV-C25-00124 - 2025	31-Jul-2026
New Hampshire	209425	24-Apr-2026
New Jersey	TX008-2025	30-Jun-2026
New York	11707 - 2025	01-Apr-2026
North Carolina	624 - 2024	31-Dec-2025
Oregon	TX200002-013	15-May-2026
Pennsylvania	019	01-Jul-2026
Tennessee	TN	30-Apr-2026
Texas	TX-C25-00104	30-Apr-2026

ALS Houston, US

Date: 22-Oct-25

Sample Receipt Checklist

Work Order ID: HS25100446

Date/Time Received: 09-Oct-2025 08:45

Client Name: GHD Albuquerque

Received by: Chelsea Rogers

Completed By: /S/ Edgar Zheku	09-Oct-2025 12:58	Reviewed by: /S/ Beverly Mustafa	09-Oct-2025 16:31
eSignature	Date/Time	eSignature	Date/Time

Matrices: **W**Carrier name: **FedEx**

Shipping container/cooler in good condition?

Yes ☒No ☐Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒No ☐Not Present ☐

Custody seals intact on sample bottles?

Yes ☐No ☐Not Present ☒

VOA/TX1005/TX1006 Solids in hermetically sealed vials?

Yes ☐No ☐Not Present ☒

Chain of custody present?

Yes ☒No ☐

2 Page(s)

Chain of custody signed when relinquished and received?

Yes ☒No ☐

COC IDs:353868, 353869

Samplers name present on COC?

Yes ☒No ☐

Chain of custody agrees with sample labels?

Yes ☒No ☐

Samples in proper container/bottle?

Yes ☒No ☐

Sample containers intact?

Yes ☒No ☐

Sufficient sample volume for indicated test?

Yes ☒No ☐

All samples received within holding time?

Yes ☒No ☐

Container/Temp Blank temperature in compliance?

Yes ☒No ☐

Temperature(s)/Thermometer(s):

2.1UC/2.1C

IR 34

Cooler(s)/Kit(s):

51905

Date/Time sample(s) sent to storage:

10/09/2025 12:58

Water - VOA vials have zero headspace?

Yes ☒No ☐No VOA vials submitted ☐

Water - pH acceptable upon receipt?

Yes ☐No ☐N/A ☒

pH adjusted?

Yes ☐No ☐N/A ☒

pH adjusted by:

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

Corrective Action:

Cincinnati, OH
+1 513 733 5336Fort Collins, CO
+1 970 490 1511Everett, WA
+1 425 356 2600Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 2

COC ID: 353868

Houston, TX
+1 281 530 5656Spring City, PA
+1 610 948 4903Middletown, PA
+1 717 944 5541Salt Lake City, UT
+1 801 266 7700

Page 207 of 211

South Charleston, WV
+1 304 356 3168

York, PA
+1 717 505 5280

Customer Information		Project Information		Parameter/Method Request for Analysis														
Purchase Order	E-19002-GS-26050005- Stacy Bou	Project Name	12660614 - WT-1 Compressor Statio	A	8260 LL W(VOCs)													
Work Order		Project Number	12660614	B	300 W(Sulfate)													
Company Name	GHD Services Inc. - 340	Bill To Company	ETC Texas Pipeline, LTD	C	HS25100446 GHD 12660614 - WT-1 Compressor Station 2025 													
Send Report To	Angela Bown	Invoice Attn	ETC Pipeline A/P	D														
Address	2055 Niagara Falls Blvd	Address	1300 Main Street	E														
City/State/Zip	Niagara Falls, NY 14304	City/State/Zip	Houston TX 77002	F														
Phone	(716) 205-1907	Phone		G														
Fax		Fax		H														
e-Mail Address	angela.bown@ghd.com	e-Mail Address	apinvoicesetp.mailbox@energytransfer	I														
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold	
1	MW-4-20251006	10-6-25	13:20	GW		4	X	X										
2	MW-14-20251006	10-6-25	14:35	GW		4	X	X										
3	MW-12-20251006	10-6-25	14:00	GW		4	X	X										
4	MW-17-20251006	10-6-25	15:05	GW		4	X	X										
5	MW-5-20251007	10-7-25	9:40	GW		4	X	X										
6	MW-6-20251007	10-7-25	10:25	GW		4	X	X										
7	MW-7-20251007	10-7-25	9:00	GW		4	X	X										
8	MW-8-20251007	10-7-25	10:00	GW		4	X	X										
9	MW-11-20251007	10-7-25	13:30	GW		4	X	X										
10	MW-13-20251007	10-7-25	12:45	GW		4	X	X										
Sampler(s) Please Print & Sign		Shipment Method		Required Turnaround Time: (Check Box)				Other				Results Due Date:						
Krystle Fitzwater KB		Fed Ex		☒ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour														
Relinquished by:	Date:	Time:	Received by:		Notes:													
K. Fitzwater	10-8-25	16:00			12603946 - WT-1 Compressor Station 2024													
Relinquished by:	Date:	Time:	Received by (Laboratory):		Cooler ID		Cooler Temp.		QC Package: (Check One Box Below)									
		8:45	CR 10/09/25		IR34		CFO.0		☒ Level II Std QC ☐ TRRP Check/ist ☐ Level III Std QC/Raw Date ☐ TRRP Level IV ☐ Level IV SW646/CLP ☐ Other									
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):															
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035																		

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

Cincinnati, OH
+1 513 733 5336Everett, WA
+1 425 356 2600Fort Collins, CO
+1 970 490 1511Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 2 of 2

COC ID: 353869

Houston, TX
+1 281 530 5656Middletown, PA
+1 717 944 5541Spring City, PA
+1 610 948 4903Salt Lake City, UT
+1 801 266 7700

Page 208 of 211

South Charleston, WV
+1 304 356 3168

York, PA
+1 717 505 5280

Customer Information		Project Information		Parameter/Method Request for Analysis														
Purchase Order	E-19002-GS-26050005- Stacy Bou	Project Name	12660614 - WT-1 Compressor Statio	A	8260_LL_W(VOCs)													
Work Order		Project Number	12660614	B	300_W(Sulfate)													
Company Name	GHD Services Inc. - 340	Bill To Company	ETC Texas Pipeline, LTD	C														
Send Report To	Angela Bown	Invoice Attn	ETC Pipeline A/P	D														
Address	2055 Niagara Falls Blvd	Address	1300 Main Street	E	HS25100446 GHD 12660614 - WT-1 Compressor Station 2025 													
City/State/Zip	Niagara Falls, NY 14304	City/State/Zip	Houston TX 77002	F														
Phone	(716) 205-1907	Phone		G														
Fax		Fax		H														
e-Mail Address	angela.bown@ghd.com	e-Mail Address	apinvoicesetp.mailbox@energytransfer	I														
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold	
1	SVE-1-20251007	10-7-25	12:05	GW		4	X	X										
2	SVE-7-20251007	10-7-25	11:10	GW		4	X	X										
3	SVE-9-20251008	10-8-25	08:55	GW		4	X	X										
4	SVE-13-20251008	10-8-25	09:25	GW		4	X	X										
5	SVE-12-20251008	10-8-25	08:25	GW		4	X	X										
6	SVE-14-20251008	10-8-25	09:55	GW		4	X	X										
7	DUP-01-20251006	10-6-25		GW		3	X											
8	DUP-02-20251007	10-7-25		GW		3	X											
9	Trip Blank						X											
10																		
Sampler(s) Please Print & Sign Krystle Fitzwater KB		Shipment Method FedEx		Required Turnaround Time: (Check Box) ☒ STD 10 Wk Days ☐ 5 Wk Days ☐ 2 Wk Days ☐ 24 Hour				Results Due Date:										
Relinquished by: K. Fitzwater		Date: 10-8-25	Time: 16:00	Received by:			Notes: 12603946 - WT-1 Compressor Station 2024											
Relinquished by:		Date:	Time: 845	Received by (Laboratory): CR 10/09/25			Cooler ID 1234	Cooler Temp. C60.0	QC Package: (Check One Box Below)									
Logged by (Laboratory):		Date:	Time:	Checked by (Laboratory):			51905	2.1	☒ Level II Std QC ☐ TRRP Checklist ☐ Level III Std QC/Raw Data ☐ TRRP Level IV ☐ Level IV SW846/CLP									
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035																		

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Page 66 of 67

Copyright 2011 by ALS Environmental.

4772 THU 10/09 07:33 198245
ALS GROUP USA
10150 SIANCLIFF RD
STE 210
HOUSTON TX
PRIORITY OVERNIGHT
253-2510
ETP: 21 89 PD-100-Y
10022843112100077099004345880326249
Page 67 of 67

CUSTODY SEAL	Seal Broken By:
	Date:
8-78 <u>Time: 10:00</u> <u>K. Fitzwater</u> <u>(and</u>	



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 566142

CONDITIONS

Operator: Transwestern Pipeline Company, LLC 8501 Jefferson NE Albuquerque, NM 87113	OGRID: 329750
	Action Number: 566142
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
owen.sitler	This report is accepted with the following conditions: 1) Submit a copy of Stage 1/2 Abatement Plan to OCD in 90 working days (no later than Sept. 3, 2026). Note absorbent socks without ORC enhancement are invalid as a sole method for remediation and a different method for LNAPL recovery must be proposed; 2) Conduct a site-wide groundwater monitoring event in April or May 2026; 3) Conduct groundwater monitoring in October 2026 that samples only wells with contaminants that exceed respective NMWQCC standards, as determined by results from the prior 2026 monitoring event; 4) Submit 2026 AGWR no later than 23-April 2027.	4/27/2026