



MEWBOURNE
OIL COMPANY

Juno 26-25 Battery 1 Event

Remediation Closure Report

nAPP2602667251

M-26-20S-27E

Lease# K064370003

32.53859,-104.25879 NAD83



2525 NW County Rd
Hobbs, NM 88240
[\(575\) 392-9996](tel:(575)392-9996)

Table of Contents

| | |
|--|---|
| Introduction | 1 |
| Site Information | 1 |
| Incident History | 1 |
| Cultural and Biological Review | 2 |
| Water Resources and Remediation Considerations | 4 |
| Soil Remediation Standards | 5 |
| Remediation Activities | 6 |
| Conclusion | 7 |

Appendices

- Appendix A – Depth to Groundwater and Topographical Information
- Appendix B – Site Delineation Mapping and Summary Report
- Appendix C – Site Photography and Field Notes
- Appendix D – Communications and Historical Records
- Appendix E – Environmental Resources Review
- Appendix F – Lab Results Originals

Introduction

Diamondback Disposal Services, Inc. has prepared this Remediation Closure Report for the Juno 26-25 Battery 1 incident site (Incident ID nAPP2602667251) in Eddy County, New Mexico. This report documents the remediation and corrective actions completed in response to the release and is submitted to support regulatory review and closure by the New Mexico Oil Conservation Division. The scope of this report addresses site characterization, remediation, and closure documentation for impacted soils within the project footprint. Remediation activities and closure evaluation were performed in accordance with 19.15.29 NMAC and 19.2.24 NMAC. The site is located on State Trust Land, and reclamation standards and reporting requirements applicable to State surface are governed by 19.2.100.67 NMAC under the authority of the New Mexico State Land Office.

Site Information

Operator of Record: Mewbourne Oil Co

Facility Name: Juno 26-25 Battery 1

Incident#: nAPP2602667251

GPS Coordinates: 32.53859, -104.25879 NAD83

PLSS: M-26-20S-27E (0 FNL 0 FEL)

State Lease Number: K064370003

The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:

- Head northeast on North Lake Road for approximately 3.21 miles to a lease road on the right.
- Turn right and continue northwest for approximately 0.19 miles to the location entrance.

A directional map is provided on the first page of Appendix B.

Incident History

- A fire event occurred at the Juno 26 25 Battery 1 location on January 26, 2026. The incident is documented under OCD Incident ID nAPP2602667251.
- The incident originated when a heater valve froze and cracked, releasing gas that ignited and resulted in a fire at the facility. The fire subsequently led to the failure of a dump valve associated with produced water handling operations. This failure resulted in the release of approximately 93 barrels of produced water. Approximately 20 barrels were recovered, and an

estimated 73 barrels were lost, impacting surrounding soils. The released produced water contained chloride concentrations greater than 10,000 mg/L.

- Upon discovery, the source of the release was secured and isolated to prevent further discharge. The impacted area was controlled to protect human health and the environment. All free liquids and recoverable materials were removed and managed appropriately. All response actions were conducted in accordance with the requirements of 19.15.29 NMAC. response actions were conducted in accordance with the requirements of 19.15.29 NMAC.
- The incident resulted in a fire but did not result in personal injury and did not reach, nor did it have a reasonable probability of reaching, a watercourse.

Cultural and Biological Review

(See Appendix E for reference materials)

A review of the U.S. Fish and Wildlife Service Information for Planning and Consultation system, the New Mexico Crucial Habitat Assessment Tool, Bureau of Land Management sensitive species resources, and NatureServe Explorer was conducted to identify federally listed species, state listed species, and other sensitive biological resources for consideration within the project area.

- The New Mexico Crucial Habitat Assessment Tool assigned the project area a habitat sensitivity rating of Level 3. Remediation activities were confined to the existing well pad and immediately adjacent historically disturbed areas associated with long standing oil and gas development. No expansion of disturbance into undisturbed native habitat occurred.
- A review of Bureau of Land Management sensitive species mapping indicates that the project footprint is not located within a mapped BLM sensitive receptor. The site is located in close proximity to a mapped occurrence area for Scheer's beehive cactus; however, the final excavation footprint and remediation activities did not overlap the mapped occurrence area.
- A review of the U.S. Fish and Wildlife Service Information for Planning and Consultation system identified several federally listed, proposed, or candidate species that may occur within the broader project vicinity. These species were identified at the regional scale, and no designated or proposed critical habitat for any listed species overlaps the project area:

- Northern Aplomado Falcon (*Falco femoralis septentrionalis*) – Experimental, Non-Essential
 - Piping Plover (*Charadrius melodus*) – Threatened
 - Pecos Bluntnose Shiner – Threatened
 - Texas Hornshell (*Popenaias popeii*) – Endangered
 - Monarch Butterfly (*Danaus plexippus*) – Proposed Threatened
 - These species are included on the official species list; however, no designated critical habitat for any of these species overlaps the project area.
- A review of the NatureServe Explorer database identified the following species within the broader analysis area:
 - Rio Grande Cooter (*Pseudemys gorzugi*), G3 Vulnerable
 - Long-billed Curlew (*Numenius americanus*), G4 Apparently Secure
 - Blue Sucker (*Cyprinostomus elongatus*), G4 Apparently Secure
 - Snapping Turtle (*Chelydra serpentina*), G4 Apparently Secure
 - Cave Myotis (*Myotis velifer*), G4 Apparently Secure
 - Mexican Tetra (*Astyanax mexicanus*), G5 Secure
 - Plain-bellied Watersnake (*Nerodia erythrogaster*), G5 Secure
 - Yellow-billed Cuckoo (*Coccyzus americanus*), G5 Secure
 - Black-throated Gray Warbler (*Setophaga nigrescens*), G5 Secure
 - A review of the NatureServe Explorer database for the selected analysis area identified no documented species of concern within the defined project footprint or immediate buffer area.
 - All remediation activities were confined to previously disturbed areas associated with existing oil and gas development, including the existing well pad and adjacent historically disturbed ground. No new surface disturbance outside the impacted area was required. Cultural resource considerations were addressed in accordance with the Cultural Properties Protection Rule, NMAC 19.2.24.
 - Biological compliance measures were implemented in accordance with the Endangered Species Act and the Migratory Bird Treaty Act. Field observations during remediation activities documented compacted and previously disturbed soils, existing access roads, and limited

vegetation. No burrows, nests, or other indicators of wildlife use were observed within the work area, and no impacts to federally listed species or designated critical habitat occurred during remediation activities.

Water Resources and Remediation Considerations

(See Appendix A for topographical information and mapping)

- Groundwater depth at the site is classified within the less than or equal to 25-foot category. A New Mexico Office of the State Engineer iWATERS database search identified no suitable groundwater data within the preferred one-half mile radius of the site. The release did not impact groundwater or surface water.
- A continuously flowing watercourse identified on the USGS 7.5 minute quadrangle lies approximately 895 feet northwest of the excavation area.
- A freshwater pond located approximately 0.7 miles southeast of the excavation area represents the nearest lakebed, sinkhole, or playa lake and falls within the one half to one mile range.
- Willow Ranch, located approximately 2.23 miles from the site, represents the nearest occupied permanent residence and also satisfies the receptor criterion for a private domestic fresh water well used by fewer than five households for domestic or stock watering purposes within the 1 to 5 mile range.
- The nearest other freshwater well, POD CP-04428, is located approximately 2.2 miles east of the excavation area.
- The Carlsbad Municipal System is located approximately 4.66 miles south of the site and represents the nearest incorporated municipal boundary or defined municipal freshwater well field.
- Carlsbad Municipal System located approximately 2.23 miles south southeast of the site represents the nearest incorporated municipal boundary or defined municipal freshwater well field and falls within the 1 to 5 mile range.
- A riverine feature overlies or passes through the pad area and represents the nearest wetland, with a minimum distance of zero feet from the excavation area.

- National Potash Eddy Mine is located approximately 13.37 miles east of the site and exceeds the 5 mile threshold.
- No non karst unstable areas are identified within 5 miles of the site.
- Karst mapping classifies the site as Medium risk.
- FEMA Flood Insurance Rate Maps indicate Zone A 100 year floodplain located approximately 0.62 miles west southwest of the excavation area.

Soil Remediation Standards

Soil remediation and closure criteria were applied in accordance with Table 1 of NMAC 19.15.29.12. Groundwater depth in the immediate vicinity of the site is unverified within the preferred one-half mile radius, the site is classified as Medium with respect to karst geology, and a riverine wetland feature overlies or passes through the pad area. In consideration of these conditions, the most stringent applicable criteria were applied. All excavation areas, sidewalls, and confirmation samples were evaluated using the Table 1 closure criteria applicable to groundwater depths less than 50 feet below ground surface.

This standard was applied uniformly across the entire excavation footprint to ensure protection of potential groundwater resources and compliance with 19.15.29 NMAC.

(See Table Below)

Table 1: NMAC 19.15.29.12 Closure Criteria

| Groundwater Depth | BTEX (mg/kg) | Benzene (mg/kg) | GRO+DRO (mg/kg) | TPH (GRO+DRO+MRO) (mg/kg) | Chloride (mg/kg) |
|-------------------|--------------|-----------------|-----------------|---------------------------|------------------|
| <50 feet | 50 | 10 | N/A | 100 | 600 |

Remediation/Reclamation Activities

Initial excavation activities were conducted between January 29, 2026, and January 30, 2026. Excavation progressed based on field screening observations and visible impacts within the defined release footprint and previously disturbed areas of the battery pad. Approximately 980 cubic yards of impacted material were removed from the site. Excavation sidewalls were predominantly vertical along the perimeter of the excavation footprint. Slopes were constructed where necessary to maintain stability and allow for safe access in accordance with standard excavation safety practices.

Confirmation sampling of excavation floors and sidewalls was conducted on January 30, 2026, and February 2, 2026. Prior to sampling, the New Mexico Oil Conservation Division was notified in accordance with 19.15.29.12.D(1)(a) NMAC through submission of a C-141N Notification for Final Sampling. Approved sampling notices were also forwarded to the New Mexico State Land Office ECO Division in compliance with State Trust Land requirements. Confirmation sampling was conducted pursuant to 19.15.29.12.D NMAC.

Excavation floor and sidewall samples were collected as five-point composite samples, each representing no more than 200 square feet of excavation surface area. Samples were collected using decontaminated sampling equipment, placed in laboratory-supplied containers, and submitted under full chain of custody to an accredited laboratory for analysis of chlorides, total petroleum hydrocarbons, and BTEX compounds. Analytical results were evaluated in accordance with the applicable standards set forth in Table 1 of 19.15.29.12 NMAC. Analytical results confirmed that all excavation floors and sidewalls met the applicable Table 1 closure standards in accordance with 19.15.29 NMAC.

Analytical summaries and associated site maps are provided in Appendix B. Complete laboratory analytical reports are included in Appendix F.

Hauling and off site disposal of impacted material occurred between January 28, 2026 and January 31, 2026. Excavated soils were transported to R360 Halfway Disposal for authorized disposal. During this same period, clean caliche material sourced from the Bar 5 Material Pit was hauled to the site and stockpiled for backfill. A total of approximately 1020 cubic yards of clean caliche was imported to

restore pad grade. Following completion of confirmation sampling, backfill operations commenced on February 7, 2026. Prior to final placement, the backfill material was sampled and submitted for laboratory analysis to confirm compliance.

Final grading was completed and the battery pad was restored to full operational condition consistent with pre-release pad configuration and grade. No revegetation was performed within the operational pad footprint. Revegetation and final reclamation will occur upon future facility decommissioning and full site reclamation in accordance with applicable regulatory requirements.

Conclusion


Remediation activities at the Juno 26-25 Battery 1 site in Eddy County, New Mexico, were conducted in response to OCD Incident ID nAPP2602667251 involving a fire event and associated release of produced water. Impacted soils related to the January 26, 2026 incident were excavated and properly removed for off-site disposal. Confirmation sampling was completed in accordance with 19.15.29 NMAC and demonstrated compliance with the applicable closure criteria set forth in 19.15.29.12 NMAC.

All remediation earthwork, backfilling, grading, and surface restoration activities have been completed, and the battery pad has been restored to full operational condition consistent with its pre-release configuration. Final reclamation and revegetation will occur upon future facility decommissioning in accordance with applicable regulatory requirements.

Based on the completion of corrective actions and the results of confirmation sampling, Diamondback Disposal Services, Inc. respectfully requests remediation closure approval for Incident ID nAPP2602667251 from the New Mexico Oil Conservation Division.

Diamondback Disposal Services, Inc. appreciates the time and consideration provided by the New Mexico Oil Conservation Division and the New Mexico State Land Office Environmental Compliance Office in reviewing this submittal. We remain available to provide any additional information or clarification as needed..

Appendix A
Depth to Groundwater
Topographical Information










Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003




Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Map Contents:
Continuously Flowing Watercourse
FEMA Flood Plane Mapping

-  Release Point
- Flood Hazard Zones
 -  1% Annual Chance Flood Hazard
 -  Regulatory Floodway
 -  Special Floodway
 -  0.2% Annual Chance Flood Hazard
 -  Excavation












Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003




Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Map Contents:
Lakebed Sinkhole or Playa Lake
Wetland Features

-  Release Point
-  Excavation
- NWI Wetlands Mapper
-  Freshwater Emergent Wetland
-  Freshwater Forested/Shrub Wetland
-  Freshwater Pond
-  Lake
-  Other
-  Riverine



Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Received by OC Do 5/6/2026 3:26:27 PM
Occupied Residence
Well Used by Less Than 5 Households
Any Other Fresh Water Well
Defined Fresh Water Field

Release Point


Occupied Residence

OSE Pods by Depth

- No Depth Reported
- < 50ft BGS
- 50 to 99ft BGS
- >100ft BGS

New Mexico Public Water Systems

- Military Base Water System
- Municipal Water System
- Regional Water Utility Authority
- County Water Utility
- Mutual Domestic Water Association
- Water User Association
- Cooperative
- Non-Transient Water System
- Transient Non-Community Water System
- Unknown Water System Type











Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003




Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Map Contents:
Subsurface Mines
Karst Potential

 Release Point
 mines
 Aggregate, Stone etc.
 Potash
 BLM KARst Potential
 Critical
 High - Survey Required
 Not Karst
 Medium



Company
Juno 26-25 Battery 1 Event
Incident #nAPP2602667251
32.53859,-104.25879 NAD83
Lease# K064370003



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Appendix B









Site Delineation Mapping and Summary Report


Juno 26-25 Battery 1 Event -- nAPP2602667251
5PC -- Side Wall Summary

| SAMPLE ID | LAB ID NUMBER | SAMPLE DATE | BENZENE | TOLUENE (mg/kg) | ETHYL-BENZENE (mg/kg) | TOTAL XYLENES (mg/kg) | TOTAL BTEX (mg/kg) | GRO C6-C10 (mg/kg) | DRO C10-C28 (mg/kg) | EXT DRO C28-C36 (mg/kg) | TOTAL TPH C6-C36 (mg/kg) | CHLORIDE |
|-----------|---------------|-------------|---------|-----------------|------------------------|-----------------------|--------------------|--------------------|---------------------|-------------------------|--------------------------|----------|
| W1 @ 0-1' | H260547-01 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 256 |
| W2 @ 0-1' | H260547-02 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 240 |
| W3 @ 0-1' | H260547-03 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 224 |
| W4 @ 0-1' | H260547-04 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 224 |
| W5 @ 0-1' | H260547-05 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 368 |
| W6 @ 0-1' | H260547-06 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 416 |


Juno 26-25 Battery 1 Event -- nAPP2602667251
G – Horizontal Summary

| SAMPLE ID | LAB ID NUMBER | SAMPLE DATE | BENZENE | TOLUENE (mg/kg) | ETHYL-BENZENE (mg/kg) | TOTAL XYLENES (mg/kg) | TOTAL BTEX (mg/kg) | GRO C6-C10 (mg/kg) | DRO C10-C28 (mg/kg) | EXT DRO C28-C36 (mg/kg) | TOTAL TPH C6-C36 (mg/kg) | CHLORIDE |
|-----------|---------------|-------------|---------|-----------------|------------------------|-----------------------|--------------------|--------------------|---------------------|-------------------------|--------------------------|----------|
| H1 | H260975-01 | 2/19/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 48 |
| H2 | H260975-02 | 2/19/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | <16.0 |
| H3 | H260975-03 | 2/19/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | <16.0 |
| H4 | H260975-04 | 2/19/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 32 |

-  Release Point
-  Horizontal Sample "H"
-  W1
-  W2
-  W3
-  W4
-  W5
-  W6




Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003




Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

| SAMPLE ID | LAB ID NUMBER | SAMPLE DATE | BENZENE | TOLUENE (mg/kg) | ETHYL-BENZENE (mg/kg) | TOTAL XYLENES (mg/kg) | TOTAL BTEX (mg/kg) | GRO C6-C10 (mg/kg) | DRO C10-C28 (mg/kg) | EXT DRO C28-C36 (mg/kg) | TOTAL TPH C6-C36 (mg/kg) | CHLORIDE |
|-----------|---------------|-------------|---------|-----------------|------------------------|-----------------------|--------------------|--------------------|---------------------|-------------------------|--------------------------|----------|
| B1 @ 1' | H260546-01 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 304 |
| B2 @ 1' | H260546-02 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B3 @ 1' | H260546-03 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B4 @ 1' | H260546-04 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 256 |
| B5 @ 1' | H260546-05 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B6 @ 1' | H260546-06 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 288 |
| B7 @ 1' | H260546-07 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 256 |
| B8 @ 1' | H260546-08 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 256 |
| B9 @ 1' | H260546-09 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 448 |
| B10 @ 1' | H260546-10 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B11 @ 1' | H260546-11 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 352 |
| B12 @ 1' | H260546-12 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 352 |
| B13 @ 1' | H260546-13 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 288 |
| B14 @ 1' | H260546-14 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 336 |
| B15 @ 1' | H260546-15 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B16 @ 1' | H260546-16 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 368 |
| B17 @ 1' | H260546-17 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 352 |
| B18 @ 1' | H260546-18 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B19 @ 1' | H260546-19 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 368 |
| B20 @ 1' | H260546-20 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 304 |
| B21 @ 1' | H260546-21 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B22 @ 1' | H260546-22 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 288 |
| B23 @ 1' | H260546-23 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B24 @ 1' | H260546-24 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B25 @ 1' | H260546-25 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B26 @ 1' | H260546-26 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B27 @ 1' | H260546-27 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 288 |
| B28 @ 1' | H260546-28 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B29 @ 1' | H260546-29 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B30 @ 1' | H260546-30 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 288 |
| B31 @ 1' | H260546-31 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B32 @ 1' | H260546-32 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 288 |
| B33 @ 1' | H260546-33 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 304 |
| B34 @ 1' | H260546-34 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 448 |
| B35 @ 1' | H260546-35 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 528 |
| B36 @ 1' | H260546-36 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 464 |
| B37 @ 1' | H260546-37 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 416 |
| B38 @ 1' | H260546-38 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 464 |
| B39 @ 1' | H260546-39 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 336 |
| B40 @ 1' | H260546-40 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 448 |
| B41 @ 1' | H260546-41 | 1/30/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 416 |
| B42 @ 1' | H260566-01 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 240 |
| B43 @ 1' | H260566-02 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 400 |
| B44 @ 1' | H260566-03 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 448 |
| B45 @ 1' | H260566-04 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 464 |
| B46 @ 1' | H260566-05 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 432 |
| B47 @ 1' | H260566-06 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 448 |
| B48 @ 1' | H260566-07 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 432 |
| B49 @ 1' | H260566-08 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 448 |

| SAMPLE ID | LAB ID NUMBER | SAMPLE DATE | BENZENE | TOLUENE (mg/kg) | ETHYL-BENZENE (mg/kg) | TOTAL XYLENES (mg/kg) | TOTAL BTEX (mg/kg) | GRO C6-C10 (mg/kg) | DRO C10-C28 (mg/kg) | EXT DRO C28-C36 (mg/kg) | TOTAL TPH C6-C36 (mg/kg) | CHLORIDE |
|-----------|---------------|-------------|---------|-----------------|------------------------|-----------------------|--------------------|--------------------|---------------------|-------------------------|--------------------------|----------|
| B50 @ 1' | H260566-09 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 432 |
| B51 @ 1' | H260566-10 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 240 |
| B52 @ 1' | H260566-11 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 224 |
| B53 @ 1' | H260566-12 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 208 |
| B54 @ 1' | H260566-13 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 384 |
| B55 @ 1' | H260566-14 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 240 |
| B56 @ 1' | H260566-15 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 256 |
| B57 @ 1' | H260566-16 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 224 |
| B58 @ 1' | H260566-17 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 272 |
| B59 @ 1' | H260566-18 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 368 |
| B60 @ 1' | H260566-19 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 304 |
| B61 @ 1' | H260566-20 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 320 |
| B62 @ 1' | H260566-21 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 208 |
| B63 @ 1' | H260566-22 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 368 |
| B64 @ 1' | H260566-23 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 400 |
| B65 @ 1' | H260566-24 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 48 |
| B66 @ 1' | H260566-25 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | <16.0 |
| B67 @ 1' | H260566-26 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 32 |
| B68 @ 1' | H260566-27 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 16 |
| B69 @ 1' | H260566-28 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 32 |
| B70 @ 1' | H260566-29 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 48 |
| B71 @ 1' | H260566-30 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | <16.0 |
| B72 @ 1' | H260566-31 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | <16.0 |
| B73 @ 1' | H260566-32 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 32 |
| B74 @ 1' | H260566-33 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 48 |
| B75 @ 1' | H260566-34 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | <16.0 |
| B76 @ 1' | H260566-35 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 48 |
| B77 @ 1' | H260566-36 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 64 |



Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003




Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

| SAMPLE ID | LAB ID NUMBER | SAMPLE DATE | BENZENE | TOLUENE (mg/kg) | ETHYL-BENZENE (mg/kg) | TOTAL XYLENES (mg/kg) | TOTAL BTEX (mg/kg) | GRO C6-C10 (mg/kg) | DRO C10-C28 (mg/kg) | EXT DRO C28-C36 (mg/kg) | TOTAL TPH C6-C36 (mg/kg) | CHLORIDE |
|-----------|---------------|-------------|---------|-----------------|------------------------|-----------------------|--------------------|--------------------|---------------------|-------------------------|--------------------------|----------|
| CALICHE | H260567-01 | 2/2/26 | <0.050 | <0.050 | <0.050 | <0.150 | <0.300 | <10.0 | <10.0 | <10.0 | <10.0 | 400 |

Appendix C Site Photography And Field Notes



Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Juno 26-25 Battery 1 Event Backfill Photography



Figure 10



Figure 11



Figure 12




Figure 13




Figure 14



Figure 15



Company
 Juno 26-25 Battery 1 Event
 Incident #nAPP2602667251
 32.53859,-104.25879 NAD83
 Lease# K064370003



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Juno 26-25 Battery 1 Event Excavation Photography



Figure 1



Figure 2



Figure 3



Figure 4



Figure 5



Figure 6



Figure 7



Figure 8



Figure 9

| <u>Sample ID</u> | <u>Soil</u> | <u>Water</u> | <u>Ratio</u> | <u>AgNO3</u> | <u>Cl Result</u> | <u>MR3000</u> | <u>Depth</u> |
|------------------|-------------|--------------|--------------|--------------|------------------|---------------|--------------|
| B1 | 11.5 | 30.4 | 2.64 | 0.08 | 211 | | 1' |
| B2 | 11.2 | 30 | 2.68 | 0.04 | 107 | | 1' |
| B3 | 11.2 | 30.1 | 2.69 | 0.04 | 107 | | 1' |
| B4 | 11.4 | 30.3 | 2.66 | 0.05 | 133 | | 1' |
| B5 | 11.3 | 32.4 | 2.87 | 0.03 | 86 | | 1' |
| B6 | 11.3 | 30 | 2.65 | 0.05 | 133 | | 1' |
| B7 | 11.4 | 30.6 | 2.68 | 0.04 | 107 | | 1' |
| B8 | 11 | 31.8 | 2.89 | 0.03 | 87 | | 1' |
| B9 | 11.6 | 30 | 2.59 | 0.04 | 103 | | 1' |
| B10 | 11.3 | 30.7 | 2.72 | 0.05 | 136 | | 1' |
| B11 | 11.1 | 30.2 | 2.72 | 0.04 | 109 | | 1' |
| B12 | 11.9 | 30.4 | 2.55 | 0.06 | 153 | | 1' |
| B13 | 11.1 | 30.2 | 2.72 | 0.07 | 190 | | 1' |
| B14 | 11.2 | 30.5 | 2.72 | 0.05 | 136 | | 1' |
| B15 | 11.1 | 30.6 | 2.76 | 0.06 | 165 | | 1' |
| B16 | 11.3 | 30.4 | 2.69 | 0.06 | 161 | | 1' |
| B17 | 11.4 | 30.8 | 2.70 | 0.04 | 108 | | 1' |
| B18 | 11.2 | 30.7 | 2.74 | 0.04 | 110 | | 1' |
| B19 | 11.5 | 30.4 | 2.64 | 0.05 | 132 | | 1' |
| B20 | 11.6 | 30.5 | 2.63 | 0.05 | 131 | | 1' |
| B21 | 11.4 | 30.6 | 2.68 | 0.06 | 161 | | 1' |
| B22 | 11.4 | 30.1 | 2.64 | 0.07 | 185 | | 1' |
| B23 | 11.2 | 30.2 | 2.70 | 0.06 | 162 | | 1' |
| B24 | 11.6 | 30.5 | 2.63 | 0.06 | 158 | | 1' |
| B25 | 11.5 | 30.6 | 2.66 | 0.07 | 186 | | 1' |
| B26 | 11.8 | 30.8 | 2.61 | 0.05 | 130 | | 1' |
| B27 | 11.7 | 30.4 | 2.60 | 0.05 | 130 | | 1' |
| B28 | 11.8 | 30.5 | 2.58 | 0.05 | 129 | | 1' |
| B29 | 11.5 | 30.6 | 2.66 | 0.04 | 106 | | 1' |
| B30 | 11.4 | 30.6 | 2.68 | 0.06 | 161 | | 1' |
| B31 | 11.8 | 30.9 | 2.62 | 0.05 | 131 | | 1' |
| B32 | 11.8 | 30.1 | 2.55 | 0.05 | 128 | | 1' |
| B33 | 11.6 | 30.5 | 2.63 | 0.04 | 105 | | 1' |
| B34 | 11.5 | 30.7 | 2.67 | 0.04 | 107 | | 1' |
| B35 | 11.6 | 30.3 | 2.61 | 0.05 | 131 | | 1' |
| B36 | 11.4 | 30.4 | 2.67 | 0.08 | 213 | | 1' |
| B37 | 11.3 | 30.5 | 2.70 | 0.07 | 189 | | 1' |
| B38 | 11.3 | 30.6 | 2.71 | 0.05 | 135 | | 1' |
| B39 | 11.2 | 30.7 | 2.74 | 0.05 | 137 | | 1' |
| B40 | 11.2 | 30.7 | 2.74 | 0.04 | 110 | | 1' |
| B41 | 11.5 | 30.5 | 2.65 | 0.06 | 159 | | 1' |
| B42 | 11.7 | 30.1 | 2.57 | 0.06 | 154 | | 1' |
| B43 | 11.6 | 30.3 | 2.61 | 0.05 | 131 | | 1' |
| B44 | 11.2 | 30.5 | 2.72 | 0.05 | 136 | | 1' |
| B45 | 11 | 30.5 | 2.77 | 0.04 | 111 | | 1' |
| B46 | 11.5 | 30.9 | 2.69 | 0.06 | 161 | | 1' |
| B47 | 11.9 | 30.9 | 2.60 | 0.06 | 156 | | 1' |
| B48 | 11.3 | 30.9 | 2.73 | 0.05 | 137 | | 1' |
| B49 | 11.4 | 30.2 | 2.65 | 0.04 | 106 | | 1' |
| B50 | 11.6 | 30.3 | 2.61 | 0.04 | 104 | | 1' |
| B51 | 11.4 | 30.5 | 2.68 | 0.06 | 160 | | 1' |
| B52 | 11.2 | 30 | 2.68 | 0.05 | 134 | | 1' |
| B53 | 11.9 | 30.4 | 2.55 | 0.04 | 102 | | 1' |
| B54 | 11.5 | 30.4 | 2.64 | 0.05 | 132 | | 1' |
| B55 | 11.6 | 30.6 | 2.64 | 0.05 | 132 | | 1' |

| | | | | | | |
|-----|------|------|------|------|-----|----|
| B56 | 11.4 | 30.7 | 2.69 | 0.04 | 108 | 1' |
| B57 | 11.2 | 30.7 | 2.74 | 0.06 | 164 | 1' |
| B59 | 11.5 | 30.5 | 2.65 | 0.07 | 186 | 1' |
| B60 | 11.9 | 30.6 | 2.57 | 0.07 | 180 | 1' |
| B61 | 11.8 | 30.1 | 2.55 | 0.06 | 153 | 1' |
| B62 | 11.2 | 30.3 | 2.71 | 0.04 | 108 | 1' |
| B63 | 11.2 | 30.6 | 2.73 | 0.06 | 164 | 1' |
| B64 | 11 | 30 | 2.73 | 0.08 | 218 | 1' |
| B65 | 11.2 | 30.3 | 2.71 | 0.05 | 135 | 1' |
| B66 | 11.3 | 30.6 | 2.71 | 0.04 | 108 | 1' |
| B67 | 11.2 | 30.2 | 2.70 | 0.07 | 189 | 1' |
| B68 | 11.8 | 30.4 | 2.58 | 0.10 | 258 | 1' |
| B69 | 11.5 | 30.7 | 2.67 | 0.08 | 213 | 1' |
| B70 | 11.1 | 30.9 | 2.78 | 0.05 | 139 | 1' |
| B71 | 11.2 | 30.1 | 2.69 | 0.05 | 134 | 1' |
| B72 | 11.6 | 30.4 | 2.62 | 0.05 | 131 | 1' |
| B73 | 11.2 | 30.8 | 2.75 | 0.04 | 110 | 1' |
| B74 | 11.7 | 30.3 | 2.59 | 0.09 | 233 | 1' |
| B75 | 11.6 | 30.5 | 2.63 | 0.11 | 289 | 1' |
| B76 | 11.2 | 30.2 | 2.70 | 0.05 | 135 | 1' |
| B77 | 11 | 30 | 2.73 | 0.05 | 136 | 1' |

| <u>Sample ID</u> | <u>Soil</u> | <u>Water</u> | <u>Ratio</u> | <u>AgNO3</u> | <u>Cl Result</u> | <u>MR3000</u> | <u>Depth</u> |
|------------------|-------------|--------------|--------------|--------------|------------------|---------------|--------------|
| SP1 | 11 | 30.7 | 2.79 | 1.78 | 4966 | | Surface |
| SP1 | 11.4 | 33.3 | 2.92 | 0.05 | 146 | | 1' |
| SP1 | 11.8 | 31.5 | 2.67 | 0.07 | 187 | | 2' |
| SP2 | 11.2 | 30.3 | 2.71 | 0.20 | 541 | | Surface |
| SP2 | 11.8 | 31.9 | 2.70 | 0.17 | 459 | | 1' |
| SP2 | | | | | | | 2' |
| SP3 | 11.9 | 30.8 | 2.59 | 0.14 | 362 | | Surface |
| SP3 | 11.7 | 30.6 | 2.62 | 0.12 | 314 | | 1' |
| SP4 | 11.9 | 30.9 | 2.60 | 0.45 | 1168 | | Surface |
| SP4 | 11.3 | 30.8 | 2.73 | 0.08 | 218 | | 1' |
| SP4 | 11.8 | 32 | 2.71 | 0.05 | 136 | | 2' |
| SP5 | 11.1 | 31.5 | 2.84 | 0.11 | 312 | | Surface |
| SP5 | 11.7 | 32.1 | 2.74 | 0.15 | 411 | | 1' |

Appendix D

Communications / Historical Records

Sent (Local): 2026-01-27 13:50:09 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547078
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547078

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 01/30/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 13:55:11 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547101
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547101

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/02/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 13:59:15 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547113
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547113

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/03/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 14:02:05 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547121
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547121

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/04/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 14:05:24 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547128
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547128

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/05/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 14:08:16 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547136
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547136

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/06/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 14:11:02 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547143
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547143

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/09/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 14:16:15 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547154
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547154

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/10/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-27 14:18:52 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547166
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547166

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/11/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-28 12:28:27 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547591
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547591

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 01/31/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Sent (Local): 2026-01-28 12:37:22 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Cesar Rosendo <crosendo@mewbourne.com>
Cc:
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 547596
Source: The Oil Conservation Division _OCD_ has accepted the application, Application ID: 547596

To whom it may concern (c/o Cesar Rosendo for MEWBOURNE OIL CO),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2602667251.

The sampling event is expected to take place:

When: 02/01/2026 @ 07:30

Where: M-26-20S-27E 0 FNL 0 FEL (32.53859,-104.25879)

Additional Information: Joe Queseda- 575 441 2661

Additional Instructions: The site can be accessed from the intersection of Illinois Camp Road and North Lake Road:
Travel northwest on North Lake Road for approximately 3.2 miles.
Turn right onto the lease road.
Travel north on the lease road for approximately 0.19 miles to the start of the locate area.
Coordinates: 32.53859, -104.25879

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Appendix E

Environmental Resources Review

Map Contents:
NM Crucial Habitat Assessment Tool

↓ Release Point

NMCHAT Level

- 1
- 2
- 3
- 4
- 5
- 6

1/2 Mile Radius

Release Point

Company
Juno 26-25 Battery 1 Event
Incident #nAPP2602667251
32.53859,-104.25879 NAD83
Lease# K064370003



















Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996


Map Contents:
BLM Sensitive Receptors

↓ Release Point

BLM Sensitive Areas

-  Allred's Flax
-  Guadalupe Mountains and Foothills
-  Gypsum milkvetch
-  Gypsum wild buckwheat
-  Kuenzler's hedgehog cactus
-  Lee's pincushion cactus
-  Scheer's beehive cactus
-  Tharp's blue-star
-  Wright's waterwillow
-  Dunes Sage Brush Lizard Habitat
-  Core Management Area
-  Habitat Evaluation Area
-  Isolated Population Area
-  Primary Population Area
-  Sparse and Scattered Population Area
-  Lesser Prairie Chicken TR

1/2 Mile Radius



Release Point

Company
Juno 26-25 Battery 1 Event
Incident #nAPP2602667251
32.53859,-104.25879 NAD83
Lease# K064370003



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New Mexico Ecological Services Field Office
2105 Osuna Road Ne
Albuquerque, NM 87113-1001
Phone: (505) 346-2525 Fax: (505) 346-2542

In Reply Refer To:
Project Code: 2026-0054192
Project Name: Juno Battery Event

02/24/2026 18:02:18 UTC

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

Thank you for your recent request for information on federally listed species and important wildlife habitats that may occur in your project area. The U.S. Fish and Wildlife Service (Service) has responsibility for certain species of New Mexico wildlife under the Endangered Species Act (ESA) of 1973 as amended (16 USC 1531 *et seq.*), the Migratory Bird Treaty Act as amended (16 USC 701-715), and the Bald and Golden Eagle Protection Act as amended (16 USC 668-668(c)). We are providing the following guidance to assist you in determining which federally imperiled species may or may not occur within your project area, and to recommend some conservation measures that can be included in your project design.

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the ESA of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the ESA, the accuracy of this species list should be verified after 90 days. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the ESA is to provide a means whereby threatened and endangered species and

the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the ESA and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (NEPA; 42 USC 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at <https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>.

Candidate Species and Other Sensitive Species

A list of candidate and other sensitive species in your area is also attached. Candidate species and other sensitive species are species that have no legal protection under the ESA, although we recommend that candidate and other sensitive species be included in your surveys and considered for planning purposes. The Service monitors the status of these species. If significant declines occur, these species could potentially be listed. Therefore, actions that may contribute to their decline should be avoided.

Lists of sensitive species including State-listed endangered and threatened species are compiled by New Mexico State agencies. These lists, along with species information, can be found at the following websites.

Biota Information System of New Mexico (BISON-M): www.bison-m.org

New Mexico State Forestry. The New Mexico Endangered Plant Program:
<https://www.emnrd.nm.gov/sfd/rare-plants/>

New Mexico Rare Plant Technical Council, New Mexico Rare Plants: nmrareplants.unm.edu

Natural Heritage New Mexico, online species database: nhnm.unm.edu

WETLANDS AND FLOODPLAINS

Under Executive Orders 11988 and 11990, Federal agencies are required to minimize the destruction, loss, or degradation of wetlands and floodplains, and preserve and enhance their natural and beneficial values. These habitats should be conserved through avoidance, or mitigated to ensure that there would be no net loss of wetlands function and value.

We encourage you to use the National Wetland Inventory (NWI) maps in conjunction with ground-truthing to identify wetlands occurring in your project area. The Service's NWI program website, www.fws.gov/wetlands/Data/Mapper.html, integrates digital map data with other resource information. We also recommend you contact the U.S. Army Corps of Engineers for permitting requirements under section 404 of the Clean Water Act if your proposed action could impact floodplains or wetlands.

MIGRATORY BIRDS

In addition to responsibilities to protect threatened and endangered species under the ESA, there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the Service (50 CFR 10.12 and 16 USC 668(a)). For more information regarding these Acts, see <https://www.fws.gov/program/migratory-bird-permit/what-we-do>.

It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a Federal nexus) or a Bird/Eagle Conservation Plan (when there is no Federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures, see <https://www.fws.gov/library/collections/threats-birds>. We also recommend review of the Birds of Conservation Concern list (<https://www.fws.gov/media/birds-conservation-concern-2021>) to fully evaluate the effects to the birds at your site. This list identifies migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent top conservation priorities for the Service, and are potentially threatened by disturbance, habitat impacts, or other project development activities.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 thereby provides additional protection for both migratory birds and migratory bird habitat. Please visit <https://www.fws.gov/partner/council-conservation-migratory-birds> for information regarding the implementation of Executive Order 13186.

We suggest you contact the New Mexico Department of Game and Fish, and the New Mexico

Project code: 2026-0054192

02/24/2026 18:02:18 UTC

Energy, Minerals, and Natural Resources Department, Forestry Division for information regarding State protected and at-risk species fish, wildlife, and plants.

For further consultation with the Service we recommend submitting inquiries or assessments electronically to our incoming email box at nmesfo@fws.gov, where it will be more promptly routed to the appropriate biologist for review.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New Mexico Ecological Services Field Office

2105 Osuna Road Ne

Albuquerque, NM 87113-1001

(505) 346-2525

Project code: 2026-0054192

02/24/2026 18:02:18 UTC

PROJECT SUMMARY

Project Code: 2026-0054192
Project Name: Juno Battery Event
Project Type: NPL Site Remediation
Project Description: On pad produced water release
Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@32.5385531,-104.2586298481369,14z>



Counties: Eddy County, New Mexico

ENDANGERED SPECIES ACT SPECIES

There is a total of 5 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Project code: 2026-0054192

02/24/2026 18:02:18 UTC

BIRDS

| NAME | STATUS |
|--|--|
| <p>Northern Aplomado Falcon <i>Falco femoralis septentrionalis</i> Population: U.S.A (AZ, NM) No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1923 General project design guidelines: https://ipac.ecosphere.fws.gov/project/VLYL37P4ABDVZA6Z2S6O7OVVIE/documents/generated/8928.pdf</p> | Experimental Population, Non-Essential |
| <p>Piping Plover <i>Charadrius melodus</i> Population: [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered. There is final critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/6039</p> | Threatened |

FISHES

| NAME | STATUS |
|--|------------|
| <p>Pecos Bluntnose Shiner <i>Notropis simus pecosensis</i> There is final critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/4362 General project design guidelines: https://ipac.ecosphere.fws.gov/project/VLYL37P4ABDVZA6Z2S6O7OVVIE/documents/generated/9170.pdf</p> | Threatened |

CLAMS

| NAME | STATUS |
|---|------------|
| <p>Texas Hornshell <i>Popenaias popeii</i> There is proposed critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/919 General project design guidelines: https://ipac.ecosphere.fws.gov/project/VLYL37P4ABDVZA6Z2S6O7OVVIE/documents/generated/9180.pdf</p> | Endangered |

INSECTS

| NAME | STATUS |
|--|------------------------|
| <p>Monarch Butterfly <i>Danaus plexippus</i> There is proposed critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/9743</p> | Proposed Threatened |

Project code: 2026-0054192

02/24/2026 18:02:18 UTC

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

Project code: 2026-0054192


02/24/2026 18:02:18 UTC

IPAC USER CONTACT INFORMATION

Agency: Private Entity
Name: Jason Owsley
Address: 2525 NW County Road
City: Hobbs
State: NM
Zip: 88240
Email: jasono@diamondbacknm.com
Phone: 5756025998




Biodiversity Report for Selected Area




LEGEND

Summarized Documented Species (NatureServe, 2026)



Hexagons Searched



Selected Area



Current Search Criteria

Data Source: NatureServe Network Data
Area: Juno-Selected Shape 0 (+100 m)

Counts of public data within the hexagons intersecting the searched area:

Species: 9
Observations: 0
Element occurrences: 10

Please refer to [NatureServe Explorer map details](#) for important metadata about how the precision level of distribution data can affect search results.

This report does not satisfy or replace regulatory review requirements. More information may be available from these NatureServe Network programs:

- [Natural Heritage New Mexico](https://nmert.org/)
(<https://nmert.org/>)

Counts of public data within the hexagons intersecting the searched area:

Species: 9

Observations: 0

Element occurrences: 10

Rows per page: 10 ▾ 1–9 of 9

| Documented Species | Informal Taxonomy | Rounded NatureServe Global Status ▾ | Legal Status | Element Occurrence Count | Observation Count |
|--|--|-------------------------------------|---|--------------------------|-------------------|
| <i>Pseudemys gorzugi</i> Rio Grande Cooter | Turtles | G3: Vulnerable | | 2 | 0 |
| <i>Numenius americanus</i> Long-billed Curlew | Birds | G4: Apparently Secure | COSEWIC: 'T' SARA: 'Special Concern/Préoccupante' | 1 | 0 |
| <i>Cycleptus elongatus</i> Blue Sucker | Fishes - Freshwater and Anadromous Bony, Cartilaginous; Lampreys | G4: Apparently Secure | | 1 | 0 |
| <i>Chelydra serpentina</i> Snapping Turtle | Turtles | G4: Apparently Secure | COSEWIC: 'SC' SARA: 'Special Concern/Préoccupante' | 1 | 0 |
| <i>Myotis velifer</i> Cave Myotis | Mammals | G4: Apparently Secure | | 1 | 0 |
| <i>Astyanax mexicanus</i> Mexican Tetra | Fishes - Freshwater and Anadromous Bony, Cartilaginous; Lampreys | G5: Secure | | 1 | 0 |
| <i>Nerodia erythrogaster</i> Plain-bellied Watersnake | Reptiles | G5: Secure | | 1 | 0 |
| <i>Coccyzus americanus</i> Yellow-billed Cuckoo | Birds | G5: Secure | | 1 | 0 |

| | | | | | |
|--|-------|------------|--|---|---|
| <i>Setophaga nigrescens</i> Black-throated Gray Warbler | Birds | G5: Secure | | 1 | 0 |
|--|-------|------------|--|---|---|

Rows per page: 10 ▼ 1–9 of 9

Sources

NatureServe Network Programs:

- Natural Heritage New Mexico (<https://nmert.org/>)



A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Eddy Area, New Mexico

Juno Battery AOI



February 24, 2026


Custom Soil Resource Report Soil Map



Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features

Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico
 Survey Area Data: Version 21, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 12, 2022—Dec 2, 2022

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|------------------------------------|--|--------------|----------------|
| SG | Simona gravelly fine sandy loam, 0 to 3 percent slopes | 0.4 | 100.0% |
| Totals for Area of Interest | | 0.4 | 100.0% |

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Eddy Area, New Mexico**SG—Simona gravelly fine sandy loam, 0 to 3 percent slopes****Map Unit Setting**

National map unit symbol: 1w5w
Landscape: Uplands
Elevation: 2,750 to 5,000 feet
Mean annual precipitation: 8 to 16 inches
Mean annual air temperature: 57 to 70 degrees F
Frost-free period: 180 to 230 days
Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 95 percent
Minor components: 5 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Simona**Setting**

Landscape: Uplands
Landform: Alluvial fans, Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: gravelly fine sandy loam
H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Very low (about 2.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: D
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Custom Soil Resource Report

Minor Components

Simona

Percent of map unit: 4 percent

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

Playa

Percent of map unit: 1 percent

Landscape: Alluvial plains

Landform: Playas

Landform position (three-dimensional): Talf

Down-slope shape: Convex, concave

Across-slope shape: Linear, concave

Ecological site: R070BC017NM - Bottomland

Hydric soil rating: Yes

Appendix F Lab Results Originals



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 25, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: JUNO 26-25 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/19/26 16:44.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/19/2026 | Sampling Date: | 02/19/2026 |
| Reported: | 02/25/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: H 1 (H260975-01)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.12 | 106 | 2.00 | 4.08 | |
| Toluene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.16 | 108 | 2.00 | 4.23 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.17 | 109 | 2.00 | 4.10 | |
| Total Xylenes* | <0.150 | 0.150 | 02/20/2026 | ND | 6.64 | 111 | 6.00 | 4.92 | |
| Total BTEX | <0.300 | 0.300 | 02/20/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 48.0 | 16.0 | 02/20/2026 | ND | 416 | 104 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 3.54 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 1.10 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/20/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 64.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 63.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/19/2026 | Sampling Date: | 02/19/2026 |
| Reported: | 02/25/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: H 2 (H260975-02)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.12 | 106 | 2.00 | 4.08 | |
| Toluene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.16 | 108 | 2.00 | 4.23 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.17 | 109 | 2.00 | 4.10 | |
| Total Xylenes* | <0.150 | 0.150 | 02/20/2026 | ND | 6.64 | 111 | 6.00 | 4.92 | |
| Total BTEX | <0.300 | 0.300 | 02/20/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 02/20/2026 | ND | 416 | 104 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 3.54 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 1.10 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/20/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 69.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 67.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/19/2026 | Sampling Date: | 02/19/2026 |
| Reported: | 02/25/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: H 3 (H260975-03)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.12 | 106 | 2.00 | 4.08 | |
| Toluene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.16 | 108 | 2.00 | 4.23 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.17 | 109 | 2.00 | 4.10 | |
| Total Xylenes* | <0.150 | 0.150 | 02/20/2026 | ND | 6.64 | 111 | 6.00 | 4.92 | |
| Total BTEX | <0.300 | 0.300 | 02/20/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 02/20/2026 | ND | 416 | 104 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 3.54 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 1.10 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/20/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 77.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/19/2026 | Sampling Date: | 02/19/2026 |
| Reported: | 02/25/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: H 4 (H260975-04)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.12 | 106 | 2.00 | 4.08 | |
| Toluene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.16 | 108 | 2.00 | 4.23 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/20/2026 | ND | 2.17 | 109 | 2.00 | 4.10 | |
| Total Xylenes* | <0.150 | 0.150 | 02/20/2026 | ND | 6.64 | 111 | 6.00 | 4.92 | |
| Total BTEX | <0.300 | 0.300 | 02/20/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 32.0 | 16.0 | 02/20/2026 | ND | 464 | 116 | 400 | 3.51 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 3.54 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/20/2026 | ND | 224 | 112 | 200 | 1.10 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/20/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 74.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

| | | | | | | | | | |
|--|--------------------|---------------------------|---------------------|-------------------|-------------|-------------------------|-----------------|------------|--|
| Company Name: Diamondback Disposal Services | | P.O. #: | | BILL TO | | ANALYSIS REQUEST | | | |
| Project Manager: Justin Roberts | | Company: MEWBOURNE | | | | | | | |
| Address: 2525 NW County Rd. | | Attn: JEFF BROOM | | | | | | | |
| City: Hobbs | | State: NM | | Zip: 88240 | | | | | |
| Phone #: [575]392-9996 | | Fax #: | | | | | | | |
| Project #: MOC-983 | | Project Owner: | | | | | | | |
| Project Name: JUNO 26-25 BATTERY | | State: | | Zip: | | | | | |
| Project Location: 32.537557, -104.261349 | | Phone #: | | | | | | | |
| Sampler Name: JULIO RIVERA | | Fax #: | | | | | | | |
| <small>FOR LAB USE ONLY</small> | | | | | | | | | |
| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | | PRESERV. | SAMPLING | | |
| | | | | GROUNDWATER | | | | CL | |
| | | | | WASTEWATER | | | | BTEX | |
| | | | | SOIL | | | | EXT TPH | |
| | | | | OIL | | | | FULL TCLIP | |
| | | | | SLUDGE | | | | NORM | |
| | | | | OTHER : | | | | | |
| | | | | ACID/BASE: | | | | | |
| | | | | ICE / COOL | | | | | |
| | | | | OTHER : | | | | | |
| | | | | DATE | TIME | | | | |
| | H1 | G 1 | X 1 | 02-19-26 | 2:30 PM | X | X | X | |
| | H2 | G 1 | X 1 | 02-19-26 | 2:32 PM | X | X | X | |
| | H3 | G 1 | X 1 | 02-19-26 | 2:34 PM | X | X | X | |
| | H4 | G 1 | X 1 | 02-19-26 | 2:36 AM | X | X | X | |

OS-04024015

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

| | | | | |
|---|--------------------------------|---|--------------------------------|--|
| Relinquished By: | Date: 02-19-26 | Received By: | Received Date: 02-19-26 | Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Add'l Phone #: |
| Relinquished By: | Time: 1444 | Received By: | Time: | Remarks: Environmental@Diamondbacknm.com |
| Delivered By: (Circle One) Sampler - UPS - Bus - Other: | Observed Temp. °C: 01 | Sample Condition: Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Checked By: (Initials) | Turnaround Time: Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> Add'l Phone #: |
| | Corrected Temp. °C: 0.2 | Sample Condition: Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | Thermometer ID #140 |
| | | | | Correction Factor +0.1°C |
| | | | | Bacteria (only) Sample Condition: Cool Intact <input type="checkbox"/> Yes <input type="checkbox"/> No |
| | | | | Observed Temp. °C |
| | | | | Corrected Temp. °C |

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinalabnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 05, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: JUNO 26-25 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 01/30/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

- Method EPA 552.2 Haloacetic Acids (HAA-5)
- Method EPA 524.2 Total Trihalomethanes (TTHM)
- Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 1 @ 1' (H260546-01)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 304 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 94.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 2 @ 1' (H260546-02)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 86.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 3 @ 1' (H260546-03)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 102 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 4 @ 1' (H260546-04)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 256 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 98.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 5 @ 1' (H260546-05)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 100 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 6 @ 1' (H260546-06)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 288 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 102 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 7 @ 1' (H260546-07)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 256 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 94.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 8 @ 1' (H260546-08)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 256 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 113 % 52.4-130

Surrogate: 1-Chlorooctadecane 113 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 9 @ 1' (H260546-09)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 448 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 102 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 10 @ 1' (H260546-10)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 82.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 11 @ 1' (H260546-11)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 352 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 90.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 12 @ 1' (H260546-12)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 352 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 82.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 13 @ 1' (H260546-13)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 288 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 89.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 14 @ 1' (H260546-14)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 336 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 85.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 15 @ 1' (H260546-15)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 90.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 16 @ 1' (H260546-16)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 368 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 92.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 17 @ 1' (H260546-17)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 352 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 97.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 18 @ 1' (H260546-18)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 72.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 19 @ 1' (H260546-19)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.21 | 111 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.12 | 106 | 2.00 | 3.32 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.25 | 113 | 2.00 | 6.23 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.86 | 114 | 6.00 | 6.76 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 368 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 182 | 90.9 | 200 | 0.185 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 191 | 95.3 | 200 | 0.366 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 88.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 20 @ 1' (H260546-20)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 304 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 182 | 90.9 | 200 | 0.185 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 191 | 95.3 | 200 | 0.366 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 85.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 21 @ 1' (H260546-21)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 88.2 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 87.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 22 @ 1' (H260546-22)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 86.2 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 288 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 89.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 23 @ 1' (H260546-23)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 83.0 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 81.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 24 @ 1' (H260546-24)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 85.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 25 @ 1' (H260546-25)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 85.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 26 @ 1' (H260546-26)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 87.0 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 80.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 27 @ 1' (H260546-27)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 86.8 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 288 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 81.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 28 @ 1' (H260546-28)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 88.3 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 74.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 67.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 29 @ 1' (H260546-29)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 82.7 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 106 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 30 @ 1' (H260546-30)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 288 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 86.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 31 @ 1' (H260546-31)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 272 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 77.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 32 @ 1' (H260546-32)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 288 | 16.0 | 02/02/2026 | ND | 432 | 108 | 400 | 3.64 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 80.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 33 @ 1' (H260546-33)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 83.2 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 304 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 82.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 34 @ 1' (H260546-34)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 84.8 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 448 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 84.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 35 @ 1' (H260546-35)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 86.2 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 528 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 88.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 36 @ 1' (H260546-36)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 87.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 464 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 73.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 66.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 37 @ 1' (H260546-37)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 85.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 416 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 78.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 38 @ 1' (H260546-38)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 464 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 82.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 39 @ 1' (H260546-39)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.97 | 98.3 | 2.00 | 8.14 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.08 | 104 | 2.00 | 15.0 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.14 | 107 | 2.00 | 16.6 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 6.19 | 103 | 6.00 | 16.6 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 336 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 77.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 40 @ 1' (H260546-40)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 448 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 190 | 94.9 | 200 | 3.45 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 211 | 106 | 200 | 2.41 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 78.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B 41 @ 1' (H260546-41)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 416 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | | |

Surrogate: 1-Chlorooctane 90.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QR-04 The RPD for the BS/BSD was outside of historical limits.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd.
 City: Hobbs State: NM Zip: 88240
 Phone #: [575]392-9996 Fax #: [575]392-9996
 Project #: MOC-983 Project Owner:
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557, -104.261349
 Sampler Name: JULIO RIVERA
 FOR LAB USE ONLY
 P.O. #: Company: MEWBOURNE
 Attn: JEFF BROOM
 Address:
 City:
 State: Zip:
 Phone #: Fax #:

Lab I.D. Sample I.D.

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | | | | | OTHER : | ACID/BASE: | ICE / COOL | OTHER : | DATE | TIME | CL | BTEX | EXT TPH | FULL TCLIP | NORM |
|----------|-------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|------------|----------|---------|------|----|------|---------|------------|------|
| | | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | | | | | | | | | | | |
| 1 | B1 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:00 AM | X | X | | | | |
| 2 | B2 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:02 AM | X | X | | | | |
| 3 | B3 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:04 AM | X | X | | | | |
| 4 | B4 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:06 AM | X | X | | | | |
| 5 | B5 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:08 AM | X | X | | | | |
| 6 | B6 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:10 AM | X | X | | | | |
| 7 | B7 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:12 AM | X | X | | | | |
| 8 | B8 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:14 AM | X | X | | | | |
| 9 | B9 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:16 AM | X | X | | | | |
| 10 | B10 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:18 AM | X | X | | | | |

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients excludes remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for residential or commercial damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stipulated reasons or otherwise.

Relinquished By: [Signature]
 Date: 01-30-26
 Time: 10:30
 Received By: [Signature]
 Date: [Blank]
 Time: [Blank]

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other:
 Observed Temp. °C: 08-
 Corrected Temp. °C: 09-
 Sample Condition: Cool Intact Yes [X] No []
 Checked By: [Signature]
 Turnaround Time: [Blank]
 Thermometer ID #140
 Correction Factor +0.1°C
 Standard Rush [X]
 Bacteria (only) Sample Condition: Cool Intact Yes [X] No []
 Observed Temp. °C: [Blank]
 Corrected Temp. °C: [Blank]

† Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd
 City: Hobbs
 Phone #: (575)392-9996
 Project #: MOC-983
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557,-104.261349
 Sampler Name: JULIO RIVERA

P.O. #: _____
 Company: MEWBOURNE
 Attn: JEFF BROOM
 Address: _____
 City: _____
 State: _____
 Zip: _____

FOR LAB USE ONLY

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | | | | | | ACID/BASE: | ICE / COOL | OTHER : | DATE | TIME | ANALYSIS REQUEST | | | | | |
|----------|-------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|------------|----------|----------|------|------------------|------|---------|------------|------|--|
| | | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER : | | | | | | CL | BTEX | EXT TPH | FULL TCLIP | NORM | |
| 11 | B11 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:20 AM | X | X | X | | | | |
| 12 | B12 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:22 AM | X | X | X | | | | |
| 13 | B13 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:24 AM | X | X | X | | | | |
| 14 | B14 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:26 AM | X | X | X | | | | |
| 15 | B15 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:28 AM | X | X | X | | | | |
| 16 | B16 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 9:30 AM | X | X | X | | | | |
| 17 | B17 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 10:00 AM | X | X | X | | | | |
| 18 | B18 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 10:02 AM | X | X | X | | | | |
| 19 | B19 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 10:04 AM | X | X | X | | | | |
| 20 | B20 @ 1' | C | 1 | X | | | | | | | | 01-30-26 | 10:06 AM | X | X | X | | | | |

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 01-30-26 Time: 10:30
 Received By: *[Signature]* Date: 01-30-26 Time: 10:30

Delivered By: (Circle One) UPS Bus Other: _____

Observed Temp. °C: 0.8°
 Corrected Temp. °C: 0.9

Sample Condition: Cool Intact
 Yes No

Checked By: *[Signature]* (Initials)

Turnaround Time: Standard Rush

Thermometer ID #140
 Correction Factor +0.1°C

Bacteria (only) Cool Intact
 Yes No

Sample Condition Observed Temp. °C: _____
 Corrected Temp. °C: _____

Verbal Result: Yes No Add'l Phone #: _____
 All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com
 REMARKS: _____

† Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

| | | | |
|--|--|--|--|
| Company Name: Diamondback Disposal Services Project Manager: Justin Roberts Address: 2525 NW County Rd City: Hobbs State: NM Zip: 88240 Phone #: (575)392-9996 Fax #: Project #: MOC-983 Project Owner: Project Name: JUNO 26-25 BATTERY Project Location: 32.537557,-104.261349 Sampler Name: JULIO RIVERA | | P.O. #: Company: MEWBOURNE Attn: JEFF BROOM Address: City: State: Phone #: Fax #: | |
| FOR LAB USE ONLY | | BILL TO | |
| Lab I.D. H200544 | | ANALYSIS REQUEST | |
| Sample I.D. | | CL | |
| B21 @ 1' | | BTEX | |
| B22 @ 1' | | EXT TPH | |
| B23 @ 1' | | FULL TCLIP | |
| B24 @ 1' | | NORM | |
| B25 @ 1' | | | |
| B26 @ 1' | | | |
| B27 @ 1' | | | |
| B28 @ 1' | | | |
| B29 @ 1' | | | |
| B30 @ 1' | | | |

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise, shall be limited to the amount paid by the client for the services. In no event shall Cardinal be liable for incidental and consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal.

| | |
|---|---|
| Relinquished By: [Signature] | Received By: [Signature] |
| Date: 01-30-26 Time: 10:30 | Date: Time: |
| Delivered By: (Circle One) Sampler - IPS - Bus - Other: | Observed Temp. °C: 5.8 Corrected Temp. °C: 0.9 |
| Sample Condition: Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | CHECKED BY: (Initials) |
| Turnaround Time: Thermometer ID #140 Correction Factor -40.1°C | Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> |
| Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Add'l Phone #: All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com | Bacteria (only) Sample Condition: Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> |

† Cardinal cannot accept verbal changes. Please email changes to cely.keene@cardinalabnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

P.O. #:

Company: MEWBOURNE

Attn: JEFF BROOM

Address:

City:

State:

Zip:

Phone #:

Fax #:

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd
 City: Hobbs
 State: NM Zip: 88240
 Phone #: (575)392-9996 Fax #:
 Project #: MOC-983 Project Owner:
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557,-104.261349
 Sampler Name: JULIO RIVERA
 FOR LAB USE ONLY

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. # CONTAINERS | MATRIX | | | | | | ACID/BASE: ICE / COOL OTHER : | DATE | TIME | SAMPLING | | | | | | | |
|----------|-------------|-----------------------------------|-------------|------------|------|-----|--------|---------|-------------------------------------|----------|----------|----------|---------|----|------|---------|------------|------|--|
| | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER : | | | | PRESERV. | OTHER : | CL | BTEX | EXT TPH | FULL TCLIP | NORM | |
| 31 | B31 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:12 AM | X | X | X | | | | | |
| 32 | B32 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:14 AM | X | X | X | | | | | |
| 33 | B33 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:16 AM | X | X | X | | | | | |
| 34 | B34 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:18 AM | X | X | X | | | | | |
| 35 | B35 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:20 AM | X | X | X | | | | | |
| 36 | B36 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:22 AM | X | X | X | | | | | |
| 37 | B37 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:24 AM | X | X | X | | | | | |
| 38 | B38 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:26 AM | X | X | X | | | | | |
| 39 | B39 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:28 AM | X | X | X | | | | | |
| 40 | B40 @ 1' | C 1 | | | X | | | | | 01-30-26 | 11:30 AM | X | X | X | | | | | |

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable affidavits or acceptance of bills for residential or commercial damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, the subcontractor, affiliates or successors, including out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 01-30-26
 Received By: *[Signature]* Date: 01-30-26
 Verbal Result: Yes No Add'l Phone #:
 All Results are emailed. Please provide Email address:
 Environmental@Diamondbacknm.com
 REMARKS:

Delivered By: (Circle One) UPS - Bus - Other:
 Observed Temp. °C: 6.8
 Corrected Temp. °C: 0.9
 Sample Condition: Cool Intact
 Yes No
 CHECKED BY: *[Signature]*
 Turnaround Time: Standard Rush
 Thermometer ID #140
 Correction Factor +0.1°C
 Bacteria (only) Sample Condition: Cool Intact
 Yes No
 Observed Temp. °C:
 Corrected Temp. °C:
 † Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

| | | | | | |
|---|--|--|--|---|--|
| Company Name: Diamondback Disposal Services Project Manager: Justin Roberts Address: 2525 NW County Rd City: Hobbs State: NM Zip: 88240 Phone #: [575]392-9996 Fax #: Attn: JEFF BROOM Project #: MOC-983 Project Owner: Address: City: State: Zip: Phone #: Fax #: | | BILL TO | | ANALYSIS REQUEST | |
| Project Location: JUNO 26-25 BATTERY Sample Name: JULIO RIVERA <small>FOR LAB USE ONLY</small> | | P.O. #: Company: MEWBOURNE Attn: JEFF BROOM Address: City: State: Zip: | | CL BTEX EXT TPH FULL TCLIP NORM | |
| Lab I.D. H460546 Sample I.D. B41 ① | | MATRIX <input type="checkbox"/> (G)RAB OR (C)OMP. <input type="checkbox"/> # CONTAINERS <input type="checkbox"/> GROUNDWATER <input type="checkbox"/> WASTEWATER <input checked="" type="checkbox"/> SOIL <input type="checkbox"/> OIL <input type="checkbox"/> SLUDGE OTHER : | | PRESERV. <input checked="" type="checkbox"/> ACID/BASE: <input checked="" type="checkbox"/> ICE / COOL OTHER : | |
| | | DATE 01-30-26 | | TIME 11:32 AM | |
| | | <input checked="" type="checkbox"/> X | | <input checked="" type="checkbox"/> X | |
| | | <input checked="" type="checkbox"/> X | | <input checked="" type="checkbox"/> X | |

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients excludes remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable analysis. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 01-30-26 Time: 11:30
 Received By: *[Signature]* Date: 01-30-26 Time: 11:30

Delivered By: (Circle One) UPS - Bus - Other: Observed Temp. °C: 08.5 Corrected Temp. °C: 0.9

Sample Condition: Cool Intact Yes No Intact Yes No No

Checked By: *[Signature]* Initials: *[Signature]*

Turnaround Time: Thermometer ID #140 Correction Factor +0.1°C

Verbal Result: Yes No Add'l Phone #:
 All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com
 REMARKS:

Standard Rush Bacteria (only) Sample Condition: Cool Intact Yes No Intact Yes No Observed Temp. °C: Corrected Temp. °C:



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 05, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: JUNO 26-25 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 01/30/26 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: W 1 @ 0-1' (H260547-01)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 256 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 97.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: W 2 @ 0-1' (H260547-02)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 240 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 91.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: W 3 @ 0-1' (H260547-03)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 224 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 89.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: W 4 @ 0-1' (H260547-04)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 224 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 93.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: W 5 @ 0-1' (H260547-05)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 368 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 91.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 01/30/2026 | Sampling Date: | 01/30/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: W 6 @ 0-1' (H260547-06)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/02/2026 | ND | 2.01 | 101 | 2.00 | 3.86 | |
| Toluene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.90 | 95.0 | 2.00 | 5.03 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/02/2026 | ND | 1.87 | 93.7 | 2.00 | 5.17 | |
| Total Xylenes* | <0.150 | 0.150 | 02/02/2026 | ND | 5.52 | 92.0 | 6.00 | 5.25 | |
| Total BTEX | <0.300 | 0.300 | 02/02/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 416 | 16.0 | 02/02/2026 | ND | 416 | 104 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: JF | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/02/2026 | ND | 201 | 101 | 200 | 0.366 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/02/2026 | ND | 221 | 111 | 200 | 0.471 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/02/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 88.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd
 City: Hobbs
 Phone #: (575) 392-9996
 Project #: MOC-983
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557, -104.261349
 Sampler Name: JULIO RIVERA

P.O. #: _____
 Company: MEWBOURNE
 Attn: JEFF BROOM
 Address: _____
 City: _____
 State: _____
 Phone #: _____
 Fax #: _____

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | | | | | | PRESERV. | SAMPLING | DATE | TIME | CL | BTEX | EXT TPH | FULL TCLIP | NORM |
|----------|-------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|----------|----------|---------|------|----|------|---------|------------|------|
| | | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER : | | | | | | | | | |
| H260547 | W1 @ 0-1' | C | 1 | X | | | | | | | 01-30-26 | 1:00 PM | X | X | | | | |
| | W2 @ 0-1' | C | 1 | X | | | | | | | 01-30-26 | 1:02 PM | X | X | | | | |
| | W3 @ 0-1' | C | 1 | X | | | | | | | 01-30-26 | 1:04 PM | X | X | | | | |
| | W4 @ 0-1' | C | 1 | X | | | | | | | 01-30-26 | 1:06 PM | X | X | | | | |
| | W5 @ 0-1' | C | 1 | X | | | | | | | 01-30-26 | 1:08 PM | X | X | | | | |
| | W6 @ 0-1' | C | 1 | X | | | | | | | 01-30-26 | 1:10 PM | X | X | | | | |

PLEASE NOTE: Liability and Damages: Cardinal's liability and detects exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable analysis. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of data, or loss of profits incurred by client, its subsidiaries, affiliates or successors, arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated theories or otherwise.

Relinquished By: [Signature]
 Date: 01-30-26
 Time: 10:30

Received By: [Signature]
 Date: _____
 Time: _____

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: _____

Observed Temp. °C: 08.2
 Corrected Temp. °C: 00.2

Sample Condition:
 Cool Yes No
 Intact Yes No

CHECKED BY: [Signature] (Initials)

Turnaround Time: _____
 Thermometer ID #140
 Correction Factor +0.1°C

Standard Add'l Phone #:
 Bacteria (only)
 Cool Intact
 Yes No
 Sample Condition Observed Temp. °C
 Corrected Temp. °C

REMARKS: 015-0022401K

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 05, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: JUNO 26-25 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/02/26 16:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B42 @ 1' (H260566-01)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 240 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 94.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B43 @ 1' (H260566-02)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 400 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 112 % 52.4-130

Surrogate: 1-Chlorooctadecane 114 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B44 @ 1' (H260566-03)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 448 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 110 % 52.4-130

Surrogate: 1-Chlorooctadecane 112 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B45 @ 1' (H260566-04)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 464 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 108 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B46 @ 1' (H260566-05)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 432 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B47 @ 1' (H260566-06)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 448 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B48 @ 1' (H260566-07)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 432 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 111 % 52.4-130

Surrogate: 1-Chlorooctadecane 114 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B49 @ 1' (H260566-08)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 448 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 119 % 52.4-130

Surrogate: 1-Chlorooctadecane 121 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B50 @ 1' (H260566-09)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 432 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 116 % 52.4-130

Surrogate: 1-Chlorooctadecane 118 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B51 @ 1' (H260566-10)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 240 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 113 % 52.4-130

Surrogate: 1-Chlorooctadecane 113 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B52 @ 1' (H260566-11)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 224 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 109 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B53 @ 1' (H260566-12)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 208 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B54 @ 1' (H260566-13)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 384 | 16.0 | 02/03/2026 | ND | 432 | 108 | 400 | 3.77 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B55 @ 1' (H260566-14)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 240 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 106 % 52.4-130

Surrogate: 1-Chlorooctadecane 112 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B56 @ 1' (H260566-15)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 256 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 111 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B57 @ 1' (H260566-16)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 224 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 106 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B58 @ 1' (H260566-17)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B59 @ 1' (H260566-18)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 368 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 110 % 52.4-130

Surrogate: 1-Chlorooctadecane 111 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B60 @ 1' (H260566-19)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 304 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 206 | 103 | 200 | 1.26 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 207 | 103 | 200 | 2.68 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 120 % 52.4-130

Surrogate: 1-Chlorooctadecane 122 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B61 @ 1' (H260566-20)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.98 | 99.0 | 2.00 | 0.683 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.85 | 92.6 | 2.00 | 0.516 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.83 | 91.6 | 2.00 | 0.723 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.43 | 90.5 | 6.00 | 0.956 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 320 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 82.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 70.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B62 @ 1' (H260566-21)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 90.8 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 208 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 78.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 65.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B63 @ 1' (H260566-22)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 86.3 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 368 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 86.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B64 @ 1' (H260566-23)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 400 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 83.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 69.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B65 @ 1' (H260566-24)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 48.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 85.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B66 @ 1' (H260566-25)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 89.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B67 @ 1' (H260566-26)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 32.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 89.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B68 @ 1' (H260566-27)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 16.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 94.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B69 @ 1' (H260566-28)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 32.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 91.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B70 @ 1' (H260566-29)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 89.1 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 48.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 90.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B71 @ 1' (H260566-30)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 84.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B72 @ 1' (H260566-31)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 90.0 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 75.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 64.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B73 @ 1' (H260566-32)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 87.1 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 32.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 94.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B74 @ 1' (H260566-33)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: HM | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 48.0 | 16.0 | 02/03/2026 | ND | 416 | 104 | 400 | 7.41 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 93.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B75 @ 1' (H260566-34)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 02/03/2026 | ND | 448 | 112 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 96.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B76 @ 1' (H260566-35)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

| Chloride, SM4500CI-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 48.0 | 16.0 | 02/03/2026 | ND | 448 | 112 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 85.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: B77 @ 1' (H260566-36)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 86.1 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 64.0 | 16.0 | 02/03/2026 | ND | 448 | 112 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 80.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd
 City: Hobbs State: NM Zip: 88240
 Phone #: [575]392-9996 Fax #: [575]392-9996
 Project #: MOC-983 Project Owner:
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557, -104.261349
 Sampler Name: JULIO RIVERA
 P.O. #: Company: MEWBOURNE
 Attn: JEFF BROOM
 Address:
 City:
 State: Zip:
 Phone #: Fax #:

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | | | | | OTHER : | ACID/BASE: | ICE / COOL | OTHER : | DATE | TIME | ANALYSIS REQUEST | | | | | |
|----------|-------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|------------|---------|---------|------|------------------|------|---------|------------|------|--|
| | | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | | | | | | | CL | BTEX | EXT TPH | FULL TCLIP | NORM | |
| Hobbside | B42 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:00 AM | X | X | X | | | | |
| | B43 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:02 AM | X | X | X | | | | |
| | B44 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:04 AM | X | X | X | | | | |
| | B45 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:06 AM | X | X | X | | | | |
| | B46 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:08 AM | X | X | X | | | | |
| | B47 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:10 AM | X | X | X | | | | |
| | B48 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:12 AM | X | X | X | | | | |
| | B49 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:14 AM | X | X | X | | | | |
| | B50 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:16 AM | X | X | X | | | | |
| | B51 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 9:18 AM | X | X | X | | | | |

PLEASE NOTE: Liability and Damages: Cardinal's liability and damage's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable analysis. In no event shall Cardinal be liable for punitive or consequential damages, including without limitation, business interruption, loss of data, or loss of profits incurred by client, its subcontractors, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *Julio Rivera* Date: 2-2-26 Received By: *Julio Rivera* Date: 2-2-26
 Turnaround Time: Standard Rush
 Thermometer ID #140 Correction Factor +0.1°C
 Bacteria (only) Sample Condition: Cool Intact
 Observed Temp. °C: Yes No Corrected Temp. °C: Yes No

Delivered By: (Circle One) UPS Bus Other
 Observed Temp. °C: 0-7°C
 Corrected Temp. °C: 0.8°C
 Sample Condition: Cool Intact
 Checked By: (Initials) *JS*
 Verbal Result: Yes No Add'l Phone #:
 All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com
 REMARKS: CS 10402401K
 † Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinalabsnm.com



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

| | | | | | | | |
|---|----------|---|---|--------------------------------|----------|-------------------------|---|
| Company Name: Diamondback Disposal Services Project Manager: Justin Roberts Address: 2525 NW County Rd. City: Hobbs Phone #: (575)392-9996 Project #: MOC-983 Project Name: JUNO 26-25 BATTERY Project Location: 32.537557,-104.281349 Sampler Name: JULIO RIVERA <small>FOR LAB USE ONLY</small> | | P.O. #: Company: MEWBOURNE Attn: JEFF BROOM Address: City: State: Phone #: Fax #: | | BILL TO | | ANALYSIS REQUEST | |
| Lab I.D. HaloSt6 | | Sample I.D. (G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER : ACID/BASE: ICE / COOL OTHER : | | MATRIX PRESERV. SAMPLING | | DATE TIME | |
| 11 | B52 @ 1' | C 1 | X | 2-2-26 | 9:20 AM | X | X |
| 12 | B53 @ 1' | C 1 | X | 2-2-26 | 10:00 AM | X | X |
| 13 | B54 @ 1' | C 1 | X | 2-2-26 | 10:02 AM | X | X |
| 14 | B55 @ 1' | C 1 | X | 2-2-26 | 10:04 AM | X | X |
| 15 | B56 @ 1' | C 1 | X | 2-2-26 | 10:06 AM | X | X |
| 16 | B57 @ 1' | C 1 | X | 2-2-26 | 10:08 AM | X | X |
| 17 | B58 @ 1' | C 1 | X | 2-2-26 | 10:10 AM | X | X |
| 18 | B59 @ 1' | C 1 | X | 2-2-26 | 10:12 AM | X | X |
| 19 | B60 @ 1' | C 1 | X | 2-2-26 | 10:14 AM | X | X |
| 20 | B61 @ 1' | C 1 | X | 2-2-26 | 10:16 AM | X | X |

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the service. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or resulting from the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated theories or otherwise.

Relinquished By: [Signature] **Date:** 2-2-26 **Received By:** [Signature] **Date:** 2-2-26

Relinquished By: [Signature] **Date:** 2-2-26 **Received By:** [Signature] **Date:** 2-2-26

Delivered By: (Circle One) UPS Bus Other

Observed Temp. °C: 0.7
Corrected Temp. °C: 0.8

Sample Condition: Cool Intact
 Yes No
 Yes No

CHECKED BY: [Signature] (Initials)

Turnaround Time: Standard Rush
 Thermometer ID #140
 Correction Factor +0.1°C

Verbal Result: Yes No Add'l Phone #:
 All Results are emailed. Please provide Email address:
 Environmental@Diamondbacknm.com

REMARKS: CS TD402401K

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinalnabnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd.
 City: Hobbs
 State: NM Zip: 88240
 Phone #: [575]392-9996
 Project #: MOC-983
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557, -104.261349
 Sampler Name: JULIO RIVERA

P.O. #: MEWBOURNE
 Company: JEFF BROOM
 Attn: Address:
 City: State: Zip:
 Phone #: Fax #:

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. # CONTAINERS | MATRIX | | | | | PRESERV. | | DATE | TIME | ANALYSIS REQUEST | | | | | | | |
|----------|-------------|-----------------------------------|-------------|------------|------|-----|--------|------------|------------|--------|----------|------------------|----|------|---------|------------|------|--|--|
| | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | ACID/BASE: | ICE / COOL | | | OTHER : | CL | BTEX | EXT TPH | FULL TCLIP | NORM | | |
| H210526 | B92 @ 1' | C 1 | X | | | | | | | 2-2-26 | 10:18 AM | X | X | X | | | | | |
| | B63 @ 1' | C 1 | X | | | | | | | 2-2-26 | 10:20 AM | X | X | X | | | | | |
| | B64 @ 1' | C 1 | X | | | | | | | 2-2-26 | 10:22 AM | X | X | X | | | | | |
| | B65 @ 1' | C 1 | X | | | | | | | 2-2-26 | 10:24 AM | X | X | X | | | | | |
| | B66 @ 1' | C 1 | X | | | | | | | 2-2-26 | 11:00 AM | X | X | X | | | | | |
| | B67 @ 1' | C 1 | X | | | | | | | 2-2-26 | 11:02 AM | X | X | X | | | | | |
| | B68 @ 1' | C 1 | X | | | | | | | 2-2-26 | 11:04 AM | X | X | X | | | | | |
| | B69 @ 1' | C 1 | X | | | | | | | 2-2-26 | 11:06 AM | X | X | X | | | | | |
| | B70 @ 1' | C 1 | X | | | | | | | 2-2-26 | 11:08 AM | X | X | X | | | | | |
| | B71 @ 1' | C 1 | X | | | | | | | 2-2-26 | 11:10 AM | X | X | X | | | | | |

PLEASE NOTE: Liability and Damages. Customer's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the service. All claims, including those for negligence and any other causes whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable analysis. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of data, or loss of profits incurred by client, its subsidiaries, affiliates or successors, arising out of or resulting from the performance of services hereunder by Cardinal, regardless of whether such claims are based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature]
 Date: 2-2-26
 Time: 10:17
 Received By: [Signature]
 Date: [Blank]
 Time: [Blank]

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: [Blank]
 Observed Temp. °C: 0.7
 Corrected Temp. °C: 0.8
 Sample Condition: Cool Intact [X] Yes [] No []
 CHECKED BY: [Signature]
 Turnaround Time: Standard [X] Rush []
 Bacteria (only) Sample Condition: Cool Intact [] Yes [] No []
 Observed Temp. °C: [Blank]
 Corrected Temp. °C: [Blank]

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinalabnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Diamondback Disposal Services
 Project Manager: Justin Roberts
 Address: 2525 NW County Rd
 City: Hobbs
 State: NIM Zip: 88240
 Phone #: [575]392-9996
 Project #: MOC-983
 Project Name: JUNO 26-25 BATTERY
 Project Location: 32.537557, -104.261349
 Sampler Name: JULIO RIVERA
 P.O. #: _____
 Company: MEWBOURNE
 Attn: JEFF BROOM
 Address: _____
 City: _____
 State: _____ Zip: _____
 Phone #: _____ Fax #: _____

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | | | | | OTHER : | ACID/BASE: | ICE / COOL | OTHER : | DATE | TIME | PRESERV. | SAMPLING | C1 | BTEX | EXT TPH | FULL TCLIP | NORM |
|----------|-------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|------------|---------|----------|------|----------|----------|----|------|---------|------------|------|
| | | | | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | | | | | | | | | | | | | |
| H2056 | B72 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 11:12 AM | | | X | | | | | |
| | B73 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 11:14 AM | | | X | | | | | |
| | B74 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 11:16 AM | | | X | | | | | |
| | B75 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 11:18 AM | | | X | | | | | |
| | B76 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 11:20 AM | | | X | | | | | |
| | B77 @ 1' | C | 1 | X | | | | | | | | 2-2-26 | 11:22 AM | | | X | | | | | |

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the service. In no event shall Cardinal be liable for any direct, indirect, or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits, incurred by client, its subsidiaries, affiliates or successors arising out of or resulting from the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Requested By: [Signature]
 Date: 2-2-26
 Received By: [Signature]
 Date: 2-2-26
 Relinquished By: [Signature]
 Date: 2-2-26
 Received By: [Signature]
 Date: 2-2-26

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: _____

Observed Temp. °C: 0.75
 Corrected Temp. °C: 0.85

Sample Condition:
 Cool Intact: Yes No
 Bacteria (only Sample Condition Intact): Yes No

Checked By: [Signature] (Initials)

Turnaround Time: _____
 Thermometer ID #140
 Correction Factor +0.1°C

Standard: Standard Rush

Verbal Result: Yes No Add'l Phone #:
 All Results are emailed. Please provide Email address:
 Environmental@Diamondbacknm.com

REMARKS: CS 10403401K

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 05, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: JUNO 26-25 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/02/26 16:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

| | | | |
|-------------------|--------------------------------|---------------------|----------------|
| Received: | 02/02/2026 | Sampling Date: | 02/02/2026 |
| Reported: | 02/05/2026 | Sampling Type: | Soil |
| Project Name: | JUNO 26-25 BATTERY | Sampling Condition: | Cool & Intact |
| Project Number: | MOC - 983 | Sample Received By: | Tamara Oldaker |
| Project Location: | MEWBOURNE 32.537557-104.261349 | | |

Sample ID: CALICHE BACKFILL (H260567-01)

| BTEX 8021B | | mg/kg | | Analyzed By: JH | | | | | |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.86 | 93.2 | 2.00 | 4.56 | |
| Toluene* | <0.050 | 0.050 | 02/03/2026 | ND | 1.93 | 96.6 | 2.00 | 5.30 | |
| Ethylbenzene* | <0.050 | 0.050 | 02/03/2026 | ND | 2.03 | 102 | 2.00 | 6.65 | |
| Total Xylenes* | <0.150 | 0.150 | 02/03/2026 | ND | 5.86 | 97.7 | 6.00 | 6.62 | |
| Total BTEX | <0.300 | 0.300 | 02/03/2026 | ND | | | | | |

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.4-141

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AC | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 400 | 16.0 | 02/03/2026 | ND | 448 | 112 | 400 | 3.64 | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10* | <10.0 | 10.0 | 02/03/2026 | ND | 204 | 102 | 200 | 0.145 | |
| DRO >C10-C28* | <10.0 | 10.0 | 02/03/2026 | ND | 188 | 93.8 | 200 | 1.36 | |
| EXT DRO >C28-C36 | <10.0 | 10.0 | 02/03/2026 | ND | | | | | |

Surrogate: 1-Chlorooctane 72.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 60.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

| | | | |
|---|---|---|---|
| Company Name: Diamondback Disposal Services Project Manager: Justin Roberts Address: 2525 NW County Rd City: Hobbs State: NM Zip: 88240 Phone #: 575/392-9996 Fax #: Project #: MOC-983 Project Owner: Project Name: JUNO 26-25 BATTERY Project Location: 32.537557, -104.281349 Sampler Name: JULIO RIVERA <small>FOR LAB USE ONLY</small> | | P.O. #: Company: MEWBOURNE Attn: JEFF BROOM Address: City: State: Phone #: Fax #: | |
| BILL TO | | ANALYSIS REQUEST | |
| Lab I.D. HAWKSB7 CALICHE BACK FILL | (G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER: | MATRIX PRESERV. ACID/BASE: ICE / COOL OTHER: | SAMPLING CL BTEX EXT TPH FULL TCLIP NORM |
| Date: 2-2-26 Time: 10:47 Received BY: <i>[Signature]</i> | Date: 2-2-26 Time: 8:30 AM Received BY: <i>[Signature]</i> | Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com REMARKS: | Add'l Phone #: |
| Delivered By: (Circle One) Sampler - UPS - Bus - Other: | Observed Temp. °C: 0.7 Corrected Temp. °C: 0.8 | Sample Condition: Cool Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Checked BY: <i>[Signature]</i> | Turnaround Time: Thermometer ID #140 Correction Factor: +0.1°C Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> Bacteria (only) Sample Condition: Cool Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Corrected Temp. °C: |

FORM-006 R.3.6 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinalabnm.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 560700

QUESTIONS

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|----------------------|--|
| Prerequisites | |
| Incident ID (n#) | nAPP2602667251 |
| Incident Name | NAPP2602667251 JUNO 26-25 BATTERY 1 EVENT @ FAPP2600552119 |
| Incident Type | Fire |
| Incident Status | Remediation Closure Report Received |
| Incident Facility | [fAPP2600552119] JUNO 26/25 BATTERY 1 |

| | |
|---|----------------------------|
| Location of Release Source | |
| <i>Please answer all the questions in this group.</i> | |
| Site Name | JUNO 26-25 BATTERY 1 EVENT |
| Date Release Discovered | 01/26/2026 |
| Surface Owner | State |

| | |
|--|------|
| Incident Details | |
| <i>Please answer all the questions in this group.</i> | |
| Incident Type | Fire |
| Did this release result in a fire or is the result of a fire | Yes |
| Did this release result in any injuries | No |
| Has this release reached or does it have a reasonable probability of reaching a watercourse | No |
| Has this release endangered or does it have a reasonable probability of endangering public health | No |
| Has this release substantially damaged or will it substantially damage property or the environment | No |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No |

| | |
|---|---|
| Nature and Volume of Release | |
| <i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i> | |
| Crude Oil Released (bbls) Details | Not answered. |
| Produced Water Released (bbls) Details | Cause: Equipment Failure Dump Valve Produced Water Released: 93 BBL Recovered: 20 BBL Lost: 73 BBL. |
| Is the concentration of chloride in the produced water >10,000 mg/l | Yes |
| Condensate Released (bbls) Details | Not answered. |
| Natural Gas Vented (Mcf) Details | Not answered. |
| Natural Gas Flared (Mcf) Details | Not answered. |
| Other Released Details | Not answered. |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts) | n/a |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 560700

QUESTIONS (continued)

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|--|--|
| Nature and Volume of Release (continued) | |
| Is this a gas only submission (i.e. only significant Mcf values reported) | No, according to supplied volumes this does not appear to be a "gas only" report. |
| Was this a major release as defined by Subsection A of 19.15.29.7 NMAC | Yes |
| Reasons why this would be considered a submission for a notification of a major release | From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more; (2) an unauthorized release of a volume that: (a) results in a fire or is the result of a fire. |
| <i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i> | |

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

| | |
|--|------|
| The source of the release has been stopped | True |
| The impacted area has been secured to protect human health and the environment | True |
| Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices | True |
| All free liquids and recoverable materials have been removed and managed appropriately | True |
| If all the actions described above have not been undertaken, explain why | n/a |

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| | |
|--|---|
| I hereby agree and sign off to the above statement | Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 03/06/2026 |
|--|---|

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 560700

QUESTIONS (continued)

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| | |
|--|--------------------------------------|
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs) | Less than or equal 25 (ft.) |
| What method was used to determine the depth to ground water | NM OSE iWaters Database Search |
| Did this release impact groundwater or surface water | No |
| What is the minimum distance, between the closest lateral extents of the release and the following surface areas: | |
| A continuously flowing watercourse or any other significant watercourse | Between 500 and 1000 (ft.) |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) | Between ½ and 1 (mi.) |
| An occupied permanent residence, school, hospital, institution, or church | Between 1 and 5 (mi.) |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes | Between 1 and 5 (mi.) |
| Any other fresh water well or spring | Between 1 and 5 (mi.) |
| Incorporated municipal boundaries or a defined municipal fresh water well field | Between 1 and 5 (mi.) |
| A wetland | Zero feet, overlying, or within area |
| A subsurface mine | Greater than 5 (mi.) |
| An (non-karst) unstable area | Greater than 5 (mi.) |
| Categorize the risk of this well / site being in a karst geology | Medium |
| A 100-year floodplain | Between ½ and 1 (mi.) |
| Did the release impact areas not on an exploration, development, production, or storage site | No |

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| | |
|--|-----|
| Requesting a remediation plan approval with this submission | Yes |
| <i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i> | |
| Have the lateral and vertical extents of contamination been fully delineated | Yes |
| Was this release entirely contained within a lined containment area | No |

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

| | |
|---|-----|
| Chloride (EPA 300.0 or SM4500 Cl B) | 528 |
| TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M) | 0 |
| GRO+DRO (EPA SW-846 Method 8015M) | 0 |
| BTEX (EPA SW-846 Method 8021B or 8260B) | 0 |
| Benzene (EPA SW-846 Method 8021B or 8260B) | 0 |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

| | |
|---|------------|
| On what estimated date will the remediation commence | 01/29/2026 |
| On what date will (or did) the final sampling or liner inspection occur | 02/02/2026 |
| On what date will (or was) the remediation complete(d) | 02/02/2026 |
| What is the estimated surface area (in square feet) that will be reclaimed | 13052 |
| What is the estimated volume (in cubic yards) that will be reclaimed | 13052 |
| What is the estimated surface area (in square feet) that will be remediated | 13052 |
| What is the estimated volume (in cubic yards) that will be remediated | 13052 |

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 560700

QUESTIONS (continued)

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

| | |
|---|--|
| (Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.) | Yes |
| Which OCD approved facility will be used for off-site disposal | fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL |
| OR which OCD approved well (API) will be used for off-site disposal | Not answered. |
| OR is the off-site disposal site, to be used, out-of-state | Not answered. |
| OR is the off-site disposal site, to be used, an NMED facility | Not answered. |
| (Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms) | No |
| (In Situ) Soil Vapor Extraction | No |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.) | No |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.) | No |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.) | No |
| Ground Water Abatement pursuant to 19.15.30 NMAC | No |
| OTHER (Non-listed remedial process) | No |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| | |
|--|---|
| I hereby agree and sign off to the above statement | Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 03/06/2026 |
|--|---|

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 560700

QUESTIONS (continued)

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|---|----|
| Deferral Requests Only | |
| <i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i> | |
| Requesting a deferral of the remediation closure due date with the approval of this submission | No |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 560700

QUESTIONS (continued)

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| Sampling Event Information | |
|---|-------------------|
| Last sampling notification (C-141N) recorded | 547166 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 02/11/2026 |
| What was the (estimated) number of samples that were to be gathered | 70 |
| What was the sampling surface area in square feet | 13052 |

| Remediation Closure Request | |
|--|-------|
| <i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i> | |
| Requesting a remediation closure approval with this submission | Yes |
| Have the lateral and vertical extents of contamination been fully delineated | Yes |
| Was this release entirely contained within a lined containment area | No |
| All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion | Yes |
| What was the total surface area (in square feet) remediated | 15267 |
| What was the total volume (cubic yards) remediated | 980 |
| All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene | Yes |
| What was the total surface area (in square feet) reclaimed | 15267 |
| What was the total volume (in cubic yards) reclaimed | 1020 |
| Summarize any additional remediation activities not included by answers (above) | n/a |

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

| | |
|--|---|
| I hereby agree and sign off to the above statement | Name: Jeff Broom Title: Environmental Rep Email: jbroom@mewbourne.com Date: 03/06/2026 |
|--|---|

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 560700

QUESTIONS (continued)

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|--|----|
| Reclamation Report | |
| <i>Only answer the questions in this group if all reclamation steps have been completed.</i> | |
| Requesting a reclamation approval with this submission | No |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 560700

CONDITIONS

| | |
|---|---|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240 | OGRID: 14744 |
| | Action Number: 560700 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

CONDITIONS

| Created By | Condition | Condition Date |
|---------------|--|----------------|
| scott.rodgers | This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete". | 5/8/2026 |