



Remediation Summary and Closure Request

Devon Energy Production Company, LP

Thistle Unit 99H

Lea County, New Mexico

Unit Letter "C", Section 22, Township 23 South, Range 33 East

Latitude 32.296547 North, Longitude 103.563064 West

NMOCD Incident # NAPP2600634507

Prepared For:

Devon Energy Production Company, LP

333 West Sheridan Ave.

Oklahoma City, OK 73102

Prepared By:

Hungry Horse, LLC

4024 Plains Hwy

Lovington, NM 88260

Office: (575) 393-3386

May 2026

A handwritten signature in black ink, appearing to read "Daniel Dominguez", is written over a horizontal line.

Daniel Dominguez

Environmental Director

ddominguez@hungry-horse.com

Table Of Contents

| | |
|---------------------------------------|---|
| Site Information | 1 |
| Site Classification | 1 |
| Cultural and Biological Compliance | 2 |
| Site Assessment and Delineation | 2 |
| Site Remediation | 2 |
| Sampling Procedure and Identification | 3 |
| Remediation and Seeding | 3 |
| Closure Request | 3 |
| Limitations | 3 |
| Distribution | 4 |

Figures

- Figure 1 – Topographic Map
- Figure 2 – OSE POD Locations Map
- Figure 3 – USGS Well Locations Map
- Figure 4 – Delineation Map
- Figure 5 – Excavation Sample Map

Table

- Table 1 – Summary of Soil Sample Laboratory Analytical Results

Attachments

- Attachment I – Karst, Wetland, LPC, Flood Hazard, and Soil Maps
- Attachment II – NMOCD Correspondence
- Attachment III – Depth to Groundwater
- Attachment IV – Site Photographs
- Attachment V – Laboratory Analytical Reports



HUNGRY HORSE, LLC

The following *Remediation Summary and Closure Request* serves as a condensed update on field activities undertaken at the afore referenced Site.

Site Information:

The site is located in Unit Letter C (NE/NW), Section 22, Township 23 South, Range 33 East, approximately twenty-five miles southwest of Eunice, in Lea County, New Mexico. The location is on New Mexico State Trust land. Topographic Map, OSE POD Locations Map, and USGS Well Locations Map are included as Figure 1, Figure 2, and Figure 3, respectively.

The release occurred, and was contained, on an active well pad; Latitude 32.296547 North, Longitude 103.563064 West. The Initial NMOCD C-141 indicated that on January 5, 2026 approximately twelve bbls of crude oil were released due to a stuffing box leak. A repair crew was dispatched to the release site and equipment was repaired. Ten bbls of fluid were recovered.

Site Classification:

A search of the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) groundwater databases was completed in an effort to determine the horizontal distance to known water sources within a half mile radius of the Release Site. Approximate depth to groundwater was determined using maintained and published water well data. Karst mapping indicates the site is located in a low karst designated area. Groundwater depth information is provided as Attachment III and the results are depicted on Figures 2 & 3.

One water well is located within a half mile of the release area. Well C-04664 POD 1 was drilled September 7, 2022 to a depth of fifty-feet bgs. As no water was present, the bore was plugged September 13, 2022. The site was delineated, and further remediated, according to the strictest NMOCD Closure Criteria. Utilizing this information, the NMOCD Closure Criteria for the Site is depicted in the table below.

| Depth to Groundwater | Constituent | Method | Limit |
|----------------------|-----------------------|-----------------------------------|--------------|
| 50-100' | Chloride | EPA 300.0 or SM4500 CLB | 10,000 mg/kg |
| | TPH (GRO + DRO + MRO) | EPA SW-846 Method 8015M Ext | 2,500 mg/kg |
| | GRO + DRO | EPA SW-846 Method 8015M Ext | 1,000 mg/kg |
| | BTEX | EPA SW-846 Methods 8021B or 8260B | 50 mg/kg |
| | Benzene | EPA SW-846 Methods 8021B or 8260B | 10 mg/kg |

A United States Department of Agriculture (USDA) Web Soil Survey was completed to determine soil types in the area of reclamation. Web Soil Survey indicates the area is located in the Pyote and Maljamar fine sands, comprised of fine sand soil with 0 to 3 percent slopes. As the release occurred, and was contained, on the pad, seeding was not required. Karst, Wetland, LPC, Flood Hazard, and Soil Maps are provided as Attachment I.



Cultural and Biological Compliance:

A biological desktop review was completed using online resources; documentation is provided in the attachments of this report. This location site has a CHAT ranking of 3 with no critical habitats listed at this location. Remediation activities did not extend beyond well pad area.

As remediation activities did not extend beyond well pad area, an archeological survey, ARMS review, or SPSS survey were not conducted. Compliance with CPP Rule was maintained throughout remediation activities. No cultural materials were encountered during the remediation process.

Site Assessment and Delineation:

On February 13, 2026, Hungry Horse conducted an initial site assessment consisting of photographing, mapping, and delineating the release area. During delineation, hand augered sample bores were advanced throughout the affected area in an effort to determine the vertical extent of contamination. These sample locations are identified by 'SP' designation. In addition, hand augered sample bores were advanced along the outside edges of the release area in an effort to determine the horizontal extent of contamination. These sample locations are identified by 'HZ' designation. During advancement of hand augered sample bores, soil samples were field screened for the presence of chloride concentrations utilizing a Hach Quantab® chloride test kit.

Based on field observations and field test data, twelve representative soil samples were selected for laboratory analysis. Delineation soil samples SP1, SP2, and HZ1 through HZ4, were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated contaminant concentrations in excess of the NMOCD Closure Criteria in samples SP1 and SP2.

Site Remediation:

On April 1, 2026, a sixty-day extension was requested as a work crew had not been available to excavate the release area. On April 1, 2026, NMOCD approved the sixty-day extension. Correspondence is provided as Attachment II.

From April 14-15, 2026, the release area was excavated. Soil impacted above the NMOCD Closure Criteria was excavated and transported to an NMOCD approved disposal facility. On April 15, 2026, Devon notified NMOCD that closure samples would be collected on April 20, 2026. Correspondence is provided as Attachment II.

On April 20, 2026, thirteen composite confirmation soil samples were collected from the excavation floor and sidewalls, with each sample representing no more than 200 square feet. Soil samples FL1 through FL9, and SW1 through SW4, were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated contaminant concentrations were below the NMOCD Closure Criteria in each of the submitted samples.

The excavated area measured approximately eighteen hundred square feet, and six inches to two and half feet bgs in depth. During remediation activities approximately 75 cubic yards of impacted soil were excavated and hauled to an NMOCD approved disposal facility.



Delineation Sample Map and Excavation Sample Map are provided as Figures 4 and 5, respectively. A Summary of Soil Sample Laboratory Analytical Results is provided as Table 1 and Laboratory Analytical Reports are provided as Attachment V.

Sampling Procedure and Identification:

During confirmation sampling, five-point composite soil samples were collected from the floor of the excavation, with each sample representing an area no greater than 200 square feet. These sample locations are identified by FL designation.

Five-point composite soil samples were also collected from the sidewalls of the excavation, with each collected sample representing an area no greater than 200 square feet. These sample locations are identified by SW designation.

Excavation Sample Map, provided as Figure 5, depicts sidewall sample boundaries. Soil samples were jarred, iced, and delivered to the laboratory for analysis of BTEX, TPH, and chloride.

Remediation and Seeding:

Based upon laboratory analytical results from confirmation soil samples, the excavated area was then backfilled with locally sourced, clean, non-impacted caliche. As the affected area is located on an active well pad, no seeding will be required.

Closure Request:

Remediation activities were conducted in accordance with applicable NMOCD Regulations. Soil affected above the NMOCD Closure Criteria has been excavated and hauled to an NMOCD approved facility for disposal. Laboratory analytical results from composite confirmation samples indicate concentrations of BTEX, TPH, and chloride are below the NMOCD Closure Criteria.

Based on analytical results, Devon Energy Production Company, LP respectfully request closure of the Thistle Unit #99H location, incident NAPP2600634507.

Limitations:

Hungry Horse, LLC, has prepared this *Remediation Summary and Closure Request* to the best of its ability. No other warranty, expressed or implied, is made or intended. Hungry Horse has examined and relied upon documents referenced in the report and on oral statements made by certain individuals. Hungry Horse has not conducted an independent examination of the facts contained in referenced materials and statements. Hungry Horse has presumed the genuineness of these documents and statements and that the information provided therein is true and accurate. Hungry Horse notes that the facts and conditions referenced in this report may change over time, and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.



Distribution:

Devon Energy Production Company, LP

333 West Sheridan Ave.
Oklahoma City, OK 73102

New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division, District 2
811 S. First St.
Artesia, NM 88210

New Mexico State Land Office

914 N. Linam St.
Hobbs, NM 88240

Figures




Figure 1

Topographic Map
 Devon Energy Production Company, LP
 Thistle Unit 99H
 GPS: 32.296547, -103.563064
 Lea County

Legend:

● Thistle Unit 99H Location

Drafted: dd
 Checked: jh
 Date: 2/12/26





Figure 2
 OSE POD Locations Map
 Devon Energy Production Company, LP
 Thistle Unit 99H
 GPS: 32.296547, -103.563064
 Lea County

Legend:
 ● Thistle Unit 99H Location

Drafted: dd
 Checked: jh
 Date: 2/12/26

The logo for Hungry Horse Environmental & Construction features a circular emblem with a stylized 'HH' in the center, surrounded by the text 'HUNGRY HORSE' at the top and 'ENVIRONMENTAL & CONSTRUCTION' at the bottom.



Figure 3
 USGS Well Locations Map
 Devon Energy Production Company, LP
 Thistle Unit 99H
 GPS: 32.296547, -103.563064
 Lea County

Legend:

- Thistle Unit 99H Location

Drafted: dd
 Checked: jh
 Date: 2/12/26







Figure 4

Delineation Sample Map
Devon Energy Production Company, LP
Thistle Unit 99H
GPS: 32.296547, -103.563064
Lea County

Legend:

-  Release Area
-  Delineation Sample Location
-  Horizontal Delineation Sample Location

Drafted: dd
Checked: jh
Date: 2/13/26





Figure 5

Excavation Sample Map
 Devon Energy Production Company, LP
 Thistle Unit 99H
 GPS: 32.296547, -103.563064
 Lea County

Legend:

- Excavated Area
- Composite Confirmation Sample 200 Square Foot Area
- FL1 Composite Confirmation Floor Sample Location
- SW1 Composite Confirmation Sidewall Sample Location
- Composite Confirmation Sidewall Sample Boundary

Drafted: dd
 Checked: jh
 Date: 4/17/26



Table

TABLE 1
Summary of Soil Sample Laboratory Analytical Results
Devon Energy Production Company, LP
Thistle Unit 99H
NMOCD Ref. #: NAPP2600634507

| Sample ID | Date | Depth (ft) | Soil Status | Benzene (mg/kg) | BTEX (mg/kg) | GRO C ₆ -C ₁₀ (mg/kg) | DRO C ₁₀ -C ₂₈ (mg/kg) | GRO + DRO C ₆ -C ₂₈ (mg/kg) | ORO C ₂₈ -C ₃₆ (mg/kg) | TPH C ₆ -C ₃₆ (mg/kg) | Chloride (mg/kg) |
|-------------------------------|---------|------------|-------------|-----------------|--------------|---|--|---|--|---|------------------|
| SP1 | 2/13/26 | Surf | Excavated | <0.00199 | <0.00398 | <999 | 12,400 | 12,400 | 1,010 | 13,400 | 819 |
| | 2/13/26 | 2 | In-Situ | <0.00198 | <0.00396 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 24.1 |
| SP2 | 2/13/26 | Surf | Excavated | 0.00216 | 0.246 | <999 | 30,300 | 30,300 | 4,930 | 35,200 | 9,530 |
| | 2/13/26 | 2 | Excavated | <0.00201 | 0.00913 | <49.9 | 207 | 207 | 58.6 | 266 | 37.2 |
| HZ1 | 2/13/26 | Surf | In-Situ | <0.00202 | <0.00404 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 35.3 |
| | 2/13/26 | 1 | In-Situ | <0.00199 | <0.00398 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 39.6 |
| HZ2 | 2/13/26 | Surf | In-Situ | <0.00198 | <0.00396 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 37.2 |
| | 2/13/26 | 1 | In-Situ | <0.00200 | <0.00399 | <49.8 | <49.8 | <49.8 | <49.8 | <49.8 | 23.8 |
| HZ3 | 2/13/26 | Surf | In-Situ | <0.00201 | <0.00402 | <49.8 | <49.8 | <49.8 | <49.8 | <49.8 | 42.0 |
| | 2/13/26 | 1 | In-Situ | <0.00202 | <0.00404 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 37.3 |
| HZ4 | 2/13/26 | Surf | In-Situ | <0.00199 | <0.00398 | <50.2 | <50.2 | <50.2 | <50.2 | <50.2 | 33.1 |
| | 2/13/26 | 1 | In-Situ | <0.00200 | <0.00401 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 28.4 |
| FL1 | 4/20/26 | 2.5 | In-Situ | <0.00200 | <0.00399 | <49.8 | <49.8 | <49.8 | <49.8 | <49.8 | 11.6 |
| FL2 | 4/20/26 | 2.5 | In-Situ | <0.00201 | <0.00402 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 15.4 |
| FL3 | 4/20/26 | 0.5 | In-Situ | <0.00202 | <0.00404 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 153 |
| FL4 | 4/20/26 | 0.5 | In-Situ | <0.00199 | <0.00398 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 37.4 |
| FL5 | 4/20/26 | 0.5 | In-Situ | <0.00200 | <0.00400 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 34.3 |
| FL6 | 4/20/26 | 0.5 | In-Situ | <0.00200 | <0.00399 | <49.8 | <49.8 | <49.8 | <49.8 | <49.8 | 254 |
| FL7 | 4/20/26 | 0.5 | In-Situ | <0.00201 | <0.00402 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 198 |
| FL8 | 4/20/26 | 0.5 | In-Situ | <0.00202 | <0.00404 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 223 |
| FL9 | 4/20/26 | 0.5 | In-Situ | <0.00201 | <0.00402 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 273 |
| SW1 | 4/20/26 | 0-2.5 | In-Situ | <0.00199 | <0.00398 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 16.6 |
| SW2 | 4/20/26 | 0-2.5 | In-Situ | <0.00198 | <0.00396 | <49.9 | <49.9 | <49.9 | <49.9 | <49.9 | 23.3 |
| SW3 | 4/20/26 | 0-2.5 | In-Situ | <0.00199 | <0.00398 | <50.0 | <50.0 | <50.0 | <50.0 | <50.0 | 26.7 |
| SW4 | 4/20/26 | 0-2.5 | In-Situ | <0.00200 | <0.00399 | <49.8 | <49.8 | <49.8 | <49.8 | <49.8 | 29.7 |
| NMOCD Closure Criteria | | | | 10 | 50 | - | - | NA | - | 100 | 600 |

NOTES:

- = Sample not analyzed for that constituent.

Bold text denotes a concentration that exceeds the NMOCD Closure Criteria

Attachment I

Karst, Wetland, LPC, Flood Hazard, and Soil Maps


Thistle Unit 99H



2/26/2026, 2:35:06 PM

Karst Occurrence Potential

 Low









Thistle Unit 99H



February 26, 2026

Wetlands

- | | | | | | |
|---|--------------------------------|---|-----------------------------------|---|----------|
|  | Estuarine and Marine Deepwater |  | Freshwater Emergent Wetland |  | Lake |
|  | Estuarine and Marine Wetland |  | Freshwater Forested/Shrub Wetland |  | Other |
| | |  | Freshwater Pond |  | Riverine |

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.


National Wetlands Inventory (NWI)
This page was produced by the NWI mapper

Thistle Unit 99H



5/1/2026

 CHAT 3: modeled available/potential LPC habitat



Western Association of Fish and Wildlife Agencies (WAFWA), U.S. Geological Survey Open-File Report 2004-1352, Caves and Karst in the U.S. National


National Flood Hazard Layer FIRMette



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

| | | |
|-----------------------------|--|---|
| SPECIAL FLOOD HAZARD AREAS | | Without Base Flood Elevation (BFE) Zone A, V, A99 |
| | | With BFE or Depth Zone AE, AO, AH, VE, AR |
| | | Regulatory Floodway |
| OTHER AREAS OF FLOOD HAZARD | | 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X |
| | | Future Conditions 1% Annual Chance Flood Hazard Zone X |
| | | Area with Reduced Flood Risk due to Levee. See Notes. Zone X |
| | | Area with Flood Risk due to Levee Zone D |
| OTHER AREAS | | NO SCREEN Area of Minimal Flood Hazard Zone X |
| | | Effective LOMRs |
| GENERAL STRUCTURES | | Area of Undetermined Flood Hazard Zone D |
| | | Channel, Culvert, or Storm Sewer |
| | | Levee, Dike, or Floodwall |
| OTHER FEATURES | | 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation |
| | | 17.5 Cross Sections with 1% Annual Chance Water Surface Elevation |
| | | Coastal Transect |
| | | Base Flood Elevation Line (BFE) |
| | | Limit of Study |
| MAP PANELS | | Jurisdiction Boundary |
| | | Coastal Transect Baseline |
| | | Profile Baseline |
| | | Hydrographic Feature |
| | | Digital Data Available |
| | | No Digital Data Available |
| | | Unmapped |



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 2/26/2026 at 9:32 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.


Soil Map—Lea County, New Mexico
(Thistle Unit 99H)

103° 34' 4" W

103° 33' 30" W

32° 17' 56" N

32° 17' 56" N




Soil Map may not be valid at this scale.

32° 17' 37" N

32° 17' 37" N

103° 34' 4" W


103° 33' 30" W



Soil Map—Lea County, New Mexico
(Thistle Unit 99H)

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features

Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI |
|------------------------------------|--|--------------|----------------|
| KM | Kermit soils and Dune land, 0 to 12 percent slopes | 13.3 | 19.9% |
| PU | Pyote and Maljamar fine sands | 53.6 | 80.1% |
| Totals for Area of Interest | | 67.0 | 100.0% |

Attachment II

NMOCD Correspondence

Daniel Dominguez

From: Rodgers, Scott, EMNRD <Scott.Rodgers@emnrd.nm.gov>
Sent: Wednesday, April 1, 2026 4:13 PM
To: Daniel Dominguez
Subject: RE: [EXTERNAL] Thistle Unit 99H - NAPP2600634507 - Extension Request

Your time extension request is approved. Remediation Due date has been updated to June 05, 2026 within the incident page. Ensure that the site characterization/assessment report has been completed and is provided within the final closure report.

Please keep a copy of this communication for inclusion within the appropriate reporting documentation.

If you have any questions, please contact me via email at your convenience.

Thank you,
Scott

Scott Rodgers • Senior Environmental Scientist
Environmental Bureau
EMNRD - Oil Conservation Division
5200 Oakland NE, Suite B | Albuquerque, NM 87113
505.469.1830 | scott.rodgers@emnrd.nm.gov
<http://www.emnrd.nm.gov/ocd>



From: Daniel Dominguez <ddominguez@hungry-horse.com>
Sent: Wednesday, April 1, 2026 2:35 PM
To: Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>
Subject: [EXTERNAL] Thistle Unit 99H - NAPP2600634507 - Extension Request

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

We are requesting a 60 day extension as the work crew has not been available yet. We are trying to schedule a different crew. Closure due date is 4/6/26; we are requesting an extension to 6/5/26.

Daniel Dominguez
Environmental Director
Hungry Horse, LLC
(m) 575-408-3134
ddominguez@hungry-horse.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 575656

QUESTIONS

| | |
|---|--|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 575656 |
| | Action Type: [NOTIFY] Notification Of Sampling (C-141N) |

QUESTIONS

| | |
|----------------------|--|
| Prerequisites | |
| Incident ID (n#) | nAPP2600634507 |
| Incident Name | NAPP2600634507 THISTLE UNIT #099H @ 30-025-44416 |
| Incident Type | Oil Release |
| Incident Status | Initial C-141 Approved |
| Incident Well | [30-025-44416] THISTLE UNIT #099H |

| | |
|-----------------------------------|--------------------|
| Location of Release Source | |
| Site Name | THISTLE UNIT #099H |
| Date Release Discovered | 01/05/2026 |
| Surface Owner | State |

| | |
|---|-------------------------------|
| Sampling Event General Information | |
| <i>Please answer all the questions in this group.</i> | |
| What is the sampling surface area in square feet | 1,800 |
| What is the estimated number of samples that will be gathered | 13 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 04/20/2026 |
| Time sampling will commence | 11:00 AM |
| Please provide any information necessary for observers to contact samplers | Jerry Heidelberg 575-390-3639 |
| Please provide any information necessary for navigation to sampling site | 32.296547, -103.563064 |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 575656

CONDITIONS

| | |
|---|--|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 575656 |
| | Action Type: [NOTIFY] Notification Of Sampling (C-141N) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| jraley | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 4/15/2026 |
| jraley | If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application. | 4/15/2026 |

Attachment III

Depth to Groundwater



New Mexico Office of the State Engineer Wells With Well Log Information

(A
CLW#####
in the
POD suffix
indicates the (R=POD has
POD has been been
replaced & replaced,
no longer O=orphaned,
serves a water C=the file is
right file.) closed)

(quarters are
1=NW 2=NE
3=SW 4=SE)
(quarters are
smallest to largest)

(NAD83 UTM in meters) (meters)

(in feet)

| POD Number | Code | Sub basin | County | Source | Q64 | Q16 | Q4 | Sec | Tws | Range | X | Y | Distance | Start Date | Finish Date | Log File Date | Borehole Depth | Depth Water First Encountered | Driller | License Number |
|-------------------------|------|-----------|--------|--------|-----|-----|----|-----|-----|-------|----------|-----------|----------|------------|-------------|---------------|----------------|-------------------------------|--------------------|----------------|
| C 04664 | POD1 | CUB | LE | | SE | NW | SE | 15 | 23S | 33E | 635783.7 | 3574818.7 | 779 | 2022-09-07 | 2022-09-07 | 2022-09-26 | 55 | | JACKIE D ATKINS | 1249 |

Record Count: 1

UTM Filters (in meters):

Easting: 635293.00

Northing: 3574213.00

Radius: 805

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: C-4664
Well owner: Devon Energy Phone No.: 575-748-1838
Mailing address: 6488 7 Rivers Hwy
City: Artesia State: New Mexico Zip code: 88210

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Jackie D. Atkins (Atkins Engineering Associates Inc.)
- 2) New Mexico Well Driller License No.: 1249 Expiration Date: 04/30/23
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Shane Eldridge
- 4) Date well plugging began: 9/13/2022 Date well plugging concluded: 9/13/2022
- 5) GPS Well Location: Latitude: 32 deg, 18 min, 7.02 sec
Longitude: 103 deg, 22 min, 27.99 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 55 ft below ground level (bgl),
by the following manner: weighted tape
- 7) Static water level measured at initiation of plugging: n/a ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 8/22/2022
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

05E DIT SEP 26 2022 PM3:25

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

| Depth (ft bgl) | Plugging Material Used (include any additives used) | Volume of Material Placed (gallons) | Theoretical Volume of Borehole/ Casing (gallons) | Placement Method (tremie pipe, other) | Comments ("casing perforated first", "open annular space also plugged", etc.) |
|-------------------|---|---|--|--|---|
| 0-10' | Hydrated Bentonite | Approx. 15 gallons | 15 gallons | Augers | |
| 10'-51' | Drill Cuttings | Approx. 65 gallons | 65 gallons | Boring | |

| | | |
|----------------------|----|------------|
| MULTIPLY | BY | AND OBTAIN |
| cubic feet x 7.4805 | = | gallons |
| cubic yards x 201.97 | = | gallons |

OSE OII SEP 26 2022 PM 3:25

III. SIGNATURE:

I, Jackie D. Atkins, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Jack Atkins


Signature of Well Driller

9/16/2022

Date

Attachment IV Site Photographs

Photographs



Photographs

| | | |
|---------------|----------|--------------------------------|
| Photo: | 3 | Description: Excavation |
|---------------|----------|--------------------------------|

East

☉ 85°E (T) ● 32.296657°, -103.563017° ±32ft ▲ 3723ft




15 Apr 2026, 12:58:14

| | | |
|---------------|----------|--------------------------------|
| Photo: | 4 | Description: Excavation |
|---------------|----------|--------------------------------|



South

☉ 166°S (T) ● 32.296656°, -103.563021° ±29ft ▲ 3720ft



15 Apr 2026, 12:58:20

Photographs



Attachment V

Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Daniel Dominguez
 Hungry Horse LLC
 PO BOX 1058
 Hobbs, New Mexico 88241

Generated 2/24/2026 3:28:12 PM

JOB DESCRIPTION

Thistle Unit 99H

JOB NUMBER

880-68289-1

Eurofins Midland
 1211 W. Florida Ave
 Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
2/24/2026 3:28:12 PM

Authorized for release by
Holly Taylor, Project Manager
Holly.Taylor@et.eurofinsus.com
(806)794-1296

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Laboratory Job ID: 880-68289-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 7 |
| Surrogate Summary | 17 |
| QC Sample Results | 19 |
| QC Association Summary | 26 |
| Lab Chronicle | 30 |
| Certification Summary | 34 |
| Method Summary | 35 |
| Sample Summary | 36 |
| Chain of Custody | 37 |
| Receipt Checklists | 39 |

Definitions/Glossary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Qualifiers

GC VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| S1+ | Surrogate recovery exceeds control limits, high biased. |
| U | Indicates the analyte was analyzed for but not detected. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| *+ | LCS and/or LCSD is outside acceptance limits, high biased. |
| S1+ | Surrogate recovery exceeds control limits, high biased. |
| U | Indicates the analyte was analyzed for but not detected. |

HPLC/IC

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ☼ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Hungry Horse LLC
Project: Thistle Unit 99H

Job ID: 880-68289-1

Job ID: 880-68289-1

Eurofins Midland

Job Narrative 880-68289-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/13/2026 4:03 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.8°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SP1-SURF (880-68289-1), SP1 (880-68289-2), SP2-SURF (880-68289-3), SP2 (880-68289-4), HZ1-SURF (880-68289-5), HZ1 (880-68289-6), HZ2-SURF (880-68289-7), HZ2 (880-68289-8), HZ3-SURF (880-68289-9), HZ3 (880-68289-10), HZ4-SURF (880-68289-11) and HZ4 (880-68289-12).

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: SP1-SURF (880-68289-1), SP1 (880-68289-2), (CCV 880-132434/33), (LCS 880-132276/1-A), (LCSD 880-132276/2-A), (MB 880-132276/5-A), (880-67886-A-23-A MB), (880-67886-A-23-B MDLV), (880-68335-A-21-E), (880-68335-A-21-C MS) and (880-68335-A-21-D MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-132457 and analytical batch 880-132434 recovered outside control limits for the following analytes: Benzene.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-132776 and analytical batch 880-132652 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: The continuing calibration verification (CCV) associated with batch 880-132360 recovered above the upper control limit for Gasoline Range Organics (GRO)-C6-C10 and Diesel Range Organics (Over C10-C28). An acceptable CCV was ran within the 12 hour window, therefore the data has been qualified and reported. The associated sample is:(CCV 880-132360/166).

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: SP1-SURF (880-68289-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: The laboratory control sample (LCS) associated with preparation batch 880-131855 and analytical batch 880-132442 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: SP2-SURF (880-68289-3). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: The surrogate recovery for the blank associated with preparation batch 880-131855 and analytical batch

Eurofins Midland

Case Narrative

Client: Hungry Horse LLC
Project: Thistle Unit 99H

Job ID: 880-68289-1

Job ID: 880-68289-1 (Continued)

Eurofins Midland

880-132442 was outside the upper control limits.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-131855/2-A) and (LCSD 880-131855/3-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300.0 - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-132112 and analytical batch 880-132125 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: SP1-SURF

Lab Sample ID: 880-68289-1

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:38 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:38 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:38 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:38 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:38 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:38 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 161 | S1+ | 70 - 130 | 02/18/26 15:29 | 02/21/26 00:38 | 1 |
| 1,4-Difluorobenzene (Surr) | 79 | | 70 - 130 | 02/18/26 15:29 | 02/21/26 00:38 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 02/21/26 00:38 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|-----|-------|---|----------|----------------|---------|
| Total TPH | 13400 | | 999 | mg/Kg | | | 02/20/26 07:19 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--------------|-----------|-----|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <999 | U | 999 | mg/Kg | | 02/15/26 19:26 | 02/20/26 07:19 | 20 |
| Diesel Range Organics (Over C10-C28) | 12400 | | 999 | mg/Kg | | 02/15/26 19:26 | 02/20/26 07:19 | 20 |
| Oil Range Organics (Over C28-C36) | 1010 | | 999 | mg/Kg | | 02/15/26 19:26 | 02/20/26 07:19 | 20 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 100 | | 70 - 130 | 02/15/26 19:26 | 02/20/26 07:19 | 20 |
| o-Terphenyl (Surr) | 429 | S1+ | 70 - 130 | 02/15/26 19:26 | 02/20/26 07:19 | 20 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 819 | F1 | 10.1 | mg/Kg | | | 02/17/26 16:22 | 1 |

Client Sample ID: SP1

Lab Sample ID: 880-68289-2

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 2

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00198 | U | 0.00198 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:58 | 1 |
| Toluene | <0.00198 | U | 0.00198 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:58 | 1 |
| Ethylbenzene | <0.00198 | U | 0.00198 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:58 | 1 |
| m,p-Xylenes | <0.00396 | U | 0.00396 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:58 | 1 |
| o-Xylene | <0.00198 | U | 0.00198 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:58 | 1 |
| Xylenes, Total | <0.00396 | U | 0.00396 | mg/Kg | | 02/18/26 15:29 | 02/21/26 00:58 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: SP1

Lab Sample ID: 880-68289-2

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 2

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 198 | S1+ | 70 - 130 | 02/18/26 15:29 | 02/21/26 00:58 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | 02/18/26 15:29 | 02/21/26 00:58 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00396 | U | 0.00396 | mg/Kg | | | 02/21/26 00:58 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 02/20/26 10:15 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U ** | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 10:15 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 10:15 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 10:15 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 113 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 10:15 | 1 |
| o-Terphenyl (Surr) | 117 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 10:15 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 24.1 | | 10.0 | mg/Kg | | | 02/17/26 16:37 | 1 |

Client Sample ID: SP2-SURF

Lab Sample ID: 880-68289-3

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|---------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | 0.00216 | | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:23 | 1 |
| Toluene | 0.0655 | F1 | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:23 | 1 |
| Ethylbenzene | 0.0413 | F1 | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:23 | 1 |
| m,p-Xylenes | 0.0778 | F1 | 0.00399 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:23 | 1 |
| o-Xylene | 0.0597 | F1 | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:23 | 1 |
| Xylenes, Total | 0.138 | F1 | 0.00399 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:23 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84 | | 70 - 130 | 02/23/26 19:13 | 02/23/26 23:23 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | 02/23/26 19:13 | 02/23/26 23:23 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | 0.246 | | 0.00399 | mg/Kg | | | 02/23/26 23:23 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|-----|-------|---|----------|----------------|---------|
| Total TPH | 35200 | | 999 | mg/Kg | | | 02/20/26 11:00 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: SP2-SURF

Lab Sample ID: 880-68289-3

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <999 | U ** | 999 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:00 | 20 |
| Diesel Range Organics (Over C10-C28) | 30300 | | 999 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:00 | 20 |
| Oil Range Organics (Over C28-C36) | 4930 | | 999 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:00 | 20 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 155 | S1+ | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 11:00 | 20 |
| o-Terphenyl (Surr) | 1234 | S1+ | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 11:00 | 20 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|-------------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 9530 | | 99.6 | mg/Kg | | | 02/17/26 20:28 | 10 |

Client Sample ID: SP2

Lab Sample ID: 880-68289-4

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 2

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|----------------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| o-Xylene | 0.00913 | | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| Xylenes, Total | 0.00913 | | 0.00402 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 105 | | 70 - 130 | | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 02/23/26 19:13 | 02/23/26 23:44 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|----------------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | 0.00913 | | 0.00402 | mg/Kg | | | 02/23/26 23:44 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|------------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | 266 | | 49.9 | mg/Kg | | | 02/20/26 11:16 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U ** | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:16 | 1 |
| Diesel Range Organics (Over C10-C28) | 207 | | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:16 | 1 |
| Oil Range Organics (Over C28-C36) | 58.6 | | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:16 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 102 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 11:16 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: SP2

Lab Sample ID: 880-68289-4

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 2

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| <i>o</i> -Terphenyl (Surr) | 108 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 11:16 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 37.2 | | 10.0 | mg/Kg | | | 02/17/26 20:33 | 1 |

Client Sample ID: HZ1-SURF

Lab Sample ID: 880-68289-5

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:04 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:04 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:04 | 1 |
| m,p-Xylenes | <0.00404 | U | 0.00404 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:04 | 1 |
| <i>o</i> -Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:04 | 1 |
| Xylenes, Total | <0.00404 | U | 0.00404 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:04 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 82 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 00:04 | 1 |
| 1,4-Difluorobenzene (Surr) | 83 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 00:04 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00404 | U | 0.00404 | mg/Kg | | | 02/24/26 00:04 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 02/20/26 11:31 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U * | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:31 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:31 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:31 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 94 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 11:31 | 1 |
| <i>o</i> -Terphenyl (Surr) | 96 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 11:31 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 35.3 | | 10.0 | mg/Kg | | | 02/17/26 20:38 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ1

Lab Sample ID: 880-68289-6

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 00:25 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 02/24/26 00:25 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 02/20/26 11:45 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U* | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:45 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:45 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 11:45 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 100 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 11:45 | 1 |
| o-Terphenyl (Surr) | 99 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 11:45 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 39.6 | | 10.1 | mg/Kg | | | 02/17/26 20:54 | 1 |

Client Sample ID: HZ2-SURF

Lab Sample ID: 880-68289-7

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Benzene | <0.00198 | U | 0.00198 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |
| Toluene | <0.00198 | U | 0.00198 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |
| Ethylbenzene | <0.00198 | U | 0.00198 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |
| m,p-Xylenes | <0.00396 | U | 0.00396 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |
| o-Xylene | <0.00198 | U | 0.00198 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |
| Xylenes, Total | <0.00396 | U | 0.00396 | mg/Kg | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 98 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 00:45 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ2-SURF

Lab Sample ID: 880-68289-7

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 00:45 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00396 | U | 0.00396 | mg/Kg | | | 02/24/26 00:45 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 02/20/26 12:01 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U ** | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:01 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:01 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:01 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 101 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 12:01 | 1 |
| o-Terphenyl (Surr) | 104 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 12:01 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 37.2 | | 10.0 | mg/Kg | | | 02/17/26 20:59 | 1 |

Client Sample ID: HZ2

Lab Sample ID: 880-68289-8

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:06 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:06 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:06 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:06 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:06 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:06 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 01:06 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 01:06 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 02/24/26 01:06 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 02/20/26 12:16 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ2

Lab Sample ID: 880-68289-8

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U ** | 49.8 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:16 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:16 | 1 |
| Oil Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:16 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 103 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 12:16 | 1 |
| o-Terphenyl (Surr) | 109 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 12:16 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 23.8 | | 9.94 | mg/Kg | | | 02/17/26 21:15 | 1 |

Client Sample ID: HZ3-SURF

Lab Sample ID: 880-68289-9

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| o-Xylene | <0.00201 | U | 0.00201 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 100 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |
| 1,4-Difluorobenzene (Surr) | 93 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 01:26 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00402 | U | 0.00402 | mg/Kg | | | 02/24/26 01:26 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 02/20/26 12:32 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U ** | 49.8 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:32 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:32 | 1 |
| Oil Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:32 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 108 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 12:32 | 1 |
| o-Terphenyl (Surr) | 109 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 12:32 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ3-SURF

Lab Sample ID: 880-68289-9

Date Collected: 02/13/26 00:00
 Date Received: 02/13/26 16:03
 Sample Depth: SURF

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 42.0 | | 9.96 | mg/Kg | | | 02/17/26 21:20 | 1 |

Client Sample ID: HZ3

Lab Sample ID: 880-68289-10

Date Collected: 02/13/26 00:00
 Date Received: 02/13/26 16:03
 Sample Depth: 1

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| m,p-Xylenes | <0.00404 | U | 0.00404 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| Xylenes, Total | <0.00404 | U | 0.00404 | mg/Kg | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |
| 1,4-Difluorobenzene (Surr) | 89 | | 70 - 130 | | | 02/23/26 19:13 | 02/24/26 01:47 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00404 | U | 0.00404 | mg/Kg | | | 02/24/26 01:47 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 02/20/26 12:47 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U ** | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:47 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:47 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 12:47 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 102 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 12:47 | 1 |
| o-Terphenyl (Surr) | 104 | | 70 - 130 | | | 02/15/26 19:33 | 02/20/26 12:47 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 37.3 | | 9.98 | mg/Kg | | | 02/17/26 21:25 | 1 |

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ4-SURF

Lab Sample ID: 880-68289-11

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: SURF

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:07 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:07 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:07 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:07 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:07 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:07 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 108 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 02:07 | 1 |
| 1,4-Difluorobenzene (Surr) | 93 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 02:07 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 02/24/26 02:07 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.2 | U | 50.2 | mg/Kg | | | 02/20/26 13:01 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.2 | U* | 50.2 | mg/Kg | | 02/15/26 19:33 | 02/20/26 13:01 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.2 | U | 50.2 | mg/Kg | | 02/15/26 19:33 | 02/20/26 13:01 | 1 |
| Oil Range Organics (Over C28-C36) | <50.2 | U | 50.2 | mg/Kg | | 02/15/26 19:33 | 02/20/26 13:01 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 105 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 13:01 | 1 |
| o-Terphenyl (Surr) | 108 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 13:01 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 33.1 | | 10.0 | mg/Kg | | | 02/17/26 21:30 | 1 |

Client Sample ID: HZ4

Lab Sample ID: 880-68289-12

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:28 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:28 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:28 | 1 |
| m,p-Xylenes | <0.00401 | U | 0.00401 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:28 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:28 | 1 |
| Xylenes, Total | <0.00401 | U | 0.00401 | mg/Kg | | 02/23/26 19:13 | 02/24/26 02:28 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 101 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 02:28 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ4

Lab Sample ID: 880-68289-12

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 91 | | 70 - 130 | 02/23/26 19:13 | 02/24/26 02:28 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00401 | U | 0.00401 | mg/Kg | | | 02/24/26 02:28 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 02/20/26 13:33 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U ** | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 13:33 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 13:33 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 02/15/26 19:33 | 02/20/26 13:33 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 108 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 13:33 | 1 |
| o-Terphenyl (Surr) | 110 | | 70 - 130 | 02/15/26 19:33 | 02/20/26 13:33 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 28.4 | | 9.90 | mg/Kg | | | 02/17/26 21:36 | 1 |

Surrogate Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------|------------------------|--|-------------------|
| | | BFB1 (70-130) | DFBZ1 (70-130) |
| 880-67886-A-21-E MB | Method Blank | 99 | 98 |
| 880-67886-A-23-A MB | Method Blank | 147 S1+ | 87 |
| 880-68289-1 | SP1-SURF | 161 S1+ | 79 |
| 880-68289-2 | SP1 | 198 S1+ | 101 |
| 880-68289-3 | SP2-SURF | 84 | 95 |
| 880-68289-3 MS | SP2-SURF | 104 | 91 |
| 880-68289-3 MSD | SP2-SURF | 116 | 93 |
| 880-68289-4 | SP2 | 105 | 95 |
| 880-68289-5 | HZ1-SURF | 82 | 83 |
| 880-68289-6 | HZ1 | 99 | 95 |
| 880-68289-7 | HZ2-SURF | 98 | 100 |
| 880-68289-8 | HZ2 | 99 | 95 |
| 880-68289-9 | HZ3-SURF | 100 | 93 |
| 880-68289-10 | HZ3 | 103 | 89 |
| 880-68289-11 | HZ4-SURF | 108 | 93 |
| 880-68289-12 | HZ4 | 101 | 91 |
| LCS 880-132276/1-A | Lab Control Sample | 161 S1+ | 102 |
| LCS 880-132776/1-A | Lab Control Sample | 99 | 96 |
| LCSD 880-132276/2-A | Lab Control Sample Dup | 151 S1+ | 79 |
| LCSD 880-132776/2-A | Lab Control Sample Dup | 107 | 94 |
| MB 880-132276/5-A | Method Blank | 202 S1+ | 108 |
| MB 880-132776/5-A | Method Blank | 97 | 94 |

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------|------------------------|--|-------------------|
| | | 1CO1 (70-130) | OTPH1 (70-130) |
| 880-68289-1 | SP1-SURF | 100 | 429 S1+ |
| 880-68289-2 | SP1 | 113 | 117 |
| 880-68289-2 MS | SP1 | 106 | 108 |
| 880-68289-2 MSD | SP1 | 107 | 108 |
| 880-68289-3 | SP2-SURF | 155 S1+ | 1234 S1+ |
| 880-68289-4 | SP2 | 102 | 108 |
| 880-68289-5 | HZ1-SURF | 94 | 96 |
| 880-68289-6 | HZ1 | 100 | 99 |
| 880-68289-7 | HZ2-SURF | 101 | 104 |
| 880-68289-8 | HZ2 | 103 | 109 |
| 880-68289-9 | HZ3-SURF | 108 | 109 |
| 880-68289-10 | HZ3 | 102 | 104 |
| 880-68289-11 | HZ4-SURF | 105 | 108 |
| 880-68289-12 | HZ4 | 108 | 110 |
| LCS 880-131854/2-A | Lab Control Sample | 105 | 111 |
| LCS 880-131855/2-A | Lab Control Sample | 170 S1+ | 134 S1+ |
| LCSD 880-131854/3-A | Lab Control Sample Dup | 96 | 102 |

Eurofins Midland

Surrogate Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | 1CO1 (70-130) | OTPH1 (70-130) |
|---------------------|------------------------|------------------|-------------------|
| LCSD 880-131855/3-A | Lab Control Sample Dup | 158 S1+ | 131 S1+ |
| MB 880-131854/1-A | Method Blank | 107 | 114 |
| MB 880-131855/1-A | Method Blank | 140 S1+ | 141 S1+ |

Surrogate Legend

1CO = 1-Chlorooctane (Surr)

OTPH = o-Terphenyl (Surr)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-132276/5-A
 Matrix: Solid
 Analysis Batch: 132434

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 132276

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|--------------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/18/26 15:29 | 02/20/26 21:32 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 02/18/26 15:29 | 02/20/26 21:32 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/18/26 15:29 | 02/20/26 21:32 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 02/18/26 15:29 | 02/20/26 21:32 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 02/18/26 15:29 | 02/20/26 21:32 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 02/18/26 15:29 | 02/20/26 21:32 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 202 | S1+ | 70 - 130 | 02/18/26 15:29 | 02/20/26 21:32 | 1 |
| 1,4-Difluorobenzene (Surr) | 108 | | 70 - 130 | 02/18/26 15:29 | 02/20/26 21:32 | 1 |

Lab Sample ID: LCS 880-132276/1-A
 Matrix: Solid
 Analysis Batch: 132434

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 132276

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------|-------------|------------|---------------|-------|---|------|-------------|
| Benzene | 0.100 | 0.1120 | | mg/Kg | | 112 | 70 - 130 |
| Toluene | 0.100 | 0.1043 | | mg/Kg | | 104 | 70 - 130 |
| Ethylbenzene | 0.100 | 0.09893 | | mg/Kg | | 99 | 70 - 130 |
| m,p-Xylenes | 0.200 | 0.2105 | | mg/Kg | | 105 | 70 - 130 |
| o-Xylene | 0.100 | 0.1146 | | mg/Kg | | 115 | 70 - 130 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 161 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 102 | | 70 - 130 |

Lab Sample ID: LCSD 880-132276/2-A
 Matrix: Solid
 Analysis Batch: 132434

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 132276

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Benzene | 0.100 | 0.09521 | | mg/Kg | | 95 | 70 - 130 | 16 | 35 |
| Toluene | 0.100 | 0.09543 | | mg/Kg | | 95 | 70 - 130 | 9 | 35 |
| Ethylbenzene | 0.100 | 0.09159 | | mg/Kg | | 92 | 70 - 130 | 8 | 35 |
| m,p-Xylenes | 0.200 | 0.1974 | | mg/Kg | | 99 | 70 - 130 | 6 | 35 |
| o-Xylene | 0.100 | 0.1064 | | mg/Kg | | 106 | 70 - 130 | 7 | 35 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-----------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr) | 151 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 79 | | 70 - 130 |

Lab Sample ID: 880-67886-A-23-A MB
 Matrix: Solid
 Analysis Batch: 132434

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 132457

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-67886-A-23-A MB
Matrix: Solid
Analysis Batch: 132434

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 132457

| Analyte | MB | MB | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 147 | S1+ | 70 - 130 | | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |
| 1,4-Difluorobenzene (Surr) | 87 | | 70 - 130 | | | 02/20/26 09:13 | 02/20/26 15:35 | 1 |

Lab Sample ID: 880-67886-A-21-E MB
Matrix: Solid
Analysis Batch: 132652

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 132672

| Analyte | MB | MB | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | |
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |
| 1,4-Difluorobenzene (Surr) | 98 | | 70 - 130 | | | 02/23/26 10:11 | 02/23/26 19:48 | 1 |

Lab Sample ID: MB 880-132776/5-A
Matrix: Solid
Analysis Batch: 132652

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 132776

| Analyte | MB | MB | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | |
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97 | | 70 - 130 | | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |
| 1,4-Difluorobenzene (Surr) | 94 | | 70 - 130 | | | 02/23/26 19:13 | 02/23/26 23:01 | 1 |

Lab Sample ID: LCS 880-132776/1-A
Matrix: Solid
Analysis Batch: 132652

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 132776

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|-------------|------------|---------------|-------|---|------|-------------|
| | | | | | | | |
| Toluene | 0.100 | 0.09868 | | mg/Kg | | 99 | 70 - 130 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-132776/1-A

Matrix: Solid

Analysis Batch: 132652

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 132776

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------|-------------|------------|---------------|-------|---|------|-------------|
| Ethylbenzene | 0.100 | 0.08910 | | mg/Kg | | 89 | 70 - 130 |
| m,p-Xylenes | 0.200 | 0.1821 | | mg/Kg | | 91 | 70 - 130 |
| o-Xylene | 0.100 | 0.08989 | | mg/Kg | | 90 | 70 - 130 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 96 | | 70 - 130 |

Lab Sample ID: LCSD 880-132776/2-A

Matrix: Solid

Analysis Batch: 132652

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 132776

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | Limit |
|--------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-------|
| Benzene | 0.100 | 0.08536 | | mg/Kg | | 85 | 70 - 130 | 3 | 35 |
| Toluene | 0.100 | 0.1026 | | mg/Kg | | 103 | 70 - 130 | 4 | 35 |
| Ethylbenzene | 0.100 | 0.09382 | | mg/Kg | | 94 | 70 - 130 | 5 | 35 |
| m,p-Xylenes | 0.200 | 0.1958 | | mg/Kg | | 98 | 70 - 130 | 7 | 35 |
| o-Xylene | 0.100 | 0.09646 | | mg/Kg | | 96 | 70 - 130 | 7 | 35 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-----------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr) | 107 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 94 | | 70 - 130 |

Lab Sample ID: 880-68289-3 MS

Matrix: Solid

Analysis Batch: 132652

Client Sample ID: SP2-SURF

Prep Type: Total/NA

Prep Batch: 132776

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Benzene | 0.00216 | | 0.100 | 0.08353 | | mg/Kg | | 81 | 70 - 130 |
| Toluene | 0.0655 | F1 | 0.100 | 0.1022 | F1 | mg/Kg | | 37 | 70 - 130 |
| Ethylbenzene | 0.0413 | F1 | 0.100 | 0.09418 | F1 | mg/Kg | | 53 | 70 - 130 |
| m,p-Xylenes | 0.0778 | F1 | 0.200 | 0.1954 | F1 | mg/Kg | | 59 | 70 - 130 |
| o-Xylene | 0.0597 | F1 | 0.100 | 0.09549 | F1 | mg/Kg | | 36 | 70 - 130 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-----------------------------|--------------|--------------|----------|
| 4-Bromofluorobenzene (Surr) | 104 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 91 | | 70 - 130 |

Lab Sample ID: 880-68289-3 MSD

Matrix: Solid

Analysis Batch: 132652

Client Sample ID: SP2-SURF

Prep Type: Total/NA

Prep Batch: 132776

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-------|
| Benzene | 0.00216 | | 0.100 | 0.08659 | | mg/Kg | | 84 | 70 - 130 | 4 | 35 |
| Toluene | 0.0655 | F1 | 0.100 | 0.1083 | F1 | mg/Kg | | 43 | 70 - 130 | 6 | 35 |
| Ethylbenzene | 0.0413 | F1 | 0.100 | 0.1029 | F1 | mg/Kg | | 62 | 70 - 130 | 9 | 35 |
| m,p-Xylenes | 0.0778 | F1 | 0.200 | 0.2140 | F1 | mg/Kg | | 68 | 70 - 130 | 9 | 35 |
| o-Xylene | 0.0597 | F1 | 0.100 | 0.1047 | F1 | mg/Kg | | 45 | 70 - 130 | 9 | 35 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate | MSD | | Limits |
|-----------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 4-Bromofluorobenzene (Surr) | 116 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 93 | | 70 - 130 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-131854/1-A
 Matrix: Solid
 Analysis Batch: 132360

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 131854

| Analyte | MB MB | | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:25 | 02/20/26 01:00 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:25 | 02/20/26 01:00 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:25 | 02/20/26 01:00 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 1-Chlorooctane (Surr) | 107 | | 70 - 130 | 02/15/26 19:25 | 02/20/26 01:00 | 1 |
| o-Terphenyl (Surr) | 114 | | 70 - 130 | 02/15/26 19:25 | 02/20/26 01:00 | 1 |

Lab Sample ID: LCS 880-131854/2-A
 Matrix: Solid
 Analysis Batch: 132360

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 131854

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------------------|-------------|------------|---------------|-------|---|------|-------------|
| | | | | | | | |
| Diesel Range Organics (Over C10-C28) | 1000 | 1045 | | mg/Kg | | 104 | 70 - 130 |

| Surrogate | LCS LCS | | Limits |
|-----------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1-Chlorooctane (Surr) | 105 | | 70 - 130 |
| o-Terphenyl (Surr) | 111 | | 70 - 130 |

Lab Sample ID: LCSD 880-131854/3-A
 Matrix: Solid
 Analysis Batch: 132360

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 131854

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | |
|--------------------------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-------|
| | | | | | | | | RPD | Limit |
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 973.8 | | mg/Kg | | 97 | 70 - 130 | 10 | 20 |
| Diesel Range Organics (Over C10-C28) | 1000 | 971.9 | | mg/Kg | | 97 | 70 - 130 | 7 | 20 |

| Surrogate | LCSD LCSD | | Limits |
|-----------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1-Chlorooctane (Surr) | 96 | | 70 - 130 |
| o-Terphenyl (Surr) | 102 | | 70 - 130 |

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-131855/1-A
 Matrix: Solid
 Analysis Batch: 132442

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 131855

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-----------|--------------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 07:49 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 07:49 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 02/15/26 19:33 | 02/20/26 07:49 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|--------------|--------------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 140 | S1+ | 70 - 130 | 02/15/26 19:33 | 02/20/26 07:49 | 1 |
| o-Terphenyl (Surr) | 141 | S1+ | 70 - 130 | 02/15/26 19:33 | 02/20/26 07:49 | 1 |

Lab Sample ID: LCS 880-131855/2-A
 Matrix: Solid
 Analysis Batch: 132442

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 131855

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------------------|-------------|------------|---------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 1319 | *+ | mg/Kg | | 132 | 70 - 130 |
| Diesel Range Organics (Over C10-C28) | 1000 | 1020 | | mg/Kg | | 102 | 70 - 130 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------|---------------|---------------|----------|
| 1-Chlorooctane (Surr) | 170 | S1+ | 70 - 130 |
| o-Terphenyl (Surr) | 134 | S1+ | 70 - 130 |

Lab Sample ID: LCSD 880-131855/3-A
 Matrix: Solid
 Analysis Batch: 132442

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 131855

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 1221 | | mg/Kg | | 122 | 70 - 130 | 8 | 20 |
| Diesel Range Organics (Over C10-C28) | 1000 | 974.6 | | mg/Kg | | 97 | 70 - 130 | 5 | 20 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-----------------------|----------------|----------------|----------|
| 1-Chlorooctane (Surr) | 158 | S1+ | 70 - 130 |
| o-Terphenyl (Surr) | 131 | S1+ | 70 - 130 |

Lab Sample ID: 880-68289-2 MS
 Matrix: Solid
 Analysis Batch: 132442

Client Sample ID: SP1
 Prep Type: Total/NA
 Prep Batch: 131855

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U *+ | 997 | 1182 | | mg/Kg | | 119 | 70 - 130 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 997 | 1021 | | mg/Kg | | 101 | 70 - 130 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-68289-2 MS
 Matrix: Solid
 Analysis Batch: 132442

Client Sample ID: SP1
 Prep Type: Total/NA
 Prep Batch: 131855

| Surrogate | %Recovery | MS MS Qualifier | Limits |
|-----------------------|-----------|--------------------|----------|
| 1-Chlorooctane (Surr) | 106 | | 70 - 130 |
| o-Terphenyl (Surr) | 108 | | 70 - 130 |

Lab Sample ID: 880-68289-2 MSD
 Matrix: Solid
 Analysis Batch: 132442

Client Sample ID: SP1
 Prep Type: Total/NA
 Prep Batch: 131855

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD | | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------------------|---------------|------------------|-------------|--------|-----------|-------|---|------|-------------|-----|-----------|
| | | | | Result | Qualifier | | | | | | |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U ** | 997 | 1187 | | mg/Kg | | 119 | 70 - 130 | 0 | 20 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 997 | 1022 | | mg/Kg | | 101 | 70 - 130 | 0 | 20 |

| Surrogate | %Recovery | MSD MSD Qualifier | Limits |
|-----------------------|-----------|----------------------|----------|
| 1-Chlorooctane (Surr) | 107 | | 70 - 130 |
| o-Terphenyl (Surr) | 108 | | 70 - 130 |

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-132112/1-A
 Matrix: Solid
 Analysis Batch: 132125

Client Sample ID: Method Blank
 Prep Type: Soluble

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|-------|---|----------|----------------|---------|
| Chloride | <10.0 | U | 10.0 | mg/Kg | | | 02/17/26 16:06 | 1 |

Lab Sample ID: LCS 880-132112/2-A
 Matrix: Solid
 Analysis Batch: 132125

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|-------|---|------|-------------|
| Chloride | 250 | 227.3 | | mg/Kg | | 91 | 90 - 110 |

Lab Sample ID: LCSD 880-132112/3-A
 Matrix: Solid
 Analysis Batch: 132125

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Chloride | 250 | 226.9 | | mg/Kg | | 91 | 90 - 110 | 0 | 20 |

Lab Sample ID: 880-68289-1 MS
 Matrix: Solid
 Analysis Batch: 132125

Client Sample ID: SP1-SURF
 Prep Type: Soluble

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Chloride | 819 | F1 | 252 | 1027 | F1 | mg/Kg | | 83 | 90 - 110 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-68289-1 MSD
Matrix: Solid
Analysis Batch: 132125

Client Sample ID: SP1-SURF
Prep Type: Soluble

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 819 | F1 | 252 | 1026 | F1 | mg/Kg | | 82 | 90 - 110 | 0 | 20 |

Lab Sample ID: MB 880-132116/1-A
Matrix: Solid
Analysis Batch: 132127

Client Sample ID: Method Blank
Prep Type: Soluble

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|-------|---|----------|----------------|---------|
| Chloride | <10.0 | U | 10.0 | mg/Kg | | | 02/17/26 19:09 | 1 |

Lab Sample ID: LCS 880-132116/2-A
Matrix: Solid
Analysis Batch: 132127

Client Sample ID: Lab Control Sample
Prep Type: Soluble

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|-------|---|------|-------------|
| Chloride | 250 | 228.5 | | mg/Kg | | 91 | 90 - 110 |

Lab Sample ID: LCSD 880-132116/3-A
Matrix: Solid
Analysis Batch: 132127

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|-------|---|------|-------------|-----|-----------|
| Chloride | 250 | 228.7 | | mg/Kg | | 91 | 90 - 110 | 0 | 20 |

Lab Sample ID: 880-68289-5 MS
Matrix: Solid
Analysis Batch: 132127

Client Sample ID: HZ1-SURF
Prep Type: Soluble

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Chloride | 35.3 | | 251 | 279.1 | | mg/Kg | | 97 | 90 - 110 |

Lab Sample ID: 880-68289-5 MSD
Matrix: Solid
Analysis Batch: 132127

Client Sample ID: HZ1-SURF
Prep Type: Soluble

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 35.3 | | 251 | 274.0 | | mg/Kg | | 95 | 90 - 110 | 2 | 20 |

QC Association Summary

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

GC VOA

Prep Batch: 132276

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-68289-1 | SP1-SURF | Total/NA | Solid | 5035 | |
| 880-68289-2 | SP1 | Total/NA | Solid | 5035 | |
| MB 880-132276/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-132276/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-132276/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |

Analysis Batch: 132434

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-68289-1 | SP1-SURF | Total/NA | Solid | 8021B | 132276 |
| 880-68289-2 | SP1 | Total/NA | Solid | 8021B | 132276 |
| 880-67886-A-23-A MB | Method Blank | Total/NA | Solid | 8021B | 132457 |
| MB 880-132276/5-A | Method Blank | Total/NA | Solid | 8021B | 132276 |
| LCS 880-132276/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 132276 |
| LCSD 880-132276/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 132276 |

Prep Batch: 132457

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------|-----------|--------|--------|------------|
| 880-67886-A-23-A MB | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 132652

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-68289-3 | SP2-SURF | Total/NA | Solid | 8021B | 132776 |
| 880-68289-4 | SP2 | Total/NA | Solid | 8021B | 132776 |
| 880-68289-5 | HZ1-SURF | Total/NA | Solid | 8021B | 132776 |
| 880-68289-6 | HZ1 | Total/NA | Solid | 8021B | 132776 |
| 880-68289-7 | HZ2-SURF | Total/NA | Solid | 8021B | 132776 |
| 880-68289-8 | HZ2 | Total/NA | Solid | 8021B | 132776 |
| 880-68289-9 | HZ3-SURF | Total/NA | Solid | 8021B | 132776 |
| 880-68289-10 | HZ3 | Total/NA | Solid | 8021B | 132776 |
| 880-68289-11 | HZ4-SURF | Total/NA | Solid | 8021B | 132776 |
| 880-68289-12 | HZ4 | Total/NA | Solid | 8021B | 132776 |
| 880-67886-A-21-E MB | Method Blank | Total/NA | Solid | 8021B | 132672 |
| MB 880-132776/5-A | Method Blank | Total/NA | Solid | 8021B | 132776 |
| LCS 880-132776/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 132776 |
| LCSD 880-132776/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 132776 |
| 880-68289-3 MS | SP2-SURF | Total/NA | Solid | 8021B | 132776 |
| 880-68289-3 MSD | SP2-SURF | Total/NA | Solid | 8021B | 132776 |

Prep Batch: 132672

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------|-----------|--------|--------|------------|
| 880-67886-A-21-E MB | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 132768

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|------------|------------|
| 880-68289-1 | SP1-SURF | Total/NA | Solid | Total BTEX | |
| 880-68289-2 | SP1 | Total/NA | Solid | Total BTEX | |
| 880-68289-3 | SP2-SURF | Total/NA | Solid | Total BTEX | |
| 880-68289-4 | SP2 | Total/NA | Solid | Total BTEX | |
| 880-68289-5 | HZ1-SURF | Total/NA | Solid | Total BTEX | |
| 880-68289-6 | HZ1 | Total/NA | Solid | Total BTEX | |
| 880-68289-7 | HZ2-SURF | Total/NA | Solid | Total BTEX | |

Eurofins Midland

QC Association Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

GC VOA (Continued)

Analysis Batch: 132768 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|------------|------------|
| 880-68289-8 | HZ2 | Total/NA | Solid | Total BTEX | |
| 880-68289-9 | HZ3-SURF | Total/NA | Solid | Total BTEX | |
| 880-68289-10 | HZ3 | Total/NA | Solid | Total BTEX | |
| 880-68289-11 | HZ4-SURF | Total/NA | Solid | Total BTEX | |
| 880-68289-12 | HZ4 | Total/NA | Solid | Total BTEX | |

Prep Batch: 132776

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-68289-3 | SP2-SURF | Total/NA | Solid | 5035 | |
| 880-68289-4 | SP2 | Total/NA | Solid | 5035 | |
| 880-68289-5 | HZ1-SURF | Total/NA | Solid | 5035 | |
| 880-68289-6 | HZ1 | Total/NA | Solid | 5035 | |
| 880-68289-7 | HZ2-SURF | Total/NA | Solid | 5035 | |
| 880-68289-8 | HZ2 | Total/NA | Solid | 5035 | |
| 880-68289-9 | HZ3-SURF | Total/NA | Solid | 5035 | |
| 880-68289-10 | HZ3 | Total/NA | Solid | 5035 | |
| 880-68289-11 | HZ4-SURF | Total/NA | Solid | 5035 | |
| 880-68289-12 | HZ4 | Total/NA | Solid | 5035 | |
| MB 880-132776/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-132776/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-132776/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |
| 880-68289-3 MS | SP2-SURF | Total/NA | Solid | 5035 | |
| 880-68289-3 MSD | SP2-SURF | Total/NA | Solid | 5035 | |

GC Semi VOA

Prep Batch: 131854

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|-------------|------------|
| 880-68289-1 | SP1-SURF | Total/NA | Solid | 8015NM Prep | |
| MB 880-131854/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-131854/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-131854/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Prep Batch: 131855

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|-------------|------------|
| 880-68289-2 | SP1 | Total/NA | Solid | 8015NM Prep | |
| 880-68289-3 | SP2-SURF | Total/NA | Solid | 8015NM Prep | |
| 880-68289-4 | SP2 | Total/NA | Solid | 8015NM Prep | |
| 880-68289-5 | HZ1-SURF | Total/NA | Solid | 8015NM Prep | |
| 880-68289-6 | HZ1 | Total/NA | Solid | 8015NM Prep | |
| 880-68289-7 | HZ2-SURF | Total/NA | Solid | 8015NM Prep | |
| 880-68289-8 | HZ2 | Total/NA | Solid | 8015NM Prep | |
| 880-68289-9 | HZ3-SURF | Total/NA | Solid | 8015NM Prep | |
| 880-68289-10 | HZ3 | Total/NA | Solid | 8015NM Prep | |
| 880-68289-11 | HZ4-SURF | Total/NA | Solid | 8015NM Prep | |
| 880-68289-12 | HZ4 | Total/NA | Solid | 8015NM Prep | |
| MB 880-131855/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-131855/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-131855/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |
| 880-68289-2 MS | SP1 | Total/NA | Solid | 8015NM Prep | |
| 880-68289-2 MSD | SP1 | Total/NA | Solid | 8015NM Prep | |

Eurofins Midland

QC Association Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

GC Semi VOA

Analysis Batch: 132360

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-68289-1 | SP1-SURF | Total/NA | Solid | 8015B NM | 131854 |
| MB 880-131854/1-A | Method Blank | Total/NA | Solid | 8015B NM | 131854 |
| LCS 880-131854/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 131854 |
| LCSD 880-131854/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 131854 |

Analysis Batch: 132442

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-68289-2 | SP1 | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-3 | SP2-SURF | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-4 | SP2 | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-5 | HZ1-SURF | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-6 | HZ1 | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-7 | HZ2-SURF | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-8 | HZ2 | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-9 | HZ3-SURF | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-10 | HZ3 | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-11 | HZ4-SURF | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-12 | HZ4 | Total/NA | Solid | 8015B NM | 131855 |
| MB 880-131855/1-A | Method Blank | Total/NA | Solid | 8015B NM | 131855 |
| LCS 880-131855/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 131855 |
| LCSD 880-131855/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-2 MS | SP1 | Total/NA | Solid | 8015B NM | 131855 |
| 880-68289-2 MSD | SP1 | Total/NA | Solid | 8015B NM | 131855 |

Analysis Batch: 132525

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-68289-1 | SP1-SURF | Total/NA | Solid | 8015 NM | |
| 880-68289-2 | SP1 | Total/NA | Solid | 8015 NM | |
| 880-68289-3 | SP2-SURF | Total/NA | Solid | 8015 NM | |
| 880-68289-4 | SP2 | Total/NA | Solid | 8015 NM | |
| 880-68289-5 | HZ1-SURF | Total/NA | Solid | 8015 NM | |
| 880-68289-6 | HZ1 | Total/NA | Solid | 8015 NM | |
| 880-68289-7 | HZ2-SURF | Total/NA | Solid | 8015 NM | |
| 880-68289-8 | HZ2 | Total/NA | Solid | 8015 NM | |
| 880-68289-9 | HZ3-SURF | Total/NA | Solid | 8015 NM | |
| 880-68289-10 | HZ3 | Total/NA | Solid | 8015 NM | |
| 880-68289-11 | HZ4-SURF | Total/NA | Solid | 8015 NM | |
| 880-68289-12 | HZ4 | Total/NA | Solid | 8015 NM | |

HPLC/IC

Leach Batch: 132112

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-68289-1 | SP1-SURF | Soluble | Solid | DI Leach | |
| 880-68289-2 | SP1 | Soluble | Solid | DI Leach | |
| MB 880-132112/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-132112/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-132112/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |
| 880-68289-1 MS | SP1-SURF | Soluble | Solid | DI Leach | |
| 880-68289-1 MSD | SP1-SURF | Soluble | Solid | DI Leach | |

Eurofins Midland

QC Association Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

HPLC/IC

Leach Batch: 132116

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-68289-3 | SP2-SURF | Soluble | Solid | DI Leach | |
| 880-68289-4 | SP2 | Soluble | Solid | DI Leach | |
| 880-68289-5 | HZ1-SURF | Soluble | Solid | DI Leach | |
| 880-68289-6 | HZ1 | Soluble | Solid | DI Leach | |
| 880-68289-7 | HZ2-SURF | Soluble | Solid | DI Leach | |
| 880-68289-8 | HZ2 | Soluble | Solid | DI Leach | |
| 880-68289-9 | HZ3-SURF | Soluble | Solid | DI Leach | |
| 880-68289-10 | HZ3 | Soluble | Solid | DI Leach | |
| 880-68289-11 | HZ4-SURF | Soluble | Solid | DI Leach | |
| 880-68289-12 | HZ4 | Soluble | Solid | DI Leach | |
| MB 880-132116/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-132116/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-132116/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |
| 880-68289-5 MS | HZ1-SURF | Soluble | Solid | DI Leach | |
| 880-68289-5 MSD | HZ1-SURF | Soluble | Solid | DI Leach | |

Analysis Batch: 132125

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-68289-1 | SP1-SURF | Soluble | Solid | 300.0 | 132112 |
| 880-68289-2 | SP1 | Soluble | Solid | 300.0 | 132112 |
| MB 880-132112/1-A | Method Blank | Soluble | Solid | 300.0 | 132112 |
| LCS 880-132112/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 132112 |
| LCSD 880-132112/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 132112 |
| 880-68289-1 MS | SP1-SURF | Soluble | Solid | 300.0 | 132112 |
| 880-68289-1 MSD | SP1-SURF | Soluble | Solid | 300.0 | 132112 |

Analysis Batch: 132127

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-68289-3 | SP2-SURF | Soluble | Solid | 300.0 | 132116 |
| 880-68289-4 | SP2 | Soluble | Solid | 300.0 | 132116 |
| 880-68289-5 | HZ1-SURF | Soluble | Solid | 300.0 | 132116 |
| 880-68289-6 | HZ1 | Soluble | Solid | 300.0 | 132116 |
| 880-68289-7 | HZ2-SURF | Soluble | Solid | 300.0 | 132116 |
| 880-68289-8 | HZ2 | Soluble | Solid | 300.0 | 132116 |
| 880-68289-9 | HZ3-SURF | Soluble | Solid | 300.0 | 132116 |
| 880-68289-10 | HZ3 | Soluble | Solid | 300.0 | 132116 |
| 880-68289-11 | HZ4-SURF | Soluble | Solid | 300.0 | 132116 |
| 880-68289-12 | HZ4 | Soluble | Solid | 300.0 | 132116 |
| MB 880-132116/1-A | Method Blank | Soluble | Solid | 300.0 | 132116 |
| LCS 880-132116/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 132116 |
| LCSD 880-132116/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 132116 |
| 880-68289-5 MS | HZ1-SURF | Soluble | Solid | 300.0 | 132116 |
| 880-68289-5 MSD | HZ1-SURF | Soluble | Solid | 300.0 | 132116 |

Eurofins Midland

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: SP1-SURF

Lab Sample ID: 880-68289-1

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 132276 | 02/18/26 15:29 | AA | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132434 | 02/21/26 00:38 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/21/26 00:38 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 07:19 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 131854 | 02/15/26 19:26 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 20 | 1 uL | 1 uL | 132360 | 02/20/26 07:19 | SA | EET MID |
| Soluble | Leach | DI Leach | | | 4.96 g | 50 mL | 132112 | 02/17/26 12:58 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132125 | 02/17/26 16:22 | CS | EET MID |

Client Sample ID: SP1

Lab Sample ID: 880-68289-2

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.05 g | 5 mL | 132276 | 02/18/26 15:29 | AA | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132434 | 02/21/26 00:58 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/21/26 00:58 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 10:15 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 10:15 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 4.98 g | 50 mL | 132112 | 02/17/26 12:58 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132125 | 02/17/26 16:37 | CS | EET MID |

Client Sample ID: SP2-SURF

Lab Sample ID: 880-68289-3

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/23/26 23:23 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/23/26 23:23 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 11:00 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 20 | 1 uL | 1 uL | 132442 | 02/20/26 11:00 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 10 | | | 132127 | 02/17/26 20:28 | CS | EET MID |

Client Sample ID: SP2

Lab Sample ID: 880-68289-4

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/23/26 23:44 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/23/26 23:44 | SA | EET MID |

Eurofins Midland

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: SP2

Lab Sample ID: 880-68289-4

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 11:16 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 11:16 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.00 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 20:33 | CS | EET MID |

Client Sample ID: HZ1-SURF

Lab Sample ID: 880-68289-5

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.95 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 00:04 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 00:04 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 11:31 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 11:31 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 4.99 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 20:38 | CS | EET MID |

Client Sample ID: HZ1

Lab Sample ID: 880-68289-6

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 00:25 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 00:25 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 11:45 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.03 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 11:45 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 4.97 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 20:54 | CS | EET MID |

Client Sample ID: HZ2-SURF

Lab Sample ID: 880-68289-7

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.05 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 00:45 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 00:45 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 12:01 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 12:01 | FC | EET MID |

Eurofins Midland

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ2-SURF

Lab Sample ID: 880-68289-7

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Soluble | Leach | DI Leach | | | 4.98 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 20:59 | CS | EET MID |

Client Sample ID: HZ2

Lab Sample ID: 880-68289-8

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 01:06 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 01:06 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 12:16 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 12:16 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 21:15 | CS | EET MID |

Client Sample ID: HZ3-SURF

Lab Sample ID: 880-68289-9

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 01:26 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 01:26 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 12:32 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.05 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 12:32 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 21:20 | CS | EET MID |

Client Sample ID: HZ3

Lab Sample ID: 880-68289-10

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.95 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 01:47 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 01:47 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 12:47 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 12:47 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 21:25 | CS | EET MID |

Eurofins Midland

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Client Sample ID: HZ4-SURF

Lab Sample ID: 880-68289-11

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 02:07 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 02:07 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 13:01 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 9.97 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 13:01 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.00 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 21:30 | CS | EET MID |

Client Sample ID: HZ4

Lab Sample ID: 880-68289-12

Date Collected: 02/13/26 00:00

Matrix: Solid

Date Received: 02/13/26 16:03

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.99 g | 5 mL | 132776 | 02/23/26 19:13 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 132652 | 02/24/26 02:28 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 132768 | 02/24/26 02:28 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 132525 | 02/20/26 13:33 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.03 g | 10.00 mL | 131855 | 02/15/26 19:33 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 132442 | 02/20/26 13:33 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 132116 | 02/17/26 13:02 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | | | 132127 | 02/17/26 21:36 | CS | EET MID |

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas | NELAP | T104704400 | 06-30-26 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|------------|
| 8015 NM | | Solid | Total TPH |
| Total BTEX | | Solid | Total BTEX |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

| Method | Method Description | Protocol | Laboratory |
|-------------|------------------------------------|----------|------------|
| 8021B | Volatile Organic Compounds (GC) | SW846 | EET MID |
| Total BTEX | Total BTEX Calculation | TAL SOP | EET MID |
| 8015 NM | Diesel Range Organics (DRO) (GC) | SW846 | EET MID |
| 8015B NM | Diesel Range Organics (DRO) (GC) | SW846 | EET MID |
| 300.0 | Anions, Ion Chromatography | EPA | EET MID |
| 5035 | Closed System Purge and Trap | SW846 | EET MID |
| 8015NM Prep | Microextraction | SW846 | EET MID |
| DI Leach | Deionized Water Leaching Procedure | ASTM | EET MID |

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440




Sample Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-68289-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Depth |
|---------------|------------------|--------|----------------|----------------|-------|
| 880-68289-1 | SP1-SURF | Solid | 02/13/26 00:00 | 02/13/26 16:03 | SURF |
| 880-68289-2 | SP1 | Solid | 02/13/26 00:00 | 02/13/26 16:03 | 2 |
| 880-68289-3 | SP2-SURF | Solid | 02/13/26 00:00 | 02/13/26 16:03 | SURF |
| 880-68289-4 | SP2 | Solid | 02/13/26 00:00 | 02/13/26 16:03 | 2 |
| 880-68289-5 | HZ1-SURF | Solid | 02/13/26 00:00 | 02/13/26 16:03 | SURF |
| 880-68289-6 | HZ1 | Solid | 02/13/26 00:00 | 02/13/26 16:03 | 1 |
| 880-68289-7 | HZ2-SURF | Solid | 02/13/26 00:00 | 02/13/26 16:03 | SURF |
| 880-68289-8 | HZ2 | Solid | 02/13/26 00:00 | 02/13/26 16:03 | 1 |
| 880-68289-9 | HZ3-SURF | Solid | 02/13/26 00:00 | 02/13/26 16:03 | SURF |
| 880-68289-10 | HZ3 | Solid | 02/13/26 00:00 | 02/13/26 16:03 | 1 |
| 880-68289-11 | HZ4-SURF | Solid | 02/13/26 00:00 | 02/13/26 16:03 | SURF |
| 880-68289-12 | HZ4 | Solid | 02/13/26 00:00 | 02/13/26 16:03 | 1 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing
Xenoco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Chain of Custody

Work Order No: _____

www.xenoco.com

Page 2 of 2

| | | | |
|------------------|----------------------|-------------------------|---|
| Project Manager: | Daniel Dominguez | Bill to: (if different) | Jim Raley |
| Company Name: | Hungry Horse LLC | Company Name: | Devon Energy Production Company, LP |
| Address: | 4024 Plains Hwy | Address: | 333 West Sheridan Ave. |
| City, State ZIP: | Loveington, NM 88260 | City, State ZIP: | Oklahoma City |
| Phone: | 575 393-3386 | Email: | jim.raley@dvn.com and pm@hungry-horse.com |

| | |
|--|--|
| Program: UST/PST <input type="checkbox"/> PRR <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/> | |
| State of Project: | |
| Reporting Level: I <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/> | |
| Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: _____ | |

| | | | | | | | | | | | | | | | | |
|--------------------------|--|---|------------|---|----------------------------|--|--|--|--|--|--|--|--|--|--|--------------------|
| Project Name: | Thistle Unit 99H | Turn Around | Pres. Code | ANALYSIS REQUEST | | | | | | | | | | | | Preservative Codes |
| Project Number: | | <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush | | None: NO | DI Water: H ₂ O | | | | | | | | | | | |
| Project Location: | Jerry Heidelberg | Due Date: | | Cool: Cool | MeOH: Me | | | | | | | | | | | |
| Sampler's Name: | Jerry Heidelberg | TAT starts the day received by the lab, if received by 4:30pm | | HCL: HC | HNO ₃ : HN | | | | | | | | | | | |
| PO #: | | | | H ₂ SO ₄ : H ₂ | NaOH: Na | | | | | | | | | | | |
| SAMPLE RECEIPT | Temp Blank: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Wet Ice: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | H ₃ PO ₄ : HP | | | | | | | | | | | | |
| Samples Received Intact: | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Thermometer ID: TR5 | | NaHSO ₄ : NABIS | | | | | | | | | | | | |
| Cooler Custody Seals: | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Correction Factor: 1.1 | | Na ₂ S ₂ O ₅ : NASO ₅ | | | | | | | | | | | | |
| Sample Custody Seals: | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Temperature Reading: 4.8 | | Zn Acetate+NaOH: Zn | | | | | | | | | | | | |
| Total Containers: | | Corrected Temperature: 4.8 | | NaOH+Ascorbic Acid: SACP | | | | | | | | | | | | |

| Sample Identification | Matrix | Date Sampled | Time Sampled | Depth | Grab/Comp | # of Cont | CHLORIDE | BTEX | PH | | | | | | | | | | | | | Sample Comments |
|-----------------------|--------|--------------|--------------|-------|-----------|-----------|----------|------|----|--|--|--|--|--|--|--|--|--|--|--|--|-----------------|
| HZ4 | S | 2/13/26 | | Surf | Grab/ | 1 | X | X | X | | | | | | | | | | | | | |
| HZ4 | S | 2/13/26 | | 1 | Grab/ | 1 | X | X | X | | | | | | | | | | | | | |

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
 Circle Method(s) and Metals(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenoco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenoco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenoco. A minimum charge of \$85.00 will be applied to each project and a charge of \$45 for each sample submitted to Eurofins Xenoco, but not analyzed. These terms will be enforced unless previously negotiated.

| | | | | | |
|------------------------------|--------------------------|--------------|------------------------------|--------------------------|-----------|
| Relinquished by: (Signature) | Received by: (Signature) | Date/Time | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
| <i>Jerry Heidelberg</i> | <i>[Signature]</i> | 2/13/26 1603 | | | |

Login Sample Receipt Checklist

Client: Hungry Horse LLC

Job Number: 880-68289-1

Login Number: 68289

List Source: Eurofins Midland

List Number: 1

Creator: Juarez, Leticia

| Question | Answer | Comment |
|--|--------|---------|
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Daniel Dominguez
 Hungry Horse LLC
 PO BOX 1058
 Hobbs, New Mexico 88241

Generated 4/22/2026 5:08:03 PM

JOB DESCRIPTION

Thistle Unit 99H
 NAPP2600634507

JOB NUMBER

880-71163-1

Eurofins Midland
 1211 W. Florida Ave
 Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/22/2026 5:08:03 PM

Authorized for release by
Holly Taylor, Project Manager
Holly.Taylor@et.eurofinsus.com
(806)794-1296

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Laboratory Job ID: 880-71163-1
SDG: NAPP2600634507

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 6 |
| Surrogate Summary | 17 |
| QC Sample Results | 18 |
| QC Association Summary | 22 |
| Lab Chronicle | 26 |
| Certification Summary | 30 |
| Method Summary | 31 |
| Sample Summary | 32 |
| Chain of Custody | 33 |
| Receipt Checklists | 35 |

Definitions/Glossary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

Qualifiers

GC VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| F2 | MS/MSD RPD exceeds control limits |
| S1+ | Surrogate recovery exceeds control limits, high biased. |
| U | Indicates the analyte was analyzed for but not detected. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| S1- | Surrogate recovery exceeds control limits, low biased. |
| U | Indicates the analyte was analyzed for but not detected. |

HPLC/IC

| Qualifier | Qualifier Description |
|-----------|--|
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ☼ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Hungry Horse LLC
Project: Thistle Unit 99H

Job ID: 880-71163-1

Job ID: 880-71163-1

Eurofins Midland

Job Narrative 880-71163-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/20/2026 3:59 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.5°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: FL1 (880-71163-1), FL2 (880-71163-2), FL3 (880-71163-3), FL4 (880-71163-4), FL5 (880-71163-5), FL6 (880-71163-6), FL7 (880-71163-7), FL8 (880-71163-8), FL9 (880-71163-9), SW1 (880-71163-10), SW2 (880-71163-11), SW3 (880-71163-12) and SW4 (880-71163-13).

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-138488 and analytical batch 880-138570 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: (LCS 880-138488/1-A) and (LCSD 880-138488/2-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-138380/2-A) and (LCSD 880-138380/3-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL1

Lab Sample ID: 880-71163-1

Date Collected: 04/20/26 11:10

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U F2 F1 | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:38 | 1 |
| Toluene | <0.00200 | U F2 F1 | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:38 | 1 |
| Ethylbenzene | <0.00200 | U F2 F1 | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:38 | 1 |
| m,p-Xylenes | <0.00399 | U F2 F1 | 0.00399 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:38 | 1 |
| o-Xylene | <0.00200 | U F2 F1 | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:38 | 1 |
| Xylenes, Total | <0.00399 | U F2 F1 | 0.00399 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:38 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 98 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 11:38 | 1 |
| 1,4-Difluorobenzene (Surr) | 86 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 11:38 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 04/22/26 11:38 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 04/22/26 02:57 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 02:57 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 02:57 | 1 |
| Oil Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 02:57 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 106 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 02:57 | 1 |
| o-Terphenyl (Surr) | 104 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 02:57 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 11.6 | | 9.96 | mg/Kg | | | 04/21/26 15:29 | 1 |

Client Sample ID: FL2

Lab Sample ID: 880-71163-2

Date Collected: 04/20/26 11:11

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:59 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:59 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:59 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:59 | 1 |
| o-Xylene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:59 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:59 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 113 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 11:59 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL2

Lab Sample ID: 880-71163-2

Date Collected: 04/20/26 11:11

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 2.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 11:59 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00402 | U | 0.00402 | mg/Kg | | | 04/22/26 11:59 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 04/22/26 03:12 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:12 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:12 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:12 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 109 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 03:12 | 1 |
| o-Terphenyl (Surr) | 108 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 03:12 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 15.4 | | 9.92 | mg/Kg | | | 04/21/26 15:34 | 1 |

Client Sample ID: FL3

Lab Sample ID: 880-71163-3

Date Collected: 04/20/26 11:12

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:19 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:19 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:19 | 1 |
| m,p-Xylenes | <0.00404 | U | 0.00404 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:19 | 1 |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:19 | 1 |
| Xylenes, Total | <0.00404 | U | 0.00404 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:19 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 123 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 12:19 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 12:19 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00404 | U | 0.00404 | mg/Kg | | | 04/22/26 12:19 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/22/26 03:28 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL3

Lab Sample ID: 880-71163-3

Date Collected: 04/20/26 11:12

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:28 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:28 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:28 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 98 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 03:28 | 1 |
| o-Terphenyl (Surr) | 95 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 03:28 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 153 | | 9.98 | mg/Kg | | | 04/21/26 15:39 | 1 |

Client Sample ID: FL4

Lab Sample ID: 880-71163-4

Date Collected: 04/20/26 11:13

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:40 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:40 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:40 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:40 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:40 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 04/21/26 14:27 | 04/22/26 12:40 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 12:40 | 1 |
| 1,4-Difluorobenzene (Surr) | 83 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 12:40 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 04/22/26 12:40 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 04/22/26 03:43 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:43 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:43 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 03:43 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 103 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 03:43 | 1 |
| o-Terphenyl (Surr) | 103 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 03:43 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL4

Lab Sample ID: 880-71163-4

Date Collected: 04/20/26 11:13
 Date Received: 04/20/26 15:59
 Sample Depth: 0.5

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 37.4 | | 10.0 | mg/Kg | | | 04/21/26 15:43 | 1 |

Client Sample ID: FL5

Lab Sample ID: 880-71163-5

Date Collected: 04/20/26 11:14
 Date Received: 04/20/26 15:59
 Sample Depth: 0.5

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 111 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |
| 1,4-Difluorobenzene (Surr) | 102 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 13:00 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00400 | U | 0.00400 | mg/Kg | | | 04/22/26 13:00 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/22/26 04:13 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:13 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:13 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:13 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 107 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 04:13 | 1 |
| o-Terphenyl (Surr) | 105 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 04:13 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 34.3 | | 10.0 | mg/Kg | | | 04/21/26 15:48 | 1 |

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL6

Lab Sample ID: 880-71163-6

Date Collected: 04/20/26 11:15

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 118 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 13:21 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 04/22/26 13:21 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 04/22/26 04:29 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:29 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:29 | 1 |
| Oil Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 101 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 04:29 | 1 |
| o-Terphenyl (Surr) | 100 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 04:29 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 254 | | 10.0 | mg/Kg | | | 04/21/26 16:03 | 1 |

Client Sample ID: FL7

Lab Sample ID: 880-71163-7

Date Collected: 04/20/26 11:16

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |
| o-Xylene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 112 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 13:41 | 1 |

Euofins Midland

Client Sample Results

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

Client Sample ID: FL7

Lab Sample ID: 880-71163-7

Date Collected: 04/20/26 11:16

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 98 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 13:41 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00402 | U | 0.00402 | mg/Kg | | | 04/22/26 13:41 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 04/22/26 04:44 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:44 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:44 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 04:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 104 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 04:44 | 1 |
| o-Terphenyl (Surr) | 102 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 04:44 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 198 | | 10.1 | mg/Kg | | | 04/21/26 16:08 | 1 |

Client Sample ID: FL8

Lab Sample ID: 880-71163-8

Date Collected: 04/20/26 11:17

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:02 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:02 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:02 | 1 |
| m,p-Xylenes | <0.00404 | U | 0.00404 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:02 | 1 |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:02 | 1 |
| Xylenes, Total | <0.00404 | U | 0.00404 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:02 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 104 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 14:02 | 1 |
| 1,4-Difluorobenzene (Surr) | 84 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 14:02 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00404 | U | 0.00404 | mg/Kg | | | 04/22/26 14:02 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/22/26 05:00 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL8

Lab Sample ID: 880-71163-8

Date Collected: 04/20/26 11:17

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:00 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:00 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:00 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 103 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 05:00 | 1 |
| o-Terphenyl (Surr) | 101 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 05:00 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 223 | | 9.92 | mg/Kg | | | 04/21/26 16:22 | 1 |

Client Sample ID: FL9

Lab Sample ID: 880-71163-9

Date Collected: 04/20/26 11:18

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| o-Xylene | <0.00201 | U | 0.00201 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 112 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |
| 1,4-Difluorobenzene (Surr) | 99 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 14:22 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00402 | U | 0.00402 | mg/Kg | | | 04/22/26 14:22 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/22/26 05:15 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:15 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:15 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:15 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 104 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 05:15 | 1 |
| o-Terphenyl (Surr) | 102 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 05:15 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL9

Lab Sample ID: 880-71163-9

Date Collected: 04/20/26 11:18
 Date Received: 04/20/26 15:59
 Sample Depth: 0.5

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 273 | | 9.98 | mg/Kg | | | 04/21/26 16:27 | 1 |

Client Sample ID: SW1

Lab Sample ID: 880-71163-10

Date Collected: 04/20/26 11:30
 Date Received: 04/20/26 15:59
 Sample Depth: 0-2.5

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 114 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |
| 1,4-Difluorobenzene (Surr) | 99 | | 70 - 130 | | | 04/21/26 14:27 | 04/22/26 14:43 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 04/22/26 14:43 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 04/22/26 05:31 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|------------------|------------------|---------------|-------|---|-----------------|-----------------|----------------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:31 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:31 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:31 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 102 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 05:31 | 1 |
| o-Terphenyl (Surr) | 99 | | 70 - 130 | | | 04/20/26 17:32 | 04/22/26 05:31 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 16.6 | | 10.0 | mg/Kg | | | 04/21/26 16:32 | 1 |

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: SW2

Lab Sample ID: 880-71163-11

Date Collected: 04/20/26 11:31

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00198 | U | 0.00198 | mg/Kg | | 04/21/26 14:27 | 04/22/26 15:50 | 1 |
| Toluene | <0.00198 | U | 0.00198 | mg/Kg | | 04/21/26 14:27 | 04/22/26 15:50 | 1 |
| Ethylbenzene | <0.00198 | U | 0.00198 | mg/Kg | | 04/21/26 14:27 | 04/22/26 15:50 | 1 |
| m,p-Xylenes | <0.00396 | U | 0.00396 | mg/Kg | | 04/21/26 14:27 | 04/22/26 15:50 | 1 |
| o-Xylene | <0.00198 | U | 0.00198 | mg/Kg | | 04/21/26 14:27 | 04/22/26 15:50 | 1 |
| Xylenes, Total | <0.00396 | U | 0.00396 | mg/Kg | | 04/21/26 14:27 | 04/22/26 15:50 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 120 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 15:50 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 15:50 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00396 | U | 0.00396 | mg/Kg | | | 04/22/26 15:50 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 04/22/26 05:45 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:45 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:45 | 1 |
| Oil Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/20/26 17:32 | 04/22/26 05:45 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 105 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 05:45 | 1 |
| o-Terphenyl (Surr) | 103 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 05:45 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 23.3 | | 10.0 | mg/Kg | | | 04/21/26 16:37 | 1 |

Client Sample ID: SW3

Lab Sample ID: 880-71163-12

Date Collected: 04/20/26 11:32

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:11 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:11 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:11 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:11 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:11 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:11 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 113 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 16:11 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: SW3

Lab Sample ID: 880-71163-12

Date Collected: 04/20/26 11:32

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 16:11 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 04/22/26 16:11 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/22/26 06:01 | 1 |

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 06:01 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 06:01 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 06:01 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 99 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 06:01 | 1 |
| o-Terphenyl (Surr) | 95 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 06:01 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 26.7 | | 10.0 | mg/Kg | | | 04/21/26 16:42 | 1 |

Client Sample ID: SW4

Lab Sample ID: 880-71163-13

Date Collected: 04/20/26 11:33

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:47 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:47 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:47 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:47 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:47 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 04/21/26 14:27 | 04/22/26 16:47 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 122 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 16:47 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 16:47 | 1 |

Method: TAL SOP Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|----------|-----------|---------|-------|---|----------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 04/22/26 16:47 | 1 |

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 04/22/26 06:16 | 1 |

Eurofins Midland

Client Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: SW4

Lab Sample ID: 880-71163-13

Date Collected: 04/20/26 11:33

Matrix: Solid

Date Received: 04/20/26 15:59

Sample Depth: 0-2.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 06:16 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 06:16 | 1 |
| Oil Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 04/20/26 17:32 | 04/22/26 06:16 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 100 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 06:16 | 1 |
| o-Terphenyl (Surr) | 98 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 06:16 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 29.7 | | 9.92 | mg/Kg | | | 04/21/26 16:46 | 1 |

Surrogate Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------|------------------------|--|-------------------|
| | | BFB1 (70-130) | DFBZ1 (70-130) |
| 880-71163-1 | FL1 | 98 | 86 |
| 880-71163-1 MS | FL1 | 121 | 96 |
| 880-71163-1 MSD | FL1 | 110 | 89 |
| 880-71163-2 | FL2 | 113 | 101 |
| 880-71163-3 | FL3 | 123 | 101 |
| 880-71163-4 | FL4 | 99 | 83 |
| 880-71163-5 | FL5 | 111 | 102 |
| 880-71163-6 | FL6 | 118 | 100 |
| 880-71163-7 | FL7 | 112 | 98 |
| 880-71163-8 | FL8 | 104 | 84 |
| 880-71163-9 | FL9 | 112 | 99 |
| 880-71163-10 | SW1 | 114 | 99 |
| 880-71163-11 | SW2 | 120 | 95 |
| 880-71163-12 | SW3 | 113 | 100 |
| 880-71163-13 | SW4 | 122 | 101 |
| LCS 880-138488/1-A | Lab Control Sample | 389 S1+ | 97 |
| LCSD 880-138488/2-A | Lab Control Sample Dup | 137 S1+ | 98 |
| MB 880-138488/5-A | Method Blank | 111 | 96 |

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)
DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------|------------------------|--|-------------------|
| | | 1CO1 (70-130) | OTPH1 (70-130) |
| 880-71163-1 | FL1 | 106 | 104 |
| 880-71163-2 | FL2 | 109 | 108 |
| 880-71163-3 | FL3 | 98 | 95 |
| 880-71163-4 | FL4 | 103 | 103 |
| 880-71163-5 | FL5 | 107 | 105 |
| 880-71163-6 | FL6 | 101 | 100 |
| 880-71163-7 | FL7 | 104 | 102 |
| 880-71163-8 | FL8 | 103 | 101 |
| 880-71163-9 | FL9 | 104 | 102 |
| 880-71163-10 | SW1 | 102 | 99 |
| 880-71163-11 | SW2 | 105 | 103 |
| 880-71163-12 | SW3 | 99 | 95 |
| 880-71163-13 | SW4 | 100 | 98 |
| LCS 880-138380/2-A | Lab Control Sample | 69 S1- | 74 |
| LCSD 880-138380/3-A | Lab Control Sample Dup | 67 S1- | 74 |
| MB 880-138380/1-A | Method Blank | 81 | 79 |

Surrogate Legend

1CO = 1-Chlorooctane (Surr)
OTPH = o-Terphenyl (Surr)

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-138488/5-A
 Matrix: Solid
 Analysis Batch: 138570

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 138488

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|--------------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:17 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:17 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:17 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:17 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:17 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 04/21/26 14:27 | 04/22/26 11:17 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 111 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 11:17 | 1 |
| 1,4-Difluorobenzene (Surr) | 96 | | 70 - 130 | 04/21/26 14:27 | 04/22/26 11:17 | 1 |

Lab Sample ID: LCS 880-138488/1-A
 Matrix: Solid
 Analysis Batch: 138570

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 138488

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------|-------------|------------|---------------|-------|---|------|-------------|
| Benzene | 0.100 | 0.1037 | | mg/Kg | | 104 | 70 - 130 |
| Toluene | 0.100 | 0.09979 | | mg/Kg | | 100 | 70 - 130 |
| Ethylbenzene | 0.100 | 0.09393 | | mg/Kg | | 94 | 70 - 130 |
| m,p-Xylenes | 0.200 | 0.1963 | | mg/Kg | | 98 | 70 - 130 |
| o-Xylene | 0.100 | 0.09841 | | mg/Kg | | 98 | 70 - 130 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 389 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 97 | | 70 - 130 |

Lab Sample ID: LCSD 880-138488/2-A
 Matrix: Solid
 Analysis Batch: 138570

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 138488

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | Limit |
|--------------|-------------|-------------|----------------|-------|---|------|-------------|-----|-------|
| Benzene | 0.100 | 0.1040 | | mg/Kg | | 104 | 70 - 130 | 0 | 35 |
| Toluene | 0.100 | 0.09759 | | mg/Kg | | 98 | 70 - 130 | 2 | 35 |
| Ethylbenzene | 0.100 | 0.09820 | | mg/Kg | | 98 | 70 - 130 | 4 | 35 |
| m,p-Xylenes | 0.200 | 0.1920 | | mg/Kg | | 96 | 70 - 130 | 2 | 35 |
| o-Xylene | 0.100 | 0.09704 | | mg/Kg | | 97 | 70 - 130 | 1 | 35 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-----------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr) | 137 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 98 | | 70 - 130 |

Lab Sample ID: 880-71163-1 MS
 Matrix: Solid
 Analysis Batch: 138570

Client Sample ID: FL1
 Prep Type: Total/NA
 Prep Batch: 138488

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|-------------|
| Benzene | <0.00200 | U F2 F1 | 0.100 | 0.09844 | | mg/Kg | | 98 | 70 - 130 |
| Toluene | <0.00200 | U F2 F1 | 0.100 | 0.09259 | | mg/Kg | | 93 | 70 - 130 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-71163-1 MS
Matrix: Solid
Analysis Batch: 138570

Client Sample ID: FL1
Prep Type: Total/NA
Prep Batch: 138488

| Analyte | Sample | Sample | Spike | MS | MS | Unit | D | %Rec | %Rec |
|--------------|----------|-----------|-------|---------|-----------|-------|---|------|----------|
| | Result | Qualifier | | Result | Qualifier | | | | |
| Ethylbenzene | <0.00200 | U F2 F1 | 0.100 | 0.09420 | | mg/Kg | | 94 | 70 - 130 |
| m,p-Xylenes | <0.00399 | U F2 F1 | 0.200 | 0.1813 | | mg/Kg | | 91 | 70 - 130 |
| o-Xylene | <0.00200 | U F2 F1 | 0.100 | 0.09084 | | mg/Kg | | 91 | 70 - 130 |

| Surrogate | MS | MS | Limits |
|-----------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 4-Bromofluorobenzene (Surr) | 121 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 96 | | 70 - 130 |

Lab Sample ID: 880-71163-1 MSD
Matrix: Solid
Analysis Batch: 138570

Client Sample ID: FL1
Prep Type: Total/NA
Prep Batch: 138488

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | %Rec | RPD | Limit |
|--------------|----------|-----------|-------|---------|-----------|-------|---|------|----------|-----|-------|
| | Result | Qualifier | | Result | Qualifier | | | | | | |
| Benzene | <0.00200 | U F2 F1 | 0.100 | 0.03524 | F2 F1 | mg/Kg | | 35 | 70 - 130 | 95 | 35 |
| Toluene | <0.00200 | U F2 F1 | 0.100 | 0.03558 | F2 F1 | mg/Kg | | 36 | 70 - 130 | 89 | 35 |
| Ethylbenzene | <0.00200 | U F2 F1 | 0.100 | 0.03829 | F2 F1 | mg/Kg | | 38 | 70 - 130 | 84 | 35 |
| m,p-Xylenes | <0.00399 | U F2 F1 | 0.200 | 0.07776 | F2 F1 | mg/Kg | | 39 | 70 - 130 | 80 | 35 |
| o-Xylene | <0.00200 | U F2 F1 | 0.100 | 0.04918 | F2 F1 | mg/Kg | | 49 | 70 - 130 | 60 | 35 |

| Surrogate | MSD | MSD | Limits |
|-----------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 4-Bromofluorobenzene (Surr) | 110 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 89 | | 70 - 130 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-138380/1-A
Matrix: Solid
Analysis Batch: 138410

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 138380

| Analyte | MB | MB | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 00:10 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 00:10 | 1 |
| Oil Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/20/26 17:32 | 04/22/26 00:10 | 1 |

| Surrogate | MB | MB | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 1-Chlorooctane (Surr) | 81 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 00:10 | 1 |
| o-Terphenyl (Surr) | 79 | | 70 - 130 | 04/20/26 17:32 | 04/22/26 00:10 | 1 |

Lab Sample ID: LCS 880-138380/2-A
Matrix: Solid
Analysis Batch: 138410

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 138380

| Analyte | Spike | LCS | LCS | Unit | D | %Rec | %Rec |
|--------------------------------------|-------|--------|-----------|-------|---|------|----------|
| | | Result | Qualifier | | | | |
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 759.2 | | mg/Kg | | 76 | 70 - 130 |
| Diesel Range Organics (Over C10-C28) | 1000 | 753.4 | | mg/Kg | | 75 | 70 - 130 |

Eurofins Midland

QC Sample Results

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-138380/2-A
 Matrix: Solid
 Analysis Batch: 138410

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 138380

| Surrogate | LCS | | Limits |
|-----------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1-Chlorooctane (Surr) | 69 | S1- | 70 - 130 |
| o-Terphenyl (Surr) | 74 | | 70 - 130 |

Lab Sample ID: LCSD 880-138380/3-A
 Matrix: Solid
 Analysis Batch: 138410

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 138380

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec | | RPD | Limit |
|--------------------------------------|-------------|-------------|----------------|-------|---|------|----------|-----|-----|-------|
| | | | | | | | Limits | RPD | | |
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 727.1 | | mg/Kg | | 73 | 70 - 130 | 4 | | 20 |
| Diesel Range Organics (Over C10-C28) | 1000 | 744.9 | | mg/Kg | | 74 | 70 - 130 | 1 | | 20 |

| Surrogate | LCSD | | Limits |
|-----------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1-Chlorooctane (Surr) | 67 | S1- | 70 - 130 |
| o-Terphenyl (Surr) | 74 | | 70 - 130 |

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-138407/1-A
 Matrix: Solid
 Analysis Batch: 138420

Client Sample ID: Method Blank
 Prep Type: Soluble

| Analyte | MB | | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | |
| Chloride | <10.0 | U | 10.0 | mg/Kg | | | 04/21/26 14:26 | 1 |

Lab Sample ID: LCS 880-138407/2-A
 Matrix: Solid
 Analysis Batch: 138420

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec | |
|----------|-------------|------------|---------------|-------|---|------|----------|-----|
| | | | | | | | Limits | RPD |
| Chloride | 250 | 253.8 | | mg/Kg | | 102 | 90 - 110 | |

Lab Sample ID: LCSD 880-138407/3-A
 Matrix: Solid
 Analysis Batch: 138420

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec | | RPD | Limit |
|----------|-------------|-------------|----------------|-------|---|------|----------|-----|-----|-------|
| | | | | | | | Limits | RPD | | |
| Chloride | 250 | 256.9 | | mg/Kg | | 103 | 90 - 110 | 1 | | 20 |

Lab Sample ID: 880-71163-5 MS
 Matrix: Solid
 Analysis Batch: 138420

Client Sample ID: FL5
 Prep Type: Soluble

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec | |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|----------|-----|
| | | | | | | | | | Limits | RPD |
| Chloride | 34.3 | | 250 | 291.4 | | mg/Kg | | 103 | 90 - 110 | |

QC Sample Results

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-71163-5 MSD
Matrix: Solid
Analysis Batch: 138420

Client Sample ID: FL5
Prep Type: Soluble

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|-------------|-----|-----------|
| Chloride | 34.3 | | 250 | 293.4 | | mg/Kg | | 104 | 90 - 110 | 1 | 20 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

GC VOA

Prep Batch: 138488

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-71163-1 | FL1 | Total/NA | Solid | 5035 | |
| 880-71163-2 | FL2 | Total/NA | Solid | 5035 | |
| 880-71163-3 | FL3 | Total/NA | Solid | 5035 | |
| 880-71163-4 | FL4 | Total/NA | Solid | 5035 | |
| 880-71163-5 | FL5 | Total/NA | Solid | 5035 | |
| 880-71163-6 | FL6 | Total/NA | Solid | 5035 | |
| 880-71163-7 | FL7 | Total/NA | Solid | 5035 | |
| 880-71163-8 | FL8 | Total/NA | Solid | 5035 | |
| 880-71163-9 | FL9 | Total/NA | Solid | 5035 | |
| 880-71163-10 | SW1 | Total/NA | Solid | 5035 | |
| 880-71163-11 | SW2 | Total/NA | Solid | 5035 | |
| 880-71163-12 | SW3 | Total/NA | Solid | 5035 | |
| 880-71163-13 | SW4 | Total/NA | Solid | 5035 | |
| MB 880-138488/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-138488/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-138488/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |
| 880-71163-1 MS | FL1 | Total/NA | Solid | 5035 | |
| 880-71163-1 MSD | FL1 | Total/NA | Solid | 5035 | |

Analysis Batch: 138570

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-71163-1 | FL1 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-2 | FL2 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-3 | FL3 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-4 | FL4 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-5 | FL5 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-6 | FL6 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-7 | FL7 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-8 | FL8 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-9 | FL9 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-10 | SW1 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-11 | SW2 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-12 | SW3 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-13 | SW4 | Total/NA | Solid | 8021B | 138488 |
| MB 880-138488/5-A | Method Blank | Total/NA | Solid | 8021B | 138488 |
| LCS 880-138488/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 138488 |
| LCSD 880-138488/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 138488 |
| 880-71163-1 MS | FL1 | Total/NA | Solid | 8021B | 138488 |
| 880-71163-1 MSD | FL1 | Total/NA | Solid | 8021B | 138488 |

Analysis Batch: 138639

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|------------|------------|
| 880-71163-1 | FL1 | Total/NA | Solid | Total BTEX | |
| 880-71163-2 | FL2 | Total/NA | Solid | Total BTEX | |
| 880-71163-3 | FL3 | Total/NA | Solid | Total BTEX | |
| 880-71163-4 | FL4 | Total/NA | Solid | Total BTEX | |
| 880-71163-5 | FL5 | Total/NA | Solid | Total BTEX | |
| 880-71163-6 | FL6 | Total/NA | Solid | Total BTEX | |
| 880-71163-7 | FL7 | Total/NA | Solid | Total BTEX | |
| 880-71163-8 | FL8 | Total/NA | Solid | Total BTEX | |
| 880-71163-9 | FL9 | Total/NA | Solid | Total BTEX | |

Eurofins Midland

QC Association Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

GC VOA (Continued)

Analysis Batch: 138639 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|------------|------------|
| 880-71163-10 | SW1 | Total/NA | Solid | Total BTEX | |
| 880-71163-11 | SW2 | Total/NA | Solid | Total BTEX | |
| 880-71163-12 | SW3 | Total/NA | Solid | Total BTEX | |
| 880-71163-13 | SW4 | Total/NA | Solid | Total BTEX | |

GC Semi VOA

Prep Batch: 138380

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|-------------|------------|
| 880-71163-1 | FL1 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-2 | FL2 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-3 | FL3 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-4 | FL4 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-5 | FL5 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-6 | FL6 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-7 | FL7 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-8 | FL8 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-9 | FL9 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-10 | SW1 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-11 | SW2 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-12 | SW3 | Total/NA | Solid | 8015NM Prep | |
| 880-71163-13 | SW4 | Total/NA | Solid | 8015NM Prep | |
| MB 880-138380/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-138380/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-138380/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 138410

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-71163-1 | FL1 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-2 | FL2 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-3 | FL3 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-4 | FL4 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-5 | FL5 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-6 | FL6 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-7 | FL7 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-8 | FL8 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-9 | FL9 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-10 | SW1 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-11 | SW2 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-12 | SW3 | Total/NA | Solid | 8015B NM | 138380 |
| 880-71163-13 | SW4 | Total/NA | Solid | 8015B NM | 138380 |
| MB 880-138380/1-A | Method Blank | Total/NA | Solid | 8015B NM | 138380 |
| LCS 880-138380/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 138380 |
| LCSD 880-138380/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 138380 |

Analysis Batch: 138614

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-71163-1 | FL1 | Total/NA | Solid | 8015 NM | |
| 880-71163-2 | FL2 | Total/NA | Solid | 8015 NM | |
| 880-71163-3 | FL3 | Total/NA | Solid | 8015 NM | |
| 880-71163-4 | FL4 | Total/NA | Solid | 8015 NM | |

Eurofins Midland

QC Association Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99HJob ID: 880-71163-1
SDG: NAPP2600634507

GC Semi VOA (Continued)

Analysis Batch: 138614 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-71163-5 | FL5 | Total/NA | Solid | 8015 NM | |
| 880-71163-6 | FL6 | Total/NA | Solid | 8015 NM | |
| 880-71163-7 | FL7 | Total/NA | Solid | 8015 NM | |
| 880-71163-8 | FL8 | Total/NA | Solid | 8015 NM | |
| 880-71163-9 | FL9 | Total/NA | Solid | 8015 NM | |
| 880-71163-10 | SW1 | Total/NA | Solid | 8015 NM | |
| 880-71163-11 | SW2 | Total/NA | Solid | 8015 NM | |
| 880-71163-12 | SW3 | Total/NA | Solid | 8015 NM | |
| 880-71163-13 | SW4 | Total/NA | Solid | 8015 NM | |

HPLC/IC

Leach Batch: 138407

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|----------|------------|
| 880-71163-1 | FL1 | Soluble | Solid | DI Leach | |
| 880-71163-2 | FL2 | Soluble | Solid | DI Leach | |
| 880-71163-3 | FL3 | Soluble | Solid | DI Leach | |
| 880-71163-4 | FL4 | Soluble | Solid | DI Leach | |
| 880-71163-5 | FL5 | Soluble | Solid | DI Leach | |
| 880-71163-6 | FL6 | Soluble | Solid | DI Leach | |
| 880-71163-7 | FL7 | Soluble | Solid | DI Leach | |
| 880-71163-8 | FL8 | Soluble | Solid | DI Leach | |
| 880-71163-9 | FL9 | Soluble | Solid | DI Leach | |
| 880-71163-10 | SW1 | Soluble | Solid | DI Leach | |
| 880-71163-11 | SW2 | Soluble | Solid | DI Leach | |
| 880-71163-12 | SW3 | Soluble | Solid | DI Leach | |
| 880-71163-13 | SW4 | Soluble | Solid | DI Leach | |
| MB 880-138407/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-138407/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-138407/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |
| 880-71163-5 MS | FL5 | Soluble | Solid | DI Leach | |
| 880-71163-5 MSD | FL5 | Soluble | Solid | DI Leach | |

Analysis Batch: 138420

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 880-71163-1 | FL1 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-2 | FL2 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-3 | FL3 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-4 | FL4 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-5 | FL5 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-6 | FL6 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-7 | FL7 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-8 | FL8 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-9 | FL9 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-10 | SW1 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-11 | SW2 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-12 | SW3 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-13 | SW4 | Soluble | Solid | 300.0 | 138407 |
| MB 880-138407/1-A | Method Blank | Soluble | Solid | 300.0 | 138407 |
| LCS 880-138407/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 138407 |
| LCSD 880-138407/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 138407 |

Eurofins Midland

QC Association Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

HPLC/IC (Continued)

Analysis Batch: 138420 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|--------|------------|
| 880-71163-5 MS | FL5 | Soluble | Solid | 300.0 | 138407 |
| 880-71163-5 MSD | FL5 | Soluble | Solid | 300.0 | 138407 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL1

Lab Sample ID: 880-71163-1

Date Collected: 04/20/26 11:10

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 11:38 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 11:38 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 02:57 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 02:57 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 15:29 | SMC | EET MID |

Client Sample ID: FL2

Lab Sample ID: 880-71163-2

Date Collected: 04/20/26 11:11

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 11:59 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 11:59 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 03:12 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 03:12 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.04 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 15:34 | SMC | EET MID |

Client Sample ID: FL3

Lab Sample ID: 880-71163-3

Date Collected: 04/20/26 11:12

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.95 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 12:19 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 12:19 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 03:28 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 03:28 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 15:39 | SMC | EET MID |

Client Sample ID: FL4

Lab Sample ID: 880-71163-4

Date Collected: 04/20/26 11:13

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 12:40 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 12:40 | SA | EET MID |

Eurofins Midland

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL4

Lab Sample ID: 880-71163-4

Date Collected: 04/20/26 11:13

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 03:43 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 03:43 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.00 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 15:43 | SMC | EET MID |

Client Sample ID: FL5

Lab Sample ID: 880-71163-5

Date Collected: 04/20/26 11:14

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 13:00 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 13:00 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 04:13 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 04:13 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.00 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 15:48 | SMC | EET MID |

Client Sample ID: FL6

Lab Sample ID: 880-71163-6

Date Collected: 04/20/26 11:15

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 13:21 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 13:21 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 04:29 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 04:29 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 4.98 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:03 | SMC | EET MID |

Client Sample ID: FL7

Lab Sample ID: 880-71163-7

Date Collected: 04/20/26 11:16

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 13:41 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 13:41 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 04:44 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 04:44 | FC | EET MID |

Eurofins Midland

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: FL7

Lab Sample ID: 880-71163-7

Date Collected: 04/20/26 11:16

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Soluble | Leach | DI Leach | | | 4.96 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:08 | SMC | EET MID |

Client Sample ID: FL8

Lab Sample ID: 880-71163-8

Date Collected: 04/20/26 11:17

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.95 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 14:02 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 14:02 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 05:00 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 05:00 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.04 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:22 | SMC | EET MID |

Client Sample ID: FL9

Lab Sample ID: 880-71163-9

Date Collected: 04/20/26 11:18

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 14:22 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 14:22 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 05:15 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 05:15 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:27 | SMC | EET MID |

Client Sample ID: SW1

Lab Sample ID: 880-71163-10

Date Collected: 04/20/26 11:30

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 14:43 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 14:43 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 05:31 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.03 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 05:31 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.00 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:32 | SMC | EET MID |

Lab Chronicle

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

Client Sample ID: SW2

Lab Sample ID: 880-71163-11

Date Collected: 04/20/26 11:31

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.05 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 15:50 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 15:50 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 05:45 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 05:45 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 4.98 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:37 | SMC | EET MID |

Client Sample ID: SW3

Lab Sample ID: 880-71163-12

Date Collected: 04/20/26 11:32

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 16:11 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 16:11 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 06:01 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 06:01 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 4.99 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:42 | SMC | EET MID |

Client Sample ID: SW4

Lab Sample ID: 880-71163-13

Date Collected: 04/20/26 11:33

Matrix: Solid

Date Received: 04/20/26 15:59

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 138488 | 04/21/26 14:27 | MNR | EET MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 138570 | 04/22/26 16:47 | MNR | EET MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 138639 | 04/22/26 16:47 | SA | EET MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 138614 | 04/22/26 06:16 | SA | EET MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10.00 mL | 138380 | 04/20/26 17:32 | EL | EET MID |
| Total/NA | Analysis | 8015B NM | | 1 | 1 uL | 1 uL | 138410 | 04/22/26 06:16 | FC | EET MID |
| Soluble | Leach | DI Leach | | | 5.04 g | 50 mL | 138407 | 04/21/26 09:21 | SA | EET MID |
| Soluble | Analysis | 300.0 | | 1 | 50 mL | 50 mL | 138420 | 04/21/26 16:46 | SMC | EET MID |

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas | NELAP | T104704400 | 06-30-26 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|------------|
| 8015 NM | | Solid | Total TPH |
| Total BTEX | | Solid | Total BTEX |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Hungry Horse LLC
 Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
 SDG: NAPP2600634507

| Method | Method Description | Protocol | Laboratory |
|-------------|------------------------------------|----------|------------|
| 8021B | Volatile Organic Compounds (GC) | SW846 | EET MID |
| Total BTEX | Total BTEX Calculation | TAL SOP | EET MID |
| 8015 NM | Diesel Range Organics (DRO) (GC) | SW846 | EET MID |
| 8015B NM | Diesel Range Organics (DRO) (GC) | SW846 | EET MID |
| 300.0 | Anions, Ion Chromatography | EPA | EET MID |
| 5035 | Closed System Purge and Trap | SW846 | EET MID |
| 8015NM Prep | Microextraction | SW846 | EET MID |
| DI Leach | Deionized Water Leaching Procedure | ASTM | EET MID |

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440




Sample Summary

Client: Hungry Horse LLC
Project/Site: Thistle Unit 99H

Job ID: 880-71163-1
SDG: NAPP2600634507

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Depth |
|---------------|------------------|--------|----------------|----------------|-------|
| 880-71163-1 | FL1 | Solid | 04/20/26 11:10 | 04/20/26 15:59 | 2.5 |
| 880-71163-2 | FL2 | Solid | 04/20/26 11:11 | 04/20/26 15:59 | 2.5 |
| 880-71163-3 | FL3 | Solid | 04/20/26 11:12 | 04/20/26 15:59 | 0.5 |
| 880-71163-4 | FL4 | Solid | 04/20/26 11:13 | 04/20/26 15:59 | 0.5 |
| 880-71163-5 | FL5 | Solid | 04/20/26 11:14 | 04/20/26 15:59 | 0.5 |
| 880-71163-6 | FL6 | Solid | 04/20/26 11:15 | 04/20/26 15:59 | 0.5 |
| 880-71163-7 | FL7 | Solid | 04/20/26 11:16 | 04/20/26 15:59 | 0.5 |
| 880-71163-8 | FL8 | Solid | 04/20/26 11:17 | 04/20/26 15:59 | 0.5 |
| 880-71163-9 | FL9 | Solid | 04/20/26 11:18 | 04/20/26 15:59 | 0.5 |
| 880-71163-10 | SW1 | Solid | 04/20/26 11:30 | 04/20/26 15:59 | 0-2.5 |
| 880-71163-11 | SW2 | Solid | 04/20/26 11:31 | 04/20/26 15:59 | 0-2.5 |
| 880-71163-12 | SW3 | Solid | 04/20/26 11:32 | 04/20/26 15:59 | 0-2.5 |
| 880-71163-13 | SW4 | Solid | 04/20/26 11:33 | 04/20/26 15:59 | 0-2.5 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing
Xenco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Chain of Custody

Work Order No: _____

www.xenco.com Page 2 of 2

| | | | |
|------------------|---------------------|-------------------------|---|
| Project Manager: | Daniel Dominguez | Bill to: (if different) | Jim Raley |
| Company Name: | Hungry Horse LLC | Company Name: | Devon Energy Production Company, LP |
| Address: | 4024 Plains Hwy | Address: | 333 West Sheridan Ave. |
| City, State ZIP: | Lovington, NM 88260 | City, State ZIP: | Oklahoma City |
| Phone: | 575 393-3386 | Email: | jim.raley@dvn.com and pm@hungry-horse.com |

| | | | | | | | | | | |
|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Program: UST/PST | <input type="checkbox"/> | PRP | <input type="checkbox"/> | Brownfields | <input type="checkbox"/> | RRC | <input type="checkbox"/> | Superfund | <input type="checkbox"/> | |
| State of Project: | | | | | | | | | | |
| Reporting Level: | Level II | <input type="checkbox"/> | Level III | <input type="checkbox"/> | PST/UST | <input type="checkbox"/> | RRP | <input type="checkbox"/> | Level IV | <input type="checkbox"/> |
| Deliverables: | EDD | <input type="checkbox"/> | ADAPT | <input type="checkbox"/> | Other: | | | | | |

| Project Name: | Turn Around | | Pres. Code | ANALYSIS REQUEST | | | | | | | | | | | Preservative Codes | | | | |
|------------------------------|---|---|---|------------------|-----------|----------------------------|------------|----------|---------|-----------------------|---|----------|-------------------------------------|----------------------------|--------------------|---|---------------------|--------------------------|--|
| | Incident # | Due Date: | | Parameters | None: NO | DI Water: H ₂ O | Cool: Cool | MeOH: Me | HCL: HC | HNO ₃ : HN | H ₂ SO ₄ : H ₂ | NaOH: Na | H ₃ PO ₄ : HP | NAHSO ₄ : NABIS | | Na ₂ S ₂ O ₅ : NASO ₅ | Zn Acetate+NaOH: Zn | NaOH+Ascorbic Acid: SACP | |
| Thistle Unit 99H | NAPP2600634507 | 22-Apr-26 | | CLORIDE | | | | | | | | | | | | | | | |
| Worker # | 22037988 | TAT starts the day received by the lab. If received by 4:30pm | | BTEX | | | | | | | | | | | | | | | |
| Sampler's Name: | Jerry Heidelberg | | | TPH | | | | | | | | | | | | | | | |
| PO #: | | | | | | | | | | | | | | | | | | | |
| SAMPLE RECEIPT | Temp Blank: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Well: <input checked="" type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | | | | | | | |
| Samples Received Intact: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Thermometer ID: | IRTS | | | | | | | | | | | | | | | | |
| Cooler Custody Seals: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Correction Factor: | 1.4 | | | | | | | | | | | | | | | | |
| Sample Custody Seals: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Temperature Reading: | 1.5 | | | | | | | | | | | | | | | | |
| Total Containers: | Corrected Temperature: | | | | | | | | | | | | | | | | | | |
| Sample Identification | Matrix | Date Sampled | Time Sampled | Depth | Grab/Comp | # of Cont | | | | | | | | | | | | | |
| | SW2 | 4/20/26 | 1131 | 0-2.5 | Comp | 1 | X | X | X | | | | | | | | | | |
| | SW3 | 4/20/26 | 1132 | 0-2.5 | Comp | 1 | X | X | X | | | | | | | | | | |
| | SW4 | 4/20/26 | 1133 | 0-2.5 | Comp | 1 | X | X | X | | | | | | | | | | |

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed: TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

| | | | | | |
|------------------------------|--------------------------|--------------|------------------------------|--------------------------|-----------|
| Relinquished by: (Signature) | Received by: (Signature) | Date/Time | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
| <i>[Signature]</i> | <i>[Signature]</i> | 4-20-26 1539 | | | |

Login Sample Receipt Checklist

Client: Hungry Horse LLC

Job Number: 880-71163-1
SDG Number: NAPP2600634507

Login Number: 71163

List Number: 1

Creator: Juarez, Leticia

List Source: Eurofins Midland

| Question | Answer | Comment |
|--|--------|---------|
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 581586

QUESTIONS

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|----------------------|--|
| Prerequisites | |
| Incident ID (n#) | nAPP2600634507 |
| Incident Name | NAPP2600634507 THISTLE UNIT #099H @ 30-025-44416 |
| Incident Type | Oil Release |
| Incident Status | Remediation Closure Report Received |
| Incident Well | [30-025-44416] THISTLE UNIT #099H |

| | |
|---|--------------------|
| Location of Release Source | |
| <i>Please answer all the questions in this group.</i> | |
| Site Name | THISTLE UNIT #099H |
| Date Release Discovered | 01/05/2026 |
| Surface Owner | State |

| | |
|--|-------------|
| Incident Details | |
| <i>Please answer all the questions in this group.</i> | |
| Incident Type | Oil Release |
| Did this release result in a fire or is the result of a fire | No |
| Did this release result in any injuries | No |
| Has this release reached or does it have a reasonable probability of reaching a watercourse | No |
| Has this release endangered or does it have a reasonable probability of endangering public health | No |
| Has this release substantially damaged or will it substantially damage property or the environment | No |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No |

| | |
|---|---|
| Nature and Volume of Release | |
| <i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i> | |
| Crude Oil Released (bbls) Details | Cause: Equipment Failure Well Crude Oil Released: 12 BBL Recovered: 10 BBL Lost: 2 BBL. |
| Produced Water Released (bbls) Details | Not answered. |
| Is the concentration of chloride in the produced water >10,000 mg/l | No |
| Condensate Released (bbls) Details | Not answered. |
| Natural Gas Vented (Mcf) Details | Not answered. |
| Natural Gas Flared (Mcf) Details | Not answered. |
| Other Released Details | Not answered. |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts) | Stuffing box leak impacts limited to pad surface. |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 581586

QUESTIONS (continued)

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|---|--|
| Nature and Volume of Release (continued) | |
| Is this a gas only submission (i.e. only significant Mcf values reported) | No, according to supplied volumes this does not appear to be a "gas only" report. |
| Was this a major release as defined by Subsection A of 19.15.29.7 NMAC | No |
| Reasons why this would be considered a submission for a notification of a major release | <i>Unavailable.</i> |

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

| | |
|--|----------------------|
| The source of the release has been stopped | True |
| The impacted area has been secured to protect human health and the environment | True |
| Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices | True |
| All free liquids and recoverable materials have been removed and managed appropriately | True |
| If all the actions described above have not been undertaken, explain why | <i>Not answered.</i> |

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| | |
|--|--|
| I hereby agree and sign off to the above statement | Name: James Raley Title: EHS Professional Email: jim.ralej@dvn.com Date: 05/04/2026 |
|--|--|

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 581586

QUESTIONS (continued)

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| | |
|--|--------------------------------|
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs) | Between 51 and 75 (ft.) |
| What method was used to determine the depth to ground water | NM OSE iWaters Database Search |
| Did this release impact groundwater or surface water | No |
| What is the minimum distance, between the closest lateral extents of the release and the following surface areas: | |
| A continuously flowing watercourse or any other significant watercourse | Between 1 and 5 (mi.) |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) | Between 1 and 5 (mi.) |
| An occupied permanent residence, school, hospital, institution, or church | Between 1 and 5 (mi.) |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes | Between 1 and 5 (mi.) |
| Any other fresh water well or spring | Between 1 and 5 (mi.) |
| Incorporated municipal boundaries or a defined municipal fresh water well field | Greater than 5 (mi.) |
| A wetland | Between 1 and 5 (mi.) |
| A subsurface mine | Greater than 5 (mi.) |
| An (non-karst) unstable area | Greater than 5 (mi.) |
| Categorize the risk of this well / site being in a karst geology | Low |
| A 100-year floodplain | Greater than 5 (mi.) |
| Did the release impact areas not on an exploration, development, production, or storage site | No |

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| | |
|--|-----|
| Requesting a remediation plan approval with this submission | Yes |
| <i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i> | |
| Have the lateral and vertical extents of contamination been fully delineated | Yes |
| Was this release entirely contained within a lined containment area | No |

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

| | |
|---|-------|
| Chloride (EPA 300.0 or SM4500 Cl B) | 9530 |
| TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M) | 35200 |
| GRO+DRO (EPA SW-846 Method 8015M) | 30300 |
| BTEX (EPA SW-846 Method 8021B or 8260B) | 0 |
| Benzene (EPA SW-846 Method 8021B or 8260B) | 0 |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

| | |
|---|------------|
| On what estimated date will the remediation commence | 04/14/2026 |
| On what date will (or did) the final sampling or liner inspection occur | 04/20/2026 |
| On what date will (or was) the remediation complete(d) | 04/29/2026 |
| What is the estimated surface area (in square feet) that will be reclaimed | 0 |
| What is the estimated volume (in cubic yards) that will be reclaimed | 0 |
| What is the estimated surface area (in square feet) that will be remediated | 1800 |
| What is the estimated volume (in cubic yards) that will be remediated | 75 |

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 581586

QUESTIONS (continued)

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

| | |
|---|--|
| (Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.) | Yes |
| Which OCD approved facility will be used for off-site disposal | fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL |
| OR which OCD approved well (API) will be used for off-site disposal | Not answered. |
| OR is the off-site disposal site, to be used, out-of-state | Not answered. |
| OR is the off-site disposal site, to be used, an NMED facility | Not answered. |
| (Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms) | Not answered. |
| (In Situ) Soil Vapor Extraction | Not answered. |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.) | Not answered. |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.) | Not answered. |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.) | Not answered. |
| Ground Water Abatement pursuant to 19.15.30 NMAC | Not answered. |
| OTHER (Non-listed remedial process) | Not answered. |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| | |
|--|--|
| I hereby agree and sign off to the above statement | Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 05/04/2026 |
|--|--|

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 581586

QUESTIONS (continued)

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|---|----|
| Deferral Requests Only | |
| <i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i> | |
| Requesting a deferral of the remediation closure due date with the approval of this submission | No |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 581586

QUESTIONS (continued)

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| Sampling Event Information | |
|---|-------------------|
| Last sampling notification (C-141N) recorded | 575656 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 04/20/2026 |
| What was the (estimated) number of samples that were to be gathered | 13 |
| What was the sampling surface area in square feet | 1800 |

| Remediation Closure Request | |
|--|---|
| <i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i> | |
| Requesting a remediation closure approval with this submission | Yes |
| Have the lateral and vertical extents of contamination been fully delineated | Yes |
| Was this release entirely contained within a lined containment area | No |
| All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion | Yes |
| What was the total surface area (in square feet) remediated | 1800 |
| What was the total volume (cubic yards) remediated | 75 |
| All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene | Yes |
| What was the total surface area (in square feet) reclaimed | 0 |
| What was the total volume (in cubic yards) reclaimed | 0 |
| Summarize any additional remediation activities not included by answers (above) | Based on analytical results, Devon Energy Production Company, LP respectfully request closure of the Thistle Unit 99H, incident NAPP2600634507. |

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

| | |
|--|--|
| I hereby agree and sign off to the above statement | Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 05/04/2026 |
|--|--|

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 581586

QUESTIONS (continued)

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

QUESTIONS

| | |
|--|----|
| Reclamation Report | |
| <i>Only answer the questions in this group if all reclamation steps have been completed.</i> | |
| Requesting a reclamation approval with this submission | No |

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 581586

CONDITIONS

| | |
|---|---|
| Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102 | OGRID: 6137 |
| | Action Number: 581586 |
| | Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

CONDITIONS

| Created By | Condition | Condition Date |
|---------------|--|----------------|
| scott.rodgers | This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete". | 6/1/2026 |