			J		~~~~ · · · · · · · · · · · · · · · · ·	* 1414 .	,,,,,,							
										AM	ENDED REPORT			
APPLIC	CATION				LL, RE-E	NTEI	R, DE	EPEN,	PLUGBAC		D A ZONE			
Operator Name and Address OXY USA Inc.								² OGRID Number 16696						
P.O. Box 50250 Midland, TX 79710-0250								30- 059- 20464						
4Property Code 5Property							Name			⁶ Well No.				
27111 Bravo Dome Carbon								Jnit 2	234	5 ス				
					⁷ Surface 1	Locati	on			<u> </u>				
UL or lot no.	Section	Townshi	· -	Lot. Idn			North/Se	outh Line	Feet from the	East/West line	County			
E	5	122 N	<u> 34(E</u>			0	Novel		330	west	Union			
			⁸ Proposed	Bottom .	Hole Locati	ion If	Differ	ent Fron	n Surface					
UL or lot no.	Section	Townshi	p Range	Lot. Idn	Feet from	the	North/S	outh Line	Feet from the East/West line		County			
	<u></u>	9 Propose	ed Pool 1			¹⁰ Proposed Pool 2								
Bravo Dom	e Carbon	Dioxide	Gas 640		96010	<u> </u>								
11			12		13 Cable	=		14 -		15.5				
	11 Work Type Code N			12 Well Type Code C				Lease Type Code		15 Ground Level Elevation				
16 Mu	NO		17 Proposed De 2600	¹⁸ Forn		19 Contractor N/A		20 Spud Date 7\25(04 .						
			21	Propose	d Casing an	nd Cer	nent P	rogram						
Hole S	Size	C	asing Size	Casing	g weight/foot	Setting Depth			Sacks of Cement		Estimated TOC			
12-1/	/4"	1	B-5/8"	24#		700'		300sx		Surface				
7-7/8	7-7/8"_		5-1/2"	5.9#	#FG/15.5#		2600'		300sx		Surface			
				<u> </u>		<u> </u>								
		<u> </u>		<u></u> _	·	<u> </u>								
			·	<u> </u>		<u> </u>								
Describe the ploy							the data	on the pre	sent productive z	one and proposed	d new productive zone.			
					SEE ATT	ACHED								
²³ I hereby certify that the information given above is true and complete to the						OIL CONSERVATION DIVISION								
best of my knowledge and belief. Signature:							Approved by:							
Printed name: D	avid Stev	vart	- /			<u>. </u>		RICT	SUPERV	(ISOP				
								Approval Date: 4/12/04 Expiration Date: 4/12/05						
Date:	Date:						Conditions of Approval: NSL MUST BE APPROVED							
યા દ	y04		432-685-5717				Attached PRIOR TO PRODUCTION							

BDCDGU _

PROPOSED TD:

0-700' BOP PROGRAM: None

2600' TVD

700-2600' 8" 2M annular hydril preventer.

8-5/8" OD 24# J55 8rd ST&C new casing set at 700' CASING: Surface:

12-1/4" hole Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600' 300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT: Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD: 0-700′ Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-26001 Fresh water/Starch/Gel

pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department


OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT												
	API Numb	er		Pool Cod	1	Pool Name						
	<u> </u>	9601		BRAVO DOME CARBON DIOXIDE GAS (640)								
Property	41/0	הסעכ		perty		AC LINIT	Well Number					
27111 BRA			AVU	DUME			DIOXIDE G	AS UNIT				
1669			-		A INC.		Elevation 4801.0					
Surface Location												
UL or lot no. Section 7		Township	Range	Lot Idn.	Feet from th		North/South line	Feet from the East/West		,,		
Ε	5	22 N	34 E		1650'		NORTH	330'	WEST		UNION	
Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West line		County	
Dedicated Acres Joint or Infill Consolidation Code Order No.												
640 Y												
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION												
NM-E NAD27 Lat - 36° 10'07. Lon - 103° 20'43	3848.				OPERATOR CERTIF I hereby certify that the information contatrue and complete to the best of my known signature David Stewa Printed Name Sr. Regulatory And Title US OND Date SURVEYOR CERTIF					ontained herein is mowledge and belief. wart Analyst		
								was plotted fi me or under and correct to	om field no my supervision the best of Mar of Seal of Pro	tes of actua on, and the my belief.	urveyor S	

Certificate Number



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM