

## District I

1625 N. French Dr., Hobbs, NM 87240

## District II

811 South First, Artesia, NM 87210

## District III

1000 Rio Brazos Rd., Aztec, NM 87410

## District IV

1220 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

## OIL CONSERVATION DIVISION

1220 South St Francis  
Santa Fe, NM 87505

WELL API NO.

30-007-20483

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil &amp; Gas Lease No.

7. Lease Name or Unit Agreement Name

VPR A

8. Well No.

134

9. Pool name or Wildcat

Stubblefield Canyon Raton - Vermejo Gas

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☐ DRY ☐ OTHER ☒ OIL CONSERVATION  
DIVISION

b. Type of Completion:

NEW ☒ WORK ☐ PLUG ☐ DIFF. ☐  
WELL OVER ☐ DEEPEN BACK ☐ RESVR. OTHER

2. Name of Operator

EL PASO ENERGY RATON, L.L.C.

3. Address of Operator

PO BOX 190 RATON, NEW MEXICO 87740

4. Well Location

Unit Letter A : 619 Feet From The North Line and 1027 Feet From The East Line

Section 29 Township 32N Range 19E NMPM Colfax County

10. Date Spudded

01/28/04

11. Date T.D. Reached

01/29/04

12. Date Compl. (Ready to Prod.)

04/20/04

13. Elevations (DF&amp; R(B. RT, GR, etc.)

8540' (GL)

14. Elev. Casinghead

8540'

15. Total Depth

2515'

16. Plug Back T.D.

2458'

17. If Multiple Compl. How Many  
Zones?18. Intervals  
Drilled By

Rotary Tools

0 - TD

Cable Tools

NONE

19. Producing Interval(s), of this completion - Top, Bottom, Name

1213' - 2372' Vermejo - Raton Coals

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run  
Mud Log, Epithermal Neutron Litho Density, Array Induction Linear Correlation, and  
Acoustic Cement Bond Log22. Was Well Cored  
No

## 23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23	364'	11"	100 sx	None
5 1/2"	15.5	2468'	7 7/8"	348 sx	

24.

## LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25.

## TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	2394'	No

26. Perforation record (interval, size, and number)

2305' - 2309', 2369' - 2372' 15 Holes

1239' - 1247' 24 Holes

1213' - 1216' 9 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

1213' - 2372'

81,713 lbs 16/30 Brady Sand

28

## PRODUCTION

Date First Production

05/25/04

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping water up 2 7/8" tubing w/30-N-95 PC Pump. Flowing gas up 5  
1/2" Casing.

Well Status (Prod. or Shut-in)

Prod.

Date of Test

05/25/04

Hours Tested

24 hrs.

Choke Size

Full 2"

Prod'n For

Test Period

Oil - Bbl

N/A

Gas - MCF

0

Water - Bbl.

103

Gas - Oil Ratio

N/A

Flow Tubing  
Press.Casing Pressure  
3Calculated 24-  
Hour RateOil - Bbl.  
N/AGas - MCF  
0Water - Bbl.  
103Oil Gravity - API - (Corr.)  
N/A

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold, used for fuel.

Test Witnessed By:  
Jerry Colburn

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.

Signature: Shirley Mitchell Printed Shirley A. Mitchell Title Regulatory Analyst Date: 06/07/04

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

T. Anhy_____	T. Canyon_____
T. Salt_____	T. Strawn_____
B. Salt_____	T. Atoka_____
T. Yates_____	T. Miss_____
T. 7 Rivers_____	T. Devonian_____
T. Queen_____	T. Silurian_____
T. Grayburg_____	T. Montoya_____
T. San Andres_____	T. Simpson_____
T. Glorieta_____	T. McKee_____
T. Paddock_____	T. Ellenburger_____
T. Blinberry_____	T. Gr. Wash_____

T. Tubb _____	T. Delaware Sand _____
T. Drinkard _____	T. Bone Springs _____
T. Abo _____	T. _____
T. Wolfcamp _____	T. _____
T. Penn _____	T. _____
T. Cisco (Bough C) _____	T. _____

## Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
Base Greenhorn	T. Granite
T. Dakota	T. Raton Top 354'
T. Morrison	T. Vermejo 2,199'
	Trinidad 2,510'

**OIL OR GAS SANDS  
OR ZONES**

No. 1, from.....to.....  
No. 2, from.....to.....

No. 3, from.....to.....  
No. 4, from.....to.....

## IMPORTANT WATER SANDS

**Include data on rate of water inflow and elevation to which water rose in hole.**

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology