

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St Francis
Santa Fe, NM 87505

Form C-105
Revised March 25, 1999

WELL API NO. 30-007-20453				
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>				
State Oil & Gas Lease No.				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG				
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____			7. Lease Name or Unit Agreement Name VPR A	
b. Type of Completion: NEW <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____			8. Well No. 150	
2. Name of Operator EL PASO ENERGY RATON, L.L.C.			9. Pool name or Wildcat Stubblefield Canyon Raton - Vermejo Gas	
3. Address of Operator PO BOX 190 RATON, NEW MEXICO 87740				
4. Well Location Unit Letter L : 1575 Feet From The South Line and 1066 Feet From The West Line Section 25 Township 32N Range 19E NMPM Colfax County				
10. Date Spudded 02/24/04	11. Date T.D. Reached 02/23/04	12. Date Compl. (Ready to Prod.) 06/06/04	13. Elevations (DF& R(B. RT, GR, etc.) 8182' (GL)	14. Elev. Casinghead 8182'
15. Total Depth 2665'	16. Plug Back T.D. 2610'	17. If Multiple Compl. How Many Zones? 0	18. Intervals Drilled By 0 - TD	Cable Tools NONE
19. Producing Interval(s), of this completion - Top, Bottom, Name 835' - 2374' Vermejo - Raton Coals				20. Was Directional Survey Made NO
21. Type Electric and Other Logs Run Mud Log, Epithermal Neutron Litho Density, Array Induction Linear Correlation, and Acoustic Cement Bond Log				22. Was Well Cored No
23. CASING RECORD (Report all strings set in well)				
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD
8 5/8"	23	363'	11"	100 sks
5 1/2"	15.5	2637'	7 7/8"	448 sks
24. LINER RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN
25. TUBING RECORD				
SIZE	DEPTH SET	PACKER SET		
2 7/8"	2451'	No		
26. Perforation record (interval, size, and number) 2363' - 2367', 2371' - 2374' 28 Holes 835' - 839' 16 Holes			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 835' - 2374' AMOUNT AND KIND MATERIAL USED 62,251 lbs 16/30 Brown Sand	
28. PRODUCTION				
Date First Production 06/14/04	Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping water up 2 7/8" tubing w/30-N-95 PC Pump. Flowing gas up 5 1/2" Casing.			Well Status (Prod. or Shut-in) Prod.
Date of Test 06/14/04	Hours Tested 24 hrs.	Choke Size Full 2"	Prod'n For Test Period N/A	Oil - Bbl N/A
Flow Tubing Press. 140	Casing Pressure 0	Calculated 24-Hour Rate N/A	Gas - MCF 0	Water - Bbl. 118
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold, used for fuel.				Gas - Oil Ratio N/A
Test Witnessed By: Jerry Colburn				
30. List Attachments				
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.				
Signature: <u>Shirley Mitchell</u> Printed Shirley A. Mitchell Title Regulatory Analyst Date: 07/28/04				

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. Raton Top 342'
T. Blinebry	T. Gr. Wash	T. Morrison	T. Vermejo 2,136'
			T. Trinidad 2,417'
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS
OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology