<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

State of New Mexico

Form C-101 Permit 24666

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

AT DICHTON TOK TERMIT TO BRIDE, KE EITER, DEEL EI, TECOBRER, OK MOD IT BOTH						
	. Operator Name and Address	2. OGRID Number				
YATES I	ETROLEUM CORPORATION	25575 3. API Number				
	105 S 4TH ST ARTESIA , NM 88210					
	HICLESTI, HW 60210	30-025-37738				
4. Property Code	5. Property Name	6. Well No.				
35471	RASCAL STATE UNIT	001				

7. Surface Location

UI	L - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	G	19	12S	32E	G	1650	N	1650	E	LEA

8. Pool Information

Wildcat Mississippian 0

Additional Well Information

	340	100	individual from induffication	26		U. Company
9. Work Type New Well			12. Lease Type State		13. Ground Level Elevation 4391	
14. Montriple N	15. Proposed	335 -1 362	16. Formation Mississippian Age Rocks-Undivided	17. Contract	tor	18. Spud Date
Depth to Groun 75	d water		Distance from nearest fresh water well > 1000		Dist	ance to nearest surface water > 1000
<u>Pit:</u> Liner: Synthetic Closed Loop Syst	_	mils thic		g Method: Water 🔀 Brine 🗆	Diesel/	Oil-based Gas/Air

19. Proposed Casing and Cement Program

	C 1551511111550	A STATE OF THE STA				
Туре	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	450	0
Int1	12.25	9.625	40	3700	1350	0
Prod	8.75	5.5	17	11320	2225	3200

Casing/Cement Program: Additional Comments

Yates Petroleum Corporation proposes to drill and test the Mississippian/intermediate formations. Approximately 400' of surface casing will be set and cement circulated. Intermediate casing will be set a 3700', cement circulated to surface. If commercial, production casing will be ran and cemented, perforated, and stimulated as needed to gain production.

Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	5000	5000	

I hereby certify that the information giv of my knowledge and belief. I further certify that the duilling pit	en above is true and complete to the best will be constructed according to	OIL CONSERVATION DIVISION				
NMOCD guidelines _ a general pe OCD-approved plan	rmit X, or an (attached) alternative	Approved By: Paul Kautz				
Printed Name: Electronically file	ed by Debbie Caffall	Title: Geologist				
Title: Regulatory Agent		Approved Date: 3/3/2006	Expiration Date: 3/3/2007			
Email Address: debbiec@ypcnr	n.com					
Date: 3/3/2006	Phone: 505-748-4376	Conditions of Approval Atta	ached			

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

<u>District II</u>

1301 W. Grand Ave., Artesia, NM 88210 Phone:(505) 748-1283 Fax:(505) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Form C-102 Permit 24666

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1000	ma accimion in a more					
1. API Number	2. Pool Code 3. Pool Name					
30-025-37738	NACO NO CONTROL DE 1000 DE 100	Mississippian				
4. Property Code	5. Property Name		6. Well No.			
35471	RASCAL STA	001				
7. OGRID No.	8. Operator 1	9. Elevation				
25575	YATES PETROLEUM CORPORATION 4391					


10. Surface Location

Š	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	G	19	12S	32E		1650	И	1650	E	LEA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	То	ownship	Range	Lot	Idn	Feet From	N/S L	ine	Feet From	E/W Line	County
107571571377	ated Acres		13. J	foint or Infill		14	. Consolidation (Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Debbie Caffall Title: Regulatory Agent Date: 3/3/2006

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Herschel Jones Date of Survey: 2/28/2006 Certificate Number: 3640

Permit Comments

Operator: YATES PETROLEUM CORPORATION , 25575 Well: RASCAL STATE UNIT #001

API: 30-025-37738

Created By	Comment	Comment Date
dustyb	MUD PROGRAM: 0-400' FW/Spud Mud; 400'-1460' FW; 1460'-3700' Red Bed Mud/Oil; 3700'-7200' Cut Brine; 7200'-8500' SGel/Oil; 8500'-10506' SW Gel/Starch; 10506'-TD SW/Starch/4%KCL.	3/3/2006
dustyb	BOPE PROGRAM: A 5000# BOPE will be installed on the 9.625" casing and tested daily for operational.	3/3/2006
dustyb	Sources at Yates Petroleum Corporation have relayed information to me that they believe here will not be enough H2S anticipated from the surface to the Mississippian formation to meet the OCD's minimum requirements for the submission of a contingency plan per Rule 118.	3/3/2006

Permit Conditions of Approval Operator: YATES PETROLEUM CORPORATION, 25575 Well: RASCAL STATE UNIT #001

API: 30-025-37738

OCD Reviewer	Condition
pkautz	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
pkautz	PRIOR TO ANY PIT CONSTRUCTION NOTIFY gARY WINK AT 505-393-6161 EXT 114