### State of New Mexico

Form C-101 Permit 17296

## **Energy, Minerals and Natural Resources**

## Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

THE DECEMBER OF THE WATER OF BRIDE, THE DETERMINE THE CONTROL OF THE DETERMINE							
1.	Operator Name and Address	2. OGRID Number					
YATES PI	ETROLEUM CORPORATION	25575 3. API Number					
	105 S 4TH ST ARTESIA , NM 88210						
r	ICIESIA, NW 66210	30-015-34731					
4. Property Code	5. Property Name	6. Well No.					
12521	LOVING AIB STATE	003					

#### 7. Surface Location

8	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	A	16	23S	28E	Α	330	N	330	E	EDDY

#### 8. Pool Information

LOVING	DELAWARE, SOUTH	40380
TO ATTAC	DELA WARE, 300 I H	1 40360

#### Additional Well Information

	901		Zadicional men miorina	MOIL	(196)	
9. Work Type 10. We New Well O		ll Type 11. Cable/Rotary L		12. Lease Type State	13. Ground Level Elevation 3040	
14. Montiple N	0.000.00	osed Depth 300	16. Formation Delaware	17. Contractor	18. Spud Date	
Depth to Ground v 40	vater		Distance from nearest fresh water we > 1000	11	Distance to nearest surface water > 1000	
Pit: Liner: Synthetic 🔀 Closed Loop System	_	mils thick		rilling Method: resh Water Brine	Diesel/Oil-based 🗆 Gas/Air 🗙	

19. Proposed Casing and Cement Program

		and the second s	·			
Туре	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	14.75	9.625	36	300	575	0
Prod	7.875	5.5	15.5	6300	1300	0

#### Casing/Cement Program: Additional Comments

Yates Petroleum Corporation proposes to drill and test the Deleware and intermediate formations. Approximately 525' of surface casing will be set/cemented to shut off gravel and cavings. If commercial, production casing will be run/cemented; will perforaet/stimulate as needed for production.

Proposed Blowout Prevention Program

		1 Toposca Dionoat I It	overmon riogram	
	Туре	Working Pressure	Test Pressure	Manufacturer
H	DoubleRam	3000	3000	

I hereby certify that the information given above is true and complete to the be of my knowledge and belief.  I further certify that the drilling pit will be constructed according to	OIL CONSERVATION DIVISION				
NMOCD guidelines \( \sum_\), a general permit \( \omega \), or an (attached) alternative OCD-approved plan \( \sum_\).	Approved By: Bryan Arrant				
Printed Name: Electronically filed by dusty bean	Title: Geologist				
Title: Regulatory Tech	Approved Date: 3/28/2006 Expiration Date: 3/28/2007				
Email Address: dustyb@ypcnm.com					
Date: 3/28/2006 Phone: 505-748-4364	Conditions of Approval Attached				

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

District II

1301 W. Grand Ave., Artesia, NM 88210 Phone:(505) 748-1283 Fax:(505) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

#### State of New Mexico

Form C-102 Permit 17296

# Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

YY.	ELL LOCATION AND ACI	CEAGE DEDICATION IL	AI		
1. API Number	2. Pool Code	3. Po	ol Name		
30-015-34731	40380	LOVING;DELAWARE, SOUTH			
4. Property Code	5. Propert	5. Property Name			
12521	LOVING A	LOVING AIB STATE			
7. OGRID No.	8. Operato	or Name	9. Elevation		
25575	YATES PETROLEUN	M CORPORATION	3040		

#### 10. Surface Location

										_
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	7
A	16	23S	28E	A	330	N	330	E	EDDY	1

#### 11. Bottom Hole Location If Different From Surface

	ALI DOVINGE HOLD DOVERNOE IL DESCRIPTION I SELECT										
UL - Lot	Section	Township	Range	Lot	Idn	Feet From	N/S L	ine	Feet From	E/W Line	County
300000000000000000000000000000000000000	cated Acres	13	Joint or Infill		14	. Consolidation (	Code			15. Order No.	

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

d.

#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

E-Signed By: dusty bean Title: Regulatory Tech Date: 3/28/2006

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Herschel Jones Date of Survey: 10/4/2005 Certificate Number: 3640

## **Permit Comments**

Operator: YATES PETROLEUM CORPORATION , 25575 Well: LOVING AIB STATE #003

API: 30-015-34731

Created By	Comment	Comment Date
CYCOWAN	Sources at YPC have relayed information to me that they believe there will not be enough H2S found from the surface to the Bone Spring formation to meet the OCD's minimum requirements for the submission of a contingency plan.	10/20/2005
CYCOWAN	Sources available have been accessed for the captioned well. With this information obtained from the web site determines the sight ranking for this well is 20 points.	10/20/2005
CYCOWAN	MUD PROGRAM: 0-525' FW Gel/Paper; 525'-6000' Brine; 6000'-6300' Starch/SW Gel.	10/20/2005
BArrant	Culebra Bluff; Bone Spring, South has special pool rules. Please refer to R-Order 6139.	10/20/2005
dustyb	Correction: Sources at YPC have relayed information to me that they believe there will not be enough H2S found from the surface to the Deleware formation to meet the OCD's minimum requirements for the submission of a contingency plan per rule 118.	3/28/2006
dustyb	BOP Program: A 3000 psi BOP will be placed on the 9.625" casing and tested daily for operational	3/28/2006

# Permit Conditions of Approval Operator: YATES PETROLEUM CORPORATION , 25575 Well: LOVING AIB STATE #003

API: 30-015-34731

OCD Reviewer	Condition
BArrant	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
BArrant	As noted, operator to drill surface hole with fresh water mud.
BArrant	Operator is to review where the top of the Salado formation is in this area. Surface casing needs to be set above the Salado. Please refer to offset geology/e-logs for more information.