

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

1. Operator Name and Address YATES PETROLEUM CORPORATION 105 S 4TH ST ARTESIA , NM 88210		2. OGRID Number 25575
		3. API Number 30-025-38863
4. Property Code 37118	5. Property Name STRAIT BLH STATE	6. Well No. 007

**7. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
K	33	10S	34E	K	1650	S	1980	W	LEA

**8. Pool Information**

SAND SPRINGS,MISSISSIPPIAN (GAS)	97125
----------------------------------	-------

**Additional Well Information**

9. Work Type New Well	10. Well Type GAS	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 4160
14. Multiple N	15. Proposed Depth 12450	16. Formation Mississippian Age Rocks-Undivided	17. Contractor	18. Spud Date
Depth to Ground water 35		Distance from nearest fresh water well > 1000		Distance to nearest surface water > 1000
Pit: Liner: Synthetic <input checked="" type="checkbox"/> 12 _____mils thick Clay <input type="checkbox"/> Pit Volume: 24000 _____bbls Drilling Method: Closed Loop System <input type="checkbox"/> Fresh Water <input checked="" type="checkbox"/> Brine <input type="checkbox"/> Diesel/Oil-based <input type="checkbox"/> Gas/Air <input type="checkbox"/>				

**19. Proposed Casing and Cement Program**

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	14.75	11.75	42	400	275	0
Int1	11	8.625	32	4150	1125	0
Prod	7.875	5.5	17	12450	975	8600

**Casing/Cement Program: Additional Comments**

Yates Petroleum Corporation proposes to drill and test the Mississippian/intermediate formations. Approximately 400' of surface casing will be set and cement circulated. Intermediate casing will be set at 4150', cement circulated to surface. If commercial, production casing will be ran and cemented, perforated, and stimulated as needed to gain production.

**Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	5000	5000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines <input type="checkbox"/> a general permit <input checked="" type="checkbox"/> or an (attached) alternative OCD-approved plan <input type="checkbox"/> .	OIL CONSERVATION DIVISION	
	Approved By: Paul Kautz	
	Title: Geologist	
	Approved Date: 4/21/2008	Expiration Date: 4/21/2010
	Conditions of Approval Attached	

Printed Name: Electronically filed by Monti Sanders	
Title:	
Email Address: montis@ypcnm.com	
Date: 4/18/2008	Phone: 575-748-4244

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(505) 393-6161 Fax:(505) 393-0720

**District II**  
 1301 W. Grand Ave., Artesia, NM 88210  
 Phone:(505) 748-1283 Fax:(505) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-102  
 Permit 70697

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number 30-025-38863	2. Pool Code 97125	3. Pool Name SAND SPRINGS,MISSISSIPPIAN (GAS)
4. Property Code 37118	5. Property Name STRAIT BLH STATE	6. Well No. 007
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 4160


**10. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
K	33	10S	34E		1650	S	1980	W	LEA

**11. Bottom Hole Location If Different From Surface**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 320.00		13. Joint or Infill		14. Consolidation Code		15. Order No.			

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**



**OPERATOR CERTIFICATION**

*I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.*

E-Signed By: Monti Sanders  
 Title:  
 Date: 4/18/2008

**SURVEYOR CERTIFICATION**

*I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.*

Surveyed By: Gary Jones  
 Date of Survey: 4/15/2008  
 Certificate Number: 7977

## Permit Comments

Operator: YATES PETROLEUM CORPORATION , 25575

Well: STRAIT BLH STATE #007

API: 30-025-38863

Created By	Comment	Comment Date
MSANDERS	MUD PROGRAM: 0-400' Fresh Water Gel; 400'-2075' Fresh Water; 2075'-4150' Red Bed Mud/Oil; 4150'-7700' Cut Brine; 7700'-11550' SW Gel/Starch; 11550'-TD SW Gel/Starch/4-6%KCL.	3/5/2008
MSANDERS	BOPE PROGRAM: A 5000# BOPE will be installed on the 8.625" casing and tested daily for operational.	3/5/2008
MSANDERS	Sources at Yates Petroleum Corporation have relayed information to me that they believe there will not be enough H2S found from the surface through the Mississippian formation to meet the OCD's requirements for the submission of contingency plan per Rule 118.	3/5/2008
MSANDERS	CORRECTED MUD PROGRAM PREVIOUSLY SUBMITTED 3/5/08: 0-44' Fresh Water Gel; 400'-2105' Fresh Water; 2105'-4150' Red Bed Mud/Oil; 4150'-7700' Cut Brine; 7700'-11550' SW Gel/Starch; 11550'-TD SW Gel/Starch/4-6% KCL.	3/7/2008
MSANDERS	CORRECTED MUD PROGRAM PREVIOUSLY SUBMITTED 3/7/08: 0-400' Fresh Water Gel; 400'-2105' Fresh Water; 2105'-4150' Red Bed Mud/Oil; 4150'-7700' Cut Brine; 7700'-11550' SW Gel/Starch; 11550'-TD SW Gel/Starch/4-6% KCL.	3/7/2008

# Permit Conditions of Approval

Operator: YATES PETROLEUM CORPORATION , 25575

Well: STRAIT BLH STATE #007

API: 30-025-38863

OCD Reviewer	Condition
pkautz	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines