## District I State of New Mexico Form C-103 1625 N. French Dr., Hobbs, NM 88240 Permit 104196 Energy, Minerals and Natural Resources Phone:(505) 393-6161 Fax:(505) 393-0720 WELL API NUMBER Oil Conservation Division 1301 W. Grand Ave., Artesia, NM 88210 30-025-39494 Phone:(505) 748-1283 Fax:(505) 748-9720 1220 S. St Francis Dr. Santa Fe, NM 87505 Indicate Type of Lease 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 6. State Oil & Gas Lease No. Phone:(505) 476-3470 Fax:(505) 476-3462 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name WEST BLINEBRY DRINKARD (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFRENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH UNIT PROPOSALS.) 8. Well Number 1. Type of Well:O 110 2. Name of Operator 9. OGRID Number APACHE CORP 873 3. Address of Operator 10. Pool name or Wildcat 6120 S. YALE, SUITE 1500, TULSA, OK 74136 4. Well Location 140 feet from the line and 330 feet from the Unit Letter P S Township 218 Range 37E NMPM County 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3468 GR Pit or Below-grade Tank Application or Closure Distance from nearest fresh water well\_\_\_\_ Distance from nearest surface water\_ Depth to Groundwater\_\_\_\_ Below-Grade Tank: Volume\_\_\_\_ \_ mil Pit Liner Thickness: bbls; Construction Material\_ 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTER CASING TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. | PLUG AND ABANDON | PULL OR ALTER CASING | MULTIPLE COMPL CASING/CEMENT JOB Other: Other: Drilling/Cement X 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 10/07/09 SPUD 10/08/09 CSG STRING @ 1,293'; HOLE SIZE 12.25, STRING SIZE 8.625, TYPE K-55, WGHT 24.0, 650 SKS OF CEMENT, CLASS C, CIRC TO SURF. 10/12/09 DRLG F/ 6252' - 6867'. TD. CIR & COND HOLE. RU LOGGERS; 10/13/09 SET PROD. CSG @ 6867'; HOLE SIZE 7.875, STRING SIZE 5.5, TYPE K-55/L-80, WGHT 17.0, 1000 SKS OF CEMENT, CLASS C, CIRC TO SURF. RR 10/13/09.10/7/2009 Spudded well. Casing and Cement Program Weight Ib/ft Grade Hole Fluid Csa Est Doth Pres Pres Open Date String Sacks Yield Class TOC Set Doth Drop Hole Type Size Size Held 24 K-55 650 Surf 12.25 8.625 0 1293 C 5.5 0 6867 Prod 7.875 17 1000 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🗀, a general permit 🗂 or an (attached) alternative OCD-approved plan

TITLE Engineering Tech

TITLE Geologist

E-mail address lana.williams@apachecorp.com Telephone No. 918-491-4900

DATE 10/20/2009

DATE 10/21/2009 7:31:14 AM

SIGNATURE Electronically Signed

Type or print name Lana Williams

APPROVED BY: Paul Kautz

For State Use Only: