<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico

## Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 128977

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

COG	tor Name and Address DPERATING LLC	OGRID Number     229137		
550 W TEXAS MIDLAND, TX 79701		3. API Number 30-015-39329		
4. Property Code	5. Property Name	6. Well No.		
302472	CONTINENTAL A STATE	014		

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	30	17S	29E	3	2280	S	800	W	EDDY

#### 8. Pool Information

EMPIRE; GLORIETA-YESO	96210
-----------------------	-------

#### Additional Well Information

		Additional Well Inform	аттоп		
9. Work Type	10. Well Type	11. Cable/Rotary	12. Lesse Type	13. Ground Level Elevation	
New Well	OIL		State	3655	
14. Multiple	15. Proposed Depth	16. Formation	17. Contractor	18. Spud Date	
N	5600	Yeso Formation		10/30/2011	
Depth to Ground water		Distance from nearest fresh water > 1000	Distance from nearest fresh water well > 1000		

19. Proposed Casing and Cement Program

					8	
Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	400	0
Int1	11	8.625	24	850	400	0
Prod	7.875	5.5	17	5600	900	0

#### Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 350' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 850' w/br mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill 7-7/8" hole to 5600' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

of my knowledge and belief.	ion given above is true and complete to the best ng pit will be constructed according to	OIL CONSERVATION DIVISION		
NMOCD guidelines 🔀, a gene OCD-approved plan	eral permit , or an (attached) alternative	Approved By: Randy Dade		
Printed Name: Electronica	lly filed by Diane Kuykendall	Title: District Supervisor		
Title: Production Reporting	ng Mgr	Approved Date: 8/18/2011	Expiration Date: 8/18/2013	
Email Address: dkuykend	all@conchoresources.com		***	
Date: 8/16/2011	Phone: 432-683-7443	Conditions of Approval Atta	ched	

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 128977

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

2. Pool Code 96210		Pool Name FLORIETA-YESO
		6. Well No. 014
8. Operator	Name	9. Elevation
	5. Property : CONTINENTAL 8. Operator	96210 EMPIRE; C  5. Property Name CONTINENTAL A STATE  8. Operator Name COG OPERATING LLC

#### 10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	30	17S	29E		2280	S	800	W	EDDY

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	cated Acres	13.	Joint or Infill	1	14. Consolidation Code		15. Order No.		

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

300		

#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 8/16/2011

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 6/17/2011 Certificate Number: 3239

## **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: CONTINENTAL A STATE #014

API: 30-015-39329

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	3/17/2011

# Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: CONTINENTAL A STATE #014

API: 30-015-39329

OCD Reviewer	Condition
Artesia	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string