District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 137733

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

NEARBU	ator Name and Address RG PRODUCING CO	OGRID Number 15742		
	N. A Street, Bldg 2, fland, TX 79707	3. API Number 30-015-39428		
4. Property Code	5. Property Name	6. Well No.		
38718	MORRIS BOYD 26 FEE COM	002H		

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	26	198	25E	0	330	S	1980	E	EDDY

8. Pool Information

N. SEVEN RIVERS; GLORIETA-YESO	97565

Additional Well Information

9. Work Type New Well	10. Well Type OIL	11. Cable Rotary	12. Lesse Type Private	13. Ground Level Elevation 3470
14. Multiple N	15. Proposed Depth 7200	16. Formation Yeso Formation	17. Contractor	18. Spud Date 3/1/2012
Depth to Ground	water	Distance from nearest fresh water	well	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	8.625	32	825	494	0
Prod	7.875	5.5	17	7194	550	0

Casing/Cement Program: Additional Comments

Proposed Blowout Prevention Program

		1 Toposeu Dionot	tt i revention i rogram	
3	Type	Working Pressure	Test Pressure	Manufacturer
	Annular	5000	5000	Shaffer

of my knowledge and belief.	ation given above is true and complete to the best lling pit will be constructed according to	OIL CONSERVATION DIVISION				
	eneral permit , or an (attached) alternative	Approved By: Randy Dade				
Printed Name: Electroni	cally filed by Terri Stathem	Title: District Supervisor				
Title: Regulatory Analy	st	Approved Date: 9/22/2011	Expiration Date: 9/22/2013			
Email Address: tstathem	@nearburg.com					
Date: 9/21/2011	Phone: 432-818-2950	Conditions of Approval Atta	ched			

DISTRICT I 1625 N. FRENCH DR., HOBBS, NM 88240 DISTRICT II 1301 W. GRAND AVENUE, ARTESIA, NM 88210 DISTRICT III 1000 RIO BRAZOS RD., AZTEC, NM 87410

11885 S. ST. FRANCIS DR., SANTA FE, NM 87505

DISTRICT IV

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505


Form C-102 Revised July 16, 2010 Submit to Appropriate District Office

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AP	I Number		Pool Code Pool Name						
			97565 N Seven Rivers; Glorieta Yeso						
Property Co	ode				Property Nam				ll Number
38718				MORRIS-BOYD 26 FEE COM 2H		2H			
OGRID N	lo.				Operator Nam	ie		E	levation
15742			NEA	ARBURG	PRODUC	ING COMPA	NY		3470'
			· · · · · · · · · · · · · · · · · · ·		Surface Locat	ion			
UL, or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	26	19-S	25-E		330	SOUTH	1980	EAST	EDDY
		<u> </u>		Bottom Hole	Location If Diff	erent From Surface			
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
В	26	19-S	25-E		330	NORTH	1980	EAST	EDDY
Dedicated Acres	Joint or	Infill C	Consolidation C	ode Orde	er No.			.1	
160									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Permit Conditions of Approval

Operator: NEARBURG PRODUCING CO , 15742 Well: MORRIS BOYD 26 FEE COM #002H

API: 30-015-39428

OCD Reviewer	Condition				
Artesia	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string				