District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 137146

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

| 1. Operator NADEL AND GUS | OGRID Number 155615 | | |
|--|-------------------------|-------------------------------|--|
| 601 N MARIENFELD MIDLAND , TX 79701 | | 3. API Number 30-015-39485 | |
| 4. Property Code 5. Property Name | | 6. Well No. | |
| 38793 SUPER CHIEF | | 002H | |

7. Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| H | 24 | 188 | 26E | H | 1650 | N | 410 | E | EDDY |

8. Pool Information

| ATOKA;GLORIETA-YESO | 3250 |
|---------------------|------|

Additional Well Information

| 9. Work Type 10. Well Typ New Well OIL | | | 11. Cable/Rotary | 12. Lesse Type Private | 13. Ground Level Elevation 3288 |
|---|--|-------------------|-----------------------------------|------------------------|-----------------------------------|
| | | osed Depth 410 | 16. Formation Yeso Formation | 17. Contractor | 18. Spud Date 1/15/2012 |
| Depth to Ground water | | | Distance from nearest fresh water | well | Distance to nearest surface water |

19. Proposed Casing and Cement Program

| Type | Hole Size | Casing Type | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 12.25 | 9.625 | 36 | 1000 | 400 | 0 |
| Int1 | 8.75 | 7 | 26 | 3225 | 550 | 0 |
| Prod | 6.125 | 4.5 | 13.5 | 7410 | 0 | 0 |

Casing/Cement Program: Additional Comments

Will 1" cement to surface if necessary on surface casing. Complete open hole with Packers Plus completion in 6.125" hole set liner hanger at 2975'.

Proposed Blowout Prevention Program

| 1,2% | | | ×21.0 |
|-----------|------------------|---------------|--------------|
| Туре | Working Pressure | Test Pressure | Manufacturer |
| Annular | 3000 | 1500 | Hydril |
| DoubleRam | 3000 | 3000 | Shaffer |

| of my knowledge and belief | mation given above is true and complete to the best brilling pit will be constructed according to | OIL CONSERVATION DIVISION Approved By: Randy Dade | | |
|----------------------------|--|--|-----------------------------|--|
| | general permit , or an (attached) alternative | | | |
| Printed Name: Electron | nically filed by Scott Germann | Title: District Supervisor | | |
| Title: General Manage | r i i | Approved Date: 10/12/2011 | Expiration Date: 10/12/2013 | |
| Email Address: scottg(| @naguss.com | | | |
| Date: 9/9/2011 | Phone: 432-682-4429 | Conditions of Approval Attac | ched | |

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II

DISTRICT III

1301 W. Grand Avenue, Artesia, NM 86210

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102 Revised October 15, 2009

Submit one copy to appropriate

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

1000 Rio Brazos Rd., Aztec, NM 87410 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505


WELL LOCATION AND ACREAGE DEDICATION PLAT

■ AMENDED REPORT

District Office

| API | Number | | Pool Code Atoka Jeso | | | | | | |
|--|---------|----------|---------------------------|----------|-----------------|------------------|---------------|----------------|-----------|
| Property | Code | | Property Name SUPER CHIEF | | | | | | mber |
| OGRID N 55615 | o. | | oportuos mano | | | | | | ion 3' |
| | | | | | Surface Loca | ation | | | |
| UL or lot No. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
| Н | 24 | 18 S | 26 E | | 1650 | NORTH | 410 | EAST | EDDY |
| | | | Bottom | Hole Loc | cation If Diffe | erent From Sur | face | | |
| UL or lot No. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
| E | 24 | 18 S | 26 E | : | 1650 | NORTH | 330 | WEST | EDDY |
| Dedicated Acres Joint or Infill Consolidation Code Order No. | | | | | | | | | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Permit Comments

Operator: NADEL AND GUSSMAN PERMIAN, LLC , 155615

Well: SUPER CHIEF #002H

API: 30-015-39485

| Created By | Comment | Comment Date | |
|------------|----------|--------------|--|
| CSHAPARD | Land p/P | 10/11/2011 | |

Permit Conditions of Approval

Operator: NADEL AND GUSSMAN PERMIAN, LLC , 155615 Well: SUPER CHIEF #002H

API: 30-015-39485

| OCD Reviewer | Condition |
|-----------------|--|
| CSHAPARD | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| CSHAPARD | Will require administrative order for non-standard location |