<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

## Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 131808

APPLICATION FOR PERMIT	TO DRILL, RE-ENTER, DEEPE	N, PLUGBACK, OR ADD A ZONE

COG OF	r Name and Address PERATING LLC	OGRID Number     229137	
550 W TEXAS MIDLAND, TX 79701		3. API Number 30-015-39493	
4. Property Code	5. Property Name	6. Well No.	
308221	MONCRIEF STATE	003	

#### 7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	23	17S	28E	L	2330	S	730	W	EDDY

#### 8. Pool Information

EMPIRE; GLORIETA-YESO	96210
-----------------------	-------

### Additional Well Information

		Additional Well Inform	аноп		
9. Work Type New Well	10. Wett Type OIL	11. Cable/Rotary	12. Lesse Type State	13. Ground Level Elevation 3600	
14. Multiple 15. Proposed Depth N 5259		16. Formation 17. Contractor Yeso Formation		18. Spud Date 12/31/2011	
Depth to Ground	water	Distance from nearest fiesh water > 1000	Distance to nearest surface water > 1000		

19. Proposed Casing and Cement Program

	13.110posea cusing and coment 110gram									
Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC				
Surf	17	13.375	48	250	300	0				
Int1	11	8.625	24	850	400	0				
Prod	7.875	5.5	17	5259	900	0				

## Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 250' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 850' w/br mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill a 7-7/8" hole to 5259' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

Proposed Blowout Prevention Program

(4)	Troposcu Dionout Tr	C CHUICH I I Ogiani	X21 V2
Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

I hereby certify that the information given a of my knowledge and belief. I further certify that the drilling pit wil	Acres on November 199	OIL CONSERVATION DIVISION				
NMOCD guidelines X, a general permi OCD-approved plan .		Approved By: Randy Dade				
Printed Name: Electronically filed b	y Diane Kuykendall	Title: District Supervisor				
Title: Production Reporting Mgr		Approved Date: 10/12/2011	Expiration Date: 10/12/2013			
Email Address: dkuykendall@conc	horesources.com		- 10			
Date: 10/6/2011 P	hone: 432-683-7443	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

# Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 131808

### WELL LOCATION AND ACREAGE DEDICATION PLAT

96210	EMPIRE; GLORIETA-YESO
5. Property 1 MONCRIEF	
8. Operator 1	Name 9. Elevation
	MONCRIEF

#### 10. Surface Location

			25.					8		74.
Ì	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	L	23	17S	28E		2330	S	730	W	EDDY

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	23	17S	28E	L	2310	S	990	W	EDDY
12. Dedicated Acres 40.00		13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

8			
300			
	00		

#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 10/6/2011

### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 8/25/2011 Certificate Number: 3239

# **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: MONCRIEF STATE #003

API: 30-015-39493

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	5/16/2011
CSHAPARD	Land p/S	10/11/2011

# Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: MONCRIEF STATE #003

API: 30-015-39493

OCD Reviewer	Condition	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	
CSHAPARD	Will require administrative order for non-standard location	