District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Form C-101 August 1, 2011

Permit 138448

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL	, RE-ENTER, DEEPEN	PLUGBACK, OR ADD A ZONE
III DICITION I OIL I LICHIII I O DICIDE	, re Little, Deller	, I De ob. I cit, oit iibb ii bo. L

Operator Name and Address OXY USA INC PO Box 4294 Houston, TX 77210		2. OGRID Number 16696
		3. API Number 30-015-39498
4. Property Code	5. Property Name	6. Well No.
38783	PIGLET 21 STATE	002

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	21	17S	28E	0	915	S	2283	E	EDDY

8. Pool Information

ADDRESS OF ODDERS ATTACKED	0.6000
ARTESIA; GLORIETA-YESO (O)	96830

Additional Well Information

9. Work Type New Well	10. We	ii Type IL	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3626
14. Multiple N	100 Care 100	osed Depth 200	16. Formation Tubb	17. Contractor	18. Spud Date 12/15/2011
Depth to Ground	water		Distance from nearest fresh water	r well	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	9.625	36	400	250	0
Prod	8.75	5.5	17	5200	2080	0

Casing/Cement Program: Additional Comments

Proposed Blowout Prevention Program

	Troposed Dionout Tr	evention i rogram		_
Type	Working Pressure	Test Pressure	Manufacturer	
DoubleRam	3000	5000	H&P	П

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to		OIL CONSERVATION DIVISION		
NMOCD guidelines , a ger OCD-approved plan .	neral permit , or an (attached) alternative	Approved By: Randy Dade		
Printed Name: Electronic	ally filed by KAREN M SINARD	Title: District Supervisor		
Title:		Approved Date: 10/14/2011	Expiration Date: 10/14/2013	
Email Address: karen_sin	ard@oxy.com			
Date: 10/11/2011	Phone: 713-366-5485	Conditions of Approval Attac	hed	

District 1

1625 N. French Dr., Hobbs, NM 88240

District #

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brozos Rd., Aztec, NM 87410

District N

1220 S. St. Francis Dr., Sonto Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102 Revised October 12, 2005

Submit to Appropriate District Office


State Lease- 4 Copies Fee Lease- 3 Copies

☐ AMENDED REPORT

		WELL LOCATION AND AC	CREAGE DEDICATION PLAT	
MANAGED	API Numbe	er Pool Code	Pool Name	
www.comercedon		96830	ARTESIA; GLORIETA- YESO O)
adding the same	Property Code	1	erty Nome	Well Number
descentes		PIGLET ".	21" STATE	2
Sections	OGRID No.	Opera	lor Nome	Elevation
AND PARTY AND PA	16696	OXY U	SA INC.	3625.6

Surface Location UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 0 21 17 SOUTH 28 EAST, N.M.P.M. 915 SOUTH EAST 2283' EDDY Bottom Hole Location If Different From Surface UL or lot no. Section Lot Idn Feet from the North/South line Feet from the Township East/West line County Dedicated Acres Joint or Infill Consolidation Code Order No. 40

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Permit Comments

Operator: OXY USA INC , 16696 Well: PIGLET 21 STATE #002

API: 30-015-39498

Created By	Comment	Comment Date	
CSHAPARD	Land s/S	10/14/2011	

Permit Conditions of Approval

Operator: OXY USA INC , 16696 Well: PIGLET 21 STATE #002

API: 30-015-39498

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string