<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
<u>District II</u>

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 138452

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

	Name and Address	2. OGRID Number	
OXY USA INC PO Box 4294		16696	
	on, TX 77210	3. API Number	
riouston, 1A //210		30-015-39502	
4. Property Code	5. Property Name	6. Wett No.	
38783 PIGLET 21 STATE		007	

### 7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
K	21	17S	28E	K	2138	S	2063	W	EDDY

### 8. Pool Information

ARTEGA, CLORIETA VECO (O)	06020
ARTESIA; GLORIETA-YESO (O)	90830

## Additional Well Information

9. Work Type New Well	10. We	ii Type IL	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3653
14. Multiple N	100 Care 100	osed Depth 200	16. Formation Tubb	17. Contractor	18. Spud Date 12/15/2011
Depth to Ground	water		Distance from nearest fresh water	a well	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	9.625	36	400	250	0
Prod	8.75	5.5	17	5200	2080	0

## Casing/Cement Program: Additional Comments

Proposed Blowout Prevention Program

		I Toposeu Dionout I	revention riogram	
	Type	Working Pressure	Test Pressure	Manufacturer
Т	DoubleRam	3000	5000	H&P

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify that the drilling pit will be constructed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		OIL CONSERVATION DIVISION		
		Approved By: Randy Dade		
Printed Name: Electronically filed by KAREN M SINARD		Title: District Supervisor		
Title:		Approved Date: 10/14/2011	Expiration Date: 10/14/2013	
Email Address: karen_sinard@oxy.com				
Date: 10/11/2011 Phone: 713-366-5485		Conditions of Approval Attac	hed	

District 1

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brozos Rd., Aztec, NM 87410 District N

1220 S. St. Francis Dr., Santo Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005

Submit to Appropriate District Office

State Lease 4 Copies


Fee Lease-3 Copies

☐ AMENDED REPORT

	WELL LOCATION AND AC	REAGE DEDICATION PLAT	
API Numbe	Pool Code	Pool Nome	
	96830	ARTESIA; GIORIETA-YESO (0)	
Property Code	Proper	rty Name	Well Number
	PIGLET "2	21" STATE	7
OGRID No.	Operot	or Name	Elevation
16696	OXY US	SA INC.	3652.7'

Surface Location UL or lot no. Section Township Ronge Lot Idn Feet from the North/South line Feet from the East/West line County K 21 17 SOUTH 28 EAST, N.M.P.M. 2138 SOUTH WEST 2063 EDDYBottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County Dedicated Acres Joint or Infill Consolidation Code Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



# Permit Conditions of Approval

Operator: OXY USA INC , 16696 Well: PIGLET 21 STATE #007

API: 30-015-39502

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string