District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(5/5) 748-1283 Fax:(5/5) 748-9/20 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 140399

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address OXY USA WTP LIMITED PARTNERSHIP PO Box 4294 Houston, TX 77210		OGRID Number 192463 API Number 30-015-39652	
309603	ROO 22 STATE	006	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
F	22	17S	28E	F	1774	N	1466	W	EDDY

8. Pool Information

EMPIRE; GLORIETA-YESO	96210
ENT III, ODORULIII-1200	70210

Additional Well Information

9. Work Type New Well	10. We	II Type	11. Cable Rotary	12. Lesse Type State	13. Ground Level Elevation 3580
14. Multiple	15. Prop	osed Depth	16. Formation	17. Contractor	18. Spud Date
N	5.	208	Yeso Formation	100	12/20/2011
Depth to Ground	water		Distance from nearest fresh water	well	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	9.625	36	400	250	
Prod	8.75	5.5	17	5208	2080	

Casing/Cement Program: Additional Comments

Additional information will be sent with C-144 CLEZ


Proposed Blowout Prevention Program

	Troposed Dionout Tr	evention i rogram	
Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	

of my knowledge and belief.	tion given above is true and complete to the best ling pit will be constructed according to	OIL CONSERVATION DIVISION		
NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		Approved By: Randy Dade		
Printed Name: Electronic	ally filed by KAREN M SINARD	Title: District Supervisor		
Title:		Approved Date: 11/21/2011	Expiration Date: 11/21/2013	
Email Address: karen_sin	ard@oxy.com	s:		
Date: 11/17/2011 Phone: 713-366-5485		Conditions of Approval Attac	hed	

UL or lot UL or lot no. Section division. No allowable 309,603 0080 No. District 1 1625 N. French Dr., Hobbs, NM 88240 District IV District # District II 1000 Rio Brazos Rd., Azlec, NM 87410 1301 W. Grand Avenue, Artesia, NM 88210 1220 S. St. Francis Dr., Santa Fe, NM 87505 ۲, ٿ, Dedicated Acres 30-015op. Property Code Section 8 % ≝. ₹ be assigned to 7 Number 17 SOUTH Joint or Infill Township Township SOUTH this Consolidation Code Energy, 28 EAST, N.M.P.M. 88 WELL LOCATION AND ACREAGE DEDICATION PLAT completion until all interests have been consolidated or a non-standard unit has been approved by Bottom Hole Location
Range | Lot Idn EAST, N.M.P.M. 96210 Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Order No. Santa Fe, NM 87505 State of New Mexico R00OXY USA WITP Surface lut lun Property Name
22 ST Operator Name Location

Feet from the If Different STATE feel from the 1774 1774 Empire Limi bd t From Surface North/South line | Feet 1 North/South line | Feet from the NORTH NORTH Partnership Glowieta Pool Name Feet from the 1650 1466' Revised October 12, 2005 Submit to Appropriate District Office East/West line East/West line 50) WEST WEST State Lease- 4 Copies AMENDED REPORT Fee Lease-3 Copies 3580.4 Form C+102 Well Number Elevation Q EDDY EDDY County County the



Permit Comments

Operator: OXY USA WTP LIMITED PARTNERSHIP, 192463

ROO 22 STATE #006 30-015-39652 Well:

API:

Created By	Comment	Comment Date	
CSHAPARD	Land s/S	11/21/2011	

Permit Conditions of Approval

Operator: OXY USA WTP LIMITED PARTNERSHIP , 192463 Well: ROO 22 STATE #006

API: 30-015-39652

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string