District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 141352

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

	Operator Name and Address TROLEUM CORPORATION	2. OGRID Number 25575		
105 S 4TH ST ARTESIA , NM 88210		3. API Number 30-015-39859		
4. Property Code	5. Property Name	6. Well No.		
17654	SOUTHLAND ROYALTY APM STATE	04-H		

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	24	198	29E	N	200	S	2080	W	EDDY

#### 8. Pool Information

	2000
TURKEY TRACK: BONE SPRING	60660

Additional Well Information

	_		Ruditional Well Informa	tion .	7	
9. Work Type New Well	10. Wett Type OIL		11. Cable/Rotary	12. Lesse Type State	13. Ground Level Elevation 3352	
14. Multiple N			15. Proposed Depth 16. Formation 12828 2nd Bone Spring Sand		18. Spud Date	
Depth to Ground	water		Distance from nearest fresh water w	rel1	Distance to nearest surface water	

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	365	0
Int1	12.25	9.625	40	3700	1235	0
Prod	8.5	5.5	17	12828	0	
Prod	8.75	5.5	17	7800	1820	0

Casing/Cement Program: Additional Comments					

Proposed Blowout Prevention Program

-	5.5	Troposed Blomode I.	c chemical r r ogram	70
	Type	Working Pressure	Test Pressure	Manufacturer
	DoubleRam	3000	3000	

of my knowledge and belief.	ation given above is true and complete to the best lling pit will be constructed according to	OIL CONSERVATION DIVISION				
	neral permit $\square$ , or an (attached) alternative	Approved By: Randy Dade				
Printed Name: Electronic	ally filed by Monti Sanders	Title: District Supervisor				
Title:		Approved Date: 1/31/2012	Expiration Date: 1/31/2014			
Email Address: montis@	yatespetroleum.com					
Date: 12/13/2011	Phone: 575-748-4244	Conditions of Approval Atta	ched			

District I 1625 N. French Dr., Hobbs, NM 88240

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

### Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 141352

### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	Pool Name
30-015-39859	60660	ACK; BONE SPRING
4. Property Code	5. Property	6. Well No.
17654	SOUTHLAND ROYA	04-H
7. OGRID No. 25575	8. Operator YATES PETROLEUN	9. Elevation 3352


#### 10. Surface Location

-	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
- 5	N	24	198	29E		200	S	2080	W	EDDY

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
С	24	198	29E	С	330	N	1980	W	EDDY
1	cated Acres	13. J	oint or Infill	14	. Consolidation	Code	15. Order No.		

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Monti Sanders

Title:

Date: 12/13/2011

### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones Date of Survey: 7/18/2011 Certificate Number: 7977

## **Permit Comments**

Operator: YATES PETROLEUM CORPORATION, 25575 Well: SOUTHLAND ROYALTY APM STATE #04-H

API: 30-015-39859

Created By	Comment	Comment Date
dif	Pressure control equipment will be a 3000# BOP nippled up on the 13 3/8" casing and then on the 9 5/8" casing. Maximum bottom hole pressures are: 0-350' 170 psi; 350'-3700' 1962 psi; 3700'-8280' 3961psi.	12/13/2011
dif	Well will be drilled vertically to 7803', well will then be kicked off at 7803' and directionally drilled at 12 degrees per 100' with a 8 3/4" holeto 8553' MD (8280' TVD). If hole conditions dictate, 7" casing will be set and cemented. A 6 1/8" hole will then be drilled to 12828' MD (8280' TVD) and a 4 1/2" liner will be set with a packer/port systemin the laterl.	12/13/2011
dif	If 7" casing is not set then the hole will be reduced to 8 1/2" and drilled to 12,828' MD (8280' TVD) where 5 1/2" casing will be set with a Packer's Plus packer/port system in the lateral. A SF cementing tool will be set above the cure. Cement will be set from the SF tool to surface.	12/13/2011
dif	Penetration of the producing zone will be encountered at 677' FSL & 2069' FWL, Section 24- 19S-29E. Deepest TVD in the well will be 8280' in the lateral.	12/13/2011
dif	H2S is not anticipated for this well.	12/13/2011
dif	The C-144, Contingency Casing plan and the Drilling Plans will follow by mail.	12/13/2011
CSHAPARD	Land s/S	1/27/2012
CSHAPARD	Land s/S	1/27/2012

# Permit Conditions of Approval

Operator: YATES PETROLEUM CORPORATION , 25575 Well: SOUTHLAND ROYALTY APM STATE #04-H

API: 30-015-39859

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string