<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 141951

### APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

COG OF	r Name and Address PERATING LLC	2. OGRID Number 229137	
0.00 (0	W TEXAS ND , TX 79701	3. API Number 30-015-39882	
4. Property Code	5. Property Name	6. Well No.	
39038	CONOCO 8 STATE		

#### 7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
J	8	17S	29E	J	1380	S	1650	E	EDDY

#### 8. Pool Information

EMFIRE, GLORIETA-TESO, EAST	EMPIRE; GLORIETA-YESO, EAST	96610
-----------------------------	-----------------------------	-------

#### Additional Well Information

	_		Additional Well Inform	ation		
9. Work Type 10. Well Type New Well OIL		11. Cable/Rotary 12. Lesse Type State		13. Ground Level Elevation 3616		
14. Multiple N			16. Formation 17. Contractor Yeso Formation		18. Spud Date 4/30/2012	
Depth to Ground water			Distance from nearest fresh water > 1000	Distance to nearest surface water > 1000		

19. Proposed Casing and Cement Program

		-			8	
Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	300	400	0
Int1	11	8.625	24	850	500	0
Prod	7.875	5.5	17	5400	1100	

#### Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 300' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill a 11" hole to 850' w/br mud system, wt 10, vis 30, set 8-5/8" casing & cement to surface. Drill a 7-7/8" hole to 5400' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

of my knowledge and belief.	tion given above is true and complete to the best ing pit will be constructed according to	OIL CONSERVATION DIVISION			
	eral permit , or an (attached) alternative	Approved By: Randy Dade			
Printed Name: Electronica	lly filed by Diane Kuykendall	Title: District Supervisor			
Title: Production Reporting	ng Mgr	Approved Date: 2/6/2012	Expiration Date: 2/6/2014		
Email Address: dkuykend	all@conchoresources.com				
Date: 2/1/2012	Phone: 432-683-7443	Conditions of Approval Atta	ached		

#### <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

District II
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico

## Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 141951

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-39882			3. Pool Name LORIETA-YESO, EAST	
4. Property Code 39038	5. Property Name CONOCO 8 STATE		6. Well No. 004	
7. OGRID No. 229137	8. Operator Name COG OPERATING LLC		9. Elevation 3616	


#### 10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
J	8	17S	29E		1380	S	1650	E	EDDY

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
J	8	17S	29E	J	1650	S	1650	E	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 2/1/2012

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Eidson Date of Survey: 1/7/2012 Certificate Number: 12641

## **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: CONOCO 8 STATE #004

API: 30-015-39882

Created By	Comment	Comment Date
kconnally	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	12/22/2011
CSHAPARD	Land s/S	2/3/2012

## Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: CONOCO 8 STATE #004

API: 30-015-39882

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string