District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 142936

## APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator NADEL AND GUS	OGRID Number 155615		
601 N MARIENFELD MIDLAND , TX 79701		3. API Number 30-015-39988	
4. Property Code	5. Property Name	6. Well No.	
39097	REGULATOR	001H	

#### 7. Surface Location

		199							
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Н	29	188	26E	H	2420	N	330	E	EDDY

### 8. Pool Information

ATOKA;GLORIETA-YESO	3250
ATOKA, GLORIETA-TESO	3230

### Additional Well Information

9. Work Type	10. We	II Tune	11. Cable/Rotary	12. Lease Type	13. Ground Level Elevation
New Well	O		11. Cabic Itolay	Private	3418
14. Multiple	15. Prop	osed Depth	16. Formation	17. Contractor	18. Spud Date
N	5	000	Yeso Formation	100	6/1/2012
Depth to Ground	water		Distance from nearest fresh water	well	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	9.625	36	1000	600	0
Prod	8.75	7	26	2800	500	0
Liner1	6.125	4.5	13.5	5000	0	

Casing/Cement Program: Additional Comments

Proposed Blowout Prevention Program

129			
Type	Working Pressure	Test Pressure	Manufacturer
Annular	1500	1500	SHAFFER
DoubleRam	3000	3000	Cameron

of my knowledge and belief.	ion given above is true and complete to the best ing pit will be constructed according to	OIL CONSERVATION DIVISION		
	eral permit , or an (attached) alternative	Approved By: Randy Dade		
Printed Name: Electronica	lly filed by Scott Germann	Title: District Supervisor		
Title: General Manager	AND	Approved Date: 3/1/2012	Expiration Date: 3/1/2014	
Email Address: sgerman@	naguss.com			
Date: 2/16/2012	Phone: 432-682-4429	Conditions of Approval Atta	ached	

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone (575) 393-8161 Fax: (575) 393-0720 DISTRICT II

1301 W. Grand Avenue, Artesia, NM 88210 Phone (575) 748-1283 Fax: (575) 748-9720

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 476-3460 Fax: (505) 478-3462

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised August 1, 2011

District Office

Submit one copy to appropriate

#### OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT API Number Pool Code Pool Name Property Code Property Name Well Number REGULATOR 1H OGRID No. Operator Name Elevation 3418' NADEL & GUSSMAN PERMIAN


#### Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Н	29	18 S	26 E		2420	NORTH	330	EAST	EDDY

#### Bottom Hole Location If Different From Surface

UL or lot No.	Section 29	Township 18 S	Range 26 E	Lot Idn	Feet from the 330	North/South line SOUTH	Feet from the 350	East/West line EAST	County EDDY
Dedicated Acre	s Joint o	r Infill Co	nsolidation (	Code Ore	ler No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



# **Permit Comments**

Operator: NADEL AND GUSSMAN PERMIAN, LLC , 155615

Well: REGULATOR #001H

API: 30-015-39988

Created By	Comment	Comment Date	
CSHAPARD	Land p/P	2/29/2012	

# Permit Conditions of Approval

Operator: NADEL AND GUSSMAN PERMIAN, LLC , 155615 Well: REGULATOR #001H

API: 30-015-39988

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string