<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(5/5) /48-1283 Fax:(5/5) /48-9/20 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 149713

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

| 1. Ope<br>DEVON ENERGY                            | OGRID Number     6137   |                               |  |
|---|-------------------------|-------------------------------|--|
| 333 W. Sheridan Avenue<br>Oklahoma City, OK 73102 |                         | 3. API Number<br>30-015-40372 |  |
| 4. Property Code                                  | 5. Property Name        | 6. Well No.                   |  |
| 38927   | LONE TREE DRAW 13 STATE | 002H                          |  |

7. Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| D        | 13      | 218      | 27E   | D       | 150       | N        | 750       | W        | EDDY   |

#### 8. Pool Information

| FENTON:DELAWARE, NORTHWEST | 24330 |
|----------------------------|-------|

Additional Well Information

| 9. Work Type<br>New Well | 10. Wet   |            | 11. Cable/Rotary                  | 12. Lease Type State | 13. Ground Level Elevation<br>3192 |
|--------------------------|-----------|------------|-----------------------------------|----------------------|------------------------------------|
| 14. Multiple             | 15. Propo | osed Depth | 16. Formation Delaware            | 17. Contractor       | 18. Spud Date                      |
| Depth to Ground          | water     |            | Distance from nearest fresh water | r well               | Distance to nearest surface water  |

19. Proposed Casing and Cement Program

| Type | Hole Size | Casing Type | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 17.5      | 13.375      | 48               | 300           | 1435            | 0             |
| Int1 | 12.25     | 9.625       | 40               | 2600          | 1015            | 0             |
| Prod | 8.75      | 5.5         | 17               | 9545          | 2000            | 0             |
| Prod | 8.75      | 5.5         | 17               | 4100          | 785             | 2700          |

#### Casing/Cement Program: Additional Comments

13 3/8" slurry No 1 Yld. 1.97 cf/sx; Slurry No 2 Yld.1.34 cf/sx. 9 5/8" slurry No 1 Yld. 1.73 cf/sx; Slurry No 2 Yld. 1.38 cf/sx. 5 1/2" slurry No 1 Yld. 1.30 cf/sx; Slurry No 2 Yld. 2.00 cf/sx, Slurry No 3 Yld 1.28 cf/sx. 8 3/4" PH @ 7032' & plugged back to KOP. Cement plug w/670 sx Cl H, Yld. 1.18 cf/sx. Plug Top: 9227' Plug Btm: 10,80'.

Proposed Blowout Prevention Program

|           |                  |               | 202          |
|-----------|------------------|---------------|--------------|
| Type      | Working Pressure | Test Pressure | Manufacturer |
| Annular   | 3000             | 3000          |              |
| DoubleRam | 3000             | 3000          | 5            |

| of my knowledge and belief.  | given above is true and complete to the best<br>pit will be constructed according to | OIL CONSERVATION DIVISION       |                           |  |  |
|------------------------------|--|---------------------------------|---------------------------|--|--|
|                              | l permit $\square$ , or an (attached) alternative                                    | Approved By: Randy Dade         |                           |  |  |
| Printed Name: Electronically | filed by Randy Bolles  | Title: District Supervisor      |                           |  |  |
| Title: Manager, Regulatory A | Affairs  | Approved Date: 6/6/2012         | Expiration Date: 6/6/2014 |  |  |
| Email Address: randy.bolles  | @dvn.com   |                                 | 191997                    |  |  |
| Date: 6/5/2012               | Phone: 405-228-8588  | Conditions of Approval Attached |                           |  |  |

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Pax: (505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico

### Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 149713

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number<br>30-015-40372 | 2. Pool Code 3. Pool<br>24330 FENTON;DELAWA          |  | ARE, NORTHWEST       |
|-------------------------------|--|--|----------------------|
| 4. Property Code<br>38927     | 5. Property Name LONE TREE DRAW 13 STATE             |  | 6. Well No.<br>002H  |
| 7. OGRID No.<br>6137          | 8. Operator Name DEVON ENERGY PRODUCTION COMPANY, LP |  | 9. Elevation<br>3192 |


#### 10. Surface Location

|   | UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|---|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| 5 | D        | 13      | 218      | 27E   |         | 150       | N        | 750       | W        | EDDY   |

#### 11. Bottom Hole Location If Different From Surface

| UL - Lot | Section     | Township | Range          | Lot Idn | Feet From       | N/S Line | Feet From | E/W Line      | County |
|----------|-------------|----------|----------------|---------|-----------------|----------|-----------|---------------|--------|
| M        | 13          | 218      | 27E            | M       | 330             | S        | 330       | W             | EDDY   |
|          | cated Acres | 13. J    | oint or Infill | 14      | . Consolidation | Code     |           | 15. Order No. |        |

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Randy Bolles Title: Manager, Regulatory Affairs

Date: 6/5/2012

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Filimon Jaramillo Date of Survey: 5/5/2012 Certificate Number: 12797

## **Permit Comments**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP , 6137 Well: LONE TREE DRAW 13 STATE #002H

API: 30-015-40372

| Created<br>By | Comment   | Comment<br>Date |
|---------------|---|-----------------|
| barnettj      | The BOP system used to drill the intermediate hole will consist of a 13-5/8" 3M Triple Ram and Annular preventer. The BOP system will be tested as a 3M system prior to drilling out the surface casing shoe. The BOP system used to drill the production hole will consist of a 13-5/8" 3M Triple Ram and Annular preventer. The BOP system will be tested as a 3M system prior to drilling out the intermediate casing shoe. The pipe rams will be operated and checked each 24 hour period and each time the drill pipe is out of the hole. These tests will be logged in the daily driller's log. A 2" kill | 6/5/2012        |
| CSHAPARD      | Land p/S  | 6/6/2012        |

## Permit Conditions of Approval

Operator: DEVON ENERGY PRODUCTION COMPANY, LP , 6137
Well: LONE TREE DRAW 13 STATE #002H

API: 30-015-40372

| OCD<br>Reviewer | Condition  |
|-----------------|--|
| CSHAPARD        | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the<br>surface, the operator shall drill without interruption through the fresh water zone or zones and shall<br>immediately set in cement the water protection string |