<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE	APPLICATION FOR PERMIT TO DRILI	L, RE-ENTER, DEEPEN,	PLUGBACK, OR ADD A ZONE
--	---------------------------------	----------------------	-------------------------

1. Operator	Name and Address	2. OGRID Number	
COG OPERATING LLC		229137	
One Concho Center Midland, TX 79701		3. API Number	
iviidiand, 1A /9/01		30-025-40888	
4. Property Code	5. Property Name	6. Well No.	
39256	PAN HEAD FEE	004H	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	11	17S	32E	C	330	N	2320	W	LEA

8. Proposed Bottom Hole Location

	O. I Toposca Bottom Hote Eccusion								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	14	17S	32E	F	2300	N	2307	W	Lea

9. Pool Information

MALJAMAR; YESO,	WEST	100 ON 120 ON 12	44500

Additional Well Information

	-	Additional Well Inform	ation		
11. Work Type New Well	12. Wett Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 4163	
16. Multiple 17. Proposed Depth N 13850		18. Formation 19. Contractor Yeso Formation		20. Spud Date 2/28/2013	
Depth to Ground	water	Distance from nearest fresh water > 1000	well	Distance to nearest surface water > 1000	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	980	1000	0
Int1	12.25	9.625	40	2300	750	0
Int2	8.75	7	26	6323	1000	0
Prod	7.875	5.5	17	13850	0	0

Casing/Cement Program: Additional Comments

COG proposes to drill a 17 1/2" hole to 980° 8.5 ppg, 28 viscosity fresh water mud system. Set 13 3/8" casing and cement to surface. Drill a 12 1/4" hole to 2300' with a 10 ppg, 30 viscosity brine water mud system. Set 9 5/8" casing and cement to surface. Drill an 8 3/4" hole to 6323' MD and kick off and drill a 8 3/4" curve to 7081' MD 6800' TVD. Drill a 8 3/4" lateral to new BHL at 6682' TVD 13,850' MD. Run a tapered string with 7" 26# L-80 from surface to 6323' & 5 1/2" 17# L-80 casing to TD with DV/ECP Combo Tool at 6323' and isolation packers in the open hole. Set isolation packers and ECP. Open DV tool and cement from 6323' to surface.

22 Proposed Rlowout Prevention Program

111	22. Proposed Blowout Frevention Frogram								
	Type	Working Pressure	Test Pressure	Manufacturer					
Γ	DoubleRam	2000	2000						

best of my knowledge and belie		OIL CONSERVATION DIVISION				
I further certify I have compl 19.15.14.9 (B) NMAC ⊠, if a	ied with 19.15.14.9 (A) NMAC 🛮 and/or pplicable.	Approved By: Paul Kautz				
Signature:						
Printed Name: Electronica	lly filed by Diane Kuykendall	Title: Geologist				
Title: Production Reporti	ng Mgr	Approved Date: 12/13/2012	Expiration Date: 12/13/2014			
Email Address: dkuykend	all@conchoresources.com	-8725	181 181			
Date: 12/6/2012	Phone: 432-683-7443					

District I
1625 N. French Dr., Hobbs, NM 88240
Phones(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phones(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phones(505) 334-6178 Fax:(505) 334-6170

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 158817

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-40888	2. Pool Code 44500	3. Pool Name MALJAMAR; YESO, WEST
4. Property Code 39256	5. Property 1 PAN HEAI	
7. OGRID No. 229137	8. Operator 1 COG OPERAT	

10	Comford	Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	11	17S	32E		330	N	2320	W	LEA

11. Bottom Hole Location If Different From Surface

UL - Lot F	Section 14	Township 17S	Range 32E	Lot Idn F	Feet From 2300	N/S Line	Feet From 2307	E/W Line W	County LEA
	12. Dedicated Acres 240.00		13. Joint or Infill		14. Consolidation Code		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 12/6/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Eidson Date of Survey: 10/11/2012 Certificate Number: 12641

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: PAN HEAD FEE #004H

API: 30-025-40888

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	12/3/2012
pkautz	Land p/P	12/10/2012
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-05519	12/13/2012