District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe. NM 8750

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101 August 1, 2011

Permit 160188

1220 S. St Francis Dr. Santa Fe, NM 87505

OPERATOR Name and Address OXY USA WTP LIMITED PARTNERSHIP PO Box 4294 Houston, TX 77210					0GRID Number 192463 3. API Number					
	4. Property Cod				5. Property N	ama		30-013	5-40941 6. Wett No.	
4. Property Code 309604				TIGGER 9 STATE				010		
	194	518		7. S	urface Lo	cation	500 50		300	
UL - Lo	t Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Lin	e County	
0	9	17S	29E	0	940	S	1726	E	EDDY	
	- 132	A 55	8	. Proposed	Bottom	Hole Locat	ion		40	
UL - Le	t Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Lin	e County	
A	9	17S	29E	0	940	S	1726	E	Eddy	
MPIRE	; GLORIETA	-YESO, EAST	Γ		ool Infor		11		9	
11 73	ort Tuna	12. Well T	ma		al Well I	nformation	14. Lease Type	15 G	round Level Elevation	
11. Work Type New Well		OIL		13. Cable Rotaly			THE RESIDENCE OF THE PROPERTY		3569	
16. Multiple 17. Pro		17. Proposed	Depth	18. Formation			19. Contractor		20. Spud Date	
N 5300			Yeso Formation				7/24/2012			
Depth to Ground water			Distance from nearest fresh water well				Distance	to nearest surface wat		
			21. P	roposed Ca	asing and	Cement P	rogram			
Гуре	Hole Size	Casing Typ	pe C	asing Weigh	t/ft Se	etting Depth	Sacks of C	ement	Estimated TO	
Surf	14.75	11.75		42		450	450		0	
Int1	10.625	8.625		32 1100		310		0		
Prod	7.875	5.5		17 5300		1420 0				

22	Dropocod	Rlowout	Prevention	Drogram

	22. Proposed Blowout	Frevention Frogram	
Type	Working Pressure	Test Pressure	Manufacturer
Annular	3000	2100	Cameron
DoubleRam	3000	3000	Cameron

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC and/or 19.15.14.9 (B) NMAC β, if applicable.		OIL CONSERVATION DIVISION Approved By: Randy Dade		
Printed Name: Electronically filed by KAREN M SINARD		Title: District Supervisor		
Title:		Approved Date: 1/7/2013	Expiration Date: 1/7/2015	
Email Address: karen_sinard@o	xy.com	6/25	1851 1331	
Date: 1/4/2013	Phone: 713-366-5485	Conditions of Approval Atta	ached	

District 1 1025 N. Firmah Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District 11 811 S. Fird St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 <u>histrict IV</u> '220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 trict III N Rio Brazos Road, Aztec, NM 87410 nne: (505) 334-6178 Fax: (505) 334-6170

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

Submit one copy to appropriate
District Office Form C-102 Revised August 1, 2011

☐ AMENDED REPORT


1220 South St. Francis Dr. Santa Fe, NM 87505

UL or lot no. Section UL or lot no. Section 0 9 API Number 17 SOUTH Joint or Infill Township Township WELL LOCATION AND ACREAGE DEDICATION PLAT Consolidation Code 29 EAST, N.M.P.M. Bottom Hole Location If Different From Surface

| Lot Idn | Feet from the | North/South line | Feet from the | 96610 OXY USA WTP LP TIGGER "9" STATE Surface Location

| Lot lah | Feet from the | North/South line | Feet from the | 1700 g. | Empire; Glarieta-Yasa; East Operator Name 940' SOUTH 1726' East/West line East/West line EAST3568.7' Elevation 10 County EDDY County

division. No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the



Permit Comments

Operator: OXY USA WTP LIMITED PARTNERSHIP , 192463 Well: TIGGER 9 STATE #010 API: 30-015-40941

Created By	Comment	Comment Date	
CSHAPARD	Land s/S	1/7/2013	

Permit Conditions of Approval

Operator: OXY USA WTP LIMITED PARTNERSHIP , 192463

Well: TIGGER 9 STATE #010

API: 30-015-40941

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string