<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Oper	ator Name and Address	OGRID Number
	DPERATING LLC e Concho Center	229137
100	fland. TX 79701	3. API Number
1415	saito, 11 ///oi	30-025-40916
4. Property Code	5. Property Name	6. Well No.
39622	GETTYSBURG STATE COM	003H

7 Surface Loca	tion

				7.0	diffact Loc	ution			
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	16	238	34E	В	160	N	2040	E	LEA

8. Proposed Bottom Hole Location

1	4	10	0.	Troposed	Dottom II	ore Decuero.		9 90	
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	21	238	34E	G	2310	N	1980	E	Lea

9. Pool Information

ANTELOPE RIDGE:BONE SPRING, W	EST	2209

Additional Well Information

New Well OIL 16. Multiple 17. Proposed Depth		18. Formation	State 19. Contractor	3415 20. Spud Date
N 17526		2nd Bone Spring Sand		1/20/2013

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.25	13.375	54.5	1250	875	
Int1	12.25	9.625	36	4950	1575	
Prod	7.875	5.5	17	17526	2315	4650

Casing/Cement Program: Additional Comments

Drill 17-1/2" hole to ~1250' w/ fresh water spud mud. Run 13-3/8" 54.5# J55 STC casing to TD and cement to surface in one stage.
Will use 1" tubing and Class C w/ 2% CaCl2 to cement to surface, if necessary. Drill 12-1/4" hole to ~4940' with saturated brine water Run 9-5/8" 36# J55 & 40# N80 BTC casing to TD and cement to surface in one stage. Drill 7-7/8" vertical hole, curve, and lateral to 17526' with cut brine. Run 5-1/2" 17# P110 LTC casing to TD and cement to 4650' (290' overlap) in one stage.

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and belief		OIL CONSERVATION DIVISION Approved By: Paul Kautz			
I further certify I have compli 19.15.14.9 (B) NMAC ⊠, if ap	ed with 19.15.14.9 (A) NMAC 🛮 and/or oplicable.				
Signature:					
Printed Name: Electronical	ly filed by Diane Kuykendall	Title: Geologist	147777		
Title: Production Reportin	g Mgr	Approved Date: 1/14/2013	Expiration Date: 1/14/2015		
Email Address: dkuykenda	all@conchoresources.com	The state of the s	68 8		
Date: 1/10/2013	Phone: 432-683-7443	Conditions of Approval Atta	ched		

District I
1625 N. French Dr., Hobbs, NM 88240
Phones(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phones(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phones(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District IV

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 160418

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	LEE LOCATION AND AC	TELLOL DEDICITIO	T LILI		
1. API Number	2. Pool Code		3. Pool Name		
30-025-40916	2209	2209 ANTELOPE RIDGE;		2209 ANTELOPE RIDGE;BONE SPRING	
4. Property Code	5. Prope	rty Name	6. Well No.		
39622	GETTYSBURG	STATE COM	003H		
7. OGRID No.	8. Opera	itor Name	9. Elevation		
229137	COG OPER	ATING LLC	3415		

rg .	10. Surface Location										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
В	16	238	34E		160	N	2040	E	LEA		

		11	. Bottom	Hole Lo	cation If Di	fferent Fro	m Surface		
UL - Lot	Section 21	Township 23S	Range 34E	Lot Idn G	Feet From 2310	N/S Line N	Feet From 1980	E/W Line E	County LEA
	cated Acres	13. J	oint or Infill	1	4. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. E-Signed By: Diane Kuykendall Title: Production Reporting Mgr Date: 1/10/2013 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Surveyed By: Chad Harcrow

Date of Survey: 1/3/2013 Certificate Number: 17777

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: GETTYSBURG STATE COM #003H

API: 30-025-40916

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	1/10/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: GETTYSBURG STATE COM #003H API: 30-025-40916

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string