District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101 August 1, 2011

1220 S. St Francis Dr. Santa Fe, NM 87505

	APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, 1	PLUGBACK, OR ADD A ZONE
ſ	Onerator Name and Address	2 OGRID Number

MURCHIS	or Name and Address ON OIL & GAS INC	2. OGRID Number 15363
	Mira Vista Blvd. no, TX 75093	3. API Number 30-025-40976
4. Property Code	5. Property Name	6. Well No.
39680	MOGI 9 STATE COM	002H

#### 7. Surface Location

-	2 19	7. Surface Location												
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County				
	0	9	24S	33E	0	200	S	1980	E	LEA				

## 8. Proposed Bottom Hole Location

	O. I Toposca Bottom Hote Escation										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
В	9	24S	33E	В	330	N	2310	E	Lea		

#### 9. Pool Information

TRIPLE X;BONE SPRING, WEST	96674

#### Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3616 20. Spud Date	
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor		
N	11211	2nd Bone Spring Sand		4/1/2013	
Depth to Ground	water	Distance from nearest fresh water w	rel1	Distance to nearest surface water	

### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	16	13.375	54.5	1480	800	0
Int1	12.25	9.625	40	5184	1375	0
Prod	8.5	7	26	10920	700	4000
Liner1	6.125	4.5	11.6	14980	400	10820

## Casing/Cement Program: Additional Comments

Cement with 100% excess and circulate to surface on surface and intermediate casing. Cement with 100% excess on production casing to bring TOC to 4,000' MD. Cement liner with 25% excess to bring TOC to 10820' MD.

## 22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	5000	Schaffer
DoubleRam	5000	5000	Schaffer

best of my knowledge and be		OIL CONSERVATION DIVISION				
I further certify I have com 19.15.14.9 (B) NMAC , it	plied with 19.15.14.9 (A) NMAC 🛮 and/or f applicable.	Approved By: Paul Kautz				
Signature:						
Printed Name: Electroni	cally filed by Michael Daugherty	Title: Geologist				
Title: COO		Approved Date: 2/1/2013	Expiration Date: 2/1/2015			
Email Address: ccottrell	@jdmii.com	[11]				
Date: 2/1/2013	Phone: 972-931-0700	Conditions of Approval Attached				

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number	<sup>2</sup> Pool Code	<sup>2</sup> Pool Code <sup>3</sup> Pool Name			
	96674	Triple X; Bone Spring, West			
4 Property Code	5	Property Name	<sup>6</sup> Well Number		
	MOGI	9 STATE COM	2H		
<sup>7</sup> OGRID №.	8	Operator Name	" Elevation		
15363	MURCHISO	ON OIL & GAS, INC.	3615.6		
	¹º Su	rface Location			

UL or lot no. Township Feet from the East/West line Section Range Lot Idn North/South line Feet from the County  $\mathbf{o}$ 24 S 33 E 200 SOUTH 1980 EAST LEA Il Pottom Hole Legation If Differ

Bottom Fiole Location if Different From Surface										
UL or lot no.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County	
В	9	24 S	33 E		330	NORTH	2310	EAST	LEA	
12 Dedicated Acres	13 Joint or	Infill 14 C	onsolidation	Code 15 Or	der No.	k		<u> </u>		
160										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	S89'44'58"W	2641,47 FT	S89'46'50"W	2641.12	FT FT		"OPERATOR CERTIFICATION
	NW CORNER SEC. 9	N/4 CORNER SEC. 9	().i	1			I hereby certify that the information contained herein is true and complete
	LAT. = 32'14'21.945"N LONG. = 103'35'08.865"W	LAT. = 32'14'21.877"N LONG. = 103'34'38.116"W	Ci Ci	l <sub>1</sub> 2310'	<u></u>		to the best of my knowledge and helief, and that this organization either
	100 00 00.003 11	воттом	/1		ORNER SEC. 9 32'14'21.792"N		owns a working interest or unleased mineral interest in the land including
So		OF HOLET	011 05 11015		103'34'07.372'W	NOO.	the proposed bottom hole location or has a right to drill this well at this
S00°25	notation in	LAT. =	OM OF HOLE 32:14:18.629"N	ł		0.24	location pursuant to a contract with an owner of such a mineral or working imerest, or, to a voluntary pooling agreement of a compulsory pooling
1 1		LONG. =	103'34'34.273"W	į.		4'52	order hartiofordentered while division.
Lu,		·		ļ.,	the second second second second second	Me	M. L 11/1 11/2010 . 1/2/1/12
264				]		2638	11/10000 //Wellow 1/31/13
2640,03				1		38.5	Signature Date
II						.98	Michael S. Daugherty, COO
7						7	Printed Name
				The state of the s			mdaugherty@jdmii.com
	W/4 CORNER SEC. 9			F/4	CORNER SEC. 9		E-mail Address
	-LAT- = 324 355,826"N - LONG. = 10335'08,854"W		were were more modes adoles assume an	LAT-	32'13'55.683"N 103'34'07.368"W		
	LONG. = 100 00 00.004 W			LUNG. =	W 80C.10 PC CUI		*SURVEYOR CERTIFICATION
				6			I hereby certify that the well location shown on this
SS		1				Z.	plat was plotted from field notes of actual surveys
S00°25				í		2,0	made by me or under my supervision, and that the
5'09						N00'24'30'W	same is true and correct to the best of my belief.
9.1				1		ر ا¥	JANUARY 30, 2013 N 423
2640		МО	CI 9 STATE COM #2	2H		2639	Date of Survey
6.5			ELEV. = 3615.6' = 32'13'31.595"N (NA			39.9	
.53 F		LÓΝ	4G. = 103'34'30.414'	"W		35	
-		SURF	FACE N		CORNER SEC. 9	7	Sandt & Dann dl
	SW CORNER SEC. 9	LOÇA S/4 CORNER SEC. 9	TION 8		32 13 29.5653 N 103 34 07.368 W		Signatura and Carlot Dente State A. Jan. B.
	LAT. = 32'13'29.702"N LONG. = 103'35'08.843'W	LAT. = 32'13'29.634"N	<b>*</b>	1980′			Signature and Sear of Profestional Surveyor.
	N89'44'57"E		N89'44'44"E	2642,23	FT	ouestillation (a)	Certificate Number / / FILIMO 3 3 ARAMILLO, PLS 12797 SURVEY NO. 1483A
<u></u>			***********				DONALI NO. 1483A

# **Permit Comments**

Operator: MURCHISON OIL & GAS INC , 15363 Well: MOGI 9 STATE COM #002H API: 30-025-40976

Created By	Comment	Comment Date
pkautz	Land s/S	2/1/2013
CHERRERA	OCD RECEIVED FORM 144 CLEZ. OCD PERMIT #P1-05709	2/1/2013

# Permit Conditions of Approval

Operator: MURCHISON OIL & GAS INC , 15363 Well: MOGI 9 STATE COM #002H API: 30-025-40976

OCD Reviewer	Condition	
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	