District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 16181:

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Opera	or Name and Address	<ol><li>OGRID Number</li></ol>
COG C	229137 3. API Number	
One Concho Center Midland. TX 79701		
Midland, 1X /9/01		30-025-40977
4. Property Code	5. Property Name	6. Well No.
39685	TRES PRIMOS 3 STATE	001H

	١.	Э	uriace	Location	
_		$\overline{}$			_

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	3	198	34E	3	190	N	1980	W	LEA

#### 8. Proposed Bottom Hole Location

of Proposed Bottom Hole Bottom									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	3	198	34E	N	330	S	1980	W	Lea

#### 9. Pool Information

SCHARB;BONE SPRING	55610

#### Additional Well Information

11. Work Type         12. Well Type           New Well         OIL           16. Multiple         17. Proposed Depth           N         15437			13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3999
		18. Formation Bone Spring			
Depth to Ground	water		Distance from nearest fresh water	r well	Distance to nearest surface water

#### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1860	1095	
Int1	12.25	9.625	36	3570	950	
Prod	7.875	5.5	17	15437	1530	7800

#### Casing/Cement Program: Additional Comments

Drill 17-1/2" hole to ~1860' w/ fresh water spud mud. Run 13-3/8" 54.5# J55 STC casing to TD and cement to surface in one stage. Will use 1" tubing and Class C w/ 2% CaCl2 to cement to surface, if necessary. Drill 12-1/4" hole to ~3570' with saturated brine water Run 9-5/8" 36# J55 LTC casing to TD and cement to surface in one stage. Drill 7-7/8" pilot hole to 11050', log and plug back with cement plug f/ 10050' - 11050'. Drill 7-7/8" curve, and lateral to 15437' with cut brine. Run 5-1/2" 17# P110 LTC casing to TD with a DV tool at ~7800'. Circulate cement on both stages.

#### 22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and beli		OIL CONSERVATION DIVISION Approved By: Paul Kautz				
I further certify I have comp 19.15.14.9 (B) NMAC ⊠, if	olied with 19.15.14.9 (A) NMAC 🛮 and/or applicable.					
Signature:						
Printed Name: Electronic	ally filed by Diane Kuykendall	Title: Geologist				
Title: Production Report	ing Mgr	Approved Date: 2/5/2013	Expiration Date: 2/5/2015			
Email Address: dkuyken	dall@conchoresources.com					
Date: 2/1/2013	Phone: 432-683-7443	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

1220 S. St Francis Dr. Santa Fe, NM 87505

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

		5	
API Number	2. Pool Code		3. Pool Name
30-025-40977	55610	SCHAF	RB;BONE SPRING
4. Property Code	5. Property Name		6. Well No.
39685	TRES PRIMOS	STATE	001H
7. OGRID No.	8. Operator N	ame	9. Elevation
229137	COG OPERATI	NG LLC	3999


#### 10. Surface Location

UL - I	ot Section	n Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	3	198	34E	3	190	N	1980	W	LEA

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
N	3	198	34E	N	330	S	1980	W	LEA		
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.			

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### OPERATOR CERTIFICATION

Form C-102

August 1, 2011

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 2/1/2013

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow Date of Survey: 10/12/2012 Certificate Number: 17777

### **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: TRES PRIMOS 3 STATE #001H API: 30-025-40977

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	2/1/2013
pkautz	Land s/S	2/5/2013

## Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: TRES PRIMOS 3 STATE #001H API: 30-025-40977

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string