District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(3/3) /48-1283 Fax:(3/3) /48-9/20 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101 August 1, 2011

## 1220 S. St Francis Dr. Santa Fe, NM 87505

State of New Mexico

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, I	PLUGBACK, OR ADD A ZONE
Operator Name and Address	2. OGRID Number

	1. O <sub>I</sub>	perator Name and Address	<ol><li>OGRID Number</li></ol>		
		7 PRODUCTION COMPANY, LP W. Sheridan Avenue	6137		
		homa City, OK 73102	3. API Number		
L		0.1, 0.1. 12.12	30-015-41146		
	4. Property Code	5. Property Name	6. Wett No.		
	39749	DOC HOLLIDAY 32 STATE COM	002		

#### 7. Surface Location

2 19	7. Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
C	32	24S	27E	C	150	N	1660	W	EDDY	

#### 8. Proposed Bottom Hole Location

	Of Troposed Dottom Hote Doctation										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
N	32	24S	27E	N	330	S	1980	W	Eddy		

#### 9. Pool Information

WILLOW LAKE;BONE SPRING,WEST	96415
------------------------------	-------

#### Additional Well Information

11. Work: Type 12. Well Type New Well OIL		The second secon			15. Ground Level Elevation 3387
16. Multiple 17. Proposed Depth N 12166		2000	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date
Depth to Ground	water		Distance from nearest fresh water w	rel1	Distance to nearest surface water

### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	330	350	0
Int1	12.25	9.625	36	2225	680	0
Prod	8.75	5.5	17	12166	2220	1725

### Casing/Cement Program: Additional Comments

8.75" PH - will be drilled to 9353' & plugged back to KOP w/  $\sim$  1200 sx Cl H 16.4 #/gal yield 1.06cf/sx.

#### 22. Proposed Blowout Prevention Program

	22. I roposeu Dionout	r revention r rogram	
Type	Working Pressure	Test Pressure	Manufacturer
Annular	3000	3000	
DoubleRam	3000	3000	

best of my knowledge and belief.		OIL CONSERVATION DIVISION  Approved By: Randy Dade				
I further certify I have complie 19.15.14.9 (B) NMAC ⊠, if ap	d with 19.15.14.9 (A) NMAC 🛮 and/or plicable.					
Signature:						
Printed Name: Electronicall	y filed by Randy Bolles	Title: District Supervisor				
Title: Manager, Regulatory	Affairs	Approved Date: 2/26/2013	Expiration Date: 2/26/2015			
Email Address: randy.bolle	s@dvn.com	6/25	185 330			
Date: 2/25/2013	Phone: 405-228-8588	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-41146	2. Pool Code 96415	3. Pool Name WILLOW LAKE;BONE SI		
4. Property Code 39749	5. Property Name DOC HOLLIDAY 32 STATE COM		5. Well No. 002	
7. OGRID No. 6137	8. Operator Name DEVON ENERGY PRODUCTION COMPANY, LP		2. Elevation 3387	


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	32	24S	27E		150	N	1660	W	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
N	32	24S	27E	N	330	S	1980	W	EDDY		
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.			

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Randy Bolles Title: Manager, Regulatory Affairs

Date: 2/25/2013

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Frank Jaramillo Date of Survey: 12/27/2012 Certificate Number: 12797

### **Permit Comments**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP , 6137 Well: DOC HOLLIDAY 32 STATE COM #002 API: 30-015-41146

Created By	Comment	Comment Date
barnettj	The BOP system used to drill the intermediate hole will consist of a 13-5/8" Double Ram and Annular preventer. The BOP system will be tested as per BLM Onshore Oil and Gas Order No. 2, a 3M system will be installed and tested prior to drilling out the surface casing shoe. The BOP system used to drill the production hole will consist of a 13-5/8" Double Ram and Annular preventer. The BOP system will be tested as per BLM Onshore Oil and Gas Order No. 2 a 3M system will be installed prior to drilling out the intermediate casing shoe. The pipe rams will be operated and checked each 24 ho	
CSHAPARD	Land f/S	2/25/2013

Permit Conditions of Approval

Operator: DEVON ENERGY PRODUCTION COMPANY, LP, 6137

Well: DOC HOLLIDAY 32 STATE COM #002

API: 30-015-41146

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string