

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011  
Permit 163219

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

1. Operator Name and Address APACHE CORP 303 Veterans Airpark Lane Midland, TX 79705		2. OGRID Number 873
4. Property Code 302708		3. API Number 30-025-41047
5. Property Name NORTH MONUMENT G/SA UNIT		6. Well No. 394

**7. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
B	6	20S	37E	2	100	N	1330	E	LEA

**8. Proposed Bottom Hole Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
B	6	20S	37E	B	100	N	1330	E	Lea

**9. Pool Information**

EUNICE MONUMENT;GRAYBURG-SAN ANDRES	23000
-------------------------------------	-------

**Additional Well Information**

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 3565
16. Multiple N	17. Proposed Depth 4100	18. Formation San Andres	19. Contractor	20. Spud Date
Depth to Ground water 13		Distance from nearest fresh water well > 1000		Distance to nearest surface water > 1000

**21. Proposed Casing and Cement Program**

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	11	8.625	24	1096	390	
Prod	7.875	5.5	17	4000	580	

**Casing/Cement Program: Additional Comments**

--

**22. Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
Hydril	3000	2000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> if applicable. Signature: Printed Name: Electronically filed by Bobby Smith	<b>OIL CONSERVATION DIVISION</b> Approved By: Paul Kautz Title: Geologist Approved Date: 3/5/2013    Expiration Date: 3/5/2015 Email Address: bobby.smith@apachecorp.com Date: 2/28/2013    Phone: 432-818-1020    Conditions of Approval Attached
---	---

DISTRICT I  
1025 N. French Dr., Hobbs, NM 88240  
Phone (505) 393-8101 Fax: (505) 393-0720

DISTRICT II  
811 S. First St., Artesia, NM 88210  
Phone (505) 748-1283 Fax: (505) 748-0720

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone (505) 334-0178 Fax: (505) 334-0170

DISTRICT IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone (505) 478-3460 Fax: (505) 478-3462

State of New Mexico  
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, New Mexico 87505

Form C-102  
Revised August 1, 2011

Submit one copy to appropriate  
District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number <b>30-025-</b>	Pool Code <b>23000</b>	Pool Name <i>Eunice Monument: Grayhawk and</i>
Property Code <b>302708</b>	Property Name <b>NMGSAU</b>	Well Number <b>394</b>
OGRID No. <b>873</b>	Operator Name <b>APACHE CORPORATION</b>	Elevation <b>3565</b>

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	6	20 S	37 E		100	NORTH	1330	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres <b>40.19</b>	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N 587050.95 E 859785.31 (NAD-83)		N 587096.49 E 865014.89 (NAD-83)	<b>OPERATOR CERTIFICATION</b> I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Vicki Brown</i> 2/27/13 Signature Date Printed Name Email Address <i>vicki.brown@apachecorp.com</i>
		<b>SURFACE LOCATION</b> Lat - N 32°36'33.51" Long - W 103°17'11.40" NMSPCE- N 586984.91 E 863686.01 (NAD-83)	
		Lat - N 32°36'33.08" Long - W 103°17'09.68" NMSPCE- N 586922.849 E 822503.912 (NAD-27)	
		N 584442.39 E 865040.17 (NAD-83)	
N 581773.81 E 862424.67 (NAD-83)	N 581794.97 E 865062.68 (NAD-83)	<b>SURVEYOR CERTIFICATION</b> I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  Date Surveyed Signature & Seal of Professional Surveyor Certificate No. Gary L. Jones 7977 BASIN SURVEYS 27984	

SECTION 6, TOWNSHIP 20 SOUTH, RANGE 37 EAST, N.M.P.M.,  
LEA COUNTY, NEW MEXICO.

APACHE CORPORATION

NMGSAU #394

ELEV. - 3565

SURFACE LOCATION

Lat - N 32°36'33.51"

Long - W 103°17'11.40"

NMSPCE- N 586984.91

E 863686.01

(NAD-83)

Lat - N 32°36'33.08"

Long - W 103°17'09.68"

NMSPCE- N 586922.849


E 822503.912

(NAD-27)

150' NORTH

OFF SET

3565.6'



150' WEST

OFF SET □

3565.9

150' EAST

□ OFF SET

3566.8'

150' SOUTH

OFF SET

3565.6'

PROPOSED LEASE ROAD 794.9'

DRIVING DIRECTIONS

FROM 62-180 AND MADDOX GO SOUTH 6 MILES TURN EAST GO .7 MILES  
TO PROPOSED ROAD TO LOCATION.

200 0 200 400 FEET



SCALE: 1" = 200'

APACHE CORPORATION

REF: NMGSAU #394 / WELL PAD TOPO

THE NMGSAU #394 LOCATED 100'

FROM THE NORTH LINE AND 1330' FROM THE EAST LINE OF

SECTION 6, TOWNSHIP 20 SOUTH, RANGE 37 EAST,

N.M.P.M., LEA COUNTY, NEW MEXICO.

**BASIN SURVEYS** P.O. BOX 1786 - HOBBS, NEW MEXICO

W.O. Number: 27984

Drawn By: D. JONES

Date: 02-05-20113 Disk: DAJ 27984

Survey Date: 01-31-2013

Sheet 1 of 1 Sheets

## Permit Comments

Operator: APACHE CORP , 873

Well: NORTH MONUMENT G/SA UNIT #394

API: 30-025-41047

Created By	Comment	Comment Date
pkautz	Land p/P	2/28/2013
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-05848	3/5/2013

## Permit Conditions of Approval

**Operator:** APACHE CORP , 873

**Well:** NORTH MONUMENT G/SA UNIT #394

**API:** 30-025-41047

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	In order to seal off protectable water, surface casing must be set 25' below top of Rustler Anhydrite.