District I 1625 N. French Dr., Hobbs, NM 88240 Phone;(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone;(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rto Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Form C-101 August 1, 2011

Permit 156553

District IV 220 S. St 1	334-6178 Fax:( Francis Dr., San 476-3470 Fax:(	ta Fe, NM 8750	5		Santa Fe	, NM 8	87505			
			RMIT T	O DRILL	RE-ENTE	R. DEEP	EN, PLUGBA	CK. OR	ADD	A ZONE
	LLICITIO		erator Name		THE LITTE	t, DLLI	Zit, TECOBII		RID Nun	
				DUCING C	0			1	5742	
			N. A Stree	Art of the second				3. API	Number	
		M	idland, TX	19/0/				30-0	25-410	73
	1 December Cod				6 December No.	4.11	y.		6 111	ell No.
	4. Property Code	•				perty Name				
	39764			No. of Contract	SAPIENT 1	1			U	01
	4			7. S	urface Loc	ation				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Lin	ie Feet From	E/W I	ine	County
H	17	17S	37E	H	1641	N	1225	E		LEA
	100		8	. Proposed	Bottom H	ole Loca	ition	79		
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Lin	ie Feet From	E/W I	ine	County
В	17	17S	37E	В	1691	N	1225	E		Lea
				9 P	ool Inform	ation	1			
IIDWA'	Y;STRAWN,	SOUTH								96.
				Addition	al Well In	formatio	n			
11. We	ork Type	12. Well T	ype	13. C	able/Rotary	tary 14. Lease Type 15. Ground Level Ele			Level Elevation	
New Y	Well	OIL		111111111111111111111111111111111111111			Private	3783		
16. 1	Multiple	17. Proposed	Depth	18	. Formation		19. Contractor	19. Contractor 20. Spud I		Spud Date
N 11100		0	Strawn							
Der	oth to Ground w	ater		Distance f	from nearest fresh water well			Distan	ce to nea	rest surface water
		New York	2000				<u> </u>	\$0.000	1000	
т	TT-1-0:	C : T		_		g and Cement Program		C	Coment Estimated	
Type	Hole Size	Casing Ty	pe C	asing Weigh	t/ft Set	Setting Depth Sack 2075		cs of Cement Estim		stimated TOC
Surf Int1	17.5 12.25	13.375 8.625		48 32		4650 113			7	
Prod	7.875	5.5		17		11100				
			Casinal	Comont D.		lditional	Comments			
ee attach	ed (sent via h		cusing	o ment 1	ogram: Ti		Comments			
		***		_	lowout Pre					
Typ		Worl	cing Pressu 5000	ire		Test Pressure 5000		Manufacturer		
1190			5000	111111111		5000				
further of 9.15.14.9	certify that the knowledge and b ertify I have con (B) NMAC ,	elief.				( Sec. 1997)	CONSERVA Paul Kautz	ATION	DIVI	SION
Signature Printed N	: Vame: Electron	nically filed by	tr I aigh A se	n Hall	Tista	: Geologis	+			
	duction Tech		y LeignAm	ii FIAII			e: 3/26/2013	Expirati	on Date	e: 3/26/2015
a mio. I IC			1		- App	LOVES DAIL	U. JIZUIZUIJ	Pybuqu	on Dale	3/20/2013
Email Ad	dress: lhall@	nearburg com								

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

Phone:(575) 393-6161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	EEE ECCITION IE D HOL	THE PEDICITION I DITE
1. API Number	2. Pool Code	3. Pool Name
30-025-41073	96346	MIDWAY;STRAWN, SOUTH
4. Property Code	5. Property	Name 6. Well No.
39764	SAPIEN	r 17 001
7. OGRID No.	8. Operator	Name 9. Elevation
15742	NEARBURG PRODUCING CO 3783	

10 Surface Location

72					10.	Jul luce Loc	HUIOH			
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
ı,	H	17	17S	37E		1641	N	1225	E	LEA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
H	17	17S	37E	H	1691	N	1225	E	LEA
12. Dedicated Acres 40.00		13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

9		*	
			٥
	s, ,		
			/

## OPERATOR CERTIFICATION

Form C-102

August 1, 2011

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: LeighAnn Hall Title: Production Tech Date: 3/7/2013

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 9/4/2011 Certificate Number: 3239

# **Permit Comments**

Operator: NEARBURG PRODUCING CO , 15742 Well: SAPIENT 17 #001 API: 30-025-41073

Created By	Comment	Comment Date
pkautz	NSL order required. 40 acre pool	3/8/2013
pkautz	Land s/P	3/8/2013
CHERRERA	OCD RECEIVED FORM C144 CLEZ OCD PERMIT # P1-05941	3/26/2013

# Permit Conditions of Approval Operator: NEARBURG PRODUCING CO, 15742 Well: SAPIENT 17 #001 API: 30-025-41073

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	In order to seal off protectable water, the surface casing must be set 25' below the top of the Rustler Anhydrite. Estimated top of the Rustler Anhydrite is 2050'