<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

## APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

COG	rator Name and Address OPERATING LLC	OGRID Number     229137
	e Concho Center dland, TX 79701	3. API Number 30-015-41290
4. Property Code 38925	5. Property Name BUENA VISTA STATE COM	6. Weti No. 002H

#### 7. Surface Location

200	100	2	150	7.0	diffact Loc	ation	300	0 (0)	
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	2	20S	30E	0	480	S	2030	E	EDDY

## 8. Proposed Bottom Hole Location

	of Frederical Pottoni Field Education									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
В	2	20S	30E	2	330	N	1790	E	Eddy	

#### 9. Pool Information

GATUNA CANYON: BONE SPRING	96688

#### Additional Well Information

11. Work Type New Well	12. We	10 × 5 × 5 × 5 × 5	e 13. Cable/Rotary 14. Lesse Type State		15. Ground Level Elevation 3219
16. Multiple	17. Prop	osed Depth	18. Formation	19. Contractor	20. Spud Date
N	12	2849	Bone Spring		4/23/2013
Depth to Ground	water		Distance from nearest fresh water	r well	Distance to nearest surface wat

#### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	410	350	
Int1	12.25	9.625	36	3650	1100	
Prod	7.875	5.5	17	12849	1500	3500

# Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 410' with Fresh Water. Run 13-3/8", 48#, H-40 csg and cmt to surface. Drill 12-1/4" hole to 3650' with Brine, and run 9-5/8", 36# J-55 csg and cement to surface in 2 stages. Drill 7-7/8" curve and lateral with cut brine to approx 12,849°MD. Run 5-1/2", 17#, P-110 csg and cement to 3500° in 1 stage.

# 22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

<ol> <li>I hereby certify that the information given above is best of my knowledge and belief.</li> </ol>	s true and complete to the	OIL CONSERVATION DIVISION				
I further certify I have complied with 19.15.14.9 (19.15.14.9 (B) NMAC ⊠, if applicable.	(A) NMAC And/or	Approved By: Randy Dade				
Signature:						
Printed Name: Electronically filed by Diane	Kuykendall	Title: District Supervisor				
Title: Production Reporting Mgr		Approved Date: 4/30/2013	Expiration Date: 4/30/2015			
Email Address: dkuykendall@conchoresour	ces.com					
Date: 4/17/2013 Phone: 43	2-683-7443	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

1220 S. St Francis Dr. Santa Fe, NM 87505

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code		3. Pool Name
30-015-41290	96688	GATUNA CANYON; BONE SPRING	
4. Property Code	5. Propert	y Name	6. Well No.
38925	BUENA VISTA	STATE COM	002H
7. OGRID No.	8. Operato	or Name	9. Elevation
229137	COG OPERA	TING LLC	3219


#### 10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	2	20S	30E		480	S	2030	E	EDDY

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section 2	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
B		20S	30E	2	330	N	1790	E	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



## OPERATOR CERTIFICATION

Form C-102

August 1, 2011

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 4/17/2013

# SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow Date of Survey: 2/27/2013 Certificate Number: 17777

# **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: BUENA VISTA STATE COM #002H

API: 30-015-41290

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	4/17/2013
CSHAPARD	Land s/S	4/29/2013
CSHAPARD	Waiver letter from Intrepid 4/22/2013	4/29/2013

# Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: BUENA VISTA STATE COM #002H API: 30-015-41290

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string