<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
<u>District II</u>
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 16586

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

MEW	ator Name and Address BOURNE OIL CO	2. OGRID Number 14744
1000	Po Box 5270 Hobbs, NM 88241	
4. Property Code	5. Property Name	6. Well No.
39853	MIRAGE 30 IL STATE COM	001H

7. Surface Location

ST	7. Surface Docation									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	1
I	30	198	29E	I	2150	S	150	E	EDDY	l

8. Proposed Bottom Hole Location

				rioposco	Dottom II	ore motures.		12	
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	30	19S	29E	L	2150	S	330	W	Eddy

9. Pool Information

WINCHESTER:BONE SPRING	65010

Additional Well Information

11. Work Type New Well	12. Wet OI		13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3310
16. Multiple	124000000000000000000000000000000000000	osed Depth	18. Formation	19. Contractor	20. Spud Date
N Depth to Ground		100	Bone Spring Distance from nearest fresh wate		5/1/2013 Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	300	300	0
Int1	12.25	9.625	36	1230	500	0
Prod	8.75	7	26	8050	800	0
Int1	6.125	4.5	13.5	12100	0	

Casing/Cement Program: Additional Comments

MOC proposes to drill & test the Bone Springs formation. H2S rule 118 does not apply because MOC has researched this area & no high concentrations were found. Will have on location & working all H2S safety equipment before drilling the surface csg shoe for safety & insurance purposes. If commercial, 4 1/2 liner with Packers & Ports will be run & tied back 200' inside the 7" casing. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	2000	1500	Schaffer
DoubleRam	3000	3000	Schaffer
Annular	3000	1500	Schaffer

best of my knowledge and bel		OIL CONSERVATION DIVISION			
I further certify I have comp 19.15.14.9 (B) NMAC X, if	olied with 19.15.14.9 (A) NMAC 🛮 and/or applicable.	Approved By: Randy Dade			
Signature:					
Printed Name: Electronic	ally filed by Monty Whetstone	Title: District Supervisor			
Title: Vice President Op	erations	Approved Date: 5/1/2013	Expiration Date: 5/1/2015		
Email Address: prodmgr	@mewbourne.com	Mary and the second	Sea College		
Date: 4/19/2013	Phone: 903-561-2900	Conditions of Approval Atta	ached		

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

August 1, 2011

Form C-102

1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	EDD DOCHTION, ILID HOLD	THE PERIOD OF	
1. API Number 30-015-41306	2. Pool Code 65010		3. Pool Name STER:BONE SPRING
30-013-41300	65010	WINCHE	STER,BONE SPRING
4. Property Code	5. Property 1	Name	6. Well No.
39853	MIRAGE 30 IL S	TATE COM	001H
7. OGRID No.	8. Operator :	Name	9. Elevation
14744	MEWBOURN	E OIL CO	3310


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
I	30	198	29E		2150	S	150	E	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	30	198	29E	3	2150		330	W	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Monty Whetstone Title: Vice President Operations

Date: 4/19/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: James Tompkins Date of Survey: 9/20/2013 Certificate Number: 14729

Permit Comments

Operator: MEWBOURNE OIL CO , 14744 Well: MIRAGE 30 IL STATE COM #001H

API: 30-015-41306

Created By	Comment	Comment Date	
Artesia	I/A well 5 ok - FA ok	5/1/2013	
Artesia	Land s/S	5/1/2013	

Permit Conditions of Approval

Operator: MEWBOURNE OIL CO , 14744
Well: MIRAGE 30 IL STATE COM #001H
API: 30-015-41306

OCD Reviewer	Condition
Artesia	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string