District I 1625 N. French Dr., Hobbs, NM 88240 Phone;(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone;(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rto Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

Form C-101 August 1, 2011

Permit 170431

1220 S. St Francis Dr. Santa Fe, NM 87505

	Francis Dr., San) 476-3470 Fax:(5	N	апта ге	, 11111	0/3	00			
AF	PLICATIO	1. Op:	erator Name	and Address	RE-ENTE	R, DEEI	PEN,	PLUGBAC	2. OGRII	ADD A ZONE D Number	
APACHE CORP 303 Veterans Airpark Lane Midland, TX 79705										73	
										3. API Number	
			0.00					<u> </u>	30-025	5-41275	
	4. Property Code			5	. Property Nar	erty Name 6. Wett No.			6. Well No.		
22503				NORTHEA	AST DRINK	ARD UN	IIT		650		
		20.5 10		7. Su	ırface Loc	ation				-950	
UL - Lo	Section	Township	Range	Lot Idn	Feet From	N/S Li	ine	Feet From	E/W Lin	e County	
F	15	218	37E	F	2550	N		1925	W	LEA	
				3. Proposed	Rottom H	ole Loc	ation	n		70	
UL - Los	Section	Township	Range	Lot Idn	Feet From	N/S Li		Feet From	E/W Lin	e County	
F	15	218	37E	F	2550	N		1925	W	Lea	
UNICE	BLI-TU-DR,	NORTH		9. Po	ol Inform	ation				22	
				Additions	ıl Well In	formati	on				
11 337	ork Type	12. Well T			ble/Rotary	IVIIIIati		I I area Trans	15 0	anned I and Planetics	
	Access to the Control of the Control		ype	15. Ca	ible Kotary	100000000000000000000000000000000000000			15. Ground Level Elevation		
New	Well	OIL		195		75		Private	- 31	3433	
16. Multiple 17. Propo		17. Proposed							20. Spud Date		
N 70			50 Drinkard								
De	pth to Ground w	ater		Distance fro	om nearest fresi	water well	1		Distance	to nearest surface water	
			21. P	roposed Ca	sing and (Cement	Pro	gram			
Туре	Hole Size	Casing Ty		Casing Weight		ting Dept		Sacks of C	ement	Estimated TOC	
Surf	11	8.625 24				1295		440			
Prod	7.875	5.5 17			6850 103		0				
		13	Casing/	Cement Pro	ogram: Ad	lditiona	l Co	mments			
			22. P	roposed Blo	owout Pre	vention	Pro	gram			
Type Working Pressure						Test Pressure			Manufacturer		
Hydril 3000				2000							
	y certify that the knowledge and b		n above is	true and complete	to the	OIL	CC	NSERVA	TION D	OIVISION	
further c	ertify I have cor (B) NMAC ⊠,	mplied with 19	.15.14.9 (A	NMAC And	App.	roved By	: Pau	l Kautz			
	Name: Electron	nically filed b	y Bobby S	Smith	Title	Title: Geologist					
Title:						Approved Date: 7/24/2013 Expiration Date: 7/24/2015					
	dress: bobby.										
	23/2013	P1	one: 432-	818-1020	Con	ditions of	Ann	roval Attache	d		

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (576) 983-8161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Fhone (576) 746-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-6178 Fax: (506) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 67505 Phone (505) 476-3460 Fax: (505) 476-3462 State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102 Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION


1220 South St. Francis Dr. Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT


☐ AMENDED REPORT

API Number				Pool Code		Eunice; BLI-TU-DR. North					
30-025-			229	00	Property Nan		DK, North		· _ · ·		
Property Code				Well Number							
		NORTHEAST DRINKARD UNIT						·· · · · 650 · ·			
OGRID No.			Elevation								
873		l		APA	3433						
<u>, , , , , , , , , , , , , , , , , , , </u>		,	-		Surface Loc	ation					
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
F	15	21 S	37 E		2550	NORTH	1925	WEST	LEA		
	•		Bottom	Hole Lo	eation If Diffe	rent From Sur	face				
UL or lot No.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County		
Dedicated Acre	s Joint o	r Infill Cor	nsolidation	Code Or	der No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SECTION 15, TOWNSHIP 21 SOUTH, RANGE 37 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO.



Directions to Location:

FROM ST 18 AND JONES CITY ROAD GO WEST ON JONES CITY .2 MILES THEN GO NORTH .3 MILES THEN TURN EAST GO .2 MILES TO BEGIN ROAD ON SOUTH.

BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO

W.O. Number: 28912 Drawn By: D. JONES Disk: DAJ Date: 07-02-2013 28912

APACHE CORPORATION


SCALE: 1" = 200'

400 FEET

NORTHEAST DRINKARD UNIT #650/ WELL PAD TOPO REF: THE NORTHEAST DRINKARD UNIT #650 LOCATED 2550' FROM THE NORTH LINE AND 1925' FROM THE WEST LINE OF SECTION 15, TOWNSHIP 21 SOUTH, RANGE 37 EAST,

N.M.P.M., LEA COUNTY, NEW MEXICO.

Survey Date: 06-28-2013 Sheet Sheets



NORTHEAST DRINKARD UNIT #650 Located 2550' FNL and 1925' FWL Section 15, Township 21 South, Range 37 East, N.M.P.M., LEA County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fax basinsurveys.com

W.O. Number:	DAJ 28912	
Survey Date:	06-28-2013	
Scale: 1" = 20	000'	
Date: 07-02-	-2013	

APACHE CORPORATION

Permit Comments

Operator: APACHE CORP , 873
Well: NORTHEAST DRINKARD UNIT #650

API: 30-025-41275

Created By	Comment	Comment Date
MICHELLEC	Closed Loop System will be used	7/23/2013
DMULL	STATE/STATE	7/24/2013

Permit Conditions of Approval Operator: APACHE CORP, 873 Well: NORTHEAST DRINKARD UNIT #650 API: 30-025-41275

OCD Reviewer	Condition
DMULL	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	In order to seal off protectable water, surface casing must be set 25' below top of Rustler Anhydrite