District I 1825 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 173102

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE	APPLICATION FOR PERMIT	TTO DRILL, RE-ENTER, DEEPEN,	PLUGBACK, OR ADD A ZONE
--	------------------------	------------------------------	-------------------------

1. Operator Name and Address		2. OGRID Number
YATES PETROLEUM	25575	
105 S 4TH ST	3. API Number	
ARTESIA, NM 88210		30-025-41405
4. Property Code	5. Property Name	6. Well No.
40110	DATE BTB STATE COM	002H

7. Surface Location

UL	Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	C	14	218	33E	C	200	N	1880	W	Lea

8. Proposed Bottom Hole Location

ſ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
-	N	14	218	33E	N	330	S	1880	W	Lea

9. Pool Information

3rd Bone Springs Sand	5535

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 8797
18. Multiple N	17. Proposed Depth 16296	18. Formation 3rd Bone Spring Sand	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

■ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Type Hole Size Casing Size		Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	1875	1375	0
Int1	12.25	9.625	36	3900	1290	0
Int2	12.25	9.625	40	6175	780	3100
Prod	8.75	5.5	17	16296	2795	0

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

VS.	2211 Topodou Biomout 1 Totolidoli 1 Togralii								
Type	Working Pressure	Test Pressure	Manufacturer						
Double Ram	3000	3000							
Double Ram	5000	5000							

knowledge and be	elief.	true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATIO	IN DIVISION
Signature:					
Printed Name:	Electronically filed by LORI FLOR	ES	Approved By:	Paul Kautz	
Title:	Land Regulatory Technician		Title:	Geologist	
Email Address:	lorif@yatespetroleum.com	era - Araba Makasa Kana	Approved Date:	9/17/2013	Expiration Date: 9/17/2015
Date:	9/10/2013	Phone: 575-748-4448	Conditions of Appr	oval Attached	

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 173102

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-41405	2. Pool Code 5535	3. Pool Name 3rd Bone Springs Sand		
4. Property Code 40110	5. Property Name DATE BTB STATE COM	6. Well No. 002H		
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 8797		

10. Surface Location

	Tot dutings Evolution								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	14	218	33E	2-22-24-2	200	N	1880	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	14	218	33E	N	330	S	1880	W	Lea
12. Dedicated Acres		13. Joint or Infill		14. Consolidation Co	de		15. Order No.		
160.00									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

0	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.	
	E-Signed By: LORI FLORES	
	Title: Land Regulatory Technician	
	Date: 9/10/2013	
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.	
	Surveyed By: Travis Hahn	
	Date of Survey: 7/14/2013	
	Certificate Number: 7977	

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3482

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173102

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41405
105 S 4TH ST	Well:
ARTESIA , NM 88210	DATE BTB STATE COM #002H

Created By	Comment	Comment Date
	H2S is not anticipated. C-102 and drilling plan to follow by mail. Samples will be taken every 30' to 6175', and then every 10' from 6175' to TD. Logging will be GR Neutron, Density, Laterolog, and CMR. Mudlogging will be done after surface casing to TD.	9/10/2013
THAHN	Maximum Anticipated BHP (Depths are TVD): 0'-1875' is 897 PSI 1875'-6175' is 3275 PSI 6175'-11851' is 5670 PSI	9/10/2013
	Well will be drilled vertically to 11284', and then will be kicked off and directionally drilled at 12 degrees per 100' with a 8.75" hole to 12023' MD (11761' TVD). Hole size will then be reduced to 8.5" and drilled to 16296' MD (11851' TVD) where 5.5" casing will be set and cemented to the surface. Penetration point of the producing zone will be encountered at 667' FNL & 1880' FWL in Section 14 of T21S-R33E. Deepest TVD in the well is 11851' in the lateral.	9/10/2013
pkautz	Potash Area R-111-P	9/11/2013
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water and due to well location within R-111-P area.	9/11/2013
DMULL	BLM & SLO RESPONED THAT THE REFERENCED LOCATION IS NOT IN THE LMR OR THE BUFFER ZONE.	9/17/2013

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173102

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-025-41405
105 S 4TH ST	Well:
ARTESIA, NM 88210	DATE BTB STATE COM #002H

OCD Reviewer	Condition
	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water and due to well location within R-111-P area.