District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

9/25/2013

Date:

Phone: 432-818-1020

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

Form C-101 August 1, 2011

Permit 173973

	ncis Dr., Santa Fe, N 76-3470 Fax:(505) 47	76-3462								
1 Operator Na	me and Address	APPLICATION	ON FOR PE	RMIT TO DRILL, RE-E	NTER, DEEPE	EN, PLUGBA	CK, OR AL		NE RID Number	
	ACHE CORP							2.001	873	
	3 Veterans Airpark	Lane						3. API	Number	
10000	lland, TX 79705								30-015-4170	9
4. Property Co.	de 3712	5. F	roperty Name D STAT	E				6. Well	I No. 105	
				7. Surfa	ice Location					
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	8.02.01	E/W Line	County
С	35	17S		28E C	990	N		2310	W	Eddy
				8. Proposed Bo	ottom Hole Location	on				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	0040	E/W Line	County
С	35	178		28E C	990	N		2310	W	Eddy
				9. Pool	Information					
ARTESIA; GL	ORIETA-YESO (O)		1. 1.1					96830	
				Additional \	Well Information					
11. Work Type	w Well	12. Well Type OIL		13. Cable/Rotary	Ton mornidadin	14. Lease Type State			d Level Elevation 3679	
16. Multiple N		17. Proposed Dep	th	18. Formation Yeso Formation	1	19. Contractor		20. Spud I		
Depth to Groun	nd water	4000		Distance from nearest fresh v				Distance to	o nearest surface wa	ater
⊠ We will be	using a closed-lo	op system in lieu o	f lined pits							
		•	•	21. Proposed Casir	og and Coment Dr	ogram				
Type	Hole Size	Casing Siz	e	Casing Weight/ft	Setting D		Sacks o	of Cement	200	Estimated TOC
Surf	12.25	8.625	_	24 40				300		Estimated 100
Prod	7.875	5.5		17	475	4750		720		
			(2)	Casing/Cement Progr	am: Additional Co	mments			2.0	
					1100.00					
				22. Proposed Blow	out Prevention Pr	ogram				
Ту	/pe		Working Pressur	e	T	est Pressure	-		Manufa	cturer
Hydril 3000				2000						
5	7/2			120						
		mation given above	is true and c	omplete to the best of my			OIL CONSER	RVATION	DIVISION	
knowledge a		d with 10 15 14 0	A) NIMAC M	and/or 19.15.14.9 (B) NMA	C					
⊠, if applical		50 WILL 15.15.14.9	A) NIMAC A	лилог 19.15.14.9 (В) NMA						
Signature:										
Printed Name:	Electronica	ally filed by Bobby S	mith		Approved By:	Randy Da	de			
Title:					Title:	District Su	pervisor			
Email Address: bobby.smith@apachecorp.com					Approved Date: 9/25/2013 Expiration Date: 9/25/2015					

Conditions of Approval Attached

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III 1000 Rio Brazos Road, Azlec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT


30-0		96830 Artesia; Glorieta - Yeso								
Property Code		-	Property Name D STATE						Well Number 105	
1	OGRID No. 873		Operator Name APACHE CORPORATION						Elevation 3679'	
					Surface Locati	on				
UL or lot No.	Section 35	Township 17-S	Range 28-E	Lot Idn	Feet from the	North/South line NORTH	Feet from the 2310	East/West line WEST	County EDDY	

Bottom Hole Location If Different From Surface


					Donom) to	C Bookings is Bisse				
[UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
									<u> </u>	
Ì	Dedicated Acres	Joint or	Infill (Consolidation C	ode Ord	er No.				
	40	ľ								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





VICINITY MAP




DRIVING ROUTE: SEE LOCATION MAP

SEC. <u>35 IWP, 17-5</u> RGE, <u>28-E</u>
SURVEYN.M.P.M.
COUNTY <u>EDDY</u> STATE <u>NEW MEXICO</u>
DESCRIPTION 990' FNL & 2310' FW
ELEVATION3679'
OPERATOR APACHE CORPORATION
LEASE D. STATE

DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF US. HIGHWAY 82 AND CO. RD. 209 (TURKEY TRACK) GO SOUTH APPROX. 0.2 MILES; TURN LEFT AND GO EAST APPROX. 0.1 MILES; THIS LOCATION STAKE IS 250 FEET SOUTH.



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173973

PERMIT COMMENTS

Operator Name and Address:	API Number:
APACHE CORP [873]	30-015-41709
303 Veterans Airpark Lane	Well:
Midland, TX 79705	D STATE #105

Created By	Comment	Comment Date
MICHELLEC	CLOSED LOOP SYSTEM WILL BE USED	9/25/2013
CSHAPARD	Land f/S	9/25/2013

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 173973

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:	
APACHE CORP [873]	30-015-41709	
303 Veterans Airpark Lane	Well:	
Midland, TX 79705	D STATE #105	

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string