District I 1825 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 178270

# APPLICATION FOR PERMIT TO DRILL. RE-ENTER. DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address     YATES PETROLEUM	CORPORATION	2. OGRID Number 25575
105 S 4TH ST ARTESIA , NM 88210		3. API Number 30-015-41855
4. Property Code 38131	Property Name     SHERPA BOY STATE COM	6. Well No. 002H

#### 7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	1	25S	27E	777	1980	S	200	W	Eddy

### 8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	1	25S	27E	1	1980	S	330	W	Eddy

### 9. Pool Information

١	VILLOW LAKE;BONE SPRING,WEST	96415

#### Additional Well Information

		Additional Wolf Information	•		
11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3113	
16. Multiple N	17. Proposed Depth 12357	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date	
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water	

# ☑ We will be using a closed-loop system in lieu of lined pits

### 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	415	0
Int1	12.25	9.625	36	2500	850	0
Prod	8.5	5.5	17	12357	1265	5000
Prod	8.75	5.5	17	8059	580	2000

### Casing/Cement Program: Additional Comments

# 22. Proposed Blowout Prevention Program

VS.	ZZ: 1 Toposcu Biotrout 1 Toro	ndon'i rogium	22
Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	3000	
Double Ram	5000	5000	

knowledge and be		rue and complete to the best of my IMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATION	ON DIVISION	
Signature:						
Printed Name:	Electronically filed by LORI FLORE	ES	Approved By:	Randy Dade		
Title:	Land Regulatory Technician		Title:	District Supervisor		
Email Address: lorif@yatespetroleum.com			Approved Date:	12/10/2013	Expiration Date: 12/10/2015	
Date: 12/10/2013 Phone: 575-748-4448			Conditions of Approval Attached			

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 178270

# WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-015-41855	96415	WILLOW LAKE;BONE SPRING,WEST
4. Property Code	5. Property Name	6. Well No.
38131	SHERPA BOY STATE COM	002H
7. OGRID No.	8. Operator Name	9. Elevation
25575	YATES PETROLEUM CORPORATION	3113

	rface	

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	1	25S	27E		1980	S	200	W	Eddy

### 11. Bottom Hole Location If Different From Surface

UL - Lot Section		Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	1	25S	27E	0.00000000	1980	S	330	E	Eddy
12. Dedicated Acres 160.00			13. Joint or Infill		14. Consolidation Code			15. Order No.	

	OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
	E-Signed By: LORI FLORES
	Title: Land Regulatory Technician
	Date: 12/10/2013
0	SURVEYOR CERTIFICATION  I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.
	Surveyed By: Gary Jones
	Date of Survey: 10/23/2013
	Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178270

# **PERMIT COMMENTS**

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-41855
105 S 4TH ST	Well:
ARTESIA, NM 88210	SHERPA BOY STATE COM #002H

Created By	Comment	Comment Date
THAHN	C-102 and horizontal drilling plan will follow. H2S is not anticipated on this well.	12/10/2013
THAHN	Samples: 10' Samples surface-TD	12/10/2013
THAHN	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD 0'-400' is 191 PSI 400'-2500' is 1326 PSI 2500'-7897' is 3778 PSI	12/10/2013
THAHN	Well will be drilled to 7320' then will be kicked off and directionally drilled at 12 degrees per 100' with a 8.75" hole to 8059' MD (7798' TVD). Hole size will then be reduced to 8.5" and drilled to 12357' MD (7897' TVD) where 5.5" casing will be set and cemented 500' into intermediate casing with a DV tool at approx. at 5000' (cement volumes will be adjusted per tool placement). Penetration point of producing zone will be encountered at 1980' FSL and 666' FWL, 1-25S-27E. Deepest TVD is 7897' in the lateral.	
CSHAPARD	Land s/S	12/10/2013

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178270

Form APD Conditions

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:	
YATES PETROLEUM CORPORATION [25575]	30-015-41855	
105 S 4TH ST	Well:	
ARTESIA , NM 88210	SHERPA BOY STATE COM #002H	

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string