<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 178398

YAT	me and Address ES PETROLEUM	CORPORATION							2. OGR	D Number 25575		
	S 4TH ST ΓESIA , NM 88210								3. APIN	lumber 30-015-418	58	
4. Property Co 379		5	5. Property Name PERF		X STATE COM				6. Well	No. 003H		
					7. St	Irface Location						
UL - Lot L	Section 14	Township 258	Range	27E	Lot Idn	Feet From 1980	N/S Line S	Feet From	15	E/W Line W	County	Eddy
					8. Proposed	Bottom Hole Location	on					
UL - Lot	Section 14	Township 25S	Range	27E	Lot Idn	Feet From 1980	N/S Line S	Feet From	30	E/W Line	County	Eddy
					9. Po	ool Information						
WILDCAT G-	02 S252715A;BO	NE SPRING								978	816	
					Addition	al Well Information						
11. Work Type Ne	w Well	12. Well Type OIL		13. Cable/F	Rotary			14. Lease Type State		15. Ground Level Elevation 3123		
16. Multiple N		17. Proposed Dep 12457	2.2	18. Formation 2nd Bone Spring Sand			19. Contrac	tor	20. Spu	d Date		
Depth to Ground water			1	Distance from nearest fresh water well				Distance	to nearest surfac	e water		

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	415	0
Int1	12.25	9.625	36	2500	850	0
Prod	8.5	5.5	17	12457	1285	5000
Prod	8.75	5.5	17	7962	580	2000

Casing/Cement Program: Additional Comments

22. Proposed	Blowout	Prevention	Program
--------------	---------	------------	---------

100	ZZITTOPOGG DIGITOGIA TIOGIANI									
Туре	Working Pressure	Test Pressure	Manufacturer							
Double Ram	3000	3000								
Double Ram	5000	5000								

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC				OIL CONS	ERVATION DIVISION
Signature:					
Printed Name:	Electronically filed by LOF	RIFLORES	Approved By:	Randy Dade	
Title:	Land Regulatory Technician		Title:	District Supervisor	**************************************
Email Address:	lorif@yatespetroleum.com		Approved Date:	12/12/2013	Expiration Date: 12/12/2015
Date:	12/12/2013 Phone: 575-748-4448		Conditions of Approval Attached		

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 178398

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-41858	2. Pool Code 97816	3. Pool Name WILDCAT G-02 S252715A;BONE SPRING
4. Property Code 37955	Property Name PERFECTO BOX STATE COM	6. Well No. 003H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3123

	24		//						1/4
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	14	258	27E		1980	S	15	W	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	14	25S	27E	(0.5)(0.7-16)(0.5)	1980	S	330	E	Eddy
12. Dedicated Ad 160.0			13. Joint or Infill		14. Consolidation Code			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

		organization either o a right to drill this we	OPERATOR CERTIFICATION is information contained herein is true and complete to the best of my knowledge and belief, and that this was a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has it this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling alsory pooling order heretofore entered by the division.
		E-Signed By:	LORIFLORES
		Title:	Land Regulatory Technician
		Date:	12/12/2013
			SURVEYOR CERTIFICATION we well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, thus and correct to the best of my belief.
		Surveyed By:	Gary Jones
		Date of Survey:	10/15/2013
		Certificate Number:	7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178398

PERMIT COMMENTS

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-41858
105 S 4TH ST	Well:
ARTESIA , NM 88210	PERFECTO BOX STATE COM #003H

Created By	Comment	Comment Date
THAHN	C-102 and horizontal drilling plan to follow. H2S is not anticipated.	12/12/2013
THAHN	Samples: 10' Samples surface-TD	12/12/2013
THAHN	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD 0'-400' is 191 PSI 400'-2500' is 1326 PSI 2500'-7850' is 3755 PSI	12/12/2013
THAHN	Well will be drilled to 7228' then be kicked and directionally drilled at 12 degrees per 100' with a 8.75" hole to 7962' MD (7705' TVD). Hole size will then be reduced to 8.5" and drilled to 12457' MD (7850' TVD) where 5.5" casing will be set and cemented 500' into intermediate casing with a DV tool at approx. 5000' (cement volumes will be adjusted per tool placement). Penetration point of producing zone will be encountered at 1980' FSL and 477' FWL, 14-25S-27E. Deepest TVD is 7850' in the lateral.	12/12/2013
CSHAPARD	Land s/S	12/12/2013

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-8178 Fax:(505) 334-8170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178398

Form APD Conditions

PERMIT	CONIDI	PINOIT	OE AD	DDOW	ΛI
PERIVIL	CONDI	HON5	UF AF	PRUV	AL

Operator Name and Address:	API Number:
YATES PETROLEUM CORPORATION [25575]	30-015-41858
105 S 4TH ST	Well:
ARTESIA, NM 88210	PERFECTO BOX STATE COM #003H

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string