<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 178328

APPLICATION FOR PERMIT TO DRILL, RE-EN 1. Operator Name and Address COG OPERATING LLC One Concho Center									SRID Number 229137			
Midland, TX 79701									3. API Number 30-015-41866			
4. Property Code 5. Property Name								6. We				
				RO STATE	UNIT					046H		
					7. Surf	ace Location						
	Section	Township	Ran		Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	
D	5	26	S	28E	4	190	N	121111	550	W		Eddy
					8. Proposed B	ottom Hole Loc	cation					
	Section	Township	Ran		Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	
М	5	26	S	28E	M	330	S		380	W		Edd
					9. Poo	I Information						
ED BLUFF DEL	LAWARE								9	96435		
					Additional	Well Informatio	n.					
1. Work Type		12. Well T	vpe		13. Cable/Rotary	vveii iiiioiiiiauo	14. Lease Type	15.	Ground L	Level Elevation		
New We	ell		OIL				State	1000		005		
1/2		17. Propos			18. Formation		19. Contractor	20.	Spud Da			
6. Multiple		N 1054			Delaware				12/20/2013			
N			10543	*		fresh wedneswell	-	Diet				
N epth to Ground wa	1349	op system in li			Distance from nearest to 21. Proposed Casi	ing and Cement	t Program	Saoks o	ance to n	nearest surface wate	Estimate	d TOC
N Pepth to Ground was	ng a closed-loo	Op system in li Casin 13.	eu of lined p		Distance from nearest	ing and Cement Settir		Sacks o	ance to n	nearest surface wate		d TOC
N Pepth to Ground was We will be using Type Surf	ng a closed-loo Hole Size 17.5	Casin 13.	eu of lined p g Size 375		21. Proposed Casi Casing Weight/ft 48	ing and Cement Settir	ng Depth 515	Sadis o	ance to n	nearest surface wate		
N Pepth to Ground was We will be using Type Surf Int1	Hole Size 17.5 12.25	Casin 13.	eu of lined p g Size 375 525		21. Proposed Casi Casing Weight/ft 48 36	ing and Cement Settir 2	ng Depth 515 2330 0543	Sadis o	f Cement 75 25	nearest surface wate	Estimate	
N Pepth to Ground was We will be using Type Surf Int1	Hole Size 17.5 12.25	Casin 13.	eu of lined p g Size 375 525		21. Proposed Casi Casing Weight/ft 48 36 17	ing and Cement Settir 2	ng Depth 515 2330 0543	Sadis o	f Cement 75 25	nearest surface wate	Estimate	
N Pepth to Ground was We will be using Type Surf Int1	Hole Size 17.5 12.25	Casin 13.	eu of lined p g Size 375 525		21. Proposed Casi Casing Weight/ft 48 36 17	ing and Cement Settir 2 10	ng Depth 515 2330 0543	Sadis o	f Cement 75 25	nearest surface wate	Estimate	
N Pepth to Ground was We will be using Type Surf Int1	Hole Size 17.5 12.25	Casin 13.	eu of lined p g Size 375 525	(21. Proposed Casi Casing Weight/ft 48 36 17 Casing/Cement Prog	ing and Cement Settir 2 10	ng Depth 515 2330 0543	Sads o 3 6 13	f Cement 75 25	nearest surface wate	Estimate	
N Pepth to Ground wa We will be using Type Surf Int1 Prod	Hole Size 17.5 12.25 7.875	Casin 13.	eu of lined p g Size 375 525	(21. Proposed Casi Casing Weight/ft 48 36 17 Casing/Cement Prog	ing and Cement Settir 2 10	ng Depth 515 2330 0543 I Comments	Sadis o 3 6 13	f Cement 75 25	t	Estimate 213	
N Pepth to Ground wa We will be using Type Surf Int1 Prod 3. I hereby certify further certify II d, if applicable.	Hole Size 17.5 12.25 7.875 Type Double Ram by that the information of the control of the contro	Casin 13. 9,6	g Size 375 325 .5	w and comp	21. Proposed Casi Casing Weight/ft 48 36 17 Casing/Cement Prog	setting and Cement Setting 2 10 10 17 17 17 17 17 17 17 17 17 17 17 17 17	ng Depth 515 2330 0543 I Comments	Sadis o 3 6 13	f Cement 75 25 310	t M. (Estimate 213 anufacturer	
N Pepth to Ground wa We will be using Type Surf Int1 Prod 3. I hereby certify further certify II d, if applicable. Signature:	Hole Size 17.5 12.25 7.875 Type Double Ram belief.	Casin 13. 9.6 5	g Size 375 325 .5	w and comp	21. Proposed Casi Casing Weight/ft 48 36 17 Casing/Cement Prog 22. Proposed Blov orking Pressure 3000	ing and Cement Settin 2 10 10 17 17 17 17 17 17 17 17 17 17 17 17 17	ng Depth 515 1330 0543 I Comments Program Test Pre 300	Sads of 3 6 13 ssure 0 OIL CONSER	f Cement 75 25 310	t M. (Estimate 213 anufacturer	
N Pepth to Ground wa We will be using Type Surf Int1 Prod 3. I hereby certify further certify II d, if applicable. Signature:	Hole Size 17.5 12.25 7.875 Type Double Ram belief. have complie	Casin 13. 9.6 5	g Size 375 325 .5	w and comp	21. Proposed Casi Casing Weight/ft 48 36 17 Casing/Cement Prog 22. Proposed Blov orking Pressure 3000	ing and Cement Settin 2 10 10 17 17 17 17 17 17 17 17 17 17 17 17 17	ng Depth 515 1330 0543 I Comments I Program Test Pre 300	Sads of 3 6 13 ssure 0 OIL CONSER	f Cement 75 25 310	t M. (Estimate 213 anufacturer	
N Pepth to Ground wa We will be using Type Surf Int1 Prod 3. I hereby certify further certify II d, if applicable.	Hole Size 17.5 12.25 7.875 Type Double Ram belief. have complie	Casin 13. 9.6 5	g Size 375 325 .5 bove is true	w and comp	21. Proposed Casi Casing Weight/ft 48 36 17 Casing/Cement Prog 22. Proposed Blov orking Pressure 3000	ing and Cement Settin 2 10 10 17 17 17 17 17 17 17 17 17 17 17 17 17	ng Depth 515 1330 0543 I Comments I Program Test Pre 300 : Randy Da District St	Sacks of 3 6 13 ssure 0 OIL CONSER	f Cement 75 25 310	t M. (Estimate 213 anufacturer Cameron	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 178328

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-015-41866	96435	RED BLUFF DELAWARE
4. Property Code	5. Property Name	6. Well No.
308169	SRO STATE UNIT	046H
7. OGRID No.	8. Operator Name	9. Elevation
229137	COG OPERATING LLC	3005


10. Surface Location

				101 041	Idoo Eoodioii				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	5	26S	28E	4	190	N	550	W	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	5	26S	28E	4	330	S	380	W	Eddy
12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Cod	de		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall
Title: Production Reporting Mgr

Date: 12/13/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow
Date of Survey: 11/8/2013
Certificate Number: 17777

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178328

PERMIT COMMENTS

Operator Name and Address:	API Number:		
COG OPERATING LLC [229137]	30-015-41866		
One Concho Center	Well:		
Midland, TX 79701	SRO STATE UNIT #046H		

Created By	Comment	Comment Date
	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	12/11/2013
CSHAPARD	Land s/S	12/13/2013

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 178328

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
COG OPERATING LLC [229137]	30-015-41866
One Concho Center	Well:
Midland, TX 79701	SRO STATE UNIT #046H

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string